

1997
DODGE RAM VAN AND WAGON
(AB)



Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION

1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.

The following table interprets the VIN Plate positions shown above.


Position	Interpretation	Codes = Description
1	Country of Origin	2 = Canada
2	Make	B = Dodge
3	Vehicle type	7 = Truck
4	GVWR & Pass. Safety	D=0-1360 kg (0-3000 lbs) E=1361-1814 kg (3001-4000 lbs) F=1815-2267 kg (4001-5000 lbs) G=2268-2721 kg (5001-6000 lbs) H=2722-3175 kg (6001-7000 lbs) J=3176-3628 kg (7001-8000 lbs) K=3629-4082 kg (8001-9000 lbs) L=4083-4535 kg (9001-10000 lbs) M=4536-6350 kg (10001-14000 lbs) W=Bus's & Incomplete vehicles
5	Vehicle Line	B = Wagon/Van/Bus
6	Series	1 = 1500 2 = 2500 3 = 3500
7	Body Style	1 = Van 2 = Wagon 5 = Wagon
8	Engine	X - 3.9L 6 Cyl. (EHC) Y = 5.2L 8 Cyl. (ELF) T = 5.2L 8 Cyl. (ELP) Z = 5.9L 8 Cyl. (EML)
9	Check Digit	
10	Model Year	V = 1997, W = 1998, X = 1999
11	Assembly Plant	K = Pillette Windsor
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence


Group – 002

Front Suspension & Drive

GROUP 2 - Front Suspension & Drive


Illustration Title	Group-Fig. No.
Front Suspension	
Upper Control Arms and Knuckles	Fig. 002-110
Lower Control Arms,Springs,Shocks and Strut	Fig. 002-120
Front Stabilizer Bar	Fig. 002-130



002-100 Front Suspension			
			

Upper Control Arms and Knuckles

Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DJB=3500 Lb. Front Axle---DJD = 3600LB Front Axle---DJE=4000Lb. Front Axle									
1	4167 415	2							WASHER, Control Arm
2	4213 118	2							BUSHING, Control Arm [DJB]
	4213 119	2							[DJD,DJE]
3	4032 192	2							RETAINER, Control Arm
4	6031 718	2							NUT, Hex Lock, .750 - 10
5	6030 099	1							FITTING, Ball Joint, Zirc
6									BALL JOINT PACKAGE, Upper
	2808 394	1							Control Arm [DJB,DJD]
	3744 929	1							[DJE]
7									SEAL, Ball Joint
	5200 6405	1							[DJB,DJD]
	5200 6404	1							[DJE]
8	0120 123	2							PIN, Cotter
9									NUT, Hex
	1671 405	2							[DJB,DJD] Knuckle Arm to Lower Ball Joint Mounting
	9425 133	1							[DJE] Knuckle Arm to Lower Ball Joint Mounting
10									KNUCKLE, Front
	5205 8414	1							[DJB], Right
	5205 8415	1							[DJB], Left
	5205 8412	1							[DJD], Right
	5205 8413	1							[DJD], Left
	5205 8410	1							[DJE], Right
	5205 8411	1							[DJE], Left
11									BOLT, Hex Head
	6030 009	4							[DJB,DJD] Front Knuckle to Knuckle Arm Mounting
	6030 063	4							[DJE] Front Knuckle to Knuckle Arm Mounting
12									NUT, Hex
	0273 912	2							[DJB,DJD] Upper Ball Joint to Front Knuckle Mounting
	1671 405	2							[DJE] Upper Ball Joint to Front Knuckle Mounting
13	0120 123	2							PIN, Cotter
14	4237 882	1							ARM, Knuckle [DJB,DJD], Right

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Upper Control Arms and Knuckles
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4237 883	1							[DJB,DJD], Left
	4237 886	1							[DJE], Right
	4237 887	1							[DJE], Left
15									NUT, Hex Lock
	0152 353	4							[DJB,DJD] Front Knuckle to Knuckle Arm Mounting
	0152 355	4							[DJE] Front Knuckle to Knuckle Arm Mounting
16	4117 796	4							NUT, Pivot Arm
17	4014 050	2							BUMPER, Jounce
18									ARM, Control
	4210 872	1							[DJB], Right
	4210 873	1							[DJB], Left
	4210 874	1							[DJD], Right
	4210 875	1							[DJD], Left
	4210 876	1							[DJE], Right
	4210 877	1							[DJE], Left
19	0152 344	2	2		12	ELN			NUT, .375-16, Jounce Bumper Mounting
20	6031 842	4							BOLT AND CONED WASHER, Hex Head, .62-11x2.25, Upper Control Arm to Frame Mounting


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lower Control Arms,Springs,Shocks and Strut
Figure 002-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DJB= Front Axle-3500LB---DJD=3600LB Front Axle---DJE= Front Axle-4000LB---TW0=225/245 Tires---TYT=LT245/75R16E									
BSW All Season									
1									SHOCK ABSORBER PACKAGE, suspension
	4740 238	2							[DJB,DJD,+SFB]
	4740 243	2							[DJE,+SFB]
2	0114 942	2							NUT, Hex, .375-24, [DJB,DJD,DJE]
3	5203 9232	2							Upper Shock Mounting RETAINER, Shock Absorber
4	5203 9223	2	2		11				Bushing, [DJB,DJD,DJE], Upper BUSHING, Shock Absorber, [DJB, DJD,DJE], Upper
5	5203 9187	2	2		52				BUSHING, Shock Absorber, [DJB, DJD,DJE], Lower
6	5203 9233	2							RETAINER, Shock Absorber Bushing, [DJB,DJD,DJE], Lower
7	6025 361	4							SCREW AND WASHER, Hex Head, [DJB,DJD,DJE] Shock Mounting, Lower
8	6033 455	4							BOLT AND CONED WASHER, Hex Head, .50-13x2.25, [DJB,DJD,DJE]
9									Jounce Bumper Mounting BUMPER, Jounce
	4112 343	2							[DJB]
	4112 342	2							[DJD,DJE]
10									STRUT, Lower Control Arm
	4032 117AB	2							[DJB,DJD]
	4032 322	2							[DJE]
11	3898 896	2							RETAINER, Control Arm, [DJB,DJD, DJE] Strut Rod Bushing, Front
12									BUSHING, Control Arm Strut
	5203 8364	2							[DJB], Front
	5203 8479	2							[DJE], Front
13									BUSHING, Control Arm Strut
	5203 8365	2							[DJB], Rear
	5203 8481	2							[DJE], Rear
14	3898 897	2							RETAINER, Control Arm, [DJB,DJD, DJE] Strut Rod Bushing, Rear
15	6031 718	2							NUT, Hex Lock, .750 - 10, [DJB,DJD, DJE] Strut Rod Mounting

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lower Control Arms, Springs, Shocks and Strut
Figure 002-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16									WASHER, Conical, ID=.540 OD=1.00 THK=.146, (NOT SERVICED) (Not Serviced)
17	6029 982	4							NUT, Control Arm Strut, [DJB,DJD, DJE] Strut Rod Mounting
18	0152 355	4							NUT, Hex Lock, [DJB,DJD,DJE] Lower Control Arm Mounting
19	1671 405	2							NUT, Hex [DJB] Lower Ball Joint Mounting
	9425 133	1							[DJE] Lower Ball Joint Mounting
20	5200 6405	1							SEAL, Ball Joint [DJB]
	5200 6404	2							[DJE]
21									BALL JOINT PACKAGE, Lower Control Arm
	3837 088	1							[DJB]
	3683 983	2							[DJE]
22	6030 099	1							FITTING, Ball Joint, Zirc, [DJB,DJD, DJE]
23	4210 584	1							ARM, Control [DJB], Right
	4210 585	1							[DJB], Left
	4164 464	1							[DJD], Right
	4164 465	1							[DJD], Left
	4036 808	1							[DJE,+TW0], Right
	4036 809	1							[DJE,+TW0], Left
	4447 552	1							[DJE,+TYT], Right
	4447 553	1							[DJE,+TYT], Left
24	5200 7092	1							BUSHING, Lower Control Arm, [DJB, DJD,DJE]
25	6031 332	2							BOLT, Hex Head, .75-16x5.00, [DJB, DJD,DJE] Lower Control Arm Mounting
26									WASHER, Flat, ID .842 x OD. .499 x THK.160, (NOT SERVICED) (Not Serviced)
27									SPRING, Front Coil
	5203 9168	1							[ZHA,ZWA] Tag 9170
	5203 9169	1							[ZHB,ZWB] Tag 9170
	5203 9170	1							[ZHC,ZWC] Tag 9170
	5203 9175	1							[ZHD,ZWD] Tag 9175

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure 002-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 9176	1							[ZHE,ZWE] Tag 9176
	5203 9177	1							[ZHF,ZWF] Tag 9177
	5203 9178	1							[ZHG,ZWG] Tag 9178
	5203 9180	1							[ZHH,ZWH] Tag 9180
	5203 9270	1							[ZHJ,ZWJ] Tag 9270
	5203 9271	1							[ZHK,ZWK] Tag 9270
	5203 9272	1							[ZJA,ZXA] Tag 9270
	5203 9273	1							[ZJB,ZXB] Tag 9270
	5203 9278	1							[ZJC,ZXC] Tag 9278
28	52038 732AB	2							ISOLATOR, Front Suspension Spring, [DJB,DJD,DJE]

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Stabilizer Bar
Figure 002-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: 3879212 Insulator Package contains 1-Nut,1-Conical Washer and 1-Bushing									
1	0152 342	4							NUT, Hex Lock, .32-18
2	2071 611	8							RETAINER, Sway Bar Link, Conical Washer
3	2071 604	8							BUSHING, Sway Bar
4	4116 589	2							LINK, Sway Eliminator
5	3879 212	8							INSULATOR PACKAGE, Sway Eliminator
6									BRACKET, Jounce Bumper
	4116 590	1							Sway Bar Mounting, Right
	4116 591	1							Sway Bar Mounting, Left
7	4404 219	2							RETAINER, Sway Bar
8	6025 361	4							SCREW AND WASHER, Hex Head
9	4117 051	2							BUSHING, Sway Bar
10	4116 582	1							BAR, Front Sway
11	4116 588	2							PLATE, Sway Bar
12	6028 040	4							NUT, Push, .31-18
13	6025 361	1							SCREW AND WASHER, Hex Head
14									BRACKET, Stabilizer Bar
	4447 546	1							Right
	4447 547	1							Left

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 003

Rear Axle

GROUP 3 - Rear Axle

Illustration Title Group-Fig. No.

Rear Axle

Rear Axle Fig. 003-110

Differential and Housing


Differential and Housing,Chrysler Model 8.25 Fig. 003-210




Differential and Housing,Chrysler Model 9.25 Fig. 003-220

Differential and Housing,Dana Model 60 Fig. 003-230


Rear Axle Vent

Rear Axle Vent Fig. 003-310



003-100 Rear Axle	003-200 Differential and Housing	003-300 Rear Axle Vent	
			

Rear Axle
Figure 003-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRA =8.25 Chrysler Axle---DRB =9.25 Light Duty Chrysler Axle---DRG=9.25 Heavy Duty Rear Axle---DRC=Dana Model 60/248MM---DRD=Dana Model 60/248MM Heavy Duty---DMC=3.21 Ratio---DMD=3.55 Ratio---DMH=3.92 Ratio---DMF=4.09 Ratio--									
1									AXLE, Rear
	4883 096	1							[DRA,DMC,+DSA] Tag 52069654
	4883 088	1							[DRA,DMC,-DSA] Tag 52069643
	4883 115	1							[DRA,DMD,+DSA] Tag 52069648
	4883 114	1							[DRA,DMD,-DSA] Tag 52069639
	4883 116	1							[DRA,DMH,-DSA] Tag 52069634
	4761 411	1							[DRB,DMC,+DSA] Tag 52069629
	4728 704	1							[DRB,DMC,-DSA] Tag 52069628
	4761 412	1							[DRB,DMD,+DSA] Tag 52069627
	5206 7741	1							[DRB,DMD,-DSA] Tag 52069626
	4761 869	1							[DRB,DMH,-DSA] Tag 52069630
	4761 870	1	3		12, 13, 52, 53				[DRG,DMH,-DSA] Tag 52068363
	4856 558	1							[DRC,DMF,+DSA] Tag 52069015AB
	4856 557	1							[DRC,DMF,-DSA] Tag 52069014AB
	4856 556	1							[DRD,DMF,-DSA] Tag 52069018AB

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential and Housing, Chrysler Model 8.25
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DRA = 8.25 Chrysler Axle

DMC = 3.21 Ratio

DMD = 3.55 Ratio

DMH = 3.92 Ratio

DSA = Anti-Spin Differential

1	6028 041	1							NUT, Pinion Yoke
2	2070 117	1							WASHER, Pinion Yoke
3	4137 976	1							YOKE, Axle
4	5206 7595	1							SEAL, Drive Pinion
5	2070 316	1							BEARING, Drive Pinion, Front
6	2070 317	1							CUP, Drive Pinion Bearing, Front
7	4882 057	1							HOUSING, Rear Axle
8	5206 7508	1							BOLT, Axle Vent
9	3723 668	8							STUD, Axle Housing to Backing Plate
10	3507 898AB	2							BEARING, Wheel
11	4137 426	2							SEAL, Axle Drive Shaft
12	5206 9665	2							SHAFT, Axle
13	3432 698	10							STUD, Hub
14	3432 695	4							SCREW, Hex Head, .50-13x2.38, Carrier Cap Retaining
15	5010 884AA	1							SEALANT, RTV
16	3723 681AC	1							COVER, Differential
17	6033 043	10							SCREW AND WASHER, Hex Flange Head, .312-18x.562, Differential Cover
18	3723 687	1							PLUG, Differential Cover
19	3507 876	2							ADJUSTER, Differential Bearing
20	3723 859	2							LOCK, Differential Bearing
21	6023 092	2							SCREW AND WASHER, Hex Head, .25-20x.50, Differential Bearing Lock
22	3723 569	2							CUP, Differential Side Bearing
23	1790 541	2							BEARING, Differential
24	4443 158	1							SCREW PACKAGE, Axle Drive Gear, Ring Gear Attaching
25	5206 9657	1							SHAFT, Differential Pinion, Also Serviced In Differential Gear Package, [-DSA]
26	5206 9428	1							CASE, Differential, [-DSA]

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential and Housing,Chrysler Model 8.25 Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-27	4384 226	1							TONE RING, Sensor
28	3507 724	1							SCREW, Hex Head, .312-18x1.80, Also Serviced in Differential Gear Package
29									GEAR KIT, Ring And Pinion
	4882 051	1							[DMC]
	4856 540	1							[DMD]
	4882 132	1							[DMH]
30	2800 484	1							BEARING, Drive Pinion, Rear
31	2800 485	1							CUP, Drive Pinion Bearing, Rear
32	3723 520	AR							SHIM, Drive Pinion Bearing, .020
-33	3723 522	AR							SHIM, Drive Pinion Bearing, .022
-34	3723 524	AR							SHIM, Drive Pinion Bearing, .024
-35	3723 526	AR							SHIM, Drive Pinion Bearing, .026
-36	3723 527	AR							SHIM, Drive Pinion Bearing, .027
-37	3723 528	AR							SHIM, Drive Pinion Bearing, .028
-38	3723 529	AR							SHIM, Drive Pinion Bearing, .029
-39	3723 530	AR							SHIM, Drive Pinion Bearing, .030
-40	3723 531	AR							SHIM, Drive Pinion Bearing, .031
-41	3723 532	AR							SHIM, Drive Pinion Bearing, .032
-42	3723 534	AR							SHIM, Drive Pinion Bearing, .034
-43	3723 536	AR							SHIM, Drive Pinion Bearing, .036
-44	3723 538	AR							SHIM, Drive Pinion Bearing, .038
45	3507 575	1							SPACER, Drive Pinion Bearing
46	5206 9426	2							RETAINER, Axle Shaft
47	2852 912	2							WASHER, Pinion Thrust, Also Serviced In Differential Gear Package, [-DSA]
48	5206 9655	2							PINION, Differential, Also Serviced In Differential Gear Package, [-DSA]
49	4883 087	1							GEAR PACKAGE, Differential, [-DSA]
50	5206 9429	2							GEAR, Differential, Also Serviced In Differential Gear Package, [-DSA]
51	4883 085	1							WASHER PACKAGE, Side Gear Thrust, Also Serviced In Differential Gear Package, [-DSA]
52	5209 8778	1							CASE, Differential, with Internal Parts, [+DSA]

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential and Housing,Chrysler Model 9.25

Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DRA = 8.25 Corporate Rear Axle DRB = 9.25 Light Duty Chrysler Axle DRG = 9.25 Heavy Duty Rear Axle DMC = 3.21 Ratio DMD = 3.55 Ratio DMH = 3.92 Ratio DSA = Anti-Spin Differential									
1	6028 041	1							NUT, Pinion Yoke
2	2070 117	1							WASHER, Pinion Yoke
3	3432 487	1							YOKE, Drive Shaft
4	5206 7596	1							SEAL, Drive Pinion
5	1820 552	1							BEARING, Drive Pinion, Front
6	1820 551	1							CUP, Drive Pinion Bearing, Front
7	5206 7754	1							HOUSING, Axle [DRB]
	4761 483	1	3			12, 13, 52, 53			[DRG]
8	5206 7508	1							BOLT, Axle Vent
9	3723 668	8							STUD
10									SEAL, Axle Drive Shaft
	4137 426	2							[DRB]
	4137 314	2	3			12, 13, 52, 53			[DRG]
11									STUD, Hub
	3432 698	10							[DRB]
	6032 505	16	3			12, 13, 52, 53			[DRG]
12									SHAFT, Axle
	5206 7708	2							[DRB]
	4117 897	2	3			12, 13, 52, 53			[DRG]
13									BEARING, Wheel
	3507 898AB	2							[DRB]
	4117 858	2	3			12, 13, 52, 53			[DRG]
14	3432 695	4							SCREW, Hex Head, .50-13x2.38
15	5010 884AA	1							SEALANT, RTV
16	5300 7762	1							COVER, Differential
17	6033 043	12							SCREW AND WASHER, Hex Flange Head, .312-18x.562

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential and Housing, Chrysler Model 9.25

Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	3723 687	1							PLUG, Differential Cover
19	3507 723	2							ADJUSTER, Differential Bearing
20	3723 858	2							LOCK, Differential Bearing
21	6023 092	2	3		12				SCREW AND WASHER, Hex Head, .25-20x.50
22	3723 148	2							CUP, Differential Side Bearing
23	3723 149	2							BEARING, Differential
24	3723 018	12							SCREW, Hex Flange Head, .437-20x.88
25	1633 928	1							SHAFT, Differential, Also Serviced in Differential Gear Package, [-DSA]
26	4384 222	1							CASE, Differential, [-DSA]
-27									SCREW, Hex Head, .312-18x1.80, Also Serviced in Differential Gear Package
	4384 227	1							[DRB]
	4384 228	1	3		12, 13, 52, 53				[DRG]
28	3507 724	1							GEAR PACKAGE, Ring And Pinion, 29
29									[DMC]
	3837 594	1							[DMD]
	3837 595	1							[DMH]
	4761 715	1							
30	2852 731	1							BEARING, Drive Pinion, Rear
31	2852 732	1							CUP, Drive Pinion Bearing, Rear
32	3432 320	AR							SHIM, Drive Pinion Bearing, .020
-33	3432 321	AR							SHIM, Drive Pinion Bearing, .021
-34	3432 322	AR							SHIM, Drive Pinion Bearing, .022
-35	3432 323	AR							SHIM, Drive Pinion Bearing, .023
-36	3432 324	AR							SHIM, Drive Pinion Bearing, .024
-37	3432 325	AR							SHIM, Drive Pinion Bearing, .025
-38	3432 326	AR							SHIM, Drive Pinion Bearing, .026
-39	3432 327	AR							SHIM, Drive Pinion Bearing, .027
-40	3432 328	AR							SHIM, Drive Pinion Bearing, .028
-41	3432 329	AR							SHIM, Drive Pinion Bearing, .029
-42	3432 330	AR							SHIM, Drive Pinion Bearing, .030
-43	3432 331	AR							SHIM, Drive Pinion Bearing, .031
-44	3432 332	AR							SHIM, Drive Pinion Bearing, .032
-45	3432 333	AR							SHIM, Drive Pinion Bearing, .033
-46	3432 334	AR							SHIM, Drive Pinion Bearing, .034

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential and Housing,Chrysler Model 9.25
Figure 003-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-47	3432 335	AR							SHIM, Drive Pinion Bearing, .035
-48	3432 336	AR							SHIM, Drive Pinion Bearing, .036
-49	3432 337	AR							SHIM, Drive Pinion Bearing, .037
-50	3432 338	AR							SHIM, Drive Pinion Bearing, .038
51	3507 678	1							SPACER, Drive Pinion Bearing
52	4137 669	1							LOCK, Drive Shaft
53	3507 641	2							WASHER, Pinion Thrust, Also Served in Differential Gear Package, [-DSA]
54									GEAR, Differential, Served in Differential Gear Package Only, (NOT SERVICED) (Not Served)
55	4798 912	1							GEAR PACKAGE, Differential, [-DSA]
56									GEAR, Differential, Served in Differential Gear Package Only, (NOT SERVICED) (Not Served)
57	4131 294	1							WASHER PACKAGE, Side Gear Thrust, Also Served in Differential Gear Package, [-DSA]
58	5206 8450	1							CASE, Differential, with All Internal Parts, [+DSA] with All Internal Parts

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential and Housing,Dana Model 60 Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRC=Dana Model 60/248MM---DRD=Dana Model 60/248MM Heavy Duty---DMF=4.09 Ratio---DSA = Limited Slip Differential									
1	3507 543	1							WASHER, [-DSA] Pinion Thrust
2	2961 848	1							WASHER, [-DSA] Side Gear Thrust
3	3898 313	1							SHIM, Differential Bearing
4	4746 605	1							BEARING, Differential
5	4746 603	1							BEARING, Drive Pinion, Rear
6	J812 4026	1							SHIM KIT, Pinion Shaft
7	4506 121	1							HOUSING, Rear Axle [DRC]
	4506 122	1							[DRD]
8	2952 474	10							BOLT, Hex Flange Head, Cover Attaching
9	J400 4751	1							PLUG, Differential Cover
10	4318 025	1							SEALANT, RTV
11	4506 142	1							COVER, Differential
12	5206 7508	1							BOLT, Axle Vent
13	4746 606	1							SPACER, Drive Pinion Bearing, Crush
14	4746 604	1							BEARING, Drive Pinion, Front
15	4746 867	1							SLINGER, Drive Pinion
16	4384 188	1							SEAL, Drive Pinion
17	4164 120	1							YOKE, Axle [DRC]
	4746 029	1							[DRD]
18	2070 117	1							WASHER, Pinion Yoke
19	1795 173	1							NUT, Pinion Yoke
20	4506 060	1							DISC AND PLATE KIT, Differential
21	4506 066	10							SCREW, Hex Head, Ring Gear Attaching
22	4746 023	1							GEAR KIT, Ring And Pinion
23	4746 024	1							CASE, Differential [-DSA]
	4506 058	1							[+DSA]
24	4746 027	1							GEAR KIT, Center Differential, [-DSA]
25	4506 059	1							GEAR KIT, Center Differential, [+DSA]
26	4384 186	2							GASKET, Axle Shaft
27	5206 7540	1							SHAFT, Axle Right
	5206 7541	1							Left

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential and Housing,Dana Model 60
Figure 003-230

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28	5003 648AA	4							BOLT, Differential
29	4883 560AA	1							ROLL PIN, Differential, [-DSA]
30	1922 276	1							SHAFT, Differential, [-DSA]




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Axle Vent Figure 003-310

[illegible]

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005


Group – 004

Parking Brake


GROUP 4 - Parking Brake

Illustration Title	Group-Fig. No.
Parking Brake Lever and Cables	
Parking Brake Lever	Fig. 004-110
Parking Brake Cables	Fig. 004-120



004-100 Parking Brake Lever and Cables			
			

Parking Brake Lever
Figure 004-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5535 1000	1							BRACKET, Steering Column
2	6035 613	1							SCREW, Park Brake Lever to Steering Colum Bracket Mounting
3	5207 8290	1							LEVER, Park Brake
-4	4221 463	1							SWITCH, Parking Brake
5	4086 497	1							HANDLE, Parking Brake
-6	9423 951	1							SCREW, Hex Flange Head Tapping, .190x16x1.00, Park Brake Release Handle
7	6016 155	1							STRAP, Tie
8	4019 175	1							PAD, Parking Brake Pedal
9	6028 430	1							U-NUT, .164-18
10	3467 924	1							RETAINER, Parking Brake Cable, to Park Brake Lever
11	52009 033AB	1							CABLE, Parking Brake, Front
12	6025 007	2							NUT AND WASHER, Hex, .312-18, Park Brake Lever Mounting

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Parking Brake Cables
Figure 004-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: DRA=8.25 Corporate Rear Axle---DRB=9.25 LD Corporate Rear Axle---DRG= 9.25 HD Corporate Rear Axle---DRC=Dana 60

Rear Axle---DRD= Dana 60 HD Rear Axle

1									CABLE, Parking Brake
	5200 9422	1							[DRA,DRB], Right
	4485 114	1							[DRC,DRD,DRG], Right
2	2516 998	2							CLIP, Parking Brake Cable
3	6035 613	2							SCREW, Parking Brake Cable, Mounting
4									CABLE, Parking Brake
	5200 9433	1							[DRA,DRB], Left
	4485 115	1							DRC,DRD,DRG], Left
5	52008 437AC	1	1, 2						TENSIONER, Parking Brake Cable
6									CABLE, Parking Brake Extension
	5200 8977	1	1, 2				12, 13, 51, 52, 53		
	52009 374AB	1	3				12, 13, 52, 53		
7	4210 918	1							GUIDE, Parking Brake Cable
8	2201 467	3	3				12, 13, 52, 53		CLIP, Parking Brake Cable
9	5200 9563	1	3				12, 13, 52, 53		EQUALIZER, Parking Brake Cable
10	52009 033AB	1							CABLE, Parking Brake, Front
11	4313 915	2							CLIP, Parking Brake Cable
12									CLIP, (NOT SERVICED) (Not Serviced)
-13	4713 293	1							CLIP, Parking Brake Cable, [DRC, DRD] Cable to Park Brake Lever, Mounting

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Group – 005

Service Brakes

GROUP 5 - Service Brakes

Illustration Title Group-Fig. No.

Front Brakes

Front Brakes Fig. 005-110

Rear Brakes

Rear Brakes,11 Inches x 2.5 Inches Fig. 005-210

Rear Brakes,12 Inches x 3 Inches Fig. 005-220

Drums and Bearings,Rear Brake,12 Inches x 3 Inches Fig. 005-230

Power Brake Booster

Power Brake Booster Fig. 005-310

Brake Master Cylinder

Master Cylinder Fig. 005-410

Hydraulic Control Unit Fig. 005-420


Brake Lines and Hoses






Brake Lines, Front Fig. 005-510

Brake Lines, Rear Fig. 005-520


Brake Pedals

Brake Pedal Fig. 005-610



005-100 Front Brakes 	005-200 Rear Brakes 	005-300 Power Brake Booster 	005-400 Brake Master Cylinder 
005-500 Brake Lines and Hoses 	005-600 Brake Pedals 		

Front Brakes Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
BGJ = Brakes - Power Disc/Drum,Rear Anti-Lock									
BGK = Brakes - 4 - Wheel Anti-Lock									
DJB= Axle - Front - 3500#									
DJD= Axle - Front - 3600#									
DJE= Axle - Front - 4000#									
DRC = Axle - Rear, Dana M60/248MM									
DRD = Axle - Rear, Dana M60 HD/248MM									
DRG = Axle - Rear,Corporate 9.25 HD									
1	3780 788	1							BLEEDER SCREW, Brake
2	4313 390	1							CALIPER, Disc Brake
	4313 391	1							Right
									Left
3	4728 777	1							PAD PACKAGE, Disc Brake
4	3699 992	1							ADAPTER, Disc Brake Caliper
	4117 532	1							[DJB,DJD], Right or Left
									[DJE], Right or Left
5	6030 784	4							BOLT
	6029 925	4							[DJB,DJD] Caliper to Knuckle, Mounting
									[DJE] Caliper to Knuckle, Mounting
6	3766 519	1							RUBBER BAND, Disc Brake Housing
7	3580 824	1							RETAINER, Brake Torque Plate
8	4186 997	2							SPRING, Disc Brake Retaining
9	6029 930	2							SCREW AND WASHER, Hex Head, .312-18x.625, Brake Torque Plate Retainer, Mounting
10	4186 988	1							BOOT, Brake Piston
11	4186 987	1							PISTON PACKAGE, Disc Brake
12	3497 930	2							SEAL, Brake, Knuckle to Splash Shield
13	5200 7730	1							SHIELD, Brake
	5200 7731	1							[DJB], Right
	5200 7814	1							[DJB], Left
	5200 7815	1							[DJD,DJE], Right
									[DJD,DJE], Left
14	3699 678	2							SEAL, Wheel Bearing
	3820 197	2							[DJB,DJD]
									[DJE]
15	3699 677	2							CUP, Wheel Bearing
									[DJB,DJD], Inner

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Brakes Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1937 770	2							[DJE], Inner
16	4238 864	2							HUB AND DISC, Wheel
	5200 7714	2							[BGJ,DJB]
	4086 830	2							[BGK,DJB]
	5200 7715	2							[BGJ,DJD]
	4116 932	2							[BGK,DJD]
	5200 7716	2							[BGJ,DRC,DRG,DJE]
	3637 626	2							[BGK,DRC,DRG,DJE]
	5200 7717	2							[BGJ,DRD,DJE]
17									[BGK,DRD,DJE]
	3880 830	5							STUD, Hub
	3580 693	8							[DJB]
	4864 407	8							[DJD]
	3641 662	8							[DRC,DRG,DJE]
18	3683 974	2							[DRD,DJE]
19									BEARING PACKAGE, Wheel
	0600 194	2							Bearing Outer, [DJB,DJD]
	6029 984	2							WASHER, Thrust
20									[DJB,DJD]
	6029 692	2							[DJE]
	6029 985	2							NUT, Wheel Bearing Adjusting
21	3580 894	2							[DJB,DJD]
	3634 741	2							CAP, Wheel Hub Grease
22	1673 324	2							[DJB,DJD]
	6029 986	2							[DJE]
23	0120 123	2							PIN, Cotter
	J013 7214	2							[DJB,DJD]
24	1790 546	2							[DJE]
25	1139 293	2							BEARING, Wheel, [DJE], Outer
26	3699 676	2							CUP, Wheel Bearing, [DJE], Outer
	1937 771	2							BEARING, Wheel
27	6024 015	6							[DJB,DJD], Inner
-28	6034 695	4							[DJE], Inner
									SCREW AND WASHER, Hex Head,
									.312-18x.625, Splash Shield,
									Mounting
									BOLT, ABS Sensor

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Brakes,11 Inches x 2.5 Inches
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DRB = Rear Axle - Corporate 9.25 LD

1	6028 921	2							BOLT, Hex Head, Wheel Cylinder Mounting
2	2260 548	1							PIN, Brake Shoe Hold Down
3	4383 440	1							PLATE, Brake Backing Right
	4383 441	1							Left
4	4238 865	2							DRUM, Brake, [DRB]-Casting number KH107929
5	3780 524	1							REPAIR KIT, Wheel Cylinder
6	2881 618	1							BOOT, Brake Cylinder
7	4049 681	1							HARDWARE PACKAGE, Rear Brake
8	4126 525	2							SPRING, Brake Shoe Hold Down, with Retainer
9	4761 762	1							STRUT, Parking Brake Right
	4761 763	1							Left
10	2260 788	1							PLATE, Brake Shoe Guide
11	2260 793	1							GUIDE, Brake Adjusting Cable
12	2944 580	1							SPRING, Brake Auto Adjuster Lever Right
	2944 581	1							Left
13	3766 674	1							SCREW, Bleeder
-14	4238 717	1							CAP, Bleeder
15	2260 787	1							ROD, Brake Cylinder Piston
16	3780 525	1							CYLINDER, Wheel, Complete
17	2260 789	1							SPRING, Brake Shoe Return
18	4761 759	1							LEVER, Park Brake Adjusting
19	3461 660	1							SPRING, Adjuster Cable
20	3461 664	1							CABLE, Brake Automatic Adjuster
21	4761 755	1							SHOE AND LINING PACKAGE, Brake
22	4761 764	1							LEVER, Park Brake Adjusting Right
	4761 765	1							Left
23	2944 586	1							BUTTON, Rear Brake Auto Adjust
24	6027 559	1							WASHER, Adjuster Button
25	2880 555	1							SPRING, Adjusting Shoe, Shoe to Shoe
26									SCREW, Brake Adjusting


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Brakes,11 Inches x 2.5 Inches
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2881 686	1							Right
	2881 687	1							Left
27									NUT, Rear Brake Auto Adjust Pivot
	2944 692	1							Right
	2944 693	1							Left

DODGE RAM VAN & WAGON (AB)

**DODGE RAM VAN
SERIES**
L = Van, Wagon
X = Conv.

WAGON (WB)	
LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Brakes,12 Inches x 3 Inches
Figure 005-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRG=9.25 Heavy Duty Rear Axle---DRC=Dana Model 60/248MM---DRD=Dana Model 60/248MM Heavy Duty									
1	4761 746	1	3		12, 13, 52, 53				PLATE, Brake Backing [DRG], Right
	4761 747	1	3		12, 13, 52, 53				[DRG], Left
	4313 904	1							[DRC,DRD], Right
	4313 905	1							[DRC,DRD], Left
2	0181 082	1							BOLT, Hex Head, 5/16-18x1/2, Wheel Cylinder Mounting
3	3492 655	1							NUT, Parking Brake
4	3492 669	1							PLUG, Brake Adjusting Hole
5	3492 662	2							PIN, Brake Shoe Hold Down
6	3492 664	1							GUIDE, Brake Adjusting Cable
7	4383 267	1							CABLE, Brake Automatic Adjuster
8	3492 671	1							PIN, Brake Adjusting Lever
9									SPRING, Auto Adjusting
	4383 274	1							Right
	4383 275	1							Left
10	4383 276	1							LEVER, Park Brake Adjusting Right
	4383 277	1							Left
11	4720 191	1							SHOE KIT, Brake
12									NUT, Brake Adjusting Right
	4383 270	1							Left
	4383 271	1							SCREW, Brake Adjusting Right
	4383 262	1							Left
	4383 263	1							Left
14									LEVER, Park Brake Adjusting Right
	4383 264	1							Left
	4383 265	1							Left
15	4713 293	1							CLIP, Parking Brake Cable
16	4419 698	1							BOLT, Park Brake Lever, .25-28
17	3492 670	1							WASHER, Parking Brake Lever
18	3492 656	1							SPRING, Parking Brake Lever
19	3492 668	1							SPRING, Brake Shoe Return
20	3492 663	1							SPRING, Brake Shoe Hold Down
21	3496 235	1							SPRING, Brake Shoe Return
22	3492 657	1							LINK, Brake
23									CAM, Parking Brake Lever

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Brakes,12 Inches x 3 Inches
Figure 005-220


[illegible]

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drums and Bearings,Rear Brake,12 Inches x 3 Inches
Figure 005-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRG= Chrysler 9 1/4 Heavy Duty Axle---DRC=Dana Model 60/248MM---DRD=Dana Model 60/248MM Heavy Duty									
1	5200 8325	2	3		12, 13,				DRUM, Brake, [DRG]
2	6031 635	4	3		52, 53				
					12, 13,				NUT, Push, [DRG]
					52, 53				
3	4797 126	2							LOCK, Wheel Bearing Adj Nut, [DRC,DRD]
4	5206 9306	2							NUT, Bearing Adjusting, [DRC,DRD]
5									BEARING, Wheel
	2852 729	2							[DRC], Outer
		2							[DRD], Outer
6									CUP, Wheel Bearing
	2955 374	2							[DRC], Outer
		1							[DRD], Outer
7	6031 062	16							SCREW, Socket Hex Flange Head, .437-14x1.375, [DRC,DRD] Axle to Hub Mounting
8									HUB, Wheel
	5200 8594	2							[DRC] with Cups and Wheel Studs
	5200 8592	2							[DRD] with Cups and Wheel Studs
9									DRUM, Brake
	5200 8593	2							[DRC]
	5200 8591	2							[DRD]
10									CUP, Wheel Bearing
	2955 374	2							[DRC], Inner
	4746 918	1							[DRD], Inner
11									BEARING, Wheel
	2852 729	2							[DRC], Inner
	0927 017	2							[DRD], Inner
12									SEAL, Wheel Bearing
	4032 450	2							[DRC]
	3496 557	2							[DRD]
13									STUD, Hub
	4883 247	8							[DRC]
	4883 694AA	8							[DRD]

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Power Brake Booster
Figure 005-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRA=Chrysler 8.25 Corporate Axle---DRB=Chrysler 9.25 LD Corporate Axle---DRG=Chrysler 9.25 HD Corporate Axle--- DRC=Spicer 60 Rear Axle---DRD=Spicer 60HD Rear Axle									
1	4443 176	1							HOSE, Fuel, .31 I.D. 50 Foot Roll, Brake Booster to Manifold
2	2448 761	2							CLAMP, Hose
3	6500 230	2							NUT, M8-1.25
4	4485 124	1							BOOSTER, Power Brake [DRA,DRB,DRC,DRG]
	5200 4629	1							[DRD]
5	4088 817	1							SHAFT, Brake Booster Bellcrank, [DRD]
6	5200 8203	1							BRACKET, Brake Booster, [DRD]
7	2955 739	1							BOOT, Brake Booster Bell Crank, [DRD]
8	4115 207	1							PLATE, Brake Booster, [DRD]
9	4088 816	1							SEAL, Brake Booster To Dash
10	4294 036	1							CLIP
11	0152 344	4							NUT, .375-16
12	9417 507	1							PIN, Spring, .138x.937x.010, [DRD]
13	J012 0396	1							WASHER, Flat, .531x1.09
14	0905 206	1							WASHER, Wave, .536x.875x.015, [DRD]
15	6029 799	2							BOLT, Hex Head, .375-16x1.00
16	2467 770	2							BUSHING, Pedal Shaft, [DRD]
17	0152 347	2							NUT, Hex Lock, 7/16x20, [DRD]
18	4088 813	1							BELLCRANK, Brake Booster and Pedal, [DRD]
19	4294 160	1							ROD, Brake Booster, [DRD]
20	2460 609	2							BOLT, Master Cylinder Push Rod, [DRD]
21	2467 770	2							BUSHING, Pedal Shaft, [DRD]
22	0152 344	4							NUT, .375-16, Booster to Bracket/ Dash Mounting

DODGE RAM VAN & WAGON (AB)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Master Cylinder Figure 005-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52009 830AA	1							MASTER CYLINDER, Brake
2	5204 056	2							CAP, Master Cylinder Reservoir
3	5204 057	2							DIAPHRAGM, Brake Reservoir, Cap
4	3880 323	1							RETAINER, Master Cylinder Piston, Primary and Secondary Piston Cup
5	4294 783	1							RESERVOIR, Brake Master Cylinder
6	6031 392	1							SNAP RING, Brake Master Cylinder, Primary Piston
7	5204 149	2							GROMMET, Master Cylinder Reservoir
8	6500 230	2							NUT, M8-1.25



DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hydraulic Control Unit
Figure 005-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: BGJ=Power Disc/Drum Rear Wheel Anti=Lock---BGK= 4 Wheel Anti-Lock Brakes									
1	1843 251	1							TUBE, Steel, .187 25 Foot Roll, RWAL Valve to Rear Tee
-2	6033 832	1							NUT
-3	5200 8799	1							NUT, Brake Line
4	1843 251	1							TUBE, Steel, .187 25 Foot Roll, Proportioning Valve to Front Tee
-5	6034 880	1							NUT, Hex, .375-24x.85
-6	6033 832	1							NUT
-7	3879 283	1							COVER, Brake Tube Wire, .18
8									HOSE, Brake
	5200 8296	1							Right
	5200 8295	1							[BGK], Left
	5200 8509	1							[BGJ], Left
9	4313 567	2							CLIP, S-Type
10	1843 251	1							TUBE, Steel, .187 25 Foot Roll, Left Front Brake Hose Tee to Right
									Front Brake Hose
-11	6034 880	2							NUT, Hex, .375-24x.85
-12	3879 283	1							COVER, Brake Tube Wire, .18
13	5200 7728	1							TUBE, Brake, with Nuts and Cover-
									Proportioning Valve to HCU-Front
-14	6031 714	1							NUT, Inverted Flare, .18, [BGK]
-15	6026 436	1							NUT, Master Cylinder To Tee, [BGK]
-16	3879 283	1							COVER, Brake Tube Wire, .18, [BGK]
17	5200 7310	1							HYDRAULIC CONTROL UNIT, Anti-Lock Brake System, [BGK]
-18	6501 279	2							NUT, Hex Flange Lock, M8x1.25, [BGK] HCU to Stud Plate
-19	5200 8418	1							BRACKET, Brake Control Unit, Inner Wheelhouse Bracket to HCU Bracket
-20	5200 7709	3							SLEEVE, Isolator, [BGK]
-21	5200 7561	3							INSULATOR, Hydraulic Control Unit, [BGK]
-22	5200 7820	3							INSULATOR, Hydraulic Control Unit, [BGK]
-23	5200 7819	3							SCREW, ABS Control, [BGK]
-24	6100 576	1							SCREW AND WASHER, Hex Head, M8-1.25x30, [BGK]

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hydraulic Control Unit
Figure 005-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	1843 251	1							TUBE, Steel, .187 25 Foot Roll, HCU to Right Front Brake Hose
-26	6034 880	1							NUT, Hex, .375-24x.85
-27	6026 436	1							NUT, Master Cylinder To Tee
-28	3879 283	1							COVER, Brake Tube Wire, .18
29	1843 251	1							TUBE, Steel, .187 25 Foot Roll, HCU to Left Front Hose
-30	6034 880	1							NUT, Hex, .375-24x.85
-31	6034 627	1							NUT, Brake Line
-32	3879 283	1							COVER, Brake Tube Wire, .18
33	5200 7959	1							SHIELD, Battery, Splash-ABS Protection

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brake Lines, Front
Figure 005-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DRD = Rear Axle - 6200 LB. Dana 60 HD

BGJ = Power Disc/Drum Rear Wheel Anti-Lock

BGK = 4 Wheel Anti-Lock Brakes

1	5200 7727	1							TUBE, Master Cyl to Prop Valve, [-DRD] Master Cylinder to Proportioning Valve, Primary
-2	6026 887	1							NUT, Inverted Flare, .50-20, [-DRD], Primary
-3	6031 714	1							NUT, Inverted Flare, .18, [-DRD], Primary
4	5200 8729	1							SCREW, Pressure Limiting Valve, M8x1.25, Mounting
5	5200 7728	1							TUBE, Brake, [-DRD] Master Cylinder to Proportioning Valve, Secondary
-6	6026 436	1							NUT, Master Cylinder To Tee, [-DRD], Secondary
-7	6026 888	1							NUT, Inverted Flare, .562-20, [-DRD], Secondary
8	5200 8934	1							VALVE, Brake Pressure Limit
9	5200 7956	1							TUBE, Brake, Prop Valve to Pressure Limit Valve
10	6500 230	2							NUT, M8-1.25, Master Cylinder, Mounting
11	5200 8788	1							VALVE, Proportioning [BGJ,BGK,DJB]
	5200 8789	1	3		12, 13, 52, 53				[BGJ,BGK]
	4746 069	1	3		12, 13, 52, 53				[BGJ,BGK,DRD]
12	6030 084	4							GASKET, Brake Hose, Brake Hose to Caliper, Mounting
13	6030 026	2							SCREW, Hex Head, .437-20x1.125, Brake Hose to Caliper, Mounting
14	5200 8296	1							HOSE, Brake [BGJ,BGK], Right
	5200 8509	1							[BGJ], Left
	5200 8295	1							[BGK], Left
15	5602 8158	1							SENSOR, Anti-Lock Brake [BGK], Right


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brake Lines, Front
Figure 005-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5602 8157	1							[BGK], Left
-16	5602 6775	2							CLIP, Tube To Speed Sensor, [BGK], Right or Left
17	6034 695	4							BOLT, ABS Sensor, Right or Left
18	0154 726	2							BOLT, Hex Flange Head, .312-18x.
									50, Front Brake Hose Clip, Mounting
19	3420 1888	2							SCREW, Hex Head, M8x1.25x25.00, Front Wheel Brake Hose, Mounting
20	1843 251	1							TUBE, Steel, .187 25 Foot Roll, [+DRD] Master Cylinder to Porportioning Valve, Secondary
-21	6026 887	1							NUT, Inverted Flare, .50-20, [+DRD]
-22	6031 714	1							NUT, Inverted Flare, .18, [+DRD]
23	1843 251	1							TUBE, Steel, .187 25 Foot Roll, [+DRD] Master Cylinder to Porportioning Valve, Primary
-24	6026 887	1							NUT, Inverted Flare, .50-20, [+DRD]
-25	6031 714	1							NUT, Inverted Flare, .18, [+DRD]
26	J400 6034	2							CLIP, Brake Tube, [+DRD]

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brake Lines, Rear Figure 005-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	2207 919	3							CLIP, Parking Brake Cable, Brake Tube, Mounting
2	6035 613	6							SCREW, Brake Tube Clip, Mounting
3	3200 0404	1							CLIP, Tube, Mounting
4	3879 283	1							COVER, Brake Tube Wire, .18
5	1843 251	1							TUBE, Steel, .187 25 Foot Roll, [BGK] HCU to Right Front Brake Hose
-6	6034 880	1							NUT, Hex, .375-24x.85, [BGK]
-7	6026 436	1							NUT, Master Cylinder To Tee, [BGK]
-8	3879 283	1							COVER, Brake Tube Wire, .18, [BGK]
9	1843 251	1							TUBE, Steel, .187 25 Foot Roll, [BGJ] Tee to Right Front Brake Hose
-10	6034 880	2							NUT, Hex, .375-24x.85, [BGJ]
-11	3879 283	1							COVER, Brake Tube Wire, .18, [BGJ]
12	1843 251	1							TUBE, Steel, .187 25 Foot Roll, [BGJ] RWAL Valve to Union
-13	6033 832	1							NUT, [BGJ]
-14	5200 8799	1							NUT, Brake Line, [BGJ]
15									UNION, (NOT SERVICED) (Not Serviced)
16									CLIP, Brake Attaching Tube, 3 Way
	5200 7514	5	1, 2			11, 51			
		6				12, 13, 52, 53			
17	1843 251	1							TUBE, Steel, .187 25 Foot Roll, Union to Rear Hose
18	0180 077	1							BOLT, Hex Head, 5/16x18x3/4, Anti-Lock Sensor, Mounting
19	4485 524	1							COVER, Anti-Lock Brake Sensor
20	56028 188AB	1							SENSOR, Anti-Lock Brake
21	2208 893	1							LOCK, Brake Hose
22									HOSE AND TEE ASSEMBLY, Brake with Anti-Lock Brake Sensor Wire
	5200 9571	1	1, 2						
	5200 9569	1	3			12			with Anti-Lock Brake Sensor Wire
23	1843 251	1							TUBE, Steel, .187 25 Foot Roll, Brake, Right Rear
24									CLIP, Brake Tube

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brake Lines, Rear
Figure 005-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3723 689	1							[DRA]
	4137 440	1							[DRB,DRG]
25	2513 344	AR							CLAMP, Hose, Rear Axle Tube Brake Line
26	1843 251	1							TUBE, Steel, .187 25 Foot Roll, Brake, Left Rear




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brake Pedal
Figure 005-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5600 7367	1							BRACKET, Stop Lamp Switch, Mounting
-2	0153 355	1							U-NUT, .25-20, Stop Lamp Switch Bracket
3	4671 336	1							SWITCH, Stop Lamp, [+NHM,-NHM]
-4	0181 063	1							SCREW AND WASHER, .25-20x.75, Stop Lamp Switch Bracket
5	0152 349	1							NUT, Hex, .50-20, Brake Pedal Shaft
6	2128 774	1							WASHER, Plain, ID=.531, OD=1.250, THK=.180, Brake Pedal Shaft
7	4294 639	2							BUSHING, Clutch and Brake Pedal, Brake Pedal Shaft
8									SUPPORT, Brake Pedal, (See Group 23 Cab, Front), (NOT SERVICED) (Not Serviced)
9									PEDAL, Brake [DRA,DRB,DRC,DRG] [DRD]
	5207 8657	1							
	5207 8659	1							
10	5207 9345	1							PAD, Pedal
11	5207 8654	1							BOLT, Brake Pedal

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 007

Cooling

GROUP 7 - Cooling

Illustration Title

Group-Fig. No.

Radiator and Related Parts

Radiator And Related Parts Fig. 007-120

Water Pump and Related Parts

Water Pump And Related Parts Fig. 007-210

Tank, Coolant Engine

Coolant Tank Fig. 007-310

Pulleys and Related Parts

Drive Pulleys Fig. 007-410

Drive Belts

Drive Belts Fig. 007-520


Lines, Transmission Oil Cooler







Oil Cooler Lines Fig. 007-610

Auxiliary Oil Cooler Fig. 007-640


Grilles

Grille And Related Parts Fig. 007-710



007-100 Radiator and Related Parts	007-200 Water Pump and Related Parts	007-300 Tank, Coolant Engine	007-400 Pulleys and Related Parts
			
007-500 Drive Belts	007-600 Lines, Transmission Oil Cooler	007-700 Grilles	
			

Radiator And Related Parts
Figure 007-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1									RADIATOR, Engine Cooling
	5202 8627	1	3			EL0			without A/C and Max Cooling
		1				EM0			without A/C and Max Cooling
	5202 9628	1				EH0			with Max Cooling
	5202 8627	1				EH0			without Max Cooling
		1	1, 2			EL0			without Max Cooling
	5202 9628	1	3			EL0			without Max Cooling
		1				EM0			with A/C and without Max Cooling
	5202 9630	1				EM0			with Max Cooling
	5202 9628	1	1, 2			EL0			with Max Cooling
	5202 9630	1	3			EL0			with Max Cooling
2									CAP, Radiator
	3781 830	1	3			EL0			
		1				EM0			
		1				EH0			
		1	1			EL0			
		1	1, 2			EL0			
3	5200 5814	1							HOSE, Radiator, Inlet
4	5200 5580	2							CLAMP, Hose to Radiator, Inlet Hose
5	6034 549	2							SCREW, Hex Head, .312-18x.94, Housing
6	5302 0115	1							HOUSING, Thermostat, Thermostat
-7	5503 5944	1							NIPPLE, Heater Inlet, Heater Supply
8	5202 8185	1							THERMOSTAT, 195 Degrees
9	5302 1051	1							GASKET, Thermostat, Thermostat Housing
10	6032 277	2							CLAMP, Radiator, Outlet Hose
11	5202 7649	1							HOSE, Radiator, Outlet, Outlet
12									DRAINCOCK, Radiator, (NOT SERVICED) (Not Serviced)
13	5202 7864	1				EH0, EL0, EM0			SHROUD, Fan
14	6022 225	4							SCREW AND WASHER, Hex Head, .312-18x.75
15									FAN, Cooling


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure 007-120

[illegible]


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Water Pump And Related Parts
Figure 007-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V-6 Gas Engines
ELO = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1									PUMP, Water
	5302 1018	1				EH0, ELO EM0			Water
2	4483 757	1				EH0, ELO, EM0			Water GASKET, Water Pump, Body
3	5300 8654	1				EH0, ELO, EM0			HOSE, Water Pump Bypass
4	4401 436	2				EH0, ELO, EM0			CLAMP, Radiator, Water Pump By- Pass Hose
5	5302 0185	1				EH0, ELO EM0			NIPPLE, By-Pass Water Pump By-Pass
6	6034 279	3				EH0, ELO, EM0			Water Pump By-Pass SCREW AND WASHER, Hex Head Lock, .375-16x1.75
7	5300 8291	1				EH0, ELO EM0			HUB, Water Pump Pulley Fan Pulley
-8	5503 6160	1				EH0, ELO, EM0			Fan Pulley TUBE, Water Pump Inlet
-9	4740 906	1				EH0, ELO, EM0			O RING, Tube Assy, Heater Return


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Coolant Tank
Figure 007-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOSE, Coolant Recovery Bottle, (NOT SERVICED) (Not Serviced)
2	5202 8618	1							CAP, Radiator
3	2448 761	2							CLAMP, Hose
4	5202 7787	1							TANK, Coolant Reserve




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Drive Pulleys

Figure 007-410

[illegible]

DODGE RAM VAN & WAGON (AB)

**DODGE RAM VAN
SERIES**
L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Belts

Figure 007-520

[illegible]

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Oil Cooler Lines
Figure 007-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
DGH = 4 Speed Automatic Transmission 36RH									
DGT = 4 Speed Automatic Transmission 46RE									
DGO = All Automatic Transmissions									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									TUBE AND HOSE, Oil Cooler
	5202 8659	1				EL0, EM0	DG0		
	5202 8757	1				EH0	DG0		
2									TUBE AND HOSE, Oil Cooler
	5202 8761	1				EL0, EM0	DGT		with DGT Trans.
	52028 658AB	1				EH0	DGG		with DGG Trans.
	5202 8662	1				EL0, EM0	DGH		with DGH Trans.
3									CONNECTOR, Oil Cooler Tube, .375 Tube x .25 Thread
	5202 8629	2				EM0			
		2	3			EL0			
		2				EH0			
		2	1			EL0			
4	4401 753	1					DG0		BRACKET, Oil Cooler Tube
5									CONNECTOR, Oil Cooler Tube, .375 Tube x .25 Thread
	5202 8629	2				EH0			3/8" Quick
		2	1			EL0			3/8" Quick
		2	3			EL0			3/8" Quick
		2				EM0			3/8" Quick
6	5211 7698	1					DG0		BRACKET, Oil Cooler Tube, 1997
7	J400 6001	3					DG0		NUT, Hex Flange, .375-16
8	4401 752	1					DG0		BRACKET, Oil Cooler Tube
9									CLIP, (NOT SERVICED) (Not Serviced)
10									SCREW, (NOT SERVICED) (Not Serviced)


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Auxiliary Oil Cooler
Figure 007-640



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5202 8302	1							COOLER, Transmission Oil
2	6033 560	4							NUT AND WASHER, Hex Nut-Coned Washer, .25-20
3	5202 8664	1							TUBE AND HOSE, Oil Cooler
4	5202 9023	1							TUBE, Oil Cooler
5	6030 223	4							BOLT, Header Point Square, .250-20x.875, Snap In
6	6033 560	4							NUT AND WASHER, Hex Nut-Coned Washer, .25-20
7									SCREW, (NOT SERVICED) (Not Serviced)
8									CLIP, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Grille And Related Parts
Figure 007-710


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	0181 063	4							SCREW AND WASHER, .25-20x.75
2	5534 6530	1							SUPPORT, Underbody Hold Down
3	5534 6641	1							SUPPORT, Radiator
4	5534 5304	2							BRACE, Radiator, Upper Support to Panel
5	5534 4952	1							SUPPORT, Radiator
6	5534 4934	1							REINFORCEMENT, Radiator Closure
7	5534 6400	1							PLATE, Access Cover
8	5534 5469	1							BRACKET, Grille
9	5523 4742	1							SUPPORT, Radiator Grille
10									U-NUT, (NOT SERVICED) (Not Serviced)
11									GRILLE, Radiator
	5505 4635	1							Painted
	5505 4636	1							Chrome
12									PANEL EXTENSION, Radiator
	5534 6162	1							Right
	5534 6163	1							Left
13	6502 776	2							CLIP, Lamp
14	6034 662	2							NUT, Snap In, #10, Plastic
15									SUPPORT, Radiator Closure Panel
	5534 4956	1							Right
	5534 4957	1							Left
-16	5503 6199	1							SEAL, Condenser
-17	5505 5548	1							SEAL, Air Conditioning Unit, Condensor to Radiator
-18									RETAINER, Condenser Seal, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 008
Electrical



008-100 Starters	008-200 Alternators	008-300 Distributor	008-400 Modules
008-500 Relays	008-600 Sensors	008-700 Single Board Engine Controllers	008-800 Switches

Group – 008
Electrical

008-900 Horns	008-1000 Battery Tray and Cables	008-1100 Lamps – Front, Rear and Courtesy	008-1200 Wiring-Engine & Related Parts
008-1300 Wiring-Headlamp to Dash	008-1400 Wiring-Instrument Panel	008-1500 Wiring-Body & Accessories	008-1600 Wiring Repair
008-1900 Spark Plugs-Cables-Coils			

GROUP 8 - Electrical

Illustration Title	Group-Fig. No.
Starters	
Starter & Mounting	Fig. 008-105
Alternators	
Alternator (Generator)	Fig. 008-205
Distributor	
Distributors	Fig. 008-305
Modules	
Modules	Fig. 008-415
Relays	
Relays	Fig. 008-515
Sensors	
Sensors	Fig. 008-620
Single Board Engine Controllers	
Single Board Engine Controllers (S.B.E.C.)	Fig. 008-715
Switches	
Switches	Fig. 008-815
Horns	
Horn	Fig. 008-910
Battery Tray and Cables	
Battery Tray & Cables	Fig. 008-1015
Lamps - Front, Rear and Courtesy	
Lamps-Front	Fig. 008-1152
Lamp-Rear	Fig. 008-1154
Lamp-Dome-Courtesy-Reading	Fig. 008-1156
Bulbs & Sockets	Fig. 008-1195
Wiring-Engine & Related Parts	
Wiring-Engine	Fig. 008-1215
Wiring-Headlamp to Dash	
Wiring-Headlamp / Dash	Fig. 008-1315
Wiring-Instrument Panel	
Wiring-Instrument Panel	Fig. 008-1415
Wiring-Body & Accessories	
Wiring-Body & Accessory	Fig. 008-1515

GROUP 8 - Electrical

Illustration Title	Group-Fig. No.
Wiring Repair	
Connector Repair Package	Fig. 008-1610
Spark Plugs-Cables-Coils	
Spark Plug-Cable-Coils	Fig. 008-1905




Starter & Mounting
 Figure 008-105

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DG0 = All Automatic Transmissions

1	6035 606	1							STUD, .437-14/.437-20x2.00
2	6035 604	1							SCREW AND WASHER, Hex Head, .437-14x1.50
3	0271 506	1							NUT, Hex, .42-20
4									WASHER, ID=.437 OD=.787 THK=. 133, (NOT SERVICED) (Not Serviced)
5	4401 752	1					DG0		BRACKET, Oil Cooler Tube
6	5602 7702	1							STARTER




DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Alternator (Generator)
Figure 008-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ALTERNATOR, Electrical
	5602 7912	1							117 Amp
	5602 7913	1							136 Amp
2	0152 344	1							NUT, .375-16
3									SCREW AND WASHER, .375-16x4.
									50, (NOT SERVICED) (Not Serviced)
4	6034 247	1							BOLT, Hex Head, .375-16x.25
5									BRACKET, Alternator
	5300 8618	1							Without Air Conditioning
	5300 8761	1							With Air Conditioning
6	6034 246	1							BOLT, Hex Head, .375-16x.75

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Distributors
Figure 008-305




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0 = 3.9L V6 GAS ENGINES									
EL0 = 5.2L 8 CYL GAS ENGINES									
EMO = 5.9L 8 CYL GAS ENGINES									
1									DISTRIBUTOR, Engine
	4740 338	1				EH0			
	4740 339	1				EL0, EM0			
2									CAP, Distributor
	5300 8767	1				EL0, EM0			
	5602 6702	1				EH0			
3									ROTOR, Distributor
	5300 8778	1				EH0			
		1				EL0, EM0			
4									SWITCH, Distributor Pick-Up
	5602 6746	1				EH0			
		1				EL0, EM0			
5	2875 923	1							O RING, Distributor

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Modules
Figure 008-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4503 104	1							MODULE, Intermittant Wiper
2	5600 4262	1							MODULE, Daytime Running Lamp
3	5600 7182	1							CHIME, Warning, Hi-Speed, Middle East Equipment Group
-4									MODULE, Time and Alarm, (NOT REQUIRED)
-5	5604 3105	1							MODULE, Air Bag Control
-6	5603 0001	1	3		12				MODULE, Anti-lock Brakes Four Wheel
	5602 6831	1							Rear Wheel
	56029 033AB-	1	1, 2						Four Wheel
-7	5600 7503	1							RECEIVER, Keyless Entry

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Relays
Figure 008-515

[illegible]

DODGE RAM VAN & WAGON (AB)

BODGE RAM VAN
SERIES
 L = Van, Wagon
 X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sensors
Figure 008-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									SENSOR, Anti-Lock Brake
	56028 188AB	1							Rear
	5602 8157	1							Left Front
	5602 8158	1							Right Front
2	5602 7870	1							SENSOR, Crankshaft Position
3									SENSOR, Oxygen
	5602 7917	1							Before Catalyst Converter
	5604 1108	1							After Catalyst Converter
4	4882 219	1				EH0			SENSOR, Throttle Position
5	5602 7332	1							SENSOR, Battery Temperature
-6	5600 4815	1				EH0, ELF, EM0			SENSOR, Coolant Temperature
-7	5602 9405	1				EH0, EL0, EM0			SENSOR, Map
-8	5602 7872	1							SENSOR, Air Temperature
-9	5602 7011	1				EH0, EL0, EM0			SENSOR, Temperature Sending Unit

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Single Board Engine Controllers (S.B.E.C.)
Figure 008-715



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGH = 4 Speed Automatic Transmission 36RH
DGT = 4 Speed Automatic Transmission 46RE
EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
ELN = Magnum 5.2L MPI CNG V-8 Engine
ELP = 5.2L V-8 LPG
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


1	56040 372AD	1				ELF	DGH		MODULE, Powertrain Control FEDERAL/CALIFORNIA Emission
	56040 374AA	1				ELP			LEADED FUEL Emission
	56040 393AD	1				ELF	DGH		LEADED FUEL Emission
	56040 370AF	1				EH0			FEDERAL/CALIFORNIA Emission
	56040 371AD	1				ELF	DGT		FEDERAL/CALIFORNIA Emission
	56040 375AD	1				EM0			FEDERAL/CALIFORNIA Emission
	56040 392AD	1				ELF	DGT		LEADED FUEL Emission
2									SCREW, SCREW (M4.8x1.59x50.00), (NOT SERVICED) (Not Serviced)
3									WIRING, Serviced in Engine Harness, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Switches Figure 008-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
DGH = 4 Speed Automatic Transmission 36RH									
DGT = 4 Speed Automatic Transmission 46RE									
DGO = All Automatic Transmissions									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
P.A.R. = PAINT AS REQUIRED									
1	5600 7185	1					DGT		SWITCH, Overdrive Lockout
2	56021 889AA	1							SWITCH, Headlamp
3	5600 7257	1							BEZEL, Headlamp Switch
4									KNOB AND SHAFT, Headlamp Switch, Serviced w/Switch, (NOT SERVICED) (Not Serviced)
5	4565 022	1							SWITCH AND LAMP, Glove Box
-6	2822 583	1							LENS, Glove Box Lamp
-7	5502 9506	1							SPACER, Glove Box Lamp Switch
-8	4221 463	1							SWITCH, Parking Brake
-9	4671 336	1							SWITCH, Stop Lamp
-10	5600 7367	1							BRACKET, Stop Lamp Switch
11	4687 215	2							SWITCH, Courtesy Lamp
-12	2958 815	1							BRACKET, Courtesy Lamp Switch
-13	4373 082AB-	2							SWITCH, Door Lock, (Single)
-14	4373 082AB-	1							SWITCH, Door Lock, (& Power Window), (Single)
-15									BEZEL, Power Window /Door Lock Switch
	5CC1 2KX9	1							(Black), Right
	5CC1 3KX9	1							(Black), Left
-16	5602 0128	1							SWITCH, Window, Double Window Switch (Drivers Side)
17	4360 141	1							SWITCH, Mirror, Power
-18	4360 139	1							KNOB, Power Mirror Switch
-19	4360 162	1							COVER, Mirror Switch
-20	5503 6012	1							SWITCH, A/C and Heater Control
21	5602 1346	1							SWITCH, Ignition
-22									SWITCH, Neutral, Safety, Back Up
	3747 361	1				EH0	DGG		

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Switches
Figure 008-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EL0	DGT		
		1				EM0	DGT		
		1				EL0	DGH		
-23	4728 424	1							SWITCH, Multifunction
-24	5303 0493	1				EH0,			SWITCH, Oil Pressure
						EL0,			
						EM0			
-25	4373 666	1							SWITCH, Seat
-26	5EH1 5RD5	1							BEZEL, Power Seat Switch, (P.A.R.)
-27	4261 306	1							SWITCH, A/C and Heater Control, Blower (Black)
-28	3846 895	1							SWITCH, A/C and Heater Vacuum, Auxiliary Control
-29	3848 654	1							SWITCH, A/C and Heater Control, Bi-Level
-30									FLASHER
	3837 161	1							Hazzard Warning
	2932 877	1							Turn Signal
-31	5602 0102	1							SWITCH, Speed Control
-32									SWITCH, Passenger Airbag Disarm, (NOT REQUIRED)


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Horn
Figure 008-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5600 7365	1							HORN, Low Note
-2	5600 7492	1							HORN, High Note
3									BRACKET, BRACKET, Horn Mounting, Serviced w/Horn Assembly Only, (NOT SERVICED) (Not Serviced)
4									SCREW, Hex Flange Head, .312- x18x.875, (NOT SERVICED) (Not Serviced)



DODGE RAM VAN & WAGON (AB)

SEERIES
L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Battery Tray & Cables
Figure 008-1015



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DG0 = All Automatic Transmission

EH0 = All 3.9L V-6 Gas Engines

ELF = Magnum 5.2L SMPI V-8 Engine

ELN = Magnum 5.2L MPI CNG V-8 Engine

ELP = 5.2L V-8 LPG

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	5534 6492	1							TRAY, Battery, Battery
-2	6035 509	1							STUD, .250-20x9.75
3	5534 4966	1							SUPPORT, Battery Tray
4									TUBE, Drain, TUBE, Drain, (NOT SERVICED) (Not Serviced)
5	6032 925	1							BOLT, J, .25-20x9.72
6	5534 5407	1							STRAP, Battery, Battery Hold Down
7	6031 096	1							NUT, Wiper Crank Arm
8	4780 194	1							PLUG
9	5602 0545	1				EH0, ELF, ELN, EM0			WIRING, Battery Positive, Battery Positive
10	5600 3795	1							WIRING, Battery Negative, Battery Negative
-11	6032 189	1							BOLT, Square Head, .25-20x1.50, Battery
12	6032 190	1							NUT, Hex, .250-20, Battery
-13									WIRING, WIRING, Headlamp To Dash Illustration, (NOT SERVICED) (Not Serviced)


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps-Front
Figure 008-1152




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HEADLAMP
	5505 5276	1							Contains Adjusting Screws, Right
	5505 5277	1							Contains Adjusting Screws, Left
-2									HOUSING, Headlamp
	5505 4870	1							Right
	5505 4871	1							Left
-3	4388 227	1							RETAINER, Headlamp Bulb
-4									LAMP, Park and Turn Signal
	5505 4872	1							Right
	5505 4873	1							Left
-5	0154 824	1							BULB, Headlamp
6									SUPPORT, Headlamp, Serviced In
									Headlamp Assembly, (NOT
									SERVICED) (Not Serviced)
-7	6025 338	4							SCREW AND WASHER, Hex Head,
									.25-20x1.50, H/Lamp Outboard
-8	0181 063	2							SCREW AND WASHER, .25-20x.75,
									Adaptor Angle Bracket
-9	6502 776	2							CLIP, Lamp, Park & Turn Attaching
10	4741 498	1							LAMP, Underhood
-11	5600 6867	1							SHIELD, Underhood Lamp
12	L000 1003	1							BULB, 1003, Underhood Lamp
13	0154 554	1							SCREW, Self Piercing, .25-14x.625,
									Underhood Lamp
14	56021 666AB	1							WIRING, Underhood Lamp, Jumper

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamp-Rear
Figure 008-1154




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Backup
	4882 684	1							Right
	4882 685	1							Left
2	6034 662	8							NUT, Snap In, #10, Plastic Snap, Lamp Mtg.
3	6034 661	8							SCREW, Pan Head, .19-16x1.50, Tail Lamp Mtg.
4	5601 8807	4							WIRING, Taillamp Socket
-5									WIRING, Turn Signal and Back Up
	5602 1602	1							Right
	5602 1603	1							Left
6									LAMP, High Mounted Stop, Serviced in. Components, (NOT SERVICED)
									(Not Serviced)
-7	5505 4992	1							LENS, High Mounted Stop Lamp, w/ Housing
-8	4723 994	1							COVER, High Mounted Stop Lamp
-9	4723 993	1							CLIP, Lamp, CLIP
-10	4741 032	1							WIRING, High Mounted Stop Lamp
-11	L000 0912	2							BULB, 912, CHMSL (#912)
-12	L000 0168	1							BULB, 168
13	4357 065	2							LENS, License Lamp, Step Bumper (Bright)
14	5505 4883	1							LAMP, License Plate, Step Bumper (Painted)
-15	4362 133	4							SOCKET AND CABLE, License Lamp
-16	5303 046	1							SOCKET, License Lamp
-17	5600 3674	4							WIRING, License Lamp

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamp-Dome-Courtesy-Reading
Figure 008-1156



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Dome
	5ED1 7RD5	2							(Quartz)
	5ED1 7SP8	2							(Gray)
-2	L000 0906	8							BULB, 906
3	5534 5970	1			51				BRACKET, Dome Lamp
4									SCREW, (NOT SERVICED) (Not Serviced)
5									SCREW, (NOT SERVICED) (Not Serviced)
6	3593 541	1			51				BEZEL, Dome Lamp
7	3488 936	1			51				LENS, Dome Lamp
8									SCREW, (NOT SERVICED) (Not Serviced)
9									BRACKET, (NOT SERVICED) (Not Serviced)
10									CLIP, (NOT SERVICED) (Not Serviced)
-11	L002 1102	2							BULB, 211-2, Dome Reading Lamp (#211-2)
12									COVER KIT, Cargo, Wiring Protector Serviced w/Wiring Assembly, (NOT SERVICED) (Not Serviced)
-13	L002 1202	1							BULB, 212-2


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bulbs & Sockets Figure 008-1195

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	0154 824	1							BULB, Headlamp
-2	L000 0921	1							BULB, 921
-3	L000 0168	1							BULB, 168
-4	L000 3157	1							BULB, 3157



DODGE RAM VAN & WAGON (AB)

BODGE RAM VAN
SERIES
 L = Van, Wagon
 X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring-Engine
Figure 008-1215




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGH = 4 Speed Automatic Transmission 36RH
DGT = 4 Speed Automatic Transmission 46RE
EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
ELN = Magnum 5.2L MPI CNG V-8 Engine
ELP = 5.2L V-8 LPG
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1									WIRING, Engine
	5602 0552	1				ELF, EM0	DGT		
	5602 0553	1				ELF	DGH		
	5602 0555	1				ELN			
	5210 2902	1				ELP			
	5602 1807	1				EH0	DGG		
	56021 808AC	1				ELN	DG0		
-2	5601 9050	1							WIRING, Engine Speed Sensor, Middle East Equipment Group
-3	5210 2902	1				ELP			WIRING, Engine
-4	5602 7011	1				EH0, EL0, EM0			SENSOR, Temperature Sending Unit
-5									SENSOR, Coolant Temperature
	5600 4815	1				ELP			
		1				ELN			
		1				EH0, ELF, EM0			

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Wiring-Headlamp / Dash
Figure 008-1315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

A.W.A.L. = ALL WHEEL ANTI - LOCK									
R.W.A.L. = REAR WHEEL ANTI - LOCK									
1									WIRING, Headlamp to Dash
	56021 811AB	1							A.W.A.L. w/Daytime Running Lamp
	56021 812AB	1							R.W.A.L. w/Daytime Running Lamp
	5602 0556	1							A.W.A.L. w/o Daytime Running Lamp
	5602 0557	1							R.W.A.L. w/o Daytime Running Lamp
-2	5601 9961	1							BRACKET, Power Distribution Center
-3	5602 1857	AR							COVER, Power Distribution Center
-4	6032 824	2							BOLT, Hex Flange Head, .25-14x. 625

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


Wiring-Instrument Panel
Figure 008-1415

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

A.W.A.L. = ALL WHEEL ANTI - LOCK

R.W.A.L. = REAR WHEEL ANTI - LOCK

1									WIRING, Instrument Panel
	5602 0565	1							A.W.A.L. w/Air
	5602 0566	1							R.W.A.L. w/Air
	5602 1215	1							R.W.A.L., w/o Air
-2	5600 1077	1							BUZZER, Warning, Headlamp, Key In, Seat Belt
-3	3837 161	1							FLASHER, Turn Signal, 2-Lamp
-4	4414 333	1							BREAKER, Circuit, 30-Amp.




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring-Body & Accessory Figure 008-1515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EH0 = All 3.9L V-6 Gas Engines ELF = Magnum 5.2L SMPI V-8 Engine ELN = Magnum 5.2L MPI CNG V-8 Engine ELP = 5.2L V-8 LPG EL0 = All 5.2L 8 Cyl Gas Engines EM0 = All 5.9L 8 Cyl Gas Engines									
1	5602 1818	1							WIRING, Body Main (w/o Speakers)
	5602 1819	1							Main (w/Speakers)
-2	5602 1820	1	1, 2		11, 51				WIRING, Body, Left 109' WB w/Speakers & Door Locks
	5602 1821	1			12, 52				127' WB w/Speakers & Door Locks
	5602 1822	1	2, 3		13, 53				127' X- WB w/Speakers & Door Locks
-3	5600 3629	1							WIRING, Dome and Reading Lamp Rear
	5602 1899	1							Front
-4									WIRING, Underbody, Contains RWAL Jumper it is not serviced seperately
	5602 1545	1	2		13	EH0, ELF, EM0			
		1	3		53	EH0, ELF, EM0			
	5602 1548	1	1		11	EH0, ELF, EM0			
		1	2		51	EH0, ELF, EM0			
	5602 1549	1			12	EH0, ELF, EM0			
	56021 814AB-	1			12, 52	ELN			w/Compressed Natural Gas
	56021 815AB-	1	2, 3		13, 53	ELN			w/Compressed Natural Gas
-5	5600 6611	1							WIRING, Electric Back Light Feed
-6	5600 6612	1							WIRING, Electric Backlight Ground
-7									WIRING, Door



DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring-Body & Accessory Figure 008-1515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5600 7087	1							w/Door Lock, Side Cargo Door
	5601 8900	1							w/Door Lock & Bucket Seats, Side Cargo Door
	5602 1672	1							w/o Power Windows, Front Left
	5602 1833	1							Base Model, Front Door
	5602 1834	1							w/Power Mirror, Front Door
	56021 836AB-	1							w/Power Windows, Front Right
	5602 1837	1							w/Power Windows, Front Left
	56021 839AB-	1							w/o Power Windows, Front Right
-8									WIRING, Auxiliary Heat and A/C I/Panel
	4487 012	1							
	5602 0079	1			12, 13, 52, 53				Blower Motor
-9									WIRING, License Lamp
	5600 3674	4							
	5602 1667	1							Extension
-10	5601 9979	1							WIRING, Rear Body, w/Heated Rear Window
-11	5601 8705	1	3		12, 13, 52, 53				WIRING, Anti-lock Brake Jumper, A. W.A.L. (R.W.A.L. Serviced w/ Underbody Wiring Harness)
-12	5602 0584	1							WIRING, Speaker
-13	5601 9977	2							WIRING, Speaker Jumper
-14	56021 233AB-	1							WIRING, Instrument Panel, Van Conversion Jumper Harness, Van Conversion Jumper Harness
-15									TERMINAL
	5602 1043	1							Rear Door Electric Lock (Door Side) Large
	4362 012	2							Sliding Door Electric Lock (Door Side) Small
-16									WIRING, Power Seat Overlay
	5601 8626	1							
	5601 9982	1							Motor
-17									WIRING, Chassis
	5210 2914	1			12, 52	ELP			127' W.B.
	5210 2915	1	2, 3		13, 53	ELP			127X' W.B.
-18	56021 666AB-	1							WIRING, Underhood Lamp
-19	6031 562	2							GROMMET, Sliding Door, .50' Dia.
-20	6031 490	2							GROMMET, Sliding Door Harness, 1.56' Dia.

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Connector Repair Package

Figure 008-1610

[illegible]

For Electrical Connector Repair Information visit
the World Wide Web at

<http://dto.vftis.com/mopar/disclaimer.asp>

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Spark Plug-Cable-Coils
Figure 008-1905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


EH0 = 3.9L V6 GAS ENGINES
EL0 = 5.2L 8 CYL GAS ENGINES
EM0 = 5.9L 8 CYL GAS ENGINES

1	4728 037	1				EH0			CABLE PACKAGE, Ignition
2	4728 038	1				EL0, EM0			CABLE PACKAGE, Ignition
3									SPARK PLUG
	5602 8189	6				EH0 EL0			
	SP00R C12YC	8				EM0			
4									SEPERATOR, Ignition Cable
	5602 6735	1							1-Wire
	5602 6834	1							4-Wire
	5602 7089	2							3-Wire
	56041 333AA	2				EL0, EM0			5-Wire
5									CABLE, Ignition Coil
	5602 7045	1				EH0			
	5602 7055	1				EL0, EM0			
6									CABLE, Ignition
	5602 7037	1				EH0			[#1]
	5602 7039	1				EH0			[#3]
	5602 7041	1				EH0			[#5]
	5602 7046	1				EL0,			[#1]
						EM0			
	5602 7049	1				EL0, EM0			[#3]
	5602 7050	1				EL0,			[#4]
						EM0			
	5602 7051	1				EL0, EM0			[#5]
	5602 7112	1				EH0			[#2]
		1				EL0, EM0			[#2]
	5602 7113	1				EH0			[#4]
		1				EL0,			[#6]
						EM0			
	5602 7114	1				EH0			[#6]

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Spark Plug-Cable-Coils

Figure 008-1905

[illegible]

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Group – 08A

Instrument Panel and Radios and Consoles


GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
Instrument Panel	
Instrument Panel	Fig. 08A-120
Instrument Panel Cluster	
Instrument Panel Cluster	Fig. 08A-220
Radio, Antenna, and Speakers	
Radio	Fig. 08A-325
Speakers	Fig. 08A-335
Antenna	Fig. 08A-345
Consoles	
Console	Fig. 08A-420



08A-100 Instrument Panel	08A-200 Instrument Panel Cluster	08A-300 Radio, Antenna, and Speakers	08A-400 Consoles

Instrument Panel
Figure 08A-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
P.A.R. = PAINT AS REQUIRED									
1	5003 043AA	1							PANEL, Instrument
-2	5521 6481	1							COVER, Air Bag Module
3	5FU9 0HD5	1							DOOR, Glove Box, Glove Box (Paint as Required)
4	5505 5634	2							HINGE, Glovebox Door
5	4085 566	1							CATCH, Glove Box Door
6	5502 7843	1							GLOVE BOX, Instrument Panel
7									SCREW, (NOT SERVICED) (Not Serviced)
8	6032 723	2	2		11				SCREW, Self Tapping, M4.2x1.69x19.05
9	5502 7870	1							LATCH, Glovebox
10									CYLINDER AND KEY, Lock, Refer to Group 23D, (NOT SERVICED) (Not Serviced)
11	4359 182	2							BUMPER, Glove Box Door
12	4565 022	1							SWITCH AND LAMP, Glove Box
-13	5502 9506	1							SPACER, Glove Box Lamp Switch
-14	5511 4571	1							COVER, Glove Box Lamp Hole
-15	2822 583	1							LENS, Glove Box Lamp
16	5511 5553	1							NAMEPLATE, Instrument Panel, Dodge, Glovebox
17									WIRING, Refer to Group 8, (NOT SERVICED) (Not Serviced)
18	3747 633	1							SHELL, Cigar Lighter
-19	5269 360	1							HOOD, Ash Receiver Lamp, Lamp (Cigar Lighter)
-20	3747 634	1							SHELL, Cigar Lighter
21									BRACKET, Refer to Group 24, (NOT SERVICED) (Not Serviced)
22	0154 610	3							SCREW, Pan Head Tapping, .164-18x.500
23									CONTROL, A/C And Heater, Refer to Group 24, (NOT SERVICED) (Not Serviced)
24									SCREW, Refer to Group 24, (NOT SERVICED) (Not Serviced)
25	4360 196	1							SWITCH, Electric Back Light
-26	5503 6012	1							SWITCH, A/C and Heater Control

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Panel
Figure 08A-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27									BEZEL, Heater and A/C Control, Refer to Group 24, (NOT SERVICED) (Not Serviced)
28									SCREW, Refer to Group 24, (NOT SERVICED) (Not Serviced)
29									PLUG, C/Lighter, (NOT SERVICED) (Not Serviced)
30									BEZEL, Cigar Lighter, Serviced in Item 31, (NOT SERVICED) (Not Serviced)
31	4565 242	1							KNOB AND ELEMENT, Cigar Lighter
32	4360 011	1							ELEMENT, Cigar Lighter
33	4360 141	1							SWITCH, Mirror, Electric
34	0154 610	1							SCREW, Pan Head Tapping, .164-18x.500
35	4360 161	1							BRACKET, Mirror Switch
36	4299 281	1							NUT, Round, .750-20x5.3mm
37									BEZEL, Power Mirror, Serviced In Item 38, (NOT SERVICED) (Not Serviced)
38	5511 5541	1							PLATE, Instrument Panel Trim, Woodgrain
39	9420 865	15							NUT, For .187 Diameter Stud
40	5600 7185	1							SWITCH, Overdrive Lockout
41	4360 163	1							COVER, Overdrive Lockout Switch
42	4360 162	1							COVER, Mirror Switch, Power
43	4360 139	1							KNOB, Power Mirror Switch
44	4034 893	1							REINFORCEMENT, Engine Housing Extension
45	0154 610	2							SCREW, Pan Head Tapping, .164-18x.500
46	5EN6 4RD5	1							COVER, Instrument Panel, Trim Lower Left (Paint as Required)
47	5511 5638	1							BRACE, Instrument Panel to Floor, Left
48									BRACE, I/Panel Left, (NOT SERVICED) (Not Serviced)
49									BRACE, I/Panel Right, (NOT SERVICED) (Not Serviced)
50	4114 785	3							FASTENER, Trim Bezel

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Panel
Figure 08A-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
51	5FM8 OSD5	1							PANEL, Instrument Lower, w/o Vent, Right
52	4565 322	1							SWITCH, Headlamp
53	5600 7084	1							RETAINER, Headlamp Switch
54	L000 0158	1							BULB, 158
55	5600 7257	1							BEZEL, Headlamp Switch
56									SCREW, (NOT SERVICED) (Not Serviced)
57									LENS, Indicator Headlamp Beam, Serviced in Hood and Bezel, (NOT SERVICED) (Not Serviced)
58	4360 211	1							KNOB, Head Lamp Switch
59	6031 940	4							CLIP, Panel Fastener
60									BEZEL, Cluster
	QC45 SKB	1							w/Radio (Tan)
	QC45 SP8	1							w/Radio (Blue)
	QC45 TC8	1							w/Radio (Cirrus)
	QC47 SKB	1							w/o Radio (Tan)
	QC47 SP8	1							w/o Radio (Blue)
	QC47 TC8	1							w/o Radio (Cirrus)
	QC45 SD5	1							W/Radio (Agate)
	QC47 SD5	1							W/o Radio (Agate)
61	5601 9983	1							MODULE, Message Center, Use Bulb 154087, Socket 4312947
62	6032 985	2							SCREW, Tapping, .164-15x.50

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Panel Cluster
Figure 08A-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5600 3453	1							COVER, Instrument Cluster
2	4713 568	1							GAUGE, Speedometer
	4713 569	1							100 MPH (Vendor Ship Only)
									180 KPH (Vendor Ship Only)
-3	5600 3443	1							KNOB, Odometer Reset
4	5600 3446	1							GAUGE, Fuel
5	5600 3444	1							HOUSING, Cluster
6	5600 3448	1							GAUGE, Volt
7	5600 7525	1							INDICATOR, Gear Selector
8	6502 587	27							SCREW, Torx Head, M4.2x2.11x12.70, Torx M4.2x2.11x12.70
-9									SCREW, (NOT SERVICED) (Not Serviced)
10	5600 3454	1							BOARD, Circuit, Printed Circuit, Major
11	4688 388	10							SOCKET, Headlamp
12									BULB, 194, Circuit Board (#194)
									Serviced w/Socket Assembly, (NOT SERVICED) (Not Serviced)
13	4051 529	4							DIFFUSER, Lamp
14	5600 3455	1							BOARD, Circuit, Printed Circuit, Minor
15	4728 274	1							GAUGE, Oil Pressure
16	5600 3457	1							LENS, Cluster, Major
17	5600 3451	1							CHIMNEY, Cluster, Hi-Beam
18	5600 3447	1							GAUGE, Temperature
19	5602 0222	1							MASK, Instrument Cluster, MPH, w/ UFO
-20	5602 0221	1							MASK, KPH, w/Out UFO
21	5600 3460	1							MASK, Volt And Oil Gauge
22	4075 044	1							COVER, Instrument Cluster, Volt/Oil

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Radio
Figure 08A-325



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

RAL=AM/FM Stereo									
RAS=AM/FM Cassette									
RBN=AM/FM Cassette & CD Changer Control									
RBR=AM/FM w/CD & Equalizer									
1	4858 556	1							RADIO, AM/FM Cassette, RAS
2	4704 386AC	1							RADIO, AM/FM Cassette with CD Control, RBN
3	4858 562	1							RADIO, RAL
4	4704 373AB	1							RADIO, AM/FM with CD and Equalizer, RBR

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Speakers
Figure 08A-335

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
P.A.R. = PAINT AS REQUIRED									
1	5600 9019	2							SPEAKER, Rear, 6x9, Front Door Standard
	5604 3504	2							Infinity
2	5600 9019	2							SPEAKER, Rear, 6x9, Rear Standard
	5604 3504	2							Infinity
3	4216 823	2			11				BRACKET, Speaker
4	D496 TC3	2	1		11				GRILLE, Speaker, (P.A.R.)
5									SCREW, .164-18x.500, (NOT SERVICED) (Not Serviced)
6									SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
7									SCREW AND WASHER, Hex Head, M4.8x1.59x20, (NOT SERVICED) (Not Serviced)
8									NUT, w/Washer, (NOT SERVICED) (Not Serviced)


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Antenna
Figure 08A-345

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4469 016	1							MAST, Antenna, Bright 31 Inch
2	5600 6828	1							CAP NUT, Antenna
3	5601 9980	1							ADAPTER, Antenna
4	5601 9985	1							BODY AND CABLE, Antenna
5	2860 332	1							PLUG, Anti-Rattle, Antenna Gromett Hole
-6	5600 6990	1							PLUG, Sealing, Antenna




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Console Figure 08A-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
P.A.R. = PAINT AS REQUIRED									
1	JV86 MD5	1							HOUSING, Console, P.A.R.
2									PLATE, Filler, Serviced in Console Housing, (NOT SERVICED) (Not Serviced)
3	4356 622	1							LATCH, Forward Console Door, Magazine Door
4	4356 624	1							LATCH, Table
5	4356 626	1							RECEPTACLE, Ash Receiver
6	L630 MD5	1							DOOR, Front Console, Tissue Bin w/ Latch (Paint as Required)
7	L631 MD5	1							DOOR, Front Console, Magazine Bin (Paint as Required)
8	L632 MD5	1							TABLE, Front Console, Paint as Required
9									ASH RECEIVER PACKAGE, Serviced In Console Housing, (NOT SERVICED) (Not Serviced)
10	4356 627	1							HINGE, Floor Console Lid
11	4166 686	1							SEAL, Engine Housing
12	5527 4647	1							RETAINER, Engine Housing Seal
13	5534 6967	1							EXTENSION, Dash Panel To Engine
14	4080 463	2							LATCH, Engine Housing
15	3636 083	2							TAPPING PLATE, Engine Housing Latch
16									HOUSING, Engine Cover, Blue Quartz (w/Carpet & Console Bracket)
	5DH3 0MD5	1							
	5DH3 0SK5	1							Tan (w/Carpet & Console Bracket)
	5DH3 0SP8	1							Blue Spruce (w/Carpet & Console Bracket)Blue Spruce
-17	5DH3 1MD5	1							HOUSING, Engine Cover, W/o Carpet (Paint as Required)
18	4080 464	3							BRACKET, Engine Housing Hold Down
19	6028 589	3							NUT, Plastic Snap-In, For .312 Screw, Hold Down Bracket
20	6028 931	3							SCREW, Hex Flange Head Lock, .375-16x1.25, Hold Down Bracket
21	4356 626	1							RECEPTACLE, Ash Receiver

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Console
 Figure 08A-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22									RIVET, Ash Receiver, (NOT SERVICED) (Not Serviced)
23	L829 MD5	1							ASH RECEIVER, Floor Console, Without console, Paint as Required
24									CUPHOLDER, Console
	4549 716	1							Right
	4549 717	1							Left



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 009


Engine Mounting


GROUP 9 - Engine Mounting

Illustration Title



Group-Fig. No.

Engine Mounting	
Engine Mounting, Front 3.9L (EHC) Engine	Fig. 009-110
Engine Mounting, Rear 3.9L (EHC) Engine	Fig. 009-120
Engine Mounting, Front 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine	Fig. 009-130
Engine Mounting, Rear 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine	Fig. 009-140



009-100 Engine Mounting 			
--	--	--	--

Engine Mounting, Front 3.9L (EHC) Engine
Figure 009-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	52021 319AB	2				EH0			INSULATOR, Engine Mount
2	6028 371	3				EH0			SCREW, .375-16x1.00
-3									SCREW AND WASHER, Hex Head, .375-16x1.00, (NOT REQUIRED)
4									BRACKET, Engine Mount
	4446 008	1				EH0			Right
	4446 391	1				EH0			Left
5	0152 348	2							NUT, Lock, .500 - 13
6	2128 774	2							WASHER, Plain, ID=.531, OD=1.250, THK=.180
7	6025 022	2							NUT AND WASHER, Hex Nut-Coned Washer, .500-13
8	6029 286	4				EH0			STUD, Brake Support, .50-13x1.50

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Mounting, Rear 3.9L (EHC) Engine
Figure 009-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EH0=All 3.9L Engines DG0=All Automatic Transmissions DGG=3 Speed Automatic Transmission DGH=4 Speed Automatic Transmission									
1	5201 9760	1							SUPPORT, Engine Mount
2	9416 171	8							SCREW, Hex Head, .375-16x1.25
-3									SCREW, M10x1.50x35.00, (NOT REQUIRED)
4	5201 9615	1					DG0		INSULATOR, Engine Mount
5	3420 2606	1					DG0		BOLT, Hex Head
6	6101 448	1				EH0			NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
7	4446 323	1				EH0	DGG		BRACKET, Transmission Mount
8	6033 358	2					DGG, DGH		SCREW AND WASHER, Hex Head Locking, .437-14x1.25
9	6100 055	1					DG0		NUT AND WASHER, Hex Nut-Coned Washer, M12 x 1.75
10	6028 606	1							SCREW AND WASHER, Hex Head Lock, .312-18x1.00

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Engine Mounting, Front 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine
Figure 009-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EL0=All 5.2L Engines EM0=All 5.9L Engines


1	4505 501	1				EM0			BRACKET, Engine Mount Left
	3897 272	1				EL0, EM0			Right
2	4112 853	1				EL0			Left
	52019 716AB	2				EL0, EM0			INSULATOR, Engine Mount
3	6030 713	2				EL0, EM0			SCREW AND WASHER, Hex Head, .437-14x1.625 Grade 8
4	6030 754	4				EL0, EM0			SCREW AND WASHER, Hex Head, .437-14x1.875 Grade 8
5	6030 933	6				EL0, EM0			NUT, Hex, .437-14
6	2128 774	2							WASHER, Plain, ID=.531, OD=1.250, THK=.180
7	6025 022	2							NUT AND WASHER, Hex Nut-Coned Washer, .500-13
8	0152 348	2							NUT, Lock, .500 - 13

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Mounting, Rear 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine
Figure 009-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
EL0 = All 5.2L Engines									
EM0 = All 5.9L Engines									
DGG = 3 Speed Automatic Transmission 32RH									
DG0 = All Automatic Transmissions									
DGH = 4 Speed Automatic Transmission									
DGT = 4 Speed Automatic Transmission									
1	5201 9760	1							SUPPORT, Engine Mount
2	9416 171	8							SCREW, Hex Head, .375-16x1.25
-3									SCREW, M10x1.50x35, (NOT SERVICED) (Not Serviced)
4	5201 9615	1					DG0		INSULATOR, Engine Mount
5	3420 2606	1					DG0		BOLT, Hex Head
6	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
7	4446 321	1				EL0	DGG, DGH		BRACKET, Transmission Mount
-8	4446 322	1					DGT		BRACKET, Engine Mount
9	6033 358	2					DGG, DGH		SCREW AND WASHER, Hex Head Locking, .437-14x1.25
10	6100 055	1					DG0		NUT AND WASHER, Hex Nut-Coned Washer, M12 x 1.75

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Group – 3.9L

Engine 3.9L Six Cylinder




GROUP 3.9L - Engine 3.9L Six Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head	
Cylinder Head 3.9L (EHC) Engine	Fig. 3.9L-210
Cylinder Block	
Cylinder Block 3.9L (EHC) Engine	Fig. 3.9L-310
Crankshaft, Piston and Torque Converter	
Crankshaft, Piston and Torque Converter 3.9L (EHC) Engine	Fig. 3.9L-410
Camshafts & Valves	
Camshafts and Valves 3.9L (EHC) Engine	Fig. 3.9L-510
Timing Belt and Cover	
Timing Belt and Cover 3.9L (EHC) Engine	Fig. 3.9L-610
Engine Oiling	
Engine Oiling 3.9L (EHC) Engine	Fig. 3.9L-710
Manifolds	
Manifolds, Intake and Exhaust 3.9L (EHC) Engine	Fig. 3.9L-810
Crankcase Ventilation	
Crankcase Ventilation 3.9L (EHC) Engine	Fig. 3.9L-910

3.9L-200 Cylinder Head	3.9L-300 Cylinder Block	3.9L-400 Crankshaft, Piston and Torque Converter	3.9L-500 Camshafts & Valves
3.9L-600 Timing Belt and Cover	3.9L-700 Engine Oiling	3.9L-800 Manifolds	3.9L-900 Crankcase Ventilation

Cylinder Head 3.9L (EHC) Engine
Figure 3.9L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
Gasket Package, Engine Upper - 04897384AB									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
2	5302 0336	1				EH0			COVER, Cylinder Head w/Oil Fill Hole
	5302 0609	1				EH0			w/o Oil Fill Hole
3	5300 6699	2				EH0			GASKET, Valve Cover
4	5302 1135	2				EH0			HEAD, Cylinder
5	5302 0489	2				EH0			GASKET, Cylinder Head
6	4556 020	4				EH0			PLUG, Core, 1.25 Diameter
7	6035 878AA	12				EH0, EM0			STUD
8	6035 877AA	3				EH0			SCREW AND WASHER, Hex Head, .25-20x.875
9	5302 0188	6				EH0			SHIELD, Heat
10	6034 691	8				EH0			BOLT, Cylinder Head .50x4.625
	6034 690	8				EH0			.50-13x2.00
11	6033 560	4							NUT AND WASHER, Hex Nut-Coned Washer, .25-20
12	5302 0202	1				EH0, EL0, EM0			TUBE, Oil Filler
13	5302 0491	1				EH0, EL0, EM0			CLIP, Oil Filler Tube
14									SCREW, [.25-20x1.25], (NOT SERVICED) (Not Serviced)
15	5302 0203	1				EH0, EL0, EM0			GROMMET, Oil Filler Tube
-16	4897 384AA-	1				EH0			GASKET PACKAGE, Engine


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 3.9L (EHC) Engine
Figure 3.9L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
Gasket Package, Engine Lower - 04720651									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4713 599	1				EH0			BLOCK, Short
2	3830 603	1				EH0			BEARING, Camshaft, #1
3	4556 020	1				EH0			PLUG, Core, 1.25 Diameter
-4	4556 022	7				EH0			PLUG, Core, 1.625 Diameter
-5	4556 023	AR				EH0, EL0, EM0			PLUG, Core, 1.695 Diameter
6	3751 818	2				EH0			PLUG, Pipe
-7	5300 9518	1				EH0			PLUG, Cylinder Block Oil Hole
8	1122 532	2				EH0			DOWEL, Block To Clutch Housing
9	0141 215	4				EH0			DOWEL, .312 x .500
10	4798 276	1							HEATER PACKAGE, Engine Block
11									O RING, Engine Block Heater
	6501 445	AR							1-11/32 Diameter, 11/64 Width
	6501 446	1							1-11/32 Diameter, 9/64 Width
12	5602 7117	1							CORD, Engine Block Heater
13	6015 412	1							CLIP, Engine Heater Cord

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 3.9L (EHC) Engine Figure 3.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EH0=All 3.9L Engines DG0=All Automatic Transmissions									
1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2									PISTON PIN AND ROD
	4778 863	3				EH0			#1,3,5 C Size, 3.90975
	4778 864	3				EH0			#2,4,6 C Size, 3.90975
	4778 861	3				EH0			#1,3,5 B Size, 3.90925
	4778 862	3				EH0			#2,4,6 B Size, 3.90925
	4778 865	3				EH0			#1,3,5 D Size, 3.91025
	4778 866	3				EH0			#2,4,6 D Size, 3.91025
3	4720 653	3				EH0			RING PACKAGE, Piston, Standard Size Complete Engine
4									ROD, Connecting, Serviced in Piston\, (NOT SERVICED) (Not Serviced)
5	4397 658	3				EH0			BEARING, Connecting Rod, STD.
6	4397 659	AR				EH0			BEARING, Connecting Rod, .001" U/S
7	4397 662	AR				EH0			BEARING, Connecting Rod, .010" U/S
8	6033 441	6				EH0			BOLT, Connecting Rod
9	4397 776	3				EH0			BEARING PACKAGE, Crankshaft, Standard Size, #1
10	4397 780	AR				EH0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1
11	4397 792	AR				EH0			BEARING PACKAGE, Crankshaft, .010 Undersize, #1
12	4720 595	1				EH0, EL0			BEARING, Crankshaft, STD., #2
13	4720 596	AR				EH0, EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #2
14	4720 593	1				EH0			BEARING PACKAGE, Crankshaft, .010 Undersize, #2
15	4397 778	1				EH0			BEARING PACKAGE, Crankshaft, Standard Size, #3
16	4397 783	AR				EH0			BEARING PACKAGE, Crankshaft, .001 Undersize, #3
17	4397 794	1				EH0			BEARING PACKAGE, Crankshaft, .010 Undersize, #3
18	4397 701	1				EH0			BEARING PACKAGE, Crankshaft, Standard Size, #4

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 3.9L (EHC) Engine
Figure 3.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	4397 702	AR				EH0			BEARING PACKAGE, Crankshaft, .001 Undersize, #4
20	4397 705	1				EH0			BEARING PACKAGE, Crankshaft, .010 Undersize, #4
21	5302 0601	1				EH0	DG0		CRANKSHAFT
22	1855 561	1							WASHER, Flat, .78x1.9x.250
23	1821 414	1							SCREW, Hex Head Header Point, .75-16x2.25
-24									SCREW AND WASHER, (NOT REQUIRED)
25	5302 0229	1				EH0, ELO			DAMPER, Crankshaft
26									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
27	6032 296	6				EH0			NUT, Hex, .375-24
28	6027 264	6				EH0			SCREW, Socket Hex Head, .50- 13x3.25, #1,2,3
-29	6033 300	2				EH0			SCREW, Cap, .50-13x2.80, #4
30	4778 228	1				EH0			SEAL PACKAGE, Crankshaft
31	4736 593	1				EH0	DG0		TORQUE CONVERTER
32	1949 424	6					DG0		SCREW, Hex Head Header Point, .75-16x2.25
33	5211 8256	1				EH0	DG0		PLATE, Torque Converter Drive
34	1949 765	4					DG0		SCREW, Hex Head Header Point, .312-24x.44
35	6035 948AA	1							WASHER, Sealing


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshafts and Valves 3.9L (EHC) Engine Figure 3.9L-510



NOTE: EH0=All 3.9L Engines

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5300 8282	12				EH0			ROCKER ARM, Valve
2	5300 8283	12				EH0			PIVOT, Rocker Arm
3	6034 184	12				EH0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	6				EH0			RETAINER, Rocker Arm Pivot
5	3300 3521	24				EH0			LOCK, Valve Spring Retainer
6	3300 4626	12				EH0			RETAINER, Valve Spring
7	5302 1056	12				EH0			SPRING, Valve
8	5300 9886	6				EH0			SEAL, Valve Guide
-9	3300 3016	AR				EH0, ELO, EM0			SEAL, Valve Guide, .015" Oversize
10	5300 9887	6				EH0			SEAL, Valve Guide
-11	3300 2733	AR				EH0, ELO, EM0			SEAL, Valve Guide, .015" Oversize
12	5300 6723	6				EH0			VALVE, Intake, Standard
-13	5300 9287	AR				EH0, ELF, EM0			VALVE, Intake, .003" O/S
-14	5300 9285	AR				EH0, ELF, EM0			VALVE, Intake, .015" O/S
15	5300 6724	6				EH0			VALVE, Exhaust, Standard
-16	5300 9291	AR				EH0, ELO, EM0			VALVE, Exhaust, .003" O/S
-17	5300 9289	AR				EH0, ELO, EM0			VALVE, Exhaust, .015" O/S
18	2863 071	1				EH0			PLUG, Camshaft
19	3830 603	1				EH0			BEARING, Camshaft, #1
-20	4179 776	1				EH0			BEARING, Camshaft, #2
-21	4179 778	1				EH0			BEARING, Camshaft, #3 or #4
-22	1632 526	1				EH0			BEARING, Camshaft, #4 or #5
23	4713 439	12				EH0			TAPPET PACKAGE, Valve
24	0431 787	1							KEY, Camshaft Sprocket
25	5302 0282	1				EH0			CAMSHAFT, Engine
26	5300 6722	12				EH0			PUSH ROD, Valve

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshafts and Valves 3.9L (EHC) Engine Figure 3.9L-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	4387 226	1				EH0			RETAINER, Tappet Yoke Aligning
28	4483 045	6				EH0			YOKE, Tappet Aligning
29	6034 483	2				EH0			SCREW, Hex Head Coned, .312-18x.875

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Belt and Cover 3.9L (EHC) Engine Figure 3.9L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
2	5302 1057	1				EH0,			COVER
3	4897 723AA	1				EH0,			GASKET, Chain Case Cover
4	3671 649	1				EH0,			COVER PACKAGE, Engine Timing
5						EL0,			TAB, Timing Chain Oil
6	0191 674	3				EM0			TENSIONER, Chain, (NOT
-7									REQUIRED)
8	6029 411	1				EH0,			SCREW, Hex Head, .312-18.625
9	6029 411	1				EH0,			SCREW, Hex Head Coned, .312-
10	8350 7095	1				EL0			18x.875, (NOT REQUIRED)
11	6034 321	1							KEY, Crankshaft Sprocket
12	6034 479	1							KEY, Crankshaft Sprocket
13	6034 452	1							CHAIN PACKAGE, Timing
14	6034 453	2							SCREW AND WASHER, Hex Head,
15	6034 366	1							Coned, Header, .437-14x1.375
									BOLT, Hex Head, .375-16x2.25
									STUD, .375-16x.375-16x2.38
									STUD, .375-16x.375-16x1.63
						EH0,			SCREW, Chain Case Cover Oil Hole
						EL0			

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 3.9L (EHC) Engine
Figure 3.9L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4071 043	1				EH0			COVER, Engine Oil Pump
2	3837 648	1				EH0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	4315 436	1				EH0			PICKUP, Engine Oil
4	5300 9295	1				EH0			PUMP, Engine Oil
5	0179 842	2							SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EH0			BUSHING, Oil Pump and Distibutor
7	5302 0546	1				EH0,			SHAFT, Oil Pump
						EL0,			
						EM0			
8	0108 636	1				EH0			PIN, Cotter
9	2843 208	1				EH0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EH0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EH0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EH0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 5646	1				EH0			GASKET, Oil Pan
14	6034 483	14				EH0			SCREW, Hex Head Coned, .312-18x.875
15	5302 0911	1				EH0			PAN, Engine Oil
16	5302 0461	1							GASKET, Oil Filter Adapter
17	6035 417	1				EH0			PLUG, Oil Drain
18	5302 0931	1				EH0			INDICATOR, Engine Oil Level
19	5302 0442	1							TUBE, Engine Oil Indicator
20	5281 090	1							FILTER, Engine Oil
21	5300 7563	1							CONNECTOR, Oil Filter
22	5302 1053	1				EH0,			PLATE, Oil Filter Adapter
						EL0,			
						EM0			
-23	5170 613AA-	1				EH0			PUMP KIT, Oil


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifolds, Intake and Exhaust 3.9L (EHC) Engine
Figure 3.9L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	4897 382AA	1				EH0			GASKET PACKAGE, Intake Manifold
2	4883 319	1				EH0			MANIFOLD, Intake
3	6035 967AA	12							SCREW AND WASHER, Hex Head
4	5300 6601	1				EH0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0,			STUD, .312-18/.312-24x2.25
						EL0,			
						EM0			
6	6034 806	4				EH0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0872	1				EH0			MANIFOLD, Exhaust
8	5301 0185	1				EH0			MANIFOLD, Exhaust
9	0118 615	4				EH0			NUT, Hex, .375-16
10	0115 729	4				EH0,			NUT, Hex, .312 x 24
						EL0,			
						EM0			
11	0181 127	4							BOLT, Hex Head, .375-16x2.25
12	4004 001	4				EH0,			RETAINER, Exhaust Pipe to
						EL0			Manifold
13	6034 583	14				EH0			SCREW AND WASHER, Hex Head, .25-20x.892
14	5300 6600	1				EH0			PAN, Intake Manifold
15	5301 0091	4				EH0,			CLAMP, Exhaust Manifold
						EL0,			
						EM0			

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 3.9L (EHC) Engine
Figure 3.9L-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	5303 0081	1				EH0			HOSE, Crankcase Vent
2	5303 0254	1				EH0, EL0, EM0			FILTER, Crankcase Vent
3	2946 079	1				EH0, EL0, EM0			GROMMET, Crankcase Vent
4	53008 675AB	1				EH0			TUBE, PCV Valve
5	5303 1134	1				EH0			VALVE, Crankcase Vent
6	5303 0017	1				EH0, EL0, EM0			GROMMET, Crankcase Vent



DODGE RAM VAN & WAGON (AB)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 5.2L

Engine 5.2L Eight Cylinder




GROUP 5.2L - Engine 5.2L Eight Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head	
Cylinder Head 5.2L (ELF) Engine	Fig. 5.2L-210
Cylinder Block	
Cylinder Block 5.2L (ELF) Engine	Fig. 5.2L-310
Crankshaft, Piston and Torque Converter	
Crankshaft, Piston and Torque Converter 5.2L (ELF) Engine	Fig. 5.2L-410
Camshafts & Valves	
Camshafts and Valves 5.2L (ELF) Engine	Fig. 5.2L-510
Timing Belt and Cover	
Timing Belt and Cover 5.2L (ELF) Engine	Fig. 5.2L-610
Engine Oiling	
Engine Oiling 5.2L (ELF) Engine	Fig. 5.2L-710
Manifolds	
Manifolds, Intake and Exhausts 5.2L (ELF) Engine	Fig. 5.2L-810
Crankcase Ventilation	
Crankcase Ventilation 5.2L (ELF) Engine	Fig. 5.2L-910

5.2L-200 Cylinder Head	5.2L-300 Cylinder Block	5.2L-400 Crankshaft, Piston and Torque Converter	5.2L-500 Camshafts & Valves
5.2L-600 Timing Belt and Cover	5.2L-700 Engine Oiling	5.2L-800 Manifolds	5.2L-900 Crankcase Ventilation

Cylinder Head 5.2L (ELF) Engine Figure 5.2L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EH0 = All 3.9L V-6 Gas Engines ELF = Magnum 5.2L SMPI V-8 Engine EL0 = All 5.2L 8 Cyl Gas Engines EM0 = All 5.9L 8 Cyl Gas Engines GASKET PACKAGE, Engine Upper - 04897385AB Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
2	53020 340AB	1				EL0, EM0			COVER, Cylinder Head With Oil Fill Hole
	53020 612AB	1				EL0, EM0			W/O Oil Fill Hole
3	5300 6695	2				EL0, EM0			GASKET, Valve Cover
4	5302 1137	2				EL0			HEAD, Cylinder
5	5302 0490	2				EL0			GASKET, Cylinder Head
6	4556 020	4				ELF			PLUG, Core, 1.25 Diameter
7	6035 878AA	12				EL0			STUD
-8	6035 877AA-	7				EL0			SCREW AND WASHER, Hex Head, .25-20x.875
9	5302 0188	8				EL0, EM0			SHIELD, Heat
10	6034 691	10				EL0, EM0			BOLT, Cylinder Head .50x4.625
	6034 690	10				EL0, EM0			.50-13x2.00
11	5302 0202	1				EH0, EL0, EM0			TUBE, Oil Filler
12	5302 0491	1				EH0, EL0, EM0			CLIP, Oil Filler Tube
13									SCREW, [.25-20x1.25], (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Head 5.2L (ELF) Engine
Figure 5.2L-210

[illegible]



DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 5.2L (ELF) Engine
Figure 5.2L-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
GASKET PACKAGE, Engine Lower - 04720740									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4713 602	1				EL0			BLOCK, Short
2	3830 603	1				EL0			BEARING, Camshaft, #1
3	4556 020	1				EL0			PLUG, Core, 1.25 Diameter
-4	4556 022	9				EL0			PLUG, Core, 1.625 Diameter
-5	4556 023	AR				EH0, EL0, EM0			PLUG, Core, 1.695 Diameter
6	3751 818	2				EL0			PLUG, Pipe
-7	5300 9518	1				EL0			PLUG, Cylinder Block Oil Hole
-8									PLUG, Cylinder Block, 3/8NPT, (NOT SERVICED) (Not Serviced)
9	1122 532	2				EL0			DOWEL, Block To Clutch Housing
10	0141 215	4				EL0			DOWEL, .312 x .500
11	4798 276	1							HEATER PACKAGE, Engine Block
12									O RING, Engine Block Heater
	6501 445	AR							1-11/32 Diameter, 11/64 Width
	6501 446	1							1-11/32 Diameter, 9/64 Width
13	5602 7117	1							CORD, Engine Block Heater
14	6015 412	1							CLIP, Engine Heater Cord
15	5302 0465	1				EL0			PLUG, Cylinder Block

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.2L (ELF) Engine
Figure 5.2L-410



Note:

DG0 = All Automatic Transmissions

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2									PISTON PIN AND ROD
	4778 855	4				EL0			#1,3,5,7 A, B Size, 3.90875, 3.90925
	4778 857	4				EL0			#1,3,5,7 C Size, 3.90975
	4778 856	4				EL0			#2,4,6,8 A, B Size, 3.90875, 3.90925
	4778 858	4				EL0			#2,4,6,8 C Size, 3.90975
	4778 859	4				EL0			#1,3,5,7 D Size, 3.91025
	4778 860	4				EL0			#2,4,6,8 D Size, 3.91025
3	4720 727	1				EL0			RING PACKAGE, Piston
4									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
5	2421 305	8				EL0			BEARING, Connecting Rod, STD.
6	2421 306	AR				EL0			BEARING, Connecting Rod, .001" U/S
7	2421 309	AR				EL0			BEARING, Connecting Rod, .010" U/S
8	6033 441	8				EL0			BOLT, Connecting Rod
9	4397 776	1				EH0, EL0			BEARING PACKAGE, Crankshaft, Standard Size, #1
10	4397 780	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1
11	4397 792	AR				EL0			BEARING PACKAGE, Crankshaft, .010 Undersize, #1
12	4397 777	2				EL0			BEARING PACKAGE, Crankshaft, Standard Size, #2,4
13	4397 781	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #2,4
14	4397 793	AR				EL0			BEARING PACKAGE, Crankshaft, .010 Undersize, #2,4
15	4720 595	1				EH0, EL0			BEARING, Crankshaft, STD., #3

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500
BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.2L (ELF) Engine
Figure 5.2L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4720 596	AR				EH0,			BEARING PACKAGE, Crankshaft,
						EL0			.001 Undersize, #3
17	4720 593	1				EL0			BEARING PACKAGE, Crankshaft,
									.010 Undersize, #3
18	4397 701	1				EL0			BEARING PACKAGE, Crankshaft,
									Standard Size, #5
19	4397 702	AR				EL0			BEARING PACKAGE, Crankshaft,
									.001 Undersize, #5
20	4397 705	1				EL0			BEARING PACKAGE, Crankshaft,
									.010 Undersize, #5
21	5302 0603	1				EL0	DG0		CRANKSHAFT
22	1855 561	1							WASHER, Flat, .78x1.9x.250
23	1821 414	1							SCREW, Hex Head Header Point,
									.75-16x2.25
-24									SCREW AND WASHER, (NOT
									REQUIRED)
25	5302 0229	1				EH0,			DAMPER, Crankshaft
						EL0			
26									CAP, Serviced in Block, (NOT
									SERVICED) (Not Serviced)
27	6032 296	8				EL0			NUT, Hex, .375-24
28	6027 264	8				EL0			SCREW, Socket Hex Head, .50-
									13x3.25, #1,2,3
-29	6033 300	2				EL0			SCREW, Cap, .50-13x2.80, #4
30	4778 228	1				EL0			SEAL PACKAGE, Crankshaft
31									TORQUE CONVERTER
	4736 595	1				EL0	DGT		
	4736 546	1				EL0	DGH		
32	1949 424	6					DG0		SCREW, Hex Head Header Point,
									.75-16x2.25
33	5211 8255	1				EL0	DG0		PLATE, Torque Converter Drive
34	1949 765	4					DG0		SCREW, Hex Head Header Point,
									.312-24x.44
35	3515 203	1				EL0	DGH		GEAR, Ring
36	6035 948AA	1							WASHER, Sealing


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshafts and Valves 5.2L (ELF) Engine Figure 5.2L-510



Note:

EH0 = All 3.9L V-6 Gas Engines
 ELF = Magnum 5.2L SMPI V-8 Engine
 EL0 = All 5.2L 8 Cyl Gas Engines
 EM0 = All 5.9L 8 Cyl Gas Engines

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5300 8282	16				EL0, EM0			ROCKER ARM, Valve
2	5300 8283	16				EL0, EM0			PIVOT, Rocker Arm
3	6034 184	16				EL0, EM0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	8				EL0, EM0			RETAINER, Rocker Arm Pivot
5	3300 3521	32				EL0, EM0			LOCK, Valve Spring Retainer
6	3300 4626	16				EL0, EM0			RETAINER, Valve Spring
7	5302 1056	16				EL0, EM0			SPRING, Valve
8	5300 9886	8				ELF, EM0			SEAL, Valve Guide
-9	3300 3016	AR				EH0, EL0, EM0			SEAL, Valve Guide, .015" Oversize
10	5300 9887	8				ELF, EM0			SEAL, Valve Guide
-11	3300 2733	AR				EH0, EL0, EM0			SEAL, Valve Guide, .015" Oversize
12	5300 6723	8				ELF, EM0			VALVE, Intake, Standard
-13	5300 9287	AR				EH0, ELF, EM0			VALVE, Intake, .003" O/S
-14	5300 9285	AR				EH0, ELF, EM0			VALVE, Intake, .015" O/S
15	5300 6724	8				EL0, EM0			VALVE, Exhaust, Standard

DODGE RAM VAN & WAGON (AB)

SERIES
 L = Van, Wagon
 X = Conv.

LINE
 1=1500
 2=2500
 3=3500

BODY
 11=Van(109 WB)
 12=Van(127 WB)
 13=X-Van(127 WB)
 51=Wagon(109 WB)
 52=Wagon(127 WB)
 53=X-Wagon(127 WB)


ENGINE
 EHC=3.9L 6 Cyl. (MPI)
 ELF=5.2L 8 Cyl. (MPI)
 ELN=5.2L 8 Cyl. (CNG)
 ELP=5.2L 8 Cyl. (LPG)
 EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
 DGG = 32RH 3 Spd. Auto.
 DGT = 46RE 4 Spd. Auto.
 DGH = 36RH 3 Spd. Auto.
 DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshafts and Valves 5.2L (ELF) Engine
Figure 5.2L-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-16	5300 9291	AR				EH0, EL0, EM0			VALVE, Exhaust, .003" O/S
-17	5300 9289	AR				EH0, EL0, EM0			VALVE, Exhaust, .015" O/S
18	2863 071	1				EL0			PLUG, Camshaft
19	3830 603	1				EL0			BEARING, Camshaft, #1
-20	4179 776	1				EL0			BEARING, Camshaft, #2
-21	4179 777	1				EL0			BEARING, Camshaft, #3
-22	4179 778	1				EL0			BEARING, Camshaft, #3 or #4
-23	1632 526	1				EL0			BEARING, Camshaft, #4 or #5
24	4713 439	16				EL0, EM0			TAPPET PACKAGE, Valve
25	0431 787	1							KEY, Camshaft Sprocket
26	5302 0283	1				EL0			CAMSHAFT, Engine
27	5300 6722	16				EL0, EM0			PUSH ROD, Valve
28	4323 207	1				EL0, EM0			RETAINER, Tappet Yoke Aligning
29	4483 045	8				EL0, EM0			YOKE, Tappet Aligning
30	6034 483	2				EH0			SCREW, Hex Head Coned, .312-18x.875

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Belt and Cover 5.2L (ELF) Engine Figure 5.2L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
2	5302 1057	1				EL0			Cover
3	4897 723AA	1				EH0,			COVER PACKAGE, Engine Timing
4	3671 649	1				EL0			TAB, Timing Chain Oil
5	4315 764	1							PLATE, Camshaft Thrust
6	0191 674	3							SCREW, Hex Head, .312-18.625
7									SCREW AND WASHER, Hex Head, (NOT REQUIRED)
8	6029 411	1				EH0,			KEY, Crankshaft Sprocket
9	6029 411	1				EL0			KEY, Crankshaft Sprocket
10	8350 7095	1				EH0,			CHAIN PACKAGE, Timing
11	6034 321	1				EL0			SCREW AND WASHER, Hex Head, Coned, Header, .437-14x1.375
12	6034 479	1							BOLT, Hex Head, .375-16x2.25
13	6034 452	1							STUD, .375-16x.375-16x2.38
14	6034 453	2							STUD, .375-16x.375-16x1.63
15	6034 366	1				EH0,			SCREW, Chain Case Cover Oil Hole
						EL0			

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.2L (ELF) Engine Figure 5.2L-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	4071 043	1				EL0			COVER, Engine Oil Pump
2	3837 648	1				EL0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	5302 0462	1				EL0			PICKUP, Engine Oil
4	5300 9295	1				EL0			PUMP, Engine Oil
5	0179 842	2							SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EL0			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EH0,			SHAFT, Oil Pump
						EL0,			
						EM0			
8	0108 636	1				EL0			PIN, Cotter
9	2843 208	1				EL0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EL0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EL0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EL0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 5650	1				EL0			GASKET, Oil Pan
14	6034 483	18				EL0,			SCREW, Hex Head Coned, .312-18x.875
						EM0			
15	5302 0913	1				EL0			PAN, Engine Oil
16	6035 417	1				EL0			PLUG, Oil Drain, w/Gasket
17	5302 0932	1				EL0			INDICATOR, Engine Oil Level
18	5302 0442	1							TUBE, Engine Oil Indicator
19	5281 090	1							FILTER, Engine Oil
20	5300 7563	1							CONNECTOR, Oil Filter
21	5302 1053	1				EH0,			PLATE, Oil Filter Adapter
						EL0,			
						EM0			
22	5302 0461	1							GASKET, Oil Filter Adapter

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifolds, Intake and Exhausts 5.2L (ELF) Engine
Figure 5.2L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V-6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.


1	4897 383AA	1				EL0, EM0			GASKET PACKAGE, Intake Manifold
2	4883 318	1				EL0, EM0			MANIFOLD, Intake
3	6035 967AA	12							SCREW AND WASHER, Hex Head
4	5300 6623	1				EL0, EM0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0, EL0, EM0			STUD, .312-18/.312-24x2.25
6	6034 806	8				EL0, EM0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0873	1				EL0			MANIFOLD, Exhaust
8	5301 0189	1				EL0			MANIFOLD, Exhaust
9	0118 615	4				EL0, EM0			NUT, Hex, .375-16
10	0115 729	4				EH0, EL0, EM0			NUT, Hex, .312 x 24
11	0181 127	4							BOLT, Hex Head, .375-16x2.25
12	4004 001	4				EH0, EL0			RETAINER, Exhaust Pipe to Manifold
13	6034 583	15				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.892
14	5300 6617	1				EL0, EM0			PAN, Intake Manifold
15	5301 0091	4				EH0, EL0, EM0			CLAMP, Exhaust Manifold

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 5.2L (ELF) Engine
Figure 5.2L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines


1	5303 0081	1				EL0, EM0			HOSE, Crankcase Vent
2	5303 1135	1				EL0, EM0			VALVE, Crankcase Vent
3	5303 0017	1				EH0, EL0, EM0			GROMMET, Crankcase Vent
4	53008 675AB	1				EL0, EM0			TUBE, PCV Valve
5	5303 0254	1				EH0, EL0, EM0			FILTER, Crankcase Vent
6	2946 079	1				EH0, EL0, EM0			GROMMET, Crankcase Vent

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 5.9L
Engine 5.9L Eight Cylinder




GROUP 5.9L - Engine 5.9L Eight Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head Cylinder Head 5.9L (EML) Engine	Fig. 5.9L-210
Cylinder Block Cylinder Block 5.9L (EML) Engine	Fig. 5.9L-310
Crankshaft, Piston and Torque Converter Crankshaft, Piston and Torque Converter 5.9L (EML) Engine	Fig. 5.9L-410
Camshafts & Valves Camshafts and Valves 5.9L (EML) Engine	Fig. 5.9L-510
Timing Belt and Cover Timing Belt and Cover 5.9L (EML) Engine	Fig. 5.9L-610
Engine Oiling Engine Oiling 5.9L (EML) Engine	Fig. 5.9L-710
Manifolds Manifolds, Intake and Exhausts 5.9L (EML) Engine	Fig. 5.9L-810
Crankcase Ventilation Crankcase Ventilation 5.9L (EML) Engine	Fig. 5.9L-910

5.9L-200 Cylinder Head	5.9L-300 Cylinder Block	5.9L-400 Crankshaft, Piston and Torque Converter	5.9L-500 Camshafts & Valves
5.9L-600 Timing Belt and Cover	5.9L-700 Engine Oiling	5.9L-800 Manifolds	5.9L-900 Crankcase Ventilation

Cylinder Head 5.9L (EML) Engine
Figure 5.9L-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EH0 = All 3.9L V-6 Gas Engines EL0 = All 5.2L 8 Cyl Gas Engines EM0 = All 5.9L 8 Cyl Gas Engines GASKET PACKAGE, Engine Upper - 04897386AD Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
2	53020 340AB	1				EL0, EM0			COVER, Cylinder Head w/Oil Fill Hole
	53020 612AB	1				EL0, EM0			w/o Oil Fill Hole
3	5300 6695	2				EL0, EM0			GASKET, Valve Cover
4	5302 1137	2				EM0			HEAD, Cylinder
5	5302 0366	2				EM0			GASKET, Cylinder Head
6	4556 020	4				EM0			PLUG, Core, 1.25 Diameter
7	6035 878AA	12				EH0, EM0			STUD
-8	6035 877AA-	7				EM0			SCREW AND WASHER, Hex Head, .25-20x.875
9	5302 0188	8				EL0, EM0			SHIELD, Heat
10	6034 691	10				EL0, EM0			BOLT, Cylinder Head .50x4.625
	6034 690	10				EL0, EM0			.50x13x2.00
11	5302 0202	1				EH0, EL0, EM0			TUBE, Oil Filler
12	5302 0491	1				EH0, EL0, EM0			CLIP, Oil Filler Tube
13									SCREW, [.25-20x1.25], (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Head 5.9L (EML) Engine
Figure 5.9L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5302 0203	1				EH0,			GROMMET, Oil Filler Tube
						ELO,			
						EM0			
-15	4897 386AB-	1				EM0			GASKET PACKAGE, Engine Upper

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)



ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 5.9L (EML) Engine
Figure 5.9L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

GASKET PACKAGE, Engine Lower - 04746001

NOTE: Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.

NOTE: EM0=All 5.9L Engines

1	4741 528AB	1				EM0			BLOCK, Short
2	3830 603	1				EM0			BEARING, Camshaft, #1
3	4556 020	2				EM0			PLUG, Core, 1.25 Diameter
-4	4556 022	8				EM0			PLUG, Core, 1.625 Diameter
5	3751 818	2				EM0			PLUG, Pipe
-6	5300 9518	1				EM0			PLUG, Cylinder Block Oil Hole
-7									PLUG, Cylinder Block, 3/8NPT, (NOT SERVICED) (Not Serviced)
8	1122 532	2				EM0			DOWEL, Block To Clutch Housing
9	0141 215	4				EM0			DOWEL, .312 x .500
10	4798 276	1							HEATER PACKAGE, Engine Block
11									O RING, Engine Block Heater
	6501 445	AR							1-11/32 Diameter, 11/64 Width
	6501 446	1							1-11/32 Diameter, 9/64 Width
12	5602 7117	1							CORD, Engine Block Heater
13	6015 412	1							CLIP, Engine Heater Cord


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.9L (EML) Engine
Figure 5.9L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EM0=All 5.9L Engines DG0=All Automatic Transmissions									
1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2									PISTON AND PIN
	4778 871	4				EM0			#1,3,5,7 B Size, 3.99975
	4778 872	4				EM0			#2,4,6,8 B Size, 3.99975
	4778 873	4				EM0			#1,3,5,7 C Size, 4.00025
	4778 874	4				EM0			#2,4,6,8 C Size, 4.00025
	4778 875	4				EM0			#1,3,5,7 D Size, 4.00075
	4778 876	4				EM0			#2,4,6,8 D Size, 4.00075
3	4740 259	1				EM0			RING, Piston
4									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
5	2421 305	4				EM0			BEARING, Connecting Rod, STD.
-6	2421 306	AR				EM0			BEARING, Connecting Rod, .001" U/S
-7	2421 309	AR				EM0			BEARING, Connecting Rod, .010" U/S
8	6033 441	8				EM0			BOLT, Connecting Rod
9	4026 487	3				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #1,2,4
10	4026 488	3				EM0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1,2,4
11	4026 491	3				EM0			BEARING PACKAGE, Crankshaft, .010 Undersize, #1,2,4
12	4713 030	1				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #3
13	4713 032	1				EM0			BEARING PACKAGE, Crankshaft, .001 Undersize, #3
14	4713 036	1				EM0			BEARING, Crankshaft Thrust, .010" U/S, #3
15	3780 100	1				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #5
16	3780 101	1				EM0			BEARING PACKAGE, Crankshaft, .001 Undersize, #5
17	3780 104	1				EM0			BEARING PACKAGE, Crankshaft, .010 Undersize, #5
18	4790 759	1				EM0	DG0		CRANKSHAFT AND KEY
19	1855 561	1							WASHER, Flat, .78x1.9x.250

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.9L (EML) Engine
Figure 5.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	1821 414	1							SCREW, Hex Head Header Point, .75-16x2.25
-21									SCREW AND WASHER, (NOT REQUIRED)
22	5302 0182	1				EM0			DAMPER, Crankshaft
23									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
24	6032 296	8				EM0			NUT, Hex, .375-24
25	6027 264	10				EM0			SCREW, Socket Hex Head, .50- 13x3.25
26	4798 216	2				EM0			SEAL PACKAGE, Crankshaft
27	4736 591	1				EM0	DG0		TORQUE CONVERTER
28	1949 424	6					DG0		SCREW, Hex Head Header Point, .75-16x2.25
29	4863 841	1				EM0	DG0		PLATE, Torque Converter Drive
30	1949 765	4					DG0		SCREW, Hex Head Header Point, .312-24x.44
31	3515 203	1				EM0	DG0		GEAR, Ring
32	6035 948AA	1							WASHER, Sealing


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshafts and Valves 5.9L (EML) Engine

Figure 5.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	5300 8282	16				EL0, EM0			ROCKER ARM, Valve
2	5300 8283	16				EL0, EM0			PIVOT, Rocker Arm
3	6034 184	16				EL0, EM0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	8				EL0, EM0			RETAINER, Rocker Arm Pivot
5	3300 3521	32				EL0, EM0			LOCK, Valve Spring Retainer
6	3300 4626	16				EL0, EM0			RETAINER, Valve Spring
7	5302 1056	16				EL0, EM0			SPRING, Valve
8	5300 9886	8				ELF, EM0			SEAL, Valve Guide
-9	3300 3016	AR				EH0, EL0, EM0			SEAL, Valve Guide, .015" Oversize
10	5300 9887	8				ELF, EM0			SEAL, Valve Guide
-11	3300 2733	AR				EH0, EL0, EM0			SEAL, Valve Guide, .015" Oversize
12	5300 6723	8				ELF, EM0			VALVE, Intake, Standard
-13	5300 9287	AR				EH0, ELF, EM0			VALVE, Intake, .003" O/S
-14	5300 9285	AR				EH0, ELF, EM0			VALVE, Intake, .015" O/S
15	5300 6724	8				EL0, EM0			VALVE, Exhaust, Standard


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshafts and Valves 5.9L (EML) Engine Figure 5.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-16	5300 9291	AR				EH0, EL0, EM0			VALVE, Exhaust, .003" O/S
-17	5300 9289	AR				EH0, EL0, EM0			VALVE, Exhaust, .015" O/S
18	2863 071	1				EM0			PLUG, Camshaft
19	3830 603	1				EM0			BEARING, Camshaft, #1
-20	4179 776	1				EM0			BEARING, Camshaft, #2
-21	4179 777	1				EM0			BEARING, Camshaft, #3
-22	4179 778	1				EM0			BEARING, Camshaft, #3 or #4
-23	1632 526	1				EM0			BEARING, Camshaft, #4 or #5
24	4713 439	16				EL0, EM0			TAPPET PACKAGE, Valve
25	0431 787	1							KEY, Camshaft Sprocket
26	5300 6708	1				EM0			CAMSHAFT, Engine
27	5300 6722	16				EL0, EM0			PUSH ROD, Valve
28	4323 207	1				EL0, EM0			RETAINER, Tappet Yoke Aligning
29	4483 045	8				EL0, EM0			YOKE, Tappet Aligning
30	6034 483	2				EH0			SCREW, Hex Head Coned, .312-18x.875

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Belt and Cover 5.9L (EML) Engine Figure 5.9L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DG0 = All Automatic Transmissions									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4897 297AA	1				EM0			SEAL PACKAGE, Timing Case Cover
2	5302 1057	1				EH0, EL0, EM0			GASKET, Chain Case Cover
3	4897 723AA	1				EM0			COVER PACKAGE, Engine Timing
4	3671 649	1				EM0			TAB, Timing Chain Oil
5	4315 764	1				EM0			PLATE, Camshaft Thrust
6	0191 674	3							SCREW, Hex Head, .312-18.625
-7									SCREW, Hex Head Coned, .312-18x.875, (NOT REQUIRED)
8	6029 411	1				EM0	DG0		KEY, Crankshaft Sprocket
9	6029 411	1				EM0	DG0		KEY, Crankshaft Sprocket
10	8350 7095	1				EM0			CHAIN PACKAGE, Timing
11	6034 321	1							SCREW AND WASHER, Hex Head, Coned, Header, .437-14x1.375
12	6034 479	1							BOLT, Hex Head, .375-16x2.25
13	6034 452	1							STUD, .375-16x.375-16x2.38
14	6034 453	2							STUD, .375-16x.375-16x1.63

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.9L (EML) Engine Figure 5.9L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4071 043	1				EM0			COVER, Engine Oil Pump
2	3837 648	1				EM0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	4796 560	1				EM0			PICKUP, Engine Oil
4	5300 9295	1				EM0			PUMP, Engine Oil
5	0179 842	2							SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EM0			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EH0,			SHAFT, Oil Pump
						ELO,			
						EM0			
8	0108 636	1				EM0			PIN, Cotter
9	2843 208	1				EM0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EM0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EM0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EM0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 8610	1				EM0			GASKET, Oil Pan
14	6034 483	18				ELO,			SCREW, Hex Head Coned, .312-18x.875
						EM0			
15	5302 0914	1				EM0			PAN, Engine Oil
16	6035 417	1				EM0			PLUG, Oil Drain
17	5302 0933	1				EM0			INDICATOR, Engine Oil Level
18	5302 0442	1							TUBE, Engine Oil Indicator
19	5281 090	1							FILTER, Engine Oil
20	5300 7563	1							CONNECTOR, Oil Filter
21	5302 1053	1				EH0,			PLATE, Oil Filter Adapter
						ELO,			
						EM0			
22	5302 0461	1							GASKET, Oil Filter Adapter

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifolds, Intake and Exhausts 5.9L (EML) Engine
Figure 5.9L-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DG0 = All Automatic Transmissions									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
Packages Do Not Contain Gasket For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4897 383AA	1				EL0, EM0			GASKET PACKAGE, Intake Manifold
2	4883 318	1				EL0, EM0			MANIFOLD, Intake
3	6035 967AA	12							SCREW AND WASHER, Hex Head
4	5300 6623	1				EL0, EM0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0, EL0, EM0			STUD, .312-18/.312-24x2.25
6	6034 806	8				EL0, EM0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0873	1				EM0			MANIFOLD, Exhaust
8	5301 0189	1				EM0			MANIFOLD, Exhaust
9	0118 615	4				EL0, EM0			NUT, Hex, .375-16
10	0115 729	4				EH0, EL0, EM0			NUT, Hex, .312 x 24
11	0181 127	4							BOLT, Hex Head, .375-16x2.25
12	5300 6617	1				EL0, EM0			PAN, Intake Manifold
13	4004 001	4				EM0			RETAINER, Exhaust Pipe to Manifold
14									PLUG, 3/8-18, (NOT SERVICED) (Not Serviced)
15	5301 0091	4				EH0, EL0, EM0			CLAMP, Exhaust Manifold
16	6034 583	15				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.892

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 5.9L (EML) Engine
Figure 5.9L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EM0=All 5.9L Engines

1	5303 0081	1				EL0, EM0			HOSE, Crankcase Vent
2	5303 1135	1				EL0, EM0			VALVE, Crankcase Vent
3	5303 0017	1				EH0, EL0, EM0			GROMMET, Crankcase Vent
4	53008 675AB	1				EL0, EM0			TUBE, PCV Valve
5	5303 0254	1				EH0, EL0, EM0			FILTER, Crankcase Vent
6	2946 079	1				EH0, EL0, EM0			GROMMET, Crankcase Vent


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005









Group – 5.2LLP

Engine 5.2L Eight Cylinder (Propane Gas)




GROUP 5.2LLP - Engine 5.2L Eight Cylinder (Propane Gas)

Illustration Title	Group-Fig. No.
Cylinder Head Cylinder Head 5.2L (ELP) Engine	Fig. 5.2LLP-220
Cylinder Block Cylinder Block 5.2L (ELP) Engine	Fig. 5.2LLP-320
Crankshaft and Piston Crankshaft, Piston and Torque Converter 5.2L (ELP) Engine	Fig. 5.2LLP-420
Camshafts & Valves Camshaft and Valves 5.2L (ELP) Engine	Fig. 5.2LLP-520
Timing Belt and Cover Timing Belt and Cover 5.2L (ELP) Engine	Fig. 5.2LLP-620
Engine Oiling Engine Oiling 5.2L (ELP) Engine	Fig. 5.2LLP-720
Manifolds Manifolds, Intake and Exhaust 5.2L (ELP) Engine	Fig. 5.2LLP-820
Crankcase Ventilation Crankcase Ventilation 5.2L (ELP) Engine	Fig. 5.2LLP-920

5.2LLP-200 Cylinder Head 	5.2LLP-300 Cylinder Block 	5.2LLP-400 Crankshaft and Piston 	5.2LLP-500 Camshafts & Valves 
5.2LLP-600 Timing Belt and Cover 	5.2LLP-700 Engine Oiling 	5.2LLP-800 Manifolds 	5.2LLP-900 Crankcase Ventilation 

Cylinder Head 5.2L (ELP) Engine Figure 5.2LLP-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELN = 5.2L V-8 MPI CNG Engine									
ELP = 5.2L V-8 LPG Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
Gasket Package, Engine Upper - 04897385AA									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
2	53020 340AB	1				EL0, EM0			COVER, Cylinder Head w/o Oil Fill Hole
	53020 612AB	1				EL0, EM0			w/Oil Fill Hole
3	5300 6695	2				EL0, EM0			GASKET, Valve Cover
4	5302 1138	2				ELN, ELP			HEAD, Cylinder
5	5302 0490	2				EL0			GASKET, Cylinder Head
6	4556 020	4				ELN, ELP			PLUG, Core, 1.25 Diameter
7	6035 878AA	12				EL0			STUD
8	6035 877AA	7				EL0			SCREW AND WASHER, Hex Head, .25-20x.875
9	6035 708	1				EH0, EL0, EM0			STUD, Double Ended, .25-20x1.81, Cylinder Head Cover Mounting
10	5302 0188	8				EL0, EM0			SHIELD, Heat
11	6034 690	10				EL0, EM0			BOLT, Cylinder Head .50-13x2.00
	6034 691	10				EL0, EM0			.50x4.625
12	5302 0202	1				EH0, EL0, EM0			TUBE, Oil Filler

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Head 5.2L (ELP) Engine
Figure 5.2LLP-220





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	5302 0491	1				EH0, EL0, EM0			CLIP, Oil Filler Tube
14									SCREW, [.25-20x1.25], (NOT SERVICED) (Not Serviced)
15	5302 0203	1				EH0, EL0, EM0			GROMMET, Oil Filler Tube
-16	4897 385AA-	1				EL0			GASKET PACKAGE, Engine

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 5.2L (ELP) Engine
Figure 5.2LLP-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
Gasket Package, Engine Lower - 04720740									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4713 602	1				EL0			BLOCK, Short
2	3830 603	1				EL0			BEARING, Camshaft, #1
3	4556 020	1				EL0			PLUG, Core, 1.25 Diameter
-4	4556 022	9				EL0			PLUG, Core, 1.625 Diameter
-5	4556 023	AR				EH0, EL0, EM0			PLUG, Core, 1.695 Diameter
6	3751 818	2				EL0			PLUG, Pipe
-7	5300 9518	1				EL0			PLUG, Cylinder Block Oil Hole
-8									PLUG, Cylinder Block, 3/8NPT, (NOT REQUIRED)
9	1122 532	2				EL0			DOWEL, Block To Clutch Housing
10	0141 215	4				EL0			DOWEL, .312 x .500
11	4798 276	1							HEATER PACKAGE, Engine Block
12									O RING, Engine Block Heater
	6501 445	AR							1-11/32 Diameter, 11/64 Width
	6501 446	1							1-11/32 Diameter, 9/64 Width
13	5602 7117	1							CORD, Engine Block Heater
14	6015 412	1							CLIP, Engine Heater Cord
15	5302 0465	1				EL0			PLUG, Cylinder Block

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.2L (ELP) Engine
Figure 5.2LLP-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DG0 = All Automatic Transmissions

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2	4778 855	4				EL0			PISTON PIN AND ROD #1,3,5,7 A, B Size, 3.90875, 3.90925
	4778 857	4				EL0			#1,3,5,7 C Size, 3.90975
	4778 856	4				EL0			#2,4,6,8 A, B Size, 3.90875, 3.90925
	4778 858	4				EL0			#2,4,6,8 C Size, 3.90975
	4778 859	4				EL0			#1,3,5,7 D Size, 3.91025
	4778 860	4				EL0			#2,4,6,8 D Size, 3.91025
3	4720 727	1				EL0			RING PACKAGE, Piston
4									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
5	2421 305	4				EL0			BEARING, Connecting Rod, STD.
6	2421 306	AR				EL0			BEARING, Connecting Rod, .001" U/S
7	2421 309	AR				EL0			BEARING, Connecting Rod, .010" U/S
8	6033 441	8				EL0			BOLT, Connecting Rod
9	4397 776	1				EH0, EL0			BEARING PACKAGE, Crankshaft, Standard Size, #1
10	4397 780	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1
11	4397 792	AR				EL0			BEARING PACKAGE, Crankshaft, .010 Undersize, #1
12	4397 777	2				EL0			BEARING PACKAGE, Crankshaft, Standard Size, #2,4
13	4397 781	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #2,4
14	4397 793	AR				EL0			BEARING PACKAGE, Crankshaft, .010 Undersize, #2,4
15	4720 595	1				EH0, EL0			BEARING, Crankshaft, STD., #3

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500


BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Crankshaft, Piston and Torque Converter 5.2L (ELP) Engine Figure 5.2LLP-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4720 596	AR				EH0,			BEARING PACKAGE, Crankshaft,
						EL0			.001 Undersize, #3
17	4720 593	1				EL0			BEARING PACKAGE, Crankshaft,
									.010 Undersize, #3
18	4397 701	1				EL0			BEARING PACKAGE, Crankshaft,
									Standard Size, #5
19	4397 702	AR				EL0			BEARING PACKAGE, Crankshaft,
									.001 Undersize, #5
20	4397 705	1				EL0			BEARING PACKAGE, Crankshaft,
									.010 Undersize, #5
21	5302 0603	1				EL0	DG0		CRANKSHAFT
22	1855 561	1							WASHER, Flat, .78x1.9x.250
23	1821 414	1							SCREW, Hex Head Header Point,
									.75-16x2.25
-24									SCREW AND WASHER, (NOT REQUIRED)
25	5302 0229	1				EH0,			DAMPER, Crankshaft
						EL0			
26									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
27	6032 296	8				EL0			NUT, Hex, .375-24
28	6027 264	8				EL0			SCREW, Socket Hex Head, .50- 13x3.25, #1,2,3
-29	6033 300	2				EL0			SCREW, Cap, .50-13x2.80, #4
30	4778 228	1				EL0			SEAL PACKAGE, Crankshaft
31	3515 203	1				EL0	DGH		GEAR, Ring
32									TORQUE CONVERTER
	4736 546	1				EL0	DGH		
	4736 595	1				EL0	DGT		
33	1949 424	6					DG0		SCREW, Hex Head Header Point, .75-16x2.25
34	5211 8255	1				EL0	DG0		PLATE, Torque Converter Drive
35	1949 765	4					DG0		SCREW, Hex Head Header Point, .312-24x.44
36	6035 948AA	1							WASHER, Sealing

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500


BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Camshaft and Valves 5.2L (ELP) Engine Figure 5.2LLP-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
ELP = 5.2L V-8 LPG Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	5300 8282	16				EL0, EM0			ROCKER ARM, Valve
2	5300 8283	16				EL0, EM0			PIVOT, Rocker Arm
3	6034 184	16				EL0, EM0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	8				EL0, EM0			RETAINER, Rocker Arm Pivot
5	3300 3521	32				EL0, EM0			LOCK, Valve Spring Retainer
6	3300 4626	16				EL0, EM0			RETAINER, Valve Spring
7	5302 1056	16				EL0, EM0			SPRING, Valve
8	5300 9886	8				ELF, EM0			SEAL, Valve Guide
-9	3300 3016	AR				EL0, EM0			SEAL, Valve Guide, .015" Oversize
10	5300 9887	8				ELF, EM0			SEAL, Valve Guide
-11	3300 2733	AR				EL0, EM0			SEAL, Valve Guide, .015" Oversize
12	5302 0319	8				ELN, ELP			VALVE, Intake, Standard
-13	5300 9287	AR				ELN, ELP			VALVE, Intake, .003" O/S
-14	5300 9285	AR				ELF, EM0			VALVE, Intake, .015" O/S
15	5300 6724	8				EL0, EM0			VALVE, Exhaust, Standard

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 5.2L (ELP) Engine
Figure 5.2LLP-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-16	5300 9291	AR				EH0, EL0, EM0			VALVE, Exhaust, .003" O/S
-17	5300 9289	AR				EH0, EL0, EM0			VALVE, Exhaust, .015" O/S
18	2863 071	1				EL0			PLUG, Camshaft
19	3830 603	1				EL0			BEARING, Camshaft, #1
-20	4179 776	1				EL0			BEARING, Camshaft, #2
-21	4179 777	1				EL0			BEARING, Camshaft, #3
-22	4179 778	1				EL0			BEARING, Camshaft, #3 or #4
-23	1632 526	1				EL0			BEARING, Camshaft, #4 or #5
24	4713 439	16				EL0, EM0			TAPPET PACKAGE, Valve
25	0431 787	1							KEY, Camshaft Sprocket
26	5302 0283	1				EL0			CAMSHAFT, Engine
27	5300 6722	16				EL0, EM0			PUSH ROD, Valve
28	4323 207	1				EL0, EM0			RETAINER, Tappet Yoke Aligning
29	4483 045	8				EL0, EM0			YOKE, Tappet Aligning
30	6034 483	3				EL0, EM0			SCREW, Hex Head Coned, .312-18x.875

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Belt and Cover 5.2L (ELP) Engine Figure 5.2LLP-620

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
2	5302 1057	1				EL0			Cover
						EH0,			GASKET, Chain Case Cover
						EL0,			
						EM0			
3	4897 723AA	1				EH0,			COVER PACKAGE, Engine Timing
						EL0			
4	3671 649	1							TAB, Timing Chain Oil
5	4315 764	1							PLATE, Camshaft Thrust
6	6034 483	3				EL0,			SCREW, Hex Head Coned, .312-
						EM0			18x.875
7	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
8	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
9	8350 7095	1				EH0,			CHAIN PACKAGE, Timing
						EL0			
10	6034 321	1							SCREW AND WASHER, Hex Head,
									Coned, Header, .437-14x1.375
11	6034 479	1							BOLT, Hex Head, .375-16x2.25
12	6034 452	1							STUD, .375-16x.375-16x2.38
13	6034 453	2							STUD, .375-16x.375-16x1.63

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.2L (ELP) Engine Figure 5.2LLP-720

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	4071 043	1				EL0			COVER, Engine Oil Pump
2	3837 648	1				EL0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	5302 0462	1				EL0			PICKUP, Engine Oil
4	5300 9295	1				EL0			PUMP, Engine Oil
5	0179 842	2							SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EL0			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EH0,			SHAFT, Oil Pump
						EL0,			EM0
8	0108 636	1				EL0			PIN, Cotter
9	2843 208	1				EL0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EL0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EL0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EL0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 5650	1				EL0			GASKET, Oil Pan
14	6034 483	18				EL0,			SCREW, Hex Head Coned, .312-18x.875
						EM0			
15	5302 0913	1				EL0			PAN, Engine Oil
16	6035 417	1				EL0			PLUG, Oil Drain, w/Gasket
17	5302 0932	1				EL0			INDICATOR, Engine Oil Level
18	5302 0442	1							TUBE, Engine Oil Indicator
19	5281 090	1							FILTER, Engine Oil
20	5300 7563	1							CONNECTOR, Oil Filter
21	5302 1053	1				EH0,			PLATE, Oil Filter Adapter
						EL0,			
						EM0			
22	5302 0461	1							GASKET, Oil Filter Adapter

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifolds, Intake and Exhaust 5.2L (ELP) Engine
Figure 5.2LLP-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4897 383AA	1				EL0, EM0			GASKET PACKAGE, Intake Manifold
2	4883 318	1				EL0, EM0			MANIFOLD, Intake
3	6035 967AA	12							SCREW AND WASHER, Hex Head
4	5300 6623	1				EL0, EM0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0, EL0, EM0			STUD, .312-18/.312-24x2.25
6	6034 806	8				EL0, EM0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0873	1				EL0			MANIFOLD, Exhaust, Right
8	5301 0189	1				EL0			MANIFOLD, Exhaust, Left
9	0118 615	1							NUT, Hex, .375-16
10	0115 729	4				EH0, EL0, EM0			NUT, Hex, .312 x 24
11	0181 127	4							BOLT, Hex Head, .375-16x2.25
12	4004 001	4				EH0, EL0			RETAINER, Exhaust Pipe to Manifold
13	6034 583	15				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.892
14	5300 6617	1				EL0, EM0			PAN, Intake Manifold
15	5301 0091	4				EH0, EL0, EM0			CLAMP, Exhaust Manifold

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 5.2L (ELP) Engine
Figure 5.2LLP-920



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V-6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1	5303 0081	1				EL0, EM0			HOSE, Crankcase Vent
2	5303 1135	1				EL0, EM0			VALVE, Crankcase Vent
3	5303 0017	1				EH0, EL0, EM0			GROMMET, Crankcase Vent
4	53008 675AB	1				EL0, EM0			TUBE, PCV Valve
5	5303 0254	1				EH0, EL0, EM0			FILTER, Crankcase Vent
6	2946 079	1				EH0, EL0, EM0			GROMMET, Crankcase Vent


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		



Group – 011

Exhaust


GROUP 11 - Exhaust

Illustration Title	Group-Fig. No.
Exhaust System	
Exhaust System 3.9L (EHC), 5.2L (ELF), 5.2L (ELN), 5.2L (ELP), 5.9L (EML) Engine	Fig. 011-130
Heat Shields	
Heat Shields	Fig. 011-220



011-100 Exhaust System	011-200 Heat Shields		
			

**Exhaust System 3.9L (EHC), 5.2L (ELF), 5.2L (ELN), 5.2L (ELP), 5.9L (EML) Engine
Figure 011-130**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EHC = Magnum 3.9L SMPI V-6 Engine									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
ELN = 5.2L V-8 MPI CNG Engine									
ELP = 5.2L V-8 LPG Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	0181 127	4							BOLT, Hex Head, .375-16x2.25
2									RETAINER, Exhaust Pipe to Manifold
	4004 001	4				EH0, EL0			
		4				EM0			
3	0118 615	4				EH0			NUT, Hex, .375-16
		4				EL0, EM0			
4	5201 8951	1				ELF			PIPE, Exhaust
5	5202 0290	1				ELN, ELP	DGT		CONVERTER, Catalytic
	5202 2022	1				ELF, EML			California
	5202 2024	1				ELF, EML			Federal
	5202 2025	1				EHC			California
	5202 2026	1				EHC			Federal
-6	5201 9318	1				ELF			RESONATOR, Exhaust
7									MUFFLER, Exhaust
	5201 9423	1				EHC			
	5201 9425	1				EL0, EM0			
8									CLAMP, Exhaust
	4004 445	1							Leaded Gas, Exhaust Pipe to Restrictor
	5201 8959	1							Leaded Gas, Restrictor to Muffler
	5201 9546	1							Non Leaded Gas
9	5201 7607	3							INSULATOR, Exhaust
10	0181 086	2							BOLT, Hex Head, .312-18x.75
11	5201 8945	1							BRACKET, Muffler

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust System 3.9L (EHC), 5.2L (ELF), 5.2L (ELN), 5.2L (ELP), 5.9L (EML) Engine
Figure 011-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	5201 8946	2							GASKET, Muffler Support
13	0152 472	2							NUT, Hex Flange Lock, .312-18
14	4004 445	1							CLAMP, Exhaust
15									SCREW, [.312-18x.750], (NOT SERVICED) (Not Serviced)
16	5201 8944	1							BRACKET, Muffler
17	5201 8946	2							GASKET, Muffler Support
18									TAILPIPE, Exhaust
	5210 3060	1	1, 2			11, 51			
	5210 3061	1				12, 13, 52, 53			
19	5210 3063	1							INSULATOR, Exhaust
20	5210 3001	1							BRACKET, Tailpipe
21	6503 200	1							SCREW AND WASHER, Hex Head, M8x1.25x50
22									NUT, [M8x1.25], (NOT SERVICED) (Not Serviced)
23	6501 648	1							SCREW, Hex Flange Head, M8x1. 25x25.00
24	6504 581	1							NUT, M8x1.25


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Heat Shields
Figure 011-220

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4117 783	1							SHIELD, Heat
2	5534 6415	1							SUPPORT, Heat Shield
3	5534 6414	1							SHIELD, Heat
4	4215 734AB	1							BRACKET, Tail Pipe Heat Shield
5	6035 613	6							SCREW
6	6032 824	2							BOLT, Hex Flange Head, .25-14x. 625



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Group – 013

Frames and Bumpers

GROUP 13 - Frames and Bumpers

Illustration Title Group-Fig. No.

Frames


Frame Fig. 013-120



Front Bumper and Fascia

Bumper, Front Fig. 013-220

Rear Bumper and Fascia

Bumper, Rear Fig. 013-320



013-100 Frames	013-200 Front Bumper and Fascia	013-300 Rear Bumper and Fascia	
			

Frame
Figure 013-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5534 6282	1							CROSSMEMBER, Transmission
2	5534 5604	1	1, 2		11, 51				CROSSMEMBER, Front Floor
3	5534 7255	1							CROSSMEMBER, Front Suspension
4	5534 7295	1							CROSSMEMBER, Fuel Tank, U/ Body Fuel Tank Mtg.
5	5534 6593	1	2		13				CROSSMEMBER, Fuel Tank
6	6033 869	2							BOLT, Hex Flange Head, .50-13x1. 75
7	5502 6284	1							BRACKET, Brake Hose, U/Body C/ Member Brace Tube and Hose Union
8	5200 8795	1							BRACKET, Parking Brake Cable, Parking Brake Cable Clip Guide
9	5201 9625	1							CROSSMEMBER, Front Suspension, Front Suspension/Engine Support
10	3729 364	1	2, 3		13, 53				REINFORCEMENT, Rear Spring U/Body Rear Spring, Rear
	3729 365	1	2, 3		13, 53				Mounting Bracket Support, Right Left
11	52058 354AC	1							EXTENSION, Underbody Rail Right
	52058 355AC	1							Left
12	4033 989	2	2, 3		13, 53				BRACKET, Fuel Tank, U/Body Fuel Tank Mtg. Rear Crossmember
13	5534 6883	2			11, 12, 51, 52				SUPPORT, Under Body Long Rail
14									RAIL, Body Side, 127 Extended Wheel Base
	55347 290AB	1	1, 2		11, 51				109' Wheel Base, Right
	55347 291AB	1	1, 2		11, 51				109' Wheel Base, Left
	55347 288AB	1	2, 3		13, 53				127X' Wheel Base, Right
	55347 289AB	1	2, 3		13, 53				127X' Wheel Base, Left
15									RAIL, Body Side, 127 Wheel Base
	55347 292AB	1			12, 52				127 Wheel Base, Right
	55347 293AB	1			12, 52				127 Wheel Base, Left
16	5534 6966	2							PLATE, Transmission Mount
17									SUPPORT, Rear Spring
	5534 6598	1			11, 12, 51, 52				Right
		1	2, 3		13, 53				Right

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)



ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Frame
Figure 013-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5534 6599	1			11, 12,				Left
		1	2, 3		51, 52				Left
18	4351 044	1			13, 53				SLEEVE, Shock Absorber
		1	2, 3		12, 52				
		1	1, 2		13, 53				
19		1			11, 51				REINFORCEMENT, Frame Rail to Rear Axle
	4033 805	1	2, 3		13, 53				
		1	1, 2		11, 51				
		1			12, 52				
20	5534 6319	1							REINFORCEMENT, Underbody
21	5534 6595	1	2, 3		13, 53				Front Panel SUPPORT, Rear Spring, (Right side Not Serviced), Left
22									PLATE, Rear Shock
	2956 068	1			12, 52				
		1	2, 3		13, 53				
		1	1, 2		11, 51				
23	5527 4574	1							REINFORCEMENT, Grille
24	5534 5154	1							SUPPORT, Under Body Long Rail, U/Body Long Rail Extension, Front Crossmember
25									SUPPORT, Under Body Long Rail
	5534 5154	1							Right
	5534 5155	1							Left
-26									SUPPORT, Under Body Hold Down, With CNG Vehical
	56022 182AA-	1	2		13				Right
		1	3		53				Right
	56022 183AA-	1	3		53				Left
	56022 182AA-	1	2, 3		13, 53				Right
	56022 183AA-	1	2		13				Left
		1	2, 3		13, 53				Left

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bumper, Front Figure 013-220

[illegible]

DODGE RAM VAN & WAGON (AB)

SEERIES
L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bumper, Rear
Figure 013-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6033 841	6							SCREW AND WASHER, Hex Flange Head, .437-14x1.30
2									NUT, (NOT SERVICED) (Not Serviced)
3									SCREW, (NOT SERVICED) (Not Serviced)
4	6027 958	2							NUT, Snap In, .25, Snap-In
5	5523 4804	1							BRACKET, Rear Bumper Bumper Mounting, Right
	5523 4805	1							Left
6	J012 0396	AR							WASHER, Flat, .531x1.09
7	5523 4668	1							BUMPER, Step Chrome
	5CP0 0MSA	1							Painted
8	5523 4681	1							COVER, Bumper, Bumper (Step Pad)
9									SCREW, (NOT SERVICED) (Not Serviced)
10	6031 614	2							BOLT, Round Head, .437-14x1.12, Bumper Support, Attaching
11									NUT, (NOT SERVICED) (Not Serviced)
12	6033 841	6							SCREW AND WASHER, Hex Flange Head, .437-14x1.30
13	6030 846	6							BOLT, Hex Head, .50-13x1.75
14	6030 846	6							BOLT, Hex Head, .50-13x1.75
15	5507 6393	1							BUMPER, Step, Rear Step, Bright
16	5507 6396	1							STEP PAD, Rear Bumper, Step Bumper
17	5507 6398	1							BRACKET, Rear Bumper Right
	5507 6399	1							Left
18									BRACKET, Rear Bumper
	4149 662	1				11, 12, 51, 52			Right
	4149 663	1				11, 12, 51, 52			Left

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005



Group – 014








Fuel

Group – 014

Fuel



014-900 Air Intake System	014-1000 Speed Control	014-1100 Accelerator Pedal	
			


014-100 Tank, Fuel	014-200 Fuel Tank Filler Tube	014-300 Fuel Lines	014-400 Fuel Rail
			
014-500 Fuel Pump and Sending Unit	014-600 Throttle Body	014-700 Throttle Controls	014-800 Air Cleaner
			

GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
Tank, Fuel	
Fuel Tank 3.9L (EHC), 5.2L (ELF), 5.9L(EML) Engine	Fig. 014-110
Fuel Cylinder 5.2L (ELP) Engine	Fig. 014-150
Fuel Tank Filler Tube	
Fuel Tank Filler Tube 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-230
Fuel Cylinder Filler Tube 5.2L (ELP) Engine	Fig. 014-250
Fuel Lines	
Fuel Lines, Front 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-310
Fuel Lines, Rear 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-330
Fuel Lines, Front 5.2L (ELP) Engine	Fig. 014-350
Fuel Lines, Rear 5.2L (ELP) Engine	Fig. 014-370
Fuel Rail	
Fuel Rail 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-410
Fuel Rail 5.2L (ELP) Engine	Fig. 014-450
Fuel Pump and Sending Unit	
Fuel Module 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-510
Fuel Module 5.2L (ELP) Engine	Fig. 014-530
Throttle Body	
Throttle Body 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-620
Throttle Controls	
Throttle Controls 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-720
Air Cleaner	
Air Cleaner 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-820
Air Intake System	
Air Intake System 3.9L (EHC), 5.2L (ELF), 5.2L (ELN), 5.2L (ELP), 5.9L (EML) Engine	Fig. 014-910
Speed Control	
Speed Control	Fig. 014-1020
Accelerator Pedal	
Accelerator Pedal	Fig. 014-1110



**Fuel Tank 3.9L (EHC), 5.2L (ELF), 5.9L(EML) Engine
Figure 014-110**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EH0 = All 3.9L V-6 Gas Engines ELF = Magnum 5.2L SMPI V-8 Engine EL0 = All 5.2L 8 Cyl Gas Engines EM0 = All 5.9L 8 Cyl Gas Engines									
1	5212 7774	1				EH0, ELF, EM0			TANK, Fuel
2	6033 708	1			11, 12, 51, 52	EH0, ELF, EM0			STUD, .375-16x5.25
		3	2, 3		13, 53	EH0, ELF, EM0			
-3	6031 760	2			11, 12, 51, 52	EH0, ELF, EM0			STUD, .375-16x7.46
4	0152 344	3				EH0, ELF, EM0			NUT, .375-16
5	3898 622	1				EH0, ELF, EM0			STRAP, Fuel Tank
6	4026 522	2				EH0, ELF, EM0			STRAP, Fuel Tank
7	6033 708	3	2, 3		13, 53	EH0, ELF, EM0			STUD, .375-16x5.25
		1			11, 12, 51, 52	EH0, ELF, EM0			
8	5217 578	1				EH0, ELF, EM0			GROMMET, Fuel Tank Filler Tube
9	J536 0058	1				EH0, ELF, EM0			VALVE, Fuel Tank Rollover Safety

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Tank 3.9L (EHC), 5.2L (ELF), 5.9L(EML) Engine
Figure 014-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	5201 8823	1				EH0, ELF, EM0			GROMMET, Rollover Valve
11	4002 252	1				EH0, ELF, EM0			VALVE, Fuel Tank Rollover Safety
12	4002 149	1				EH0, ELF, EM0			GROMMET, Rollover Valve
13	4206 059	1				EH0, ELF, EM0			LABEL, Unleaded Fuel Only
14	4266 158	1							SHIELD, Fuel Tank
15									SCREW, .312-18x.750, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Fuel Cylinder 5.2L (ELP) Engine
Figure 014-150

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
ELP = 5.2L V-8 LPG Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	5212 8014	1				ELP			TANK, Fuel
2	5210 2205	2				ELP			STRAP, Fuel Tank
3									STUD
	5212 8029	2	2		13	ELP			
		2	3		53	ELP			
	5212 8028	2			11	ELP			
		2			12, 51,	ELP			
					52				
4	5210 2215	1				ELP			STRAP, Fuel Tank
5	5212 8031	1				ELP			STUD
6	0152 344	3				EH0,			NUT, .375-16
						ELF,			
						EM0			
7	5212 8018	1				ELP			PLATE
8	0154 815	2				ELP			SCREW AND WASHER, Hex

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Fuel Tank Filler Tube 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
ELO = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1	4495 151	1				EH0, ELF, EM0			CAP, Fuel Filler, w/Tether
2	4279 144	1				EH0, ELF, EM0			TETHER, Fuel Filler Cap
3									SCREW, .190-16x1.250, (NOT SERVICED) (Not Serviced)
4	4185 498	1				EH0, ELF, EM0			HOUSING, Fuel Filler
5	5217 731	1				EH0, ELF, EM0			TUBE, Fuel Filler Unleaded Fuel
	5201 8305	1				EH0, ELF, EM0			Leaded Fuel
6	2448 770	3				EH0, ELF, EM0			CLAMP, Hose
7	4203 971	1				EH0, ELF, EM0			HOSE, Fuel Filler Vent
8	2448 763	1				EH0, ELF, EM0			CLAMP, Radiator
9	4112 937	1				EH0, ELF, EM0			HOSE, Fuel Filler
10	5217 755	1				EH0, ELF, EM0			TUBE, Fuel Filler

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Fuel Tank Filler Tube 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine Figure 014-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	4116 878	1			11, 12, 51, 52	EH0, ELF, EM0			SHIELD, Fuel Filler Tube
12	6035 613	1							SCREW
13	6502 092	1				EH0, ELF, EM0			CLAMP, Hose
14									SCREW, .190-16x1.00, (NOT SERVICED) (Not Serviced)
15	5217 733	1				EH0, ELF, EM0			TUBE, Fuel Filler Vent


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Cylinder Filler Tube 5.2L (ELP) Engine
Figure 014-250



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

ELP = 5.2L V-8 LPG Engine

1	5212 8032	1				ELP			HOUSING, Fuel Filler
2	6031 717	4				ELP			NUT, Spring U Type, .190-16
3									SCREW, .190-16X1.00, (NOT SERVICED) (Not Serviced)
4	4382 391	1				ELP			VALVE, Fuel Filler Neck
5	5210 2124	1				ELP			CAP, Fuel Filler
6	4279 144	1				ELP			TETHER, Fuel Filler Cap
7									SCREW, .190-16X1.25, (NOT SERVICED) (Not Serviced)
8	5602 2098	1				ELP			TUBE, Filler

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Lines, Front 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


1	52020 514AB	1				EL0, EM0			BUNDLE, Fuel Line
	52102 328AB	1				EH0			
2	5201 7840	1				EH0, ELF, EM0			CLIP, Fuel Bundle
3									CLIP, Fule
	5201 8285	9			12	EH0, EL0, EM0			
		8	1		11	EH0, EL0, EM0			
		8	2		51	EH0, EL0, EM0			
4	52102 359AA	1				EL0, EM0			CLIP, Fuel Line
		1				EH0			

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Lines, Rear 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-330



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


1	5201 8505	1	1, 2		11, 51	EH0, ELF, EM0			BUNDLE, Fuel Line
	5201 8506	1			12, 13, 52, 53	EH0, ELF, EM0			
2	5201 8285	9			12	EH0, EL0, EM0			CLIP, Fule
		8	1		11	EH0, EL0, EM0			
		8	2		51	EH0, EL0, EM0			
3	5201 8059	1				EH0, ELF, EM0			TEE, Fuel Vapor, Three Way

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Lines, Front 5.2L (ELP) Engine
Figure 014-350




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
ELP = 5.2L V-8 LPG Engine									
1	5210 2223	1				ELP			TUBE, Fuel Supply
2	5210 2224	1				ELP			TUBE, Fuel Return
3	5210 2177	1				ELP			BRACKET, Fuel Line
4									SCREW, .375-16X.750, (NOT SERVICED) (Not Serviced)
5	6022 202	1				ELP			SCREW AND WASHER, Hex Head, .25-20x.625
6	6033 560	1				ELP			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
7	5210 2125	1				ELP			CLIP, Fuel Line
8	4682 752	1				ELP			CLIP, Fuel Tube
9	5210 2230	7			12, 13, 52, 53	ELP			CLIP, Fuel Bundle
		6	1, 2		11, 51	ELP			
10	4382 890	1				ELP			FITTING, Fuel, Male
11	5212 7557	13				ELP			GASKET, Low Pressure Fitting

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Lines, Rear 5.2L (ELP) Engine
Figure 014-370



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

ELP = 5.2L V-8 LPG Engine


1	5210 2219	1			12, 13, 52, 53	ELP			TUBE, Fuel Supply
2									TUBE, Fuel Return
	5210 2221	1			12	ELP			
		1			13, 52, 53	ELP			
3									CLIP, Fuel Bundle
	5210 2230	6	1, 2		11, 51	ELP			
		7			12, 13, 52, 53	ELP			
4	5212 7557	13				ELP			GASKET, Low Pressure Fitting
5	5210 2301	1				ELP			FILTER, Fuel
6	6035 613	1							SCREW
7	4382 890	1				ELP			FITTING, Fuel, Male
8	5210 2120	1				ELP			CLIP, Fuel Line
9	6035 613	1							SCREW
10	5210 2228	1				ELP			TUBE, Fuel Supply
11	5210 2229	1				ELP			TUBE, Fuel Return
12	5212 8047	1				ELP			HOSE, Relief Valve
13	0120 528	1				ELP			CLIP, .750" ID
14	9427 465	1				ELP			SCREW AND WASHER, Pan Head
15	5602 2099	1				ELP			TUBE, Filler
16	0125 921	2				ELP			CLIP, .625
17	6035 613	2							SCREW
18	0442 340	1				ELP			NUT, Hex
19	5602 2098	1				ELP			TUBE, Filler

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Rail 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
ELN = 5.2L V-8 MPI CNG Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	5303 0593	1				EH0			RAIL, Fuel
-2	5003 092AD-	1				ELF, EM0			RAIL PACKAGE, Fuel
3	5303 0619	1				ELF, EM0			CLIP, Fuel Line
4	5303 0778	8				ELF, EM0			INJECTOR, Fuel
5	5303 1151	6				EH0			CLIP, Fuel Injector
	4418 257	6				EH0			Metal
	53030 630AB	8				ELF, EM0			Plastic
6	J400 7534	1				EH0, ELF, EM0			STUD, .312-18/.250-20x1.680
7	6035 575	2				ELF, EM0			SCREW AND WASHER, .312-18x. 875
-8	6035 287	1				EH0 ELF, EM0			SCREW, Torx Head, .312-18x.875
-9									SCREW, Hex Head, .312-18x.94, (NOT REQUIRED)
-10	5018 781AA-	1				ELN			CAP, Diagnostic Port

DODGE RAM VAN & WAGON (AB)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Rail 5.2L (ELP) Engine

Figure 014-450



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5210 2202	1				ELP			RAIL, Fuel
2	5210 2203	8				ELP			INJECTOR, Fuel
3	6022 245	1				ELP			SCREW AND WASHER
4	5210 2204	1				ELP			VALVE, Solenoid
5	5210 2160	1				ELP			SOLENOID, Fuel Shut Off Valve
6	5602 2066	1				ELP			FITTING, Fuel, Male
7	6024 061	1				ELP			SCREW, .19-24.50
8									SCREW, .375-16X.750, (NOT SERVICED) (Not Serviced)
9	5210 2138	1				ELP			BRACKET, Valve
10	5602 2073	1				ELP			VALVE, High Pressure Relief

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Module 5.2L (ELP) Engine
Figure 014-530


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
ELP = 5.2L V-8 LPG Engine									
1	4897 797AB	1				ELP			MODULE KIT, Fuel Pump/Level Unit
2	5212 8016	1				ELP			O RING, Fuel Pump and Level Unit
3	0154 873AA	7				ELP			SCREW, Hex Head Header Point, .375-16x1.375



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Throttle Body 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EH0=All 3.9L Engines EL0=All 5.2L Engines EM0=All 5.9L Engines


1	6034 356	4				EH0, EL0, EM0			SCREW AND WASHER, Hex Head, .312-18x2.38
2	53030 807AB	1				EL0, EM0			THROTTLE BODY
	53031 806AB	1				EH0			
3	53030 657AB	1				EL0, EM0			MOTOR, A.I.S.
		1				EH0			
4	4728 136	2				EL0, EM0			SCREW, A.I.S. Motor
5	4882 219	1				EH0			SENSOR, Throttle Position
		1				EL0, EM0			
6	5300 9672	1				EH0, EL0, EM0			CONNECTOR, Emission Hose
7	5303 0541	1							GASKET, Throttle Body To Intake

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Throttle Controls 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EH0=All 3.9L Engines EL0=All 5.2L Engines EM0=All 5.9L Engines DG0=All Automatic Transmissions									
1	5210 4030	1					DG0		CABLE, Throttle Valve
2									BRACKET, Serviced in Throttle Body, (NOT SERVICED) (Not Serviced)
3	5303 1563	1				EH0 EL0, EM0			CABLE, Accelerator
	5303 1564	1							
4	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
5	0138 165	1					DG0		WASHER, Lock
6	5207 8718	1					DG0		BRACKET, Throttle Valve Spring
7	5300 9055	1					DG0		SPRING, Throttle Valve Return
8	5207 9065	1					DG0		LEVER, Throttle Valve
9	5207 9101	1					DG0		BRACKET, Cable
10	0181 112	1					DG0		SCREW AND WASHER, .375-16x1. 00
11	J012 0375	1					DG0		NUT, Hex, .250-20

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Air Cleaner 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	6031 609	1							WINGNUT, Jack and Tire Hold Down
-2									WINGNUT, (NOT REQUIRED)
3	3577 759	1				EH0, ELF, EM0			COVER, Air Cleaner
4	3830 142	1				EH0, ELF, EM0			WRAP, Air Cleaner Filter
5	4713 715	1				EH0, ELF, EM0			FILTER, Air
6	5300 8277	1				EH0, ELF, EM0			HOUSING, Air Cleaner
7	5300 6349	1				EH0, ELF, EM0			ELBOW, Air Cleaner Vent
8	5300 6410	1				EH0, ELF, EM0			GROMMET, Air Cleaner Elbow
9	5303 0600	1							GASKET, Air Cleaner To T/Body
10	5303 0692	1							BRACKET, Air Cleaner
-11									BRACKET, Throttle Body Bonnet, (NOT REQUIRED)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Intake System 3.9L (EHC), 5.2L (ELF), 5.2L (ELN), 5.2L (ELP), 5.9L (EML) Engine
Figure 014-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
ELN = 5.2L V-8 MPI CNG Engine
ELP = 5.2L V-8 LPG Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


1									DUCT, Ambient Air
	5303 2101	1				EH0			
	5303 0508	1				ELF, EM0 ELN, ELP			
		1							
2	6030 441	2							PIN, Retainer
3	4164 704	1							BAFFLE, Air Intake
4									DUCT, Fresh Air
	5300 6258	1				EH0			
		1				ELF, EM0 ELN, ELP			
		1							
5									ADAPTER, Air Cleaner
	5300 6259	1				ELF, EM0 ELN, ELP			
		1							

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Speed Control
Figure 014-1020



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5207 8296	1							CABLE, Speed Control
2	5503 6014	1							HOSE, Vacuum Supply, 11/32 rough stock
3	5207 8340	1							BRACKET, Speed Control Servo
4	4669 979	1							SERVO, Speed Control
5	5503 5902	1							RESERVOIR, Speed Control Vacuum
6	6505 031AA	1							CLIP
7	6502 493	2							NUT, Hex Flange Serration, M6x1
8	6025 867	1							CLIP, Cable
9									SCREW, [.250-20x.625], (NOT SERVICED) (Not Serviced)
10	6025 327	4							SCREW AND WASHER
-11									SCREW AND WASHER, Hex Head, (NOT REQUIRED)
-12	4549 209	1							VALVE PACKAGE, Check


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Accelerator Pedal Figure 014-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5208 0000	1							PEDAL AND BRACKET, Accelerator
-2									PEDAL, Accelerator, (NOT REQUIRED)
3	6502 843	2							NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
4	5300 3932	1							PAD, Accelerator Pedal
5	5207 8653	2							BUSHING, Accelerator Pedal
6	J322 0231	1							PIN, Accelerator Pedal Mtg.
7	J319 3369	1							SPRING, Accelerator Pedal Return
8	5207 8859	2							BUSHING, Accelerator Pedal



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 016

Propeller Shafts and U-Joints


GROUP 16 - Propeller Shafts and U-Joints


Illustration Title

Group-Fig. No.

Propeller Shaft

Propeller Shaft Fig. 016-110



016-100 Propeller Shaft			
			

Propeller Shaft
Figure 016-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DGG = 3 Speed Automatic Transmission 32RH

DGH = 4 Speed Automatic Transmission 36RH

DGT = 4 Speed Automatic Transmission 46RE

DRA = 8.25 Corporate Rear Axle

DRB = 9.25 LD Corporate Rear Axle

DRG = 9.25 HD Corporate Rear Axle

DRC = Dana 60 Rear Axle

DRD = Dana 60 HD Rear Axle

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1									U JOINT
	4504 575	1	1, 2		11, 51	EL0	DGH		with Shaft 52097832, Rear
		1	1, 2		11, 51	EH0	DGG		with Shaft 52098085, Rear
		1	1, 2		11, 51	EL0, EM0	DGT		with Shaft 52097971, Rear
		1			12, 13, 52	EH0	DGG		with Shaft 52098086, Rear
		1	1, 2		12, 13, 52, 53	EL0	DGH		with Shaft 52097833, Rear
		1			12, 13, 52, 53	EL0, EM0	DGT		with Shaft 52097972, Rear
2									CLAMP, U-Joint
	4428 723	2	3		12, 13, 52, 53				[DRD,DRC]
	2781 904	2							[DRA,DRB,DRG]
3									SHAFT, Drive
	5209 7832	1	1, 2		11, 51	EL0	DGH		[DRA,DRB,]
	5209 8085	1	1, 2		11, 51	EH0	DGG		[DRA,]
	5209 7971	1	1, 2		11, 51	EL0, EM0	DGT		[DRA,DRB,]
	5209 8086	1			12, 13, 52	EH0	DGG		[DRA,]
	5209 7833	1	1, 2		12, 13, 52, 53	EL0	DGH		[DRA,DRB,]
	5209 7972	1			12, 13, 52, 53	EL0, EM0	DGT		[DRA,DRB,DRG]
	5300 8462	1	3		12, 13, 52, 53	EL0, EM0	DGT		[DRD,DRC]
4									BOLT, Hex Head


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Propeller Shaft
 Figure 016-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6034 965	4	3		12, 13, 52, 53				[DRD,DRC]
5	6029 562	4							[DRA,DRB,DRG] YOKE, Drive Shaft
	4384 437	1	1, 2		11, 51	EL0	DGH		with Shaft 52097832
	5209 7863	1	1, 2		11, 51	EH0	DGG		with Shaft 52098085
	5209 7819	1	1, 2		11, 51	EL0, EM0	DGT		with Shaft 52097971
	5209 7863	1			12, 13, 52	EH0	DGG		with Shaft 52098086
	4384 437	1	1, 2		12, 13, 52, 53	EL0	DGH		with Shaft 52097833
	5209 7819	1			12, 13, 52, 53	EL0, EM0	DGT		with Shaft 52097972
	5003 625AA	1	3		12, 13, 52, 53	EL0, EM0	DGT		with Shaft 53008462
6									U JOINT
	4504 575	1	1, 2		11, 51	EL0	DGH		with Shaft 52097832, Front
		1	1, 2		11, 51	EH0	DGG		with Shaft 52098085, Front
		1	1, 2		11, 51	EL0, EM0	DGT		with Shaft 52097971, Front
		1			12, 13, 52	EH0	DGG		with Shaft 52098086, Front
		1	1, 2		12, 13, 52, 53	EL0	DGH		with Shaft 52097833, Front
		1			12, 13, 52, 53	EL0, EM0	DGT		with Shaft 52097972, Front

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005


Group – 017

Rear Suspension


GROUP 17 - Rear Suspension

Illustration Title	Group-Fig. No.
Rear Suspension	
Rear Suspension,With 1600# and 1800# Suspension	Fig. 017-110
Rear Suspension,With 2100#,2400# and 2750# Suspension	Fig. 017-120



017-100 Rear Suspension			
			

Rear Suspension,With 1600# and 1800# Suspension Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[DRA]=Axle - Rear,Corporate 8.25									
[DRB]=Axle - Rear,Corporate 9.25 Light Duty									
[ZCR,ZRR]=1600# Suspension									
[ZDR,ZSR]=1800# Suspension									
Check Vin Number for 'Z' code listings in Catalog									
1	4740 244	2							SHOCK ABSORBER, Suspension, With Bushings
2	4420 352	2							PLATE, Rear Spring Clip, [DRA, DRB]
3	6023 019	8	1, 2						NUT, Hex Lock, .50-20
4	4228 428	1							SPRING, Rear Leaf [ZCR,ZRR] 1600# With Front Bushing
	4228 429	1							[ZDR,ZSR] 1800# With Front Bushing
5	4228 368	2							INTERLINER, Leaf Spring
6	1400 269	4	1, 2						BUSHING, Spring, Shackle Upper, Mounting
7	0152 346	4	1, 2						NUT, Hex Lock, .42-14, Shackle Upper, Mounting
8	4131 312	1							SHACKLE, Spring, [ZCR,ZRR] 1600#
9	4039 356	1							BRACKET, Shackle, [ZCR,ZRR] 1600#
10	3643 988	4	1, 2						BUSHING, Spring, Shackle Lower, Mounting
11	6033 841	6							SCREW AND WASHER, Hex Flange Head, .437-14x1.30, Shackle Bracket to Frame, Mounting
12	4131 313	1							SHACKLE, Spring, [ZDR,ZSR]
13	4089 314	1							BRACKET AND SLEEVE, Spring Shackle [ZSR], Right
	4089 315	1							[ZDR], Left
14	3400 611	2	1, 2						BUMPER, Jounce
15									SCREW, Hex Flange Head, .25-20x1.50, (NOT SERVICED) (Not Serviced)
16	3491 296	4	1, 2						CLIP, Spring
17	9431 957	2							BOLT, Hex Head, .50-13x6.75, Shock Upper, Mounting


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Suspension,With 1600# and 1800# Suspension
Figure 017-110





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	0181 172	2							BOLT, Shock Lower, Mounting
19	0152 348	2							NUT, Lock, .500 - 13, Shock Lower, Mounting
20	0152 353	2							NUT, Hex Lock, Rear Spring Front Pivot
21	6029 377	2							BOLT, Hex Head, .62-18x4.50, Rear Spring Front Pivot
22	1319 554	4							RETAINER, Shock Absorber Bushing
23	4116 580	2							SPACER, Shock Absorber Bushing, Upper

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Suspension,With 2100#,2400# and 2750# Suspension Figure 017-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[DRC]=Dana Model 60/248MM									
[DRD]=Dana Model 60/248MM Heavy Duty									
[DRG]=Axle - Rear,Corporate 9.25 Heavy Duty									
Check Vin Number for 'Z' code listings in Catalog									
1									CLIP, Spring
	3496 267	2	3		12, 13,				[ZER,ZTR] 2100#, Right or Left
	4228 068	2	3		12, 13,				[ZGR,ZVR] 2400# [ZHR,ZWR]
					52, 53				2750#, Right or Left
2	3496 673	2							SEAT, Spring, [DRG,DRC,DRD],
									Right or Left
3									SPRING, Rear Leaf
	4228 430	1							[ZER,ZTR] 2100# With Front
									Bushing, Right or Left
	4420 351	1							[ZGR,ZVR] 2400# With Front
									Bushing, Right or Left
	4228 433	1							[ZHR,ZWR] 2750#, Right or Left
4	1400 269	2	3		12, 13,				BUSHING, Spring, [ZER,ZTR] 2100#
					52, 53				[ZGR,ZVR] 2400#, Upper
5	0152 346	2	3		12, 13,				NUT, Hex Lock, .42-14, [ZER,ZTR]
					52, 53				2100# [ZGR,ZVR] 2400#
6	4131 313	1							SHACKLE, Spring, [ZER,ZTR] 2100#
									[ZGR,ZVR] 2400#
7									BRACKET AND SLEEVE, Spring
									Shackle
	4089 314	1							[ZTR] 2100# [ZVR] 2400#, Right
	4089 315	1							[ZER] 2100# [ZGR] 2400#, Left
8	3643 988	2	3		12, 13,				BUSHING, Spring, [ZER,ZTR] 2100#
					52, 53				[ZGR,ZVR] 2400#, Lower
9	6033 841	6							SCREW AND WASHER, Hex Flange
									Head, .437-14x1.30, Shackle
									Bracket, Mounting
10	0181 172	2							BOLT, Shock Lower, Mounting
11									PLATE, Rear Spring Clip
	5502 4583	2							[DRG]
	5502 4582	2							[DRC,DRD]
12									WASHER, [ID=.600 OD=1.250
									THK=.165], (NOT SERVICED) (Not
									Serviced)

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)



ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Suspension,With 2100#,2400# and 2750# Suspension Figure 017-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	6033 906	8	3		12, 13, 52, 53				NUT, Hex Lock, .56-18, Spring Clip, Mounting
14	9431 957	2							BOLT, Hex Head, .50-13x6.75, Shock Upper, Mounting
15	0152 348	2							NUT, Lock, .500 - 13, Shock Lower, Mounting
16	0152 353	2							NUT, Hex Lock, Spring Front, Mounting
17									BUSHING, Spring
	4086 937	1							[ZER,ZTR] 2100#
	3640 089	1							[ZGR,ZVR] 2400#
18	6029 377	2							BOLT, Hex Head, .62-18x4.50, Spring Front, Mounting
19	1319 554	4							RETAINER, Shock Absorber Bushing, Shock Upper, Mounting
20	4116 580	2							SPACER, Shock Absorber Bushing, Shock Upper, Mounting
21	4740 244	2							SHOCK ABSORBER, Suspension
22	4210 985	1	3		12, 13, 52, 53				BRACKET, Shackle Rebound, [ZGR, ZVR] 2400# Only
23	6035 613	2							SCREW, Rebound Bracket, Mounting
24	4210 785	1	3		12, 13, 52, 53				SPACER, Jounce Bumper, [ZGR, ZVR] 2400# Only
25	4147 687	1	3		12, 13, 52, 53				RESTRICTOR, Bumper Jounce, [ZGR,ZVR] 2400# Only
26	3496 691	2	3		12, 13, 52, 53				BUMPER, Jounce
27									SCREW AND WASHER, Hex Head, [.25-20X1.625], (NOT SERVICED) (Not Serviced)
28									BOLT, Hex Head, [.750-10x4.250], (NOT SERVICED) (Not Serviced)
29	3496 094	1							SHACKLE, Spring, [ZHR,ZWR] 2750#
30	3634 781	1							BRACKET, Shackle, [ZHR,ZWR] 2750#
31	0152 354	4							NUT, Hex, .750-10, [ZHR,ZWR] 2750#

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 019

Steering




GROUP 19 - Steering

Illustration Title	Group-Fig. No.
Steering Wheel	
Steering Wheel	Fig. 019-110
Steering Column	
Steering Column	Fig. 019-210
Steering Gear	
Steering Gear	Fig. 019-310
Steering Linkage	
Steering Linkage-3500 LB. [DJB,DJD]	Fig. 019-410
Steering Linkage-4000 LB. [DJE]	Fig. 019-420
Power Steering Pump	
Power Steering Pump and Mounting	Fig. 019-510
Power Steering Hoses	
Power Steering Hoses	Fig. 019-710

019-100 Steering Wheel	019-200 Steering Column	019-300 Steering Gear	019-400 Steering Linkage
019-500 Power Steering Pump	019-700 Power Steering Hoses		


Steering Wheel
Figure 019-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:NHM= Automatic Cruise Control									
1	EC27 JD5	1							AIR BAG, Driver
	EC27 SK5	1							Medium Quartz
	EC27 SP8	1							Camel Tan
2	4690 339	1							Blue Spruce
3	KK97 PD5	1							NUT, Hex Lock, M14x1.5
	KK97 SK5	1							WHEEL, Steering
	KK97 SP8	1							Medium Quartz
4	6100 516	4							Camel Tan
5									Blue Spruce
	5602 0650	1							NUT, Hex Flange Lock, M6
	5602 0651	1							Phosphate, Air Bag Attaching
6	6032 452	2							CLOCKSPRING
7	4470 239	1							-NHM
8	5602 0102	1							+NHM
									SCREW, Self Piercing, .164-15x.625,
									Trim Bar/Speed Control Switch
									Attaching
									TRIM BAR, Steering Wheel, -NHM
									SWITCH, Speed Control, +NHM

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Steering Column
Figure 019-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DG0 = All Automatic Transmissions									
SUA = Tilt Steering Column									
1	4470 605	1							KNOB, TILT LEVER RELEASE
2	4470 103	1							LEVER, Tilt Column Release
3	DH69 JD5	1							SHROUD, Lock Housing with [SUA] Paint as Required, Upper Rear
	DH72 TC3	1	1						without [SUA] Paint as Required, Upper Rear
		1	2						without [SUA] Paint as Required, Upper Rear
		1	3						without [SUA] Paint as Required, Upper Rear
4	5DZ6 7PD5	1					DG0		SHROUD, Steering Column, Paint as Required, Upper Front
5	4600 185	2							SPACER, Steering Column
6									SCREW, Hex Flange Head, M10x1. 5x40
	6504 926AA	1							Intermediate Shaft to Steering Column
		1							Intermediate Shaft to Steering Gear
7	6035 320	4							SCREW AND WASHER, Hex Head, .375-16x1.00, Steering Column
8	6025 011	2							Bracket to A Pillar, Mounting NUT AND WASHER, Hex Nut-Coned Washer, .375-16, Steering Column Bracket, Mounting
9	5535 1000	1							BRACKET, Steering Column
10	5207 8594	1							SHAFT, Steering Column, Intermediate
11	6025 350	3							BOLT AND CONED WASHER, Hex Head, .312-18x1.00
12	4864 626	1							COLUMN, steering, non tilt
13	4864 611	1							COLUMN, Steering, Tilt
14									U-NUT, (NOT SERVICED) (Not Serviced)
15	6503 014	4							NUT AND WASHER, Hex, M6x1, M6x1.00, Steering Column to Steering Column Bracket, Mounting

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Steering Column
Figure 019-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16									BRACKET, Serviced in Column, (NOT SERVICED) (Not Serviced)
17									SCREW, .164-18x.375, (NOT SERVICED) (Not Serviced)
18	4470 108	1							GAP HIDER, Steering Column
19	5DW5 7SD5	1							Shroud, Gear Shift Gap
20	5EJ9 7RD5	1					DG0		SHROUD, Lock Housing, Paint as Required, Lower Rear
21	6035 142	2							SHROUD, Steering Column, Paint as Required, Lower Front
22	4470 105	3					DG0		SCREW, .164-32x1.00, Shroud To Column .164-32x1.00, Shroud To Shroud
23	4326 824	1							SCREW, Filister Head, #8-16x.25, Shroud To Shroud LEVER PACKAGE, Gearshift

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Steering Gear
Figure 019-310


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5203 9231	1							GEAR, Power Steering
2									SCREW AND WASHER, Hex Head, [.500-13 x 1.750 Qty 1], (NOT SERVICED) (Not Serviced)
3	5203 9286	1							BRACKET, Steering Gear
4	6100 357	3							BOLT AND CONED WASHER, Hex Head, M14x40x28
5	5523 4857	1							BRACKET, Frame to Adapter STUD, [.500-13 x 3.125 Qty 2], (NOT SERVICED) (Not Serviced)
6									SCREW, Hex Head, [.500-13 x 1.750 Qty 1], (NOT SERVICED) (Not Serviced)
7									WASHER, [ID=.500 OD=1.750 THK=.187 Qty 2], (NOT SERVICED) (Not Serviced)
8									NUT, [.500-13 Qty 2], (NOT SERVICED) (Not Serviced)
9									ARM, Pitman
10	5203 7992	1							WASHER, Lock, .875x1.469
11	S010 3336	1							NUT, Steering Gear Arm
12	J320 0501	1							SEAL KIT, Steering gear adjuster plug
13	4886 349AA	1							COVER, Steering Gear Housing
14	3893 554	1							SEAL, Steering Gear
15	3893 559	1							BALL, Steering Gear
16	3822 799	1							REPAIR KIT, Thrust Bearing, Steering Gear
17	4897 000AA	1							SEAL KIT, Steering gear pitman shaft
18	4470 365	1							SEAL KIT, Steering gear end plug
19	3893 557	1							SEAL, Steering Gear Cover
20	3893 558	1							

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Steering Linkage-3500 LB. [DJB,DJD]
Figure 019-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DJB = Front Axle 3500#

DJD = Front Axle 3600#, C205F

DJE = Front Axle 4000#

1	0120 123	2							PIN, Cotter, as Required
2	9424 798	2							NUT, Hex, .562-18, as Required
3	3897 412	2							SEAL, Tie Rod End, as Required
4									END, Tie Rod
	5203 8288	2							Right
	5203 8289	2							Left
5	4089 385	2							TUBE, Tie Rod
6	6030 099	2							FITTING, Ball Joint, Zirc, as Required
7	2835 895	2							SEAL, Idler Arm
8	9425 132	2							NUT, Hex, .50-20
9	4088 946	2							ARM, Idler
10	4089 398	1							LINK, Steering Center
11	3004 805	2							BOLT, .562-12x3.75, Idler Arm Mounting
12	6030 448	2							NUT, Hex Lock, .562-12, Idler Arm Mounting
13	5203 8006	1							DRAW LINK, Steering


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Steering Linkage-4000 LB. [DJE]
Figure 019-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	J812 1392	2							PIN, Cotter, as Required
2	1263 946	2							NUT, Drag Link Tie Rod End, Tie Rod to Knuckle Mounting
3	4186 007	1							END PACKAGE, Tie Rod, Outer, Right & Left
4	4112 842	1							TUBE, Tie Rod Right
	4112 843	1							Left
5									END PACKAGE, Tie Rod
	4186 008	1							Inner Right
	4186 009	1							Inner Left
6	4089 399	1							LINK, Steering Center
7	9424 798	2							NUT, Hex, .562-18
8	2835 895	2							SEAL, Idler Arm
9	4088 946	2							ARM, Idler
10	3004 805	2							BOLT, .562-12x3.75, Idler Arm Mounting
11	6030 448	2							NUT, Hex Lock, .562-12, Idler Arm Mounting
12	9425 132	2							NUT, Hex, .50-20, Idler Arm to Center Link mounting
13	3897 412	1							SEAL, Tie Rod End
14	5203 8006	1							DRAG LINK, Steering
-15	6030 099	1							FITTING, Ball Joint, Zirc, as Required

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

The diagram shows an exploded view of a power steering pump assembly. The central component is the pump housing, which has a pulley at the front. Various mounting brackets, bolts, and washers are shown around it, each labeled with a circled number from 1 to 12. The components are as follows:

- 1: A screw and washer for the top mounting bracket.
- 2: A bracket for the power steering pump.
- 3: A cap for the power steering pump.
- 4: A pump for the power steering.
- 5: A brace for the power steering pump, rear.
- 6: A screw and washer for the power steering brace to block mounting.
- 7: A nut and washer, hex nut-cone.
- 8: A washer, M10 x 1.5, power steering pump to rear brace mounting.
- 9: A screw, M10x1.50x20.00-power steering bracket mounting, (NOT SERVICED) (Not Serviced).
- 10: A bolt, hex head, M10x1.50x28, power steering bracket to pump mounting.
- 11: A pulley for the power steering pump.
- 12: A screw and washer for the power steering bracket to cylinder head mounting.

AR = Use as required - = Non illustrated part # = New this model year

Power Steering Hoses
Figure 019-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
Note:When ordering 52038854 power steering pressure hose, you must order 52037556 fitting with it.									
DGG = 3 Speed Automatic Transmission 32RH									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
NMC= Engine Cooling- Heavy Duty									
1	2448 761	1							CLAMP, Hose, to Pump
2	4333 295	1							HOSE, Power Steering Return,
									[-NMC] Pump to Power Steering
									Gear
3	5203 8854	1							HOSE, Power Steering Pressure,
									[-NMC,+NMC] Pump to Power
									Steering Gear-See Note at Top
-4	5205 254	1							O RING, Power Steering Hose, as
									Required
5	5203 8164	1							TUBE, Power Steering Return
6	5203 7556	1				EH0,			FITTING, Power Steering, Quick
						EL0,			Connect, Pressure
						EM0			
7	2448 761	1							CLAMP, Hose, to Power Steering
									Gear
8	5203 8163	1				EH0,			COOLER, Power Steering
						EL0			
9	6033 560	2				EH0,			NUT AND WASHER, Hex Nut-Coned
						EL0			Washer, .25-20, Cooler Mounting
10	6030 223	2				EH0,			BOLT, Header Point Square, .250-
						EL0			20x.875, Cooler Mounting
11	4333 295	1							HOSE, Power Steering Return,
									[+NMC] Cooler to Power Steering
									Pump
12	5203 8465	1				EH0,			HOSE, Power Steering Return,
						EL0			[+NMC] Cooler to Power Steering
									Gear
13	2448 761	2							CLAMP, Hose, to Cooler


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005








Group – 32RH

Automatic Transmission 3 Speed




GROUP 32RH - Automatic Transmission 3 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission 32RH (DGG)	Fig. 32RH-110
Case and Extension	
Case And Related Parts 32RH (DGG)	Fig. 32RH-210
Oil Pump	
Pump, Oil 32RH (DGG)	Fig. 32RH-310
Gear Train	
Clutch , Front And Rear 32RH (DGG)	Fig. 32RH-410
Outpt Shaft 32RH (DGG)	Fig. 32RH-420
Bands, Reverse and Kickdown	
Bands 32RH (DGG)	Fig. 32RH-510
Governor	
Governor 32RH (DGG)	Fig. 32RH-610
Valve Body	
Valve Body 32RH (DGG)	Fig. 32RH-710
Servos, Accumulator 32RH (DGG)	Fig. 32RH-720
Parking Sprag 32RH (DGG)	Fig. 32RH-730
Gearshift Controls	
Gearshift, Controls 32RH (DGG)	Fig. 32RH-1210

32RH-100 Transmission Assembly	32RH-200 Case and Extension	32RH-300 Oil Pump	32RH-400 Gear Train
			
32RH-500 Bands, Reverse and Kickdown	32RH-600 Governor	32RH-700 Valve Body	32RH-1200 Gearshift Controls
			

Transmission 32RH (DGG)
Figure 32RH-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
DGG = 3 Speed Automatic Transmission 32RH									
EHC = 3.9L SMPI MAGNUM V6 Engine									
EH0 = All 3.9L V-6 Gas Engines									
1	4883 728AA	1				EH0	DGG		TRANSMISSION PACKAGE, 52119543(Package contains 52119543 Transmission, K4726593 Converter, K1949765 Bolts)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Case And Related Parts 32RH (DGG) Figure 32RH-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
DGO = All Automatic Transmissions									
EHC = 3.9L SMPI MAGNUM V6 Engine									
EH0 = All 3.9L V-6 Gas Engines									
The Transmission Assembly Part Number is Stamped On The Left Side Of The Transmission Oil Pan Rail									
-1	4883 957AA-	1				EH0	DGG		SEAL AND GASKET PACKAGE, Transmission
2	5211 7755	1					DGG		COVER, Converter, Case Dust Shield
3	5211 8600	1				EH0	DGG		CASE, Transmission
4	2466 954	1				EH0	DGG		GASKET, Transmission Case
5	4431 433	1				EH0	DGG		SUPPORT, Output Shaft
6	5211 8595	1				EH0	DGG		SOLENOID, Transmission
7	5603 8235	1				EH0	DGG		CONNECTOR, Wiring
8	3747 361	1				EH0	DGG		SWITCH, Neutral, Safety, Back Up
9	2408 143	1					DGO		WASHER, Switch
10	1942 477	1				EH0	DGG		SCREW, Trans Kickdown Band Adjusting, .5-20x2.88
11	6022 266	4					DGO		SCREW, Hex Head, .375-16x1.5
12	6023 092	2				EH0	DGG		SCREW AND WASHER, Hex Head, .25-20x.50
13	5211 8639	1					DGO		INDICATOR, Transmission Fluid Level
14	52118 622AC	1					DGG		TUBE, Transmission Oil Filler
15	4167 541	1					DGO		STRAP, Oil Filler Tube
16	5211 8629	1					DGO		SEAL, Oil Filler Tube
17	4130 693	1					DGO		BRACE, Transmission RIGHT
	4446 150	1					DGO		LEFT
18	2400 185	1				EH0	DGG		SNAP RING
19	5211 8754	1				EH0	DGG		CASE, Transmission Rear
20									BUSHING, (NOT SERVICED) (Not Serviced)
21	4058 047	1				EH0	DGG		SEAL, Extension
22	2801 398	1				EH0	DGG		GASKET, Transmission
23	2466 957	1				EH0	DGG		COVER, Transmission Converter
24	3681 601	1				EH0	DGG		MAGNET, Transmission
25	6033 879	2				EH0	DGG		NUT, Inverted Flare, .62-18
26	4723 548	AR				EH0	DGG		SCREW AND WASHER, Hex Head, .312-18x.625

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case And Related Parts 32RH (DGG)
Figure 32RH-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	5211 8802	1				EH0	DGG		PAN, Transmission Oil
28	4295 875	1				EH0	DGG		GASKET, Oil Pan
29	6024 027	1					DG0		SCREW AND WASHER, Hex Head, .437-14x.25
30	6025 021	1					DG0		NUT, Hex, .437-14
31	6033 479	1				EH0	DGG		BOLT, Hex Head, .25-28x1-5/8
32	5211 8746	1				EH0	DGG		PLUG, Pressure Check
33	5211 8747	1				EH0	DGG		PLUG, Pressure Check
34	6029 531	1				EH0	DGG		SCREW, Hex Flange Head Lock, .375-16x1.25
35	6028 022	1				EH0	DGG		SCREW, Flange Head Locking, .25- 20x.62
36	5211 7709	1							GROMMET, Timing Probe


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pump, Oil 32RH (DGG)
Figure 32RH-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
EHC = 3.9L SMPI MAGNUM V6 Engine									
EH0 = All 3.9L V-6 Gas Engines									
-1	4713 108	1				EH0	DGG		GASKET AND SEAL PACKAGE, Transmission Oil Pump
2	4412 475	1				EH0	DGG		SEAL, Impeller Hub, 57.25mm OD
3	2466 796	1				EH0	DGG		BUSHING, Front Pump
4	5211 8267	1				EH0	DGG		PUMP, Transmission Oil
5									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
6									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									SHAFT, Oil Pump, (NOT SERVICED) (Not Serviced)
9									LOCK WASHER, (NOT SERVICED) (Not Serviced)
10	2204 709	1				EH0	DGG		SEAL, Front Pump Housing
11									BALL, Valve Body Check, (NOT SERVICED) (Not Serviced)
12	0179 815	6				EH0	DGG		SCREW, Hex Head, .312-18x.687
13	5211 8266	1				EH0	DGG		GASKET, Transmission Oil Pump
14	4058 635	1				EH0	DGG		BUSHING, Reaction Shaft, .
15	4471 874	2				EH0	DGG		SEAL, Ring Reaction Support, 2 1/16 O.D.
16	4617 786	1				EH0	DGG		THRUST WASHER, Front Clutch
17	6023 943	6				EH0	DGG		SCREW AND WASHER, Hex Flange Head, .312-18x1.375

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch , Front And Rear 32RH (DGG) Figure 32RH-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
DGH = 3 Speed Automatic Transmission 36RH									
EHC = 3.9L SMPI MAGNUM V6 Engine									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
-1	4637 078	1				EL0	DGH		SEAL PACKAGE, Transmission Clutch
2	4531 285	1				EH0	DGG		RETAINER AND BUSHING, Transmission Front Clutch, w/o Seals, Frt. Clutch
3	3515 176	1				EH0	DGG		SEAL, Front Clutch Piston
4	4058 487	1				EH0	DGG		SEAL, Front Piston Clutch
5	4617 154	1				EH0	DGG		PISTON, Clutch
-6	0147 483	1				EH0	DGG		CHECK BALL, Dia-.187
7	4329 809	1				EH0	DGG		SPRING, Front Clutch
8	4617 516	1				EH0	DGG		RETAINER, Transmission Front Clutch Piston Spring
-9	0147 483	1				EH0	DGG		CHECK BALL, Dia-.187
10	1942 400	1				EH0	DGG		SNAP RING
11	4617 362	4				EH0	DGG		DISC, Direct Clutch
12	3410 571	1				EH0	DGG		SNAP RING
13	4617 176	1				EH0	DGG		PLATE, Transmission Clutch Reaction
14	1942 403	4				EH0	DGG		PLATE, Clutch Separator
15	4505 199	1				EH0	DGG		RETAINER, Transmission Rear Clutch
-16	0147 483	1				EH0	DGG		CHECK BALL, Dia-.187
17	6022 859	1				EH0	DGG		SNAP RING, .890625, .
18	4028 333	1				EH0	DGG		SEAL, Rear Clutch, 1.50 ODx.009 Thk
19	4617 786	1				EH0	DGG		THRUST WASHER, Front Clutch
20	1401 221	1				EH0	DGG		SEAL, Input Shaft
21	4505 189	1				EH0	DGG		INPUT SHAFT, Transmission
22	4617 175	4				EH0	DGG		DISC, Clutch
23	4130 761	1				EH0	DGG		SNAP RING, .060" Thick
-24	4539 122	1				EH0	DGG		SNAP RING, Rear Clutch, .098
-25	4539 121	1				EH0	DGG		SNAP RING, Rear Clutch, .076
-26	4539 123	1				EH0	DGG		SNAP RING, Rear Clutch, .095
-27	4539 124	1				EH0	DGG		SNAP RING, Rear Clutch, .107

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch , Front And Rear 32RH (DGG)
Figure 32RH-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28	4617 176	1				EH0	DGG		PLATE, Transmission Clutch Reaction
29	1942 403	3				EH0	DGG		PLATE, Clutch Separator
30	2466 281	1				EH0	DGG		PLATE, Clutch Pressure
31	2466 283	1				EH0	DGG		SPRING, Rear Clutch
32	4728 487	AR				EH0	DGG		SPRING, Rear Clutch Piston
33	2538 510	1				EH0	DGG		SEAL, Rear Clutch Piston
34	3515 716	1				EH0	DGG		PISTON, Clutch
35	4505 185	1				EH0	DGG		THRUST WASHER, Output Shaft, Gray .052
-36	4505 186	1				EH0	DGG		THRUST WASHER, Output Shaft, Red .068
-37	4505 187	1				EH0	DGG		THRUST WASHER, Output Shaft, Green .083
38	4617 157	1				EH0	DGG		BUSHING, Front Clutch

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Outpt Shaft 32RH (DGG)
Figure 32RH-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
EHC = 3.9L SMPI MAGNUM V6 Engine									
EH0 = All 3.9L V-6 Gas Engines									
1	6026 289	1				EH0	DGG		SNAP RING, .946 ID
-2	6030 938	1				EH0	DGG		SNAP RING
-3	6030 404	1				EH0	DGG		SNAP RING, Output Shaft, 1.029 OD
4	6030 576	1				EH0	DGG		SNAP RING, Annulus Gear, 1.375 ID
5	3681 969	1				EH0	DGG		THRUST WASHER, Annulus Gear
6	4617 775	1				EH0	DGG		PLATE, Annulus Gear Thrust
7	4617 774	1				EH0	DGG		SUPPORT, Annulus Gear
8	6035 238	1				EH0	DGG		SNAP RING
9	4130 518	2				EH0	DGG		THRUST WASHER, Planetary
Carrier									
10	4130 512	1				EH0	DGG		GEAR, Front Annulus
11	4130 514	1				EH0	DGG		CARRIER, Planetary Pinion
-12	3681 949	8				EH0	DGG		THRUST WASHER, Planet Pinion
13	4130 736	1				EH0	DGG		SPACER, Sun Gear
14	4471 566	2				EH0	DGG		PLATE, Transmission Module
15	4130 685	1				EH0	DGG		GEAR, Sun
16	4531 288	1				EH0	DGG		SHELL, Sun Gear
17	4505 188	1				EH0	DGG		PLATE, Transmission Module
18	4617 318	1				EH0	DGG		MAINSHAFT, Transmission
19	1942 439	1				EH0	DGG		SNAP RING, Sun Gear Shell
20	3681 935	1				EH0	DGG		THRUST WASHER, Planetary
Carrier									
21	4431 438	1				EH0	DGG		CARRIER, Planetary Pinion
22	3743 184	1				EH0	DGG		GEAR, Rear Annulus
23	3515 501	AR							SUPPORT, Annulus Gear
24	1942 444	1				EH0	DGG		SNAP RING
25	6033 480	1				EH0	DGG		SNAP RING, Reverse Drum
26	6033 616	5				EH0	DGG		SCREW, Hex Flange Head, .25-28x. 875
27	4531 208	1				EH0	DGG		DRUM, Automatic Transmission
28	4431 690	1				EH0	DGG		CAM, Overrunning Clutch
29	4431 432	1				EH0	DGG		CLUTCH, Overrunning

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bands 32RH (DGG)
Figure 32RH-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DGG = 3 Speed Automatic Transmission 32RH

EHC = 3.9L SMPI MAGNUM V6 Engine

EH0 = All 3.9L V-6 Gas Engines

1	4202 764	1				EH0	DGG		LEVER, Reverse Band
-2	4202 764	1				EH0	DGG		LEVER, Reverse Band
3	2538 472	1				EH0	DGG		SCREW, Trans Reverse Band Adjusting, .375-24-1.88
4	0114 942	1				EH0	DGG		NUT, Hex, .375-24, Adjusting Screw
5	3410 102	1				EH0	DGG		SHAFT, Reverse Band
6	4431 406	1				EH0	DGG		BAND, Reverse
7	6030 657	1				EH0	DGG		O RING, Steering Gear
8	3410 102	1				EH0	DGG		SHAFT, Reverse Band
9	0124 934	1				EH0	DGG		NUT, Hex Jam, .50-20
10	1942 477	1				EH0	DGG		SCREW, Kickdown Band Adj., 1/2-20 x 2-7/8"
11									PLUG, (NOT SERVICED) (Not Serviced)
12	2124 666	1				EH0	DGG		LEVER, Kickdown
13	4531 181	1				EH0	DGG		SHAFT, Band Lever
14	3515 084	1				EH0	DGG		STRUT, Kickdown Band
15	4617 849	1				EH0	DGG		BAND, Kickdown

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Governor 32RH (DGG)
Figure 32RH-610


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
EHC = 3.9L SMPI MAGNUM V6 Engine									
EH0 = All 3.9L V-6 Gas Engines									
-1	4883 956AA-	1				EH0	DGG		GASKET AND SEAL PACKAGE, Governor
-2	4728 460	1				EH0	DGG		BODY PACKAGE, Governor
3									BODY, Governor, (NOT SERVICED) (Not Serviced)
4									RETAINER, (NOT SERVICED) (Not Serviced)
5	1942 109	1				EH0	DGG		SEAL, Governor
6	3743 518	1				EH0	DGG		SUPPORT, Governor
7	1638 461	1				EH0	DGG		SNAP RING
8	6031 392	1				EH0	DGG		SNAP RING, Brake Master Cylinder
9	6034 723	1				EH0	DGG		SNAP RING, Governor, .675 x .025
-10	4617 883	1				EH0	DGG		WEIGHT KIT, Transmission
11									Governor WEIGHT, Governor, (NOT SERVICED) (Not Serviced)
12									WEIGHT, Governor, (NOT SERVICED) (Not Serviced)
13									WEIGHT, Governor, (NOT SERVICED) (Not Serviced)
14									SPRING, Governor Valve, (NOT SERVICED) (Not Serviced)
15	1556 082	1				EH0	DGG		SHAFT, Governor
16	4617 064	1				EH0	DGG		VALVE, Governor
17	6027 271	1				EH0	DGG		SNAP RING, Governor, 1.156
18	3743 519	1				EH0	DGG		FILTER, Transmission Governor
19									SPACER, (NOT REQUIRED)
20	6029 675	1				EH0	DGG		SNAP RING, Output Shaft, 1.125 OD
21	3410 465	1				EH0	DGG		BEARING, Output Shaft
22	2400 185	1				EH0	DGG		SNAP RING
23	6031 613	4				EH0	DGG		BOLT, Hex Head, .25-20x.68

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body 32RH (DGG)
Figure 32RH-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
EH0 = All 3.9L V-6 Transmissions									
EHC = 3.9L SMPI MAGNUM V6 Engine									
-1	4713 105	1				EH0	DGG		GASKET AND SEAL PACKAGE, Valve Body
2	5211 8597	1				EH0	DGG		BODY, Transfer Plate
3									PLATE, (NOT SERVICED) (Not Serviced)
-4									SCREW, (NOT SERVICED) (Not Serviced)
5									BODY, Transfer Plate, (NOT SERVICED) (Not Serviced)
6									SPRING, Valve Body Control, (NOT SERVICED) (Not Serviced)
7	4505 036	1				EH0	DGG		VALVE, Trans Lockup Switch
8	0147 488	1				EH0	DGG		BALL, Manual Lever Detent, .343 Diameter
9	6035 208	2				EH0	DGG		SNAP RING
10	2538 062	1				EH0	DGG		WASHER, Manual Valve Lever
11	2466 548	1				EH0	DGG		SEAL, Valve Lever Shift
12	4617 439	1				EH0	DGG		LEVER, Manual Valve
13	4505 098	1				EH0	DGG		SEAL, Manual Shift Valve, 1.25 OD
14	3681 227	1				EH0	DGG		LEVER, Throttle Valve
15	3878 313	1				EH0	DGG		SCREEN, Transmission Regulator Valve
16	3515 996	1				EH0	DGG		FILTER, Valve Body
17	6033 826	3				EH0	DGG		SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2. 500
18	4130 492	1				EH0	DGG		SPRING, Switch Valve
19									BRACKET, (NOT SERVICED) (Not Serviced)
20	6030 609	1				EH0	DGG		SCREW, Cap Head Lock, .312-24x1. 25
-21	4348 907	1				EH0	DGG		SPRING, Limit Valve

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Servos, Accumulator 32RH (DGG)
Figure 32RH-720



KICKDOWN SERVO

LOW AND REVERSE SERVO

ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
EH0 = All 3.9L V-6 Transmissions									
1	6028 863	1				EH0	DGG		SNAP RING, Kickdown, 2.377
2	4295 966	1				EH0	DGG		SEAL, Servo Guide
3	3410 332	1				EH0	DGG		GUIDE, Kickdown Servo
4	4531 119	1				EH0	DGG		SPRING, Kickdown Servo Piston
5	6031 392	1				EH0	DGG		SNAP RING, Brake Master Cylinder, Inner, 1-1/8" I.D.
6	4058 780	1				EH0	DGG		ROD, Kickdown Servo Piston
7	3743 033	1				EH0	DGG		SEAL, Kickdown Servo
8	4058 777	1				EH0	DGG		PISTON, Kickdown Servo
9	2464 464	1				EH0	DGG		SNAP RING, Reverse Servo Piston
10	2464 463	1				EH0	DGG		Spring RETAINER, Transmission Rear Clutch, Reverse Servo Piston Spring
11	2801 274	1				EH0	DGG		SPRING, Reverse Servo Piston
12	5211 8740	1				EH0	DGG		PLUG, Reverse Servo Piston
13	4130 824	1				EH0	DGG		SPRING, Reverse Servo Piston, Reverse Servo Cushion
14	4202 864	1				EH0	DGG		SEAL, Reverse Servo Piston
15	5211 8744	1				EH0	DGG		PISTON, Reverse Servo
16	6027 153	1				EH0	DGG		SNAP RING, .435 ID, Reverse Servo Piston Plug,
17	3515 079	1				EH0	DGG		SPRING, Accumulator Piston
18	3743 013	1				EH0	DGG		SEAL, Piston Accumulator, Large
19	3743 650	1				EH0	DGG		PISTON, Accumulator
20	3743 010	1				EH0	DGG		SEAL, Piston Accumulator
21	6028 864	1				EH0	DGG		O RING, Kick Down Servo, Inner, 15/16 x 1-1/8" x 3/32"

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Parking Sprag 32RH (DGG)
Figure 32RH-730


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DGG = 3 Speed Automatic Transmission 32RH

EH0 = All 3.9L V-6 Transmissions

1	2466 909	1	EH0	DGG	SPRING, Parking Sprag
2	4471 415	1	EH0	DGG	SPRAG, Transmission Parking
3	2538 042	1	EH0	DGG	PLUG, Parking Sprag
4	2538 034	1	EH0	DGG	SNAP RING, Transmission
5	2466 892	1	EH0	DGG	SHAFT, Parking Sprag
6	6035 256	1	EH0	DGG	SNAP RING, Rod
7	2466 906	1	EH0	DGG	ROD, Parking Sprag
8					SPRING, Parking Sprag, (NOT SERVICED) (Not Serviced)




DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gearshift, Controls 32RH (DGG)
Figure 32RH-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DG0 = All Automatic Transmissions
EH0 = All 3.9L V-6 Gas Engines
ELP = 5.2L LPG V8
EL0 = All 5.2L 8 Cyl Gas Engines

1	5210 7676	1				EH0	DG0		CABLE, Shift
2	5207 8679	1				EH0	DG0		BRACKET, Transmission Control Cable
3	5207 8718	1					DG0		BRACKET, Throttle Valve Spring
4	0152 476	1					DG0		NUT, Hex Flange Lock, .437-14
5									SCREW AND WASHER, Truss Head, .312-18x.750, (NOT SERVICED) (Not Serviced)
6	5207 9065	1					DG0		LEVER, Throttle Valve
7	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
8	0138 165	1					DG0		WASHER, Lock
9	0115 984	1					DG0		NUT, Brake Line
10	5210 7672	1					DG0		LEVER, Manual Control
11	6022 245	1				ELP			SCREW AND WASHER
12	5300 9055	1					DG0		SPRING, Throttle Valve Return


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 36RH

Automatic Transmission 3 Speed




GROUP 36RH - Automatic Transmission 3 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission 36RH (DGH)	Fig. 36RH-110
Case and Extension	
Case And Related Parts 36RH (DGH)	Fig. 36RH-210
Oil Pump	
Oil Pump 36RH (DGH)	Fig. 36RH-310
Gear Train	
Clutch, Front And Rear 36RH (DGH)	Fig. 36RH-410
Output Shaft 36RH (DGH)	Fig. 36RH-420
Bands, Reverse and Kickdown	
Bands 36RH (DGH)	Fig. 36RH-510
Governor	
Governor 36RH (DGH)	Fig. 36RH-610
Valve Body	
Valve Body 36RHG (DGH)	Fig. 36RH-710
Servos, Accumulator 36RH (DGH)	Fig. 36RH-720
Parking Sprag 36RH (DGH)	Fig. 36RH-730
Gearshift Controls	
Gearshift Controls 36RH (DGH)	Fig. 36RH-1210

36RH-100 Transmission Assembly	36RH-200 Case and Extension	36RH-300 Oil Pump	36RH-400 Gear Train
36RH-500 Bands, Reverse and Kickdown	36RH-600 Governor	36RH-700 Valve Body	36RH-1200 Gearshift Controls
 RAKE	 RNOR	 Kinn Sprag	

Transmission 36RH (DGH)
Figure 36RH-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
DGH = 3 Speed Automatic Transmission 36RH									
ELO = All 5.2L 8 Cyl Gas Engines									
1	4883 729AA	1				ELO	DGH		TRANSMISSION PACKAGE, 52119540(Package contains 52119540 Transmission, K4736546 Converter, K1949765 Bolts.

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Case And Related Parts 36RH (DGH) Figure 36RH-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ELF = 5.2L SMPI MAGNUM 8 Cyl. Engine									
-1	4883 448AA-	1				EL0	DGH		SEAL AND GASKET PACKAGE, Transmission
2	4130 503	1					DGH, DGT		COVER, Transmission Dust
3	4713 857	1				EL0	DGH		CASE PACKAGE, Transmission
4	2466 954	1				EL0	DGH		GASKET, Transmission Case
5	5211 8245	1				EL0	DGH		SUPPORT, Output Shaft
6	6024 027	1					DG0		SCREW AND WASHER, Hex Head, .437-14x.25
7	6024 027	1					DG0		SCREW AND WASHER, Hex Head, .437-14x.25
8	3747 361	1				EL0	DGH		SWITCH, Neutral, Safety, Back Up
9	2408 143	1					DG0		WASHER, Switch
10	6025 021	1					DG0		NUT, Hex, .437-14
11	6022 266	4					DG0		SCREW, Hex Head, .375-16x1.5
12	5211 8639	1					DG0		INDICATOR, Transmission Fluid Level, , 52-3/4" Long
13	5211 8624	1				EL0	DGH		TUBE, Transmission Oil Filler
14	5211 8629	1					DG0		SEAL, Oil Filler Tube
15	4167 541	1					DG0		STRAP, Oil Filler Tube
16									BRACE, Transmission
	4130 693	1					DG0		Right
	4446 150	1					DG0		Left
17	2400 320	1				EL0	DGH		SNAP RING
18	5211 8755	1				EL0	DGH		CASE, Transmission Rear
19									BUSHING, (NOT SERVICED) (Not Serviced)
20	4531 216	1				EL0	DGH		SEAL, Extension Yoke
21	2801 398	1				EL0	DGH		GASKET, Transmission
22	2466 957	1				EL0	DGH		COVER, Transmission Converter
23	3681 601	1				EL0	DGH		MAGNET, Transmission
24	6033 879	2				EL0	DGH		NUT, Inverted Flare, .62-18
25	4723 548	14				EL0	DGH		SCREW AND WASHER, Hex Head, .312-18x.625
26	4058 997	1				EL0	DGH		PAN, Transmission Oil
27	2464 324	1				EL0	DGH		GASKET, Oil Pan
28	6025 021	1					DG0		NUT, Hex, .437-14
29	6029 531	6				EL0	DGH		SCREW, Hex Flange Head Lock, .375-16x1.25

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case And Related Parts 36RH (DGH)
Figure 36RH-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
30	6028 022	2				EL0	DGH		SCREW, Flange Head Locking, .25-20x.62
31	6028 095	1				EL0	DGH		PLUG, Pressure Check
32	5211 7709	1							GROMMET, Timing Probe

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Oil Pump 36RH (DGH) Figure 36RH-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGH = 3 Speed Automatic Transmission 36RH									
ELO = All 5.2L 8 Cyl Gas Engines									
-1	4746 109	1				ELO	DGH		GASKET AND SEAL PACKAGE, Transmission Oil Pump, Frt. Pump
2	4531 225	1				ELO	DGH		SEAL, Impeller Hub, 57.25mm OD
3	1942 021	1				ELO	DGH		SEAL, Front Pump Housing
4	3420 087	1				ELO	DGH		BAFFLE PACKAGE, Pump, w/Nail, Frt. Pump Hsg. Vent
5	4505 030	1				ELO	DGH		PUMP, Transmission Oil
6									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
9									SHAFT, Oil Pump, (NOT SERVICED) (Not Serviced)
10									BUSHING, (NOT SERVICED) (Not Serviced)
11									BUSHING, (NOT SERVICED) (Not Serviced)
12	4028 377	1				ELO	DGH		GASKET, Transmission Oil Pump, Frt. Pump Housing
13	4617 161	1				ELO	DGH		THRUST WASHER, Front Clutch, Neutral .062 " Thick
-14	4617 162	1				ELO	DGH		THRUST WASHER, Front Clutch, Pink .085
-15	4617 163	1				ELO	DGH		THRUST WASHER, Front Clutch, Yellow .103
-16	4617 164	1				ELO	DGH		THRUST WASHER, Front Clutch, Orange .121
-17	4617 165	1				ELO	DGH		THRUST WASHER, Front Clutch, Blue .139"
-18	4617 166	1				ELO	DGH		THRUST WASHER, Front Clutch, Black .157
19	3743 689	2				ELO	DGH		SEAL, Reaction Shaft
20	0179 815	6				ELO	DGH		SCREW, Hex Head, .312-18x.687, Suppt, 5/16-18 x 11/16"

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure 36RH-410




-1	4637 078	1	EL0	DGH	SEAL PACKAGE, Transmission Clutch, Front And Rear Clutch
2	4058 437	1	EL0	DGH	Repair RETAINER, Clutch
-3	4058 438	1	EL0	DGH	BUSHING, Front Clutch
4	3410 226	1	EL0	DGH	SEAL, Front Clutch Piston
5	4058 484	1	EL0	DGH	SEAL, Front Piston Clutch
6	2464 651	1	EL0	DGH	PISTON, Clutch
-7	0147 483	1	EL0	DGH	CHECK BALL, Dia-.187, 3/16" Dia.
8	2801 243	9	EL0	DGH	SPRING, Front Clutch
9	2801 949	1	EL0	DGH	RETAINER, Transmission
-10	0147 483	1	EL0	DGH	CHECK BALL, Dia-.187, 3/16" Dia.
11	2124 824	1	EL0	DGH	SNAP RING
12	2124 826	3	EL0	DGH	PLATE, Clutch Separator
13	3410 570	1	EL0	DGH	SNAP RING, Frt. Clutch, .050" Thk., 7-8/64" O.D.
14	4617 567	1	EL0	DGH	PLATE, Transmission Clutch Reaction, Frt. Clutch Reaction
15	4617 201	3	EL0	DGH	DISC, Direct Clutch
16	3743 624	1	EL0	DGH	PISTON, Clutch
-17	0147 483	1	EL0	DGH	CHECK BALL, Dia-.187
18	1942 054	1	EL0	DGH	SEAL, Rear Clutch Piston
19	2124 835	1	EL0	DGH	SEAL, Rear Clutch Piston
20	4617 855	1	EL0	DGH	RETAINER, Transmission
-21	4058 443	1	EL0	DGH	SEAL, Rear Clutch Retainer
22	4617 161	1	EL0	DGH	THRUST WASHER, Front Clutch
23	4617 397	1	EL0	DGH	INPUT SHAFT, Transmission
24	4741 836	AR	EL0	DGH	SEAL, Input Shaft
25	2124 872	1	EL0	DGH	SNAP RING, Rr. Clutch Piston Retainer, .060" Thk., 1-31/64" O.D.
26	3743 622	1	EL0	DGH	RETAINER, Rear Clutch
-27	4058 443	1	EL0	DGH	SEAL, Rear Clutch Retainer
28	5252 259	4	EL0	DGH	DISC PACKAGE, Clutch
29	3743 621	1	EL0	DGH	SPRING, Rear Clutch Piston
30	3515 077	1	EL0	DGH	SPACER, Rear Clutch Piston
31	2466 806	1	EL0	DGH	SPRING, Rear Clutch
32	2466 803	1	EL0	DGH	PLATE, Clutch Pressure

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

September 15, 2005

Clutch, Front And Rear 36RH (DGH) Figure 36RH-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
33	2124 826	3				EL0	DGH		PLATE, Clutch Separator
34	4617 567	1				EL0	DGH		PLATE, Transmission Clutch Reaction
35									SNAP RING
	1942 063	1				EL0	DGH		.060" Thick
	2466 811	1				EL0	DGH		.106" Thick
	1942 064	1				EL0	DGH		.074" Thick
	1942 065	1				EL0	DGH		.088" Thick
36	4505 186	1				EL0	DGH		THRUST WASHER, Output Shaft, Red .068

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Output Shaft 36RH (DGH) Figure 36RH-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DGH = 3 Speed Automatic Transmission 36RH EL0 = All 5.2L 8 Cyl Gas Engines									
1	6024 311	1				EL0	DGH		SNAP RING, 1.108 Free Diameter .055-.059" Thick
	6024 312	1				EL0	DGH		.062-.066" Thick
2	4617 612	1				EL0	DGH		CARRIER, Planetary Pinion
3	2801 060	1				EL0	DGH		THRUST WASHER, Planetary Carrier
4	2892 656	1				EL0	DGH		GEAR, Front Annulus, w/Support. 2-1/2" I.D. Center Hole
5	1942 081	1				EL0	DGH		WASHER, Sun Gear
6	1736 521	1				EL0	DGH		SNAP RING, Sun Gear
7	2801 311	1				EL0	DGH		GEAR, Sun
8	4617 978	1				EL0	DGH		SHELL, Sun Gear
9	4617 617	1				EL0	DGH		MAINSHAFT, Transmission
10	4505 188	1				EL0	DGH		PLATE, Transmission Module, Output Shaft Thrust .060" Thk.
11	1942 080	1				EL0	DGH		PLATE, Sun Gear Driving Shell
12	1736 521	1				EL0	DGH		SNAP RING, Sun Gear
13	2801 060	1				EL0	DGH		THRUST WASHER, Planetary Carrier
14	2466 539	1				EL0	DGH		CARRIER, Planetary Pinion
15	2400 580	1				EL0	DGH		PLATE, Annulus Gear Thrust
16	4810 002	1				EL0	DGH		GEAR, Rear Annulus
17	6033 591	1				EL0	DGH		SNAP RING
18	6024 666	1				EL0	DGH		DOWEL, .108x1.00
		4				EL0	DGH		Frnt. and Rr. Planet Pinion Shaft
19	4428 223	1				EL0	DGH		SHAFT, Planetary
		4				EL0	DGH		Frnt. and Rr. Planet Pinion
20									Frnt. and Rr. Planet Pinion
									THRUST WASHER, Planetary Carrier
	2801 315	6				EL0	DGH		Frnt. and Rr. Planet Pinion
		8				EL0	DGH		Frnt. and Rr. Planet Pinion
21									THRUST WASHER, Planet Pinion
	2204 649	1				EL0	DGH		Frnt. and Rr. Pinion Roller Thrust
		8				EL0	DGH		Frnt. and Rr. Pinion Roller Thrust
22									PINION, Transmission Planetary

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500


BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



FRONT & REAR PLANET PINION CARRIER GEARS

Output Shaft 36RH (DGH)
Figure 36RH-420



FRONT & REAR PLANET PINION CARRIER GEARS


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2400 667	1				EL0	DGH		
		4				EL0	DGH		
23									ROLLER, Front and Rear Pinion
	3743 664	92				EL0	DGH		
		69				EL0	DGH		
24	5211 8057	1				EL0	DGH		DRUM, Automatic Transmission
-25	5211 8059	1				EL0	DGH		THRUST WASHER, Reverse Drum
26	4471 473	1				EL0	DGH		CAM, Overrunning Clutch
27	4617 199	1				EL0	DGH		CLUTCH, Overrunning, 14 Rollers ,
									"O" Running Clutch .
28	0125 735	1				EL0	DGH		SCREW, .25-20, Cam Retaining

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bands 36RH (DGH)
Figure 36RH-510



REVERSE BAND




KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGH = 3 Speed Automatic Transmission 36RH									
EL0 = All 5.2L 8 Cyl Gas Engines									
1	4617 044	1				EL0	DGH		LINK, Transmission Reverse Band, w/Anchor,
2	6030 910	2				EL0	DGH		SEAL, Reverse Band
3	2124 857	1				EL0	DGH		SHAFT, Band Lever
4	0271 506	1				EL0	DGH		NUT, Hex, .42-20, Adj. Screw Lock,
5	4617 028	1				EL0	DGH		LEVER, Reverse Band, w/Stem,
6	4471 497	1				EL0	DGH		STRUT, Reverse Band
7	4471 476	1				EL0	DGH		BAND, Reverse
8	4617 014	1				EL0	DGH		LEVER, Reverse Band, Short
9	1942 141	1				EL0	DGH		SCREW, Trans Reverse Band
10	5211 8264	1				EL0	DGH		Adjusting, .437-20x1.5
11	4531 181	1				EL0	DGH		LEVER, Kickdown
12									SHAFT, Band Lever
13	2124 848	1				EL0	DGH		PLUG, (NOT SERVICED) (Not Serviced)
14	3743 338	1				EL0	DGH		STRUT, Kickdown Band
15	2400 389	1				EL0	DGH		ANCHOR, Kickdown Band
16									SCREW, Trans Kick Down Band
17	0124 934	1				EL0	DGH		Adjusting, .5-20x2.54
18	4329 853	1				EL0	DGH		NUT, Hex Jam, .50-20
19									BAND, Kickdown

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

**Governor 36RH (DGH)
Figure 36RH-610**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DGG = 3 Speed Automatic Transmission 32RH DGH = 3 Speed Automatic Transmission 36RH DGT = 4 Speed Automatic Transmission 46RE EH0 = All 3.9L V6 Gas Engines EL0 = All 5.2L 8 Cyl Gas Engines EM0 = All 5.9L 8 Cyl Gas Engines									
-1	4883 453AA-	1				EL0	DGH		GASKET AND SEAL PACKAGE, Governor
-2	4863 719	1				EL0	DGH		BODY PACKAGE, Governor
3									BODY, Governor, (NOT SERVICED) (Not Serviced)
-4	4617 882	1				EL0	DGH		WEIGHT PACKAGE, Transmission
5									Governor RETAINER, (NOT SERVICED) (Not Serviced)
6									WEIGHT, Governor, (NOT SERVICED) (Not Serviced)
7									SPRING, Governor Valve, (NOT SERVICED) (Not Serviced)
8									WEIGHT, Governor, (NOT SERVICED) (Not Serviced)
9									WEIGHT, Governor, (NOT SERVICED) (Not Serviced)
10	1942 109	1				EL0	DGH		SEAL, Governor
11	3743 517	1				EL0	DGH		SUPPORT, Governor
12	1638 461	2				EH0	DGG		SNAP RING
		2				EL0	DGH		
13	6031 392	1				EL0	DGH		SNAP RING, Brake Master Cylinder
14	6034 723	1				EL0	DGH		SNAP RING, Governor, .675 x .025
		1				EH0	DGG		Weight, Inner, .675" O.D.
15	1556 082	1				EH0	DGG		SHAFT, Governor
16	4617 064	1				EL0	DGH		VALVE, Governor
		1				EH0	DGG		
17	6022 817	1				EL0	DGH		SNAP RING, 1.282 Free Diameter
18	3743 519	1				EL0	DGH		FILTER, Transmission Governor


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Governor 36RH (DGH)
Figure 36RH-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EH0	DGG		
19	6025 570	2				EL0	DGH		SNAP RING, 1.268 ID
20									BEARING, Output Shaft
	2466 224	1				EM0	DGT		2.83" O.D., 1.37" I.D.
		1				EL0	DGH		2.83" O.D., 1.37" I.D.
		1				EL0	DGT		2.83" O.D., 1.37" I.D.
21	2400 320	1				EL0	DGH		SNAP RING
22	6031 613	4				EL0	DGH		BOLT, Hex Head, .25-20x.68

DODGE RAM VAN & WAGON (AB)

L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body 36RHG (DGH)
Figure 36RH-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ELF = 5.2L SMPI MAGNUM 8 Cyl. Engine									
-1	4713 104	1				EL0	DGH		GASKET AND SEAL PACKAGE, Valve Body
2	5211 8767	1				EL0	DGH		VALVE BODY ASSEMBLY
3									BRACKET, (NOT SERVICED) (Not Serviced)
4	6030 609	1				EL0	DGH		SCREW, Cap Head Lock, .312-24x1.25, Throttle Pressure Adjusting
5	4130 492	1				EL0	DGH		SPRING, Switch Valve
6	6033 826	3				EL0	DGH		SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2.500
7	4505 036	1				EL0	DGH		VALVE, Trans Lockup Switch
8	0147 488	1				EL0	DGH		BALL, Manual Lever Detent, .343 Diameter
9	6035 208	1				EL0	DGH		SNAP RING
10	2538 062	1				EL0	DGH		WASHER, Manual Valve Lever
11	2466 548	1				EL0	DGH		SEAL, Valve Lever Shift, Rubber
12	4617 439	1				EL0	DGH		LEVER, Manual Valve
13	4505 098	1				EL0	DGH		SEAL, Manual Shift Valve, 1.25 OD
14	3681 227	1				EL0	DGH		LEVER, Throttle Valve
15	3878 313	1				EL0	DGH		SCREEN, Transmission Regulator Valve
16	3515 996	1				EL0	DGH		FILTER, Valve Body

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Servos, Accumulator 36RH (DGH)
Figure 36RH-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGH = 3 Speed Automatic Transmission 36RH									
EL0 = All 5.2L 8 Cyl Gas Engines									
1	1942 130	1				EL0	DGH		SNAP RING
2	1942 123	1				EL0	DGH		SEAL, Servo Piston
3	3410 441	1				EL0	DGH		GUIDE, Kickdown Servo
4	4617 528	1				EL0	DGH		SPRING, Kickdown Servo Piston
5	3410 444	1				EL0	DGH		SPRING, Kickdown Servo Piston
6	6031 392	1				EL0	DGH		SNAP RING, Brake Master Cylinder
7	3410 437	1				EL0	DGH		RETAINER, Kick Down
8	3410 445	1				EL0	DGH		PISTON, Kickdown Servo
9	6028 864	1				EL0	DGH		O RING, Kick Down Servo, Inner, 15/16 x 1-1/8" x 3/32"
10	4412 444	1				EL0	DGH		SEAL, Kickdown Servo
11	3410 440	1				EL0	DGH		PISTON, Kickdown Servo
12	1942 123	1				EL0	DGH		SEAL, Servo Piston
13	1942 130	1				EL0	DGH		SNAP RING
14	1942 150	1				EL0	DGH		RETAINER, Transmission Reverse Servo Piston Spring
15	2801 241	1				EL0	DGH		SPRING, Reverse Servo Piston
16	5211 8740	1				EL0	DGH		PLUG, Reverse Servo Piston, 1-53/64" Lgh.
17	4130 824	1				EL0	DGH		SPRING, Reverse Servo Piston
18	4058 741	1				EL0	DGH		SEAL, Piston Reverse Servo, Rubber, Rubber
19	2801 281	1				EL0	DGH		PISTON, Reverse Servo
20	6027 153	1				EL0	DGH		SNAP RING, .435 ID, Reverse Servo Piston Plug, 7/16" I.D.
21	3515 079	1				EL0	DGH		SPRING, Accumulator Piston
22	3743 013	1				EL0	DGH		SEAL, Piston Accumulator, Large
23	3743 650	1				EL0	DGH		PISTON, Accumulator
24	3743 010	1				EL0	DGH		SEAL, Piston Accumulator, Small
25	4617 529	1				EL0	DGH		SPRING, Accumulator Piston

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Parking Sprag 36RH (DGH)
Figure 36RH-730

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

ELF = 5.2L SMPI MAGNUM 8 Cyl. Engine

1	2466 909	1	EL0	DGH	SPRING, Parking Sprag
2	4471 415	1	EL0	DGH	SPRAG, Transmission Parking
3	2538 042	1	EL0	DGH	PLUG, Parking Sprag
4	2538 034	1	EL0	DGH	SNAP RING, Transmission, Reaction
5	2466 892	1	EL0	DGH	Plug SHAFT, Parking Sprag
6	2466 894	1	EL0	DGH	ROD, Parking Sprag, 8-3/16" Lg.
7					SPRING, (NOT SERVICED) (Not Serviced)
8	6035 256	1	EL0	DGH	SNAP RING, Rod




DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46R6 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gearshift Controls 36RH (DGH)
Figure 36RH-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:
DGH = 3 Speed Automatic Transmission 36RH
DGT = 4 Speed Automatic Transmission 46RE
DG0 = All Automatic Transmissions
ELF = 5.2L SMPI MAGNUM V8
ELN = 5.2L MPI CNG V8
ELP = 5.2L LPG V8
EL0 = All 5.2L 8 Cyl Gas Engines
EML = 5.9L SMPI MAGNUM V8
EM0 = All 5.9L 8 Cyl Gas Engines

1	5210 7674	1				EL0, EM0	DG0		CABLE, Shift
2	5207 8680	1					DGH, DGT DG0		BRACKET, Transmission Control Cable BRACKET, Throttle Valve Spring
3	5207 8718	1					DG0		NUT, Hex Flange Lock, .437-14
4	0152 476	1					DG0		SCREW, (NOT SERVICED) (Not Serviced)
5									
6	5207 9065	1					DG0		LEVER, Throttle Valve
7	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
8	0138 165	1					DG0		WASHER, Lock
9	J012 0375	1					DG0		NUT, Hex, .250-20
10	5210 7672	1					DG0		LEVER, Manual Control
11	6022 245	1				ELP			SCREW AND WASHER
12	5300 9055	1					DG0		SPRING, Throttle Valve Return

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		








Group – 46RE

Automatic Transmission 4 Speed




GROUP 46RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission 46RE (DGT)	Fig. 46RE-110
Case and Extension	
Case And Related Parts 46RE (DGT)	Fig. 46RE-210
Case Rear 46RE (DGT)	Fig. 46RE-220
Oil Pump	
Oil Pump 46RE (DGT)	Fig. 46RE-310
Gear Train	
Clutch, Front And Rear 46RE (DGT)	Fig. 46RE-415
Intermediate 46RE (DGT)	Fig. 46RE-425
Output Shaft 46RE (DGT)	Fig. 46RE-430
Bands, Reverse and Kickdown	
Bands 46RE (DGT)	Fig. 46RE-515
Valve Body	
Valve Body 46RE (DGT)	Fig. 46RE-710
Servos, Accumulator 46RE (DGT)	Fig. 46RE-725
Parking Sprag 46RE (DGT)	Fig. 46RE-730
Overdrive Gear Train	
Clutch 46RE (DGT)	Fig. 46RE-1010
Gearshift Controls	
Controls , Gearshift 46RE (DGT)	Fig. 46RE-1210

46RE-100 Transmission Assembly	46RE-200 Case and Extension	46RE-300 Oil Pump	46RE-400 Gear Train
			
46RE-500 Bands, Reverse and Kickdown	46RE-700 Valve Body	46RE-1000 Overdrive Gear Train	46RE-1200 Gearshift Controls
			

Transmission 46RE (DGT)
Figure 46RE-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGT = 4 Speed Automatic Transmission 46RE
ELF = 5.2L SMPI MAGNUM V8
ELN = 5.2L MPI CNG V8
ELP = 5.2L LPG V8
EL0 = All 5.2L 8 Cyl Gas Engines
EML = 5.9L SMPI MAGNUM V8
EM0 = All 5.9L 8 Cyl Gas Engines

1									TRANSMISSION PACKAGE
	4883 738AA	1				EL0	DGT		52119537(Package contains 52119537 Transmission, K4736595 Converter, K1919765 Bolts.)
	4883 740AA	1				EM0	DGT		52119538 (Package contains 52119538 Transmission, K4736591 Converter, K1949765 Bolts
-2									OVERDRIVE
	5211 8151	1				EL0	DGT		
		1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case And Related Parts 46RE (DGT) Figure 46RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DGG = 3 Speed Automatic Transmission 32RH

DGH = 3 Speed Automatic Transmission 36RH

DGT = 4 Speed Automatic Transmission 46RE

DG0 = All Automatic Transmissions

ELF = 5.2L SMPI MAGNUM V8

ELN = 5.2L MPI CNG V8

ELP = 5.2L LPG V8

EL0 = All 5.2L 8 Cyl Gas Engines

EML = 5.9L SMPI MAGNUM V8

EM0 = All 5.9L 8 Cyl Gas Engines

-1

SEAL AND GASKET PACKAGE,
Transmission

	4863 884AE-	1				EL0	DGT		
		1				EM0	DGT		
2	6025 021	1					DG0		NUT, Hex, .437-14
3	4004 001	4				EM0			RETAINER, Exhaust Pipe to Manifold
4	6024 027	1					DG0		SCREW AND WASHER, Hex Head, .437-14x.25
5	5211 8629	1					DG0		SEAL, Oil Filler Tube
6	5211 8623	1				EL0, EM0	DGT		TUBE, Transmission Oil Filler
7	4167 541	1					DG0		STRAP, Oil Filler Tube
8	5211 8639	1					DG0		INDICATOR, Transmission Fluid Level, 52-3/4" Long
9	6024 473	2					DG0		SCREW AND WASHER, Hex Head, .437-14x2.00, Block to Case, .437- 14 x 2.00
10	6023 092	2				EH0	DGG		SCREW AND WASHER, Hex Head, .25-20x.50, Pan to Case
11	0181 112	4							SCREW AND WASHER, Hex Head, .375-16x1.00
12	6024 027	1					DG0		SCREW AND WASHER, Hex Head, .437-14x.25, Strut to Block,
13	4130 693	1					DG0		BRACE, Transmission
14	4130 503	1					DGH, DGT		COVER, Transmission Dust
15	5211 7709	1							GROMMET, Timing Probe
16									CLIP

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case And Related Parts 46RE (DGT)
Figure 46RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5211 8181	2				EL0	DGT		
		2				EM0	DGT		
17	6022 266	4					DG0		SCREW, Hex Head, .375-16x1.5, Case to Cyl. Block, CASE, Transmission
18									
	5211 8756	1				EL0	DGT		
		1				EM0	DGT		
19	6028 095	1				EL0	DGH		PLUG, Pressure Check
20									SWITCH, Neutral, Safety, Back Up
	3747 361	1				EL0	DGT		
		1				EM0	DGT		
21	2408 143	1					DG0		WASHER, Switch, B/U Light
22									SCREW AND WASHER, Hex Head, .312-18x.625
	4723 548	14				EH0	DGG		
		12				EL0	DGT		
		12				EM0	DGT		
23									PAN, Transmission Oil
	5211 8804	1				EL0	DGT		
		1				EM0	DGT		
24									MAGNET, Transmission
	3681 601	1				EL0	DGT		
		1				EM0	DGT		
25									GASKET, Oil Pan
	2464 324	1				EL0	DGT		
		1				EM0	DGT		
26									SCREW
	2400 389	1				EL0	DGT		Kickdown Band Adjusting
		1				EM0	DGT		Kickdown Band Adjusting
27	4446 150	1					DG0		BRACE, Transmission
28									SCREW, (NOT SERVICED) (Not Serviced)
29	6033 879	2				EL0	DGH		NUT, Inverted Flare, .62-18
30									O RING, Trans Speed Sensor
	6501 701	1				EL0	DGT		
		1				EM0	DGT		
31									SENSOR, Transmission Output Speed
	4412 879	1				EL0	DGT		
		1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case Rear 46RE (DGT)
Figure 46RE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
ELF = 5.2L SMPI MAGNUM V8									
ELN = 5.2L MPI CNG V8									
ELP = 5.2L LPG V8									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = 5.9L SMPI MAGNUM V8									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									SEAL, Extension Yoke
	4531 216	1				EM0	DGT		
		1				EL0	DGT		
2									SCREW, (NOT SERVICED) (Not Serviced)
3	2466 957	1				EL0	DGT		COVER, Transmission Converter
4	2801 398	1				EL0	DGT		GASKET, Transmission
5									GASKET, Overdrive Piston Retainer
	4471 565	1				EL0	DGT		
		1				EM0	DGT		
6									SCREW, Hex Flange Head, .375-16x1.44
	6033 745	7				EL0	DGT		
		7				EM0	DGT		
7									CASE, Transmission Rear
	4461 184	1				EL0	DGT		
		1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Oil Pump 46RE (DGT)
Figure 46RE-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
DGT = 4 Speed Automatic Transmission 46RE									
ELF = 5.2L SMPI MAGNUM V8									
ELN = 5.2L MPI CNG V8									
ELP = 5.2L LPG V8									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = 5.9L SMPI MAGNUM V8									
EM0 = All 5.9L 8 Cyl Gas Engines									
-1									GASKET AND SEAL PACKAGE, Transmission Oil Pump
	4746 109	1				EL0	DGT		
		1				EM0	DGT		
2									SEAL, Impeller Hub, 57.25mm OD
	4531 225	1				EM0	DGT		
		1				EL0	DGT		
3									SEAL, Front Pump Housing
	1942 021	1				EM0	DGT		
		1				EL0	DGT		
4									BAFFLE PACKAGE, Pump w/Nail, Front Pump Housing Vent w/Nail, Front Pump Housing Vent
	3420 087	1				EM0	DGT		
		1				EL0	DGT		

5									PUMP, Transmission Oil
	4505 030	1				EM0	DGT		
		1				EL0	DGT		
6									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
9									SHAFT, Oil Pump, (NOT SERVICED) (Not Serviced)
10									BUSHING, Front Pump, (NOT SERVICED) (Not Serviced)
11									BUSHING, (NOT SERVICED) (Not Serviced)
12									GASKET, Transmission Oil Pump
	4028 377	1				EL0	DGT		
		1				EM0	DGT		
13									THRUST WASHER, Front Clutch

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Oil Pump 46RE (DGT)
Figure 46RE-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4617 161	1				EL0	DGT		THRUST WASHER, Front Clutch
		1				EM0	DGT		
	4617 161	1				EL0	DGT		
		1				EM0	DGT		
15	4617 163	1				EL0	DGT		THRUST WASHER, Front Clutch, Yellow .103
		1				EM0	DGT		
16	4617 164	1				EL0	DGT		THRUST WASHER, Front Clutch, Orange .121
		1				EM0	DGT		
17	4617 165	1				EL0	DGT		THRUST WASHER, Front Clutch, Blue .139"
		1				EM0	DGT		
18	4617 166	1				EL0	DGT		THRUST WASHER, Front Clutch, Black .157
		1				EM0	DGT		
19	3743 689	2				EL0	DGT		SEAL, Reaction Shaft
		2				EM0	DGT		
20	0179 815	6				EL0	DGT		SCREW, Hex Head, .312-18x.687
		6				EM0	DGT		
21	6023 943	7				EL0	DGT		SCREW AND WASHER, Hex Flange Head, .312-18x1.375
		7				EM0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Clutch, Front And Rear 46RE (DGT)
Figure 46RE-415

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
ELF = 5.2L SMPI MAGNUM V8									
ELN = 5.2L MPI CNG V8									
ELP = 5.2L LPG V8									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = 5.9L SMPI MAGNUM V8									
EM0 = All 5.9L 8 Cyl Gas Engines									
-1									SEAL PACKAGE, Transmission
									Clutch
	4637 078	1				EL0	DGT		
		1				EM0	DGT		
2									RETAINER, Clutch
	4058 437	1				EL0	DGT		
		1				EM0	DGT		
3									SEAL, Front Clutch Piston
	3410 226	1				EL0	DGT		
		1				EM0	DGT		
4									SEAL, Front Piston Clutch
	4058 484	1				EL0	DGT		
		1				EM0	DGT		
5									PISTON, Clutch
	2464 651	1				EM0	DGT		Front
		1				EL0	DGT		Front
-6									CHECK BALL, Dia-.187
	0147 483	1				EL0	DGT		
		1				EM0	DGT		
7									SPRING, Front Clutch
	4617 205	9				EM0	DGT		
	2801 243	9				EL0	DGT		
8									RETAINER, Transmission
	2801 949	1				EM0	DGT		Front. Clutch Piston Spring
		1				EL0	DGT		
-9	0147 483	1				EM0	DGT		CHECK BALL, Dia-.187
10	2124 824	1				EM0	DGT		SNAP RING, Frt. Clutch, Inner, .060" Thk., 3" I.D.
11									PLATE, Clutch Separator
	2124 826	3				EM0	DGT		Front
		3				EL0	DGT		Fronth
12	3410 570	1				EM0	DGT		SNAP RING, Frt. Clutch, .050" Thk., 7-8/64" O.D.


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Clutch, Front And Rear 46RE (DGT) Figure 46RE-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	4617 567	1				EM0	DGT		PLATE, Transmission Clutch
14	4617 201	3				EM0	DGT		Reaction, Front.
		3				EL0	DGT		DISC, Direct Clutch
15	3743 624	1				EL0	DGT		PISTON, Clutch
-16	0147 483	1				EL0	DGT		CHECK BALL, Dia-.187
17	1942 054	1				EL0	DGT		SEAL, Rear Clutch Piston
18	2124 835	1				EM0	DGT		SEAL, Rear Clutch Piston
		1				EL0	DGT		Outer
19	4617 855	1				EM0	DGT		RETAINER, Transmission, Rear
-20	4058 443	1				EM0	DGT		Clutch Piston
21	4617 161	1				EM0	DGT		SEAL, Rear Clutch Retainer
22	4617 396	1				EL0	DGT		THRUST WASHER, Front Clutch
		1				EM0	DGT		INPUT SHAFT, Transmission
23	4741 836	1				EL0	DGT		SEAL, Input Shaft
		1				EM0	DGT		
24	2124 872	1				EL0	DGT		SNAP RING
		1				EM0	DGT		Rr. Clutch Piston .060" Thk., 1-31/
									64" O.D.
									Rr. Clutch Piston .060" Thk., 1-31/
									64" O.D.
25	3743 622	1				EL0	DGT		RETAINER, Rear Clutch
		1				EM0	DGT		
26	5252 259	4				EL0	DGT		DISC PACKAGE, Clutch
		4				EM0	DGT		
27	3743 621	1				EL0	DGT		SPRING, Rear Clutch Piston
		1				EM0	DGT		
28	3515 077	1				EL0	DGT		SPACER, Rear Clutch Piston
		1				EM0	DGT		
29									SPRING, Rear Clutch

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Clutch, Front And Rear 46RE (DGT)
Figure 46RE-415

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
30	2466 806	1				EL0	DGT		Wave
		1				EM0	DGT		Wave
	2466 803	1				EM0	DGT		PLATE, Clutch Pressure
		1				EL0	DGT		Front
31	2124 826	3				EM0	DGT		PLATE, Clutch Separator
		3				EL0	DGT		Rear.
32									PLATE, Transmission Clutch
									Reaction
33	4617 567	1				EM0	DGT		Rear
		1				EL0	DGT		Rearh
									SNAP RING
	1942 063	1				EM0	DGT		.060" Thick
		1				EL0	DGT		.060" Thick
	1942 064	1				EL0	DGT		.074" Thick
	1942 065	1				EL0	DGT		.088" Thick
	2466 811	1				EL0	DGT		.106" Thick
		1				EM0	DGT		.106" thick
	1942 064	1				EM0	DGT		.074" Thick
	1942 065	1				EM0	DGT		.088" Thick
34									THRUST WASHER, Output Shaft,
									Red .068
	4505 186	1				EL0	DGT		
		1				EM0	DGT		
35	4058 438	1				EM0	DGT		BUSHING, Front Clutch
		1				EL0	DGT		


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Intermediate 46RE (DGT)
Figure 46RE-425



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
ELF = 5.2L SMPI MAGNUM V8									
ELN = 5.2L MPI CNG V8									
ELP = 5.2L LPG V8									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = 5.9L SMPI MAGNUM V8									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									SNAP RING, 1.108 Free Diameter
	6024 312	1				EM0	DGT		
		1				EL0	DGT		
2	5211 8693	1				EM0	DGT		CARRIER, Planetary Pinion
3									THRUST WASHER, Planetary
									Carrier
	2801 060	1				EM0	DGT		
		1				EL0	DGT		
4	2400 580	1				EM0	DGT		PLATE, Annulus Gear Thrust
-5	4539 129	1				EM0	DGT		THRUST WASHER, Planetary
									Carrier
6									GEAR, Front Annulus
	2892 656	1				EM0	DGT		2-1/2" I.D. Center Hole
		1				EL0	DGT		2-1/2" I.D. Center Hole
7									THRUST WASHER, Planetary
	1942 081	1				EL0	DGT		Carrier
		1				EM0	DGT		
8									SNAP RING, Sun Gear
	1736 521	1				EM0	DGT		Driving Shell Lock
		1				EL0	DGT		Driving Shell Lock
9									GEAR, Sun
	2801 311	1				EM0	DGT		
		1				EL0	DGT		
10									SHELL, Sun Gear
	4617 978	1				EM0	DGT		Driving
		1				EL0	DGT		Driving
11									INTERMEDIATE SHAFT,
	4617 611	1				EL0	DGT		Transmission
		1				EM0	DGT		w/Plug
12									PLATE, Transmission Module

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Intermediate 46RE (DGT)
Figure 46RE-425



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4505 188	1				EL0	DGT		Intermediate Shaft, Thrust .060"
		1				EM0	DGT		Thick Intermediate Shaft, Thrust .060"
13	1942 080	1				EL0	DGT		Thick PLATE, Sun Gear Driving Shell
		1				EM0	DGT		
14	1736 521	1				EM0	DGT		SNAP RING, Sun Gear
		1				EL0	DGT		
15									THRUST WASHER, Planetary Carrier
	2801 060	1				EL0	DGT		
		1				EM0	DGT		
16	2466 539	1				EM0	DGT		CARRIER, Planetary Pinion
		1				EL0	DGT		
17									PLATE, Annulus Gear Thrust
	2400 580	1				EM0	DGT		
		1				EL0	DGT		
18									GEAR, Rear Annulus
	4810 002	1				EM0	DGT		
		1				EL0	DGT		
19									SNAP RING
	6033 591	1				EL0	DGT		
		1				EM0	DGT		
20	6024 666	4				EL0	DGT		DOWEL, .108x1.00
		1				EM0	DGT		Front
		1				EL0	DGT		Rear
		1				EM0	DGT		Rear
		4				EM0	DGT		Front
21									SHAFT, Planetary
	4428 223	4				EL0	DGT		Front
		1				EM0	DGT		Rear
		1				EL0	DGT		Rear
		4				EM0	DGT		Front
22									THRUST WASHER, Planetary
									Carrier
	2801 315	8				EL0	DGT		Front
		6				EM0	DGT		Rear

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Intermediate 46RE (DGT)
Figure 46RE-425


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		6				EL0	DGT		Rear
23	2204 649	1				EM0	DGT		THRUST WASHER, Planet Pinion
		8				EM0	DGT		Rear
		1				EL0	DGT		Front
									Rear
24	2400 667	1				EM0	DGT		PINION, Transmission Planetary
		1				EL0	DGT		Rear
25	3743 664	69				EM0	DGT		ROLLER, Front and Rear Pinion,
									Rear
26	5211 8057	1				EM0	DGT		DRUM, Automatic Transmission, w/
									Race, Reverse
27									THRUST WASHER, Reverse Drum
	5211 8059	1				EM0	DGT		
		1				EL0	DGT		
28	4471 473	1				EM0	DGT		CAM, Overrunning Clutch
		1				EL0	DGT		
29	4617 199	1				EM0	DGT		CLUTCH, Overrunning
		1				EL0	DGT		14 Rollers Nylon Caged
									14 Rollers Nylon Caged,
30	0125 735	1				EM0	DGT		SCREW, .25-20
		1				EL0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		



FRONT & REAR PLANET PINION CARRIER GEARS

Output Shaft 46RE (DGT)
Figure 46RE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGT = 4 Speed Automatic Transmission 46RE
ELF = 5.2L SMPI MAGNUM V8
ELN = 5.2L MPI CNG V8
ELP = 5.2L LPG V8
EL0 = All 5.2L 8 Cyl Gas Engines
EML = 5.9L SMPI MAGNUM V8
EM0 = All 5.9L 8 Cyl Gas Engines


1	4864 501	1				EL0	DGT		SHAFT, Output
2									BUSHING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4	4461 008	1				EL0	DGT		BEARING, Output Shaft
5	4461 068	1				EL0	DGT		SNAP RING
6	4461 068	1				EM0	DGT		SNAP RING
7	4461 069	1				EL0	DGT		SNAP RING
8	2466 224	1				EM0	DGT		BEARING, Output Shaft
		1				EL0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bands 46RE (DGT)
Figure 46RE-515



REVERSE BAND



KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DGT = 4 Speed Automatic Transmission 46RE

ELF = 5.2L SMPI MAGNUM V8

ELN = 5.2L MPI CNG V8

ELP = 5.2L LPG V8

EL0 = All 5.2L 8 Cyl Gas Engines

EML = 5.9L SMPI MAGNUM V8

EM0 = All 5.9L 8 Cyl Gas Engines

1									LINK, Transmission Reverse Band
	4617 044	1				EM0	DGT		w/Anchor, Reverse Band
		1				EL0	DGT		w/Anchor, Reverse Band
2									SEAL, Reverse Band
	6030 910	2				EL0	DGT		
		2				EM0	DGT		
3									SHAFT, Band Lever
	2124 857	1				EM0	DGT		Reverse
		1				EL0	DGT		Reverse
4									NUT, Hex, .42-20
	0271 506	1				EL0	DGT		Adj. Screw Lock,
		1				EM0	DGT		Adj. Screw Lock,
5									LEVER, Reverse Band
	4617 028	1				EM0	DGT		w/Stem
		1				EL0	DGT		w/Stem
6	4471 497	1				EL0	DGT		STRUT, Reverse Band
7	4471 476	1				EM0	DGT		BAND, Reverse
8									LEVER, Reverse Band
	4617 014	1				EL0	DGT		
		1				EM0	DGT		
9									SCREW, Trans Reverse Band
									Adjusting, .437-20x1.5
	1942 141	1				EL0	DGT		
		1				EM0	DGT		
10									LEVER, Kickdown
	5211 8264	1				EM0	DGT		
		1				EL0	DGT		
11									SHAFT, Band Lever
	4531 181	1				EL0	DGT		
		1				EM0	DGT		
12									STRUT, Kickdown Band
	2124 848	1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bands 46RE (DGT)
Figure 46RE-515



REVERSE BAND



KICKDOWN BAND


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EL0	DGT		
13									PLUG, (NOT SERVICED) (Not Serviced)
14	3743 338	1				EM0	DGT		ANCHOR, Kickdown Band
		1				EL0	DGT		
15	2400 389	1				EM0	DGT		SCREW Kickdown Band Adjusting, 1/2-20 x 2-1/2"
		1				EL0	DGT		Kickdown Band Adjusting, 1/2-20 x 2-1/2"
16	4329 853	1				EM0	DGT		BAND, Kickdown
		1				EL0	DGT		
17	0124 934	1				EL0	DGT		NUT, Hex Jam, .50-20
		1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body 46RE (DGT)
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
ELF = 5.2L SMPI MAGNUM V8									
ELN = 5.2L MPI CNG V8									
ELP = 5.2L LPG V8									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = 5.9L SMPI MAGNUM V8									
EM0 = All 5.9L 8 Cyl Gas Engines									
-1									SEAL AND GASKET PACKAGE, Valve Body and Servo
	4863 892AB-	1				EM0	DGT		VALVE BODY ASSEMBLY
		1				EL0	DGT		
2	5211 8645	1				EL0	DGT		VALVE BODY ASSEMBLY
		1				EM0	DGT		
3									BODY, Transfer Plate, (NOT SERVICED) (Not Serviced)
4									GASKET, Transmission Solenoid
	5211 8510	1				EL0	DGT		SOLENOID, Transmission Overdrive
		1				EM0	DGT		
5	5211 8500	1				EL0	DGT		BOLT, Valve Body, .25-20x1.75
		1				EM0	DGT		
6	0181 071	3				EL0	DGT		FILTER, Valve Body
		3				EM0	DGT		
7	3515 996	1				EL0	DGT		SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2. 500
		1				EM0	DGT		
8									O RING, Solenoid Wiring, Transmission
	6033 826	3				EL0	DGT		
		3				EM0	DGT		SCREW, Tapping, .19-24x.75 Solenoid Wiring Connector Mounting
9	6034 748	2				EL0	DGT		
		2				EM0	DGT		SCREW, Tapping, .19-24x.75 Solenoid Wiring Connector Mounting
10	6033 985	1				EL0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Valve Body 46RE (DGT)
Figure 46RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EM0	DGT		Solenoid Wiring Connector
11	3681 227	1				EL0	DGT		Mounting LEVER, Throttle Valve
		1				EM0	DGT		
12	4617 439	1				EL0	DGT		LEVER, Manual Valve
		1				EM0	DGT		
13									BALL, Manual Lever Detent, .343 Diameter
	0147 488	1				EL0	DGT		
		1				EM0	DGT		
14									SEAL, Valve Lever Shift
	2466 548	1				EL0	DGT		Rubber, 5/8" O.D.
		1				EM0	DGT		Rubber, 5/8" O.D.
15	2538 062	1				EL0	DGT		WASHER, Manual Valve Lever
		1				EM0	DGT		
16	6035 208	1				EL0	DGT		SNAP RING
		1				EM0	DGT		Throttle Valve Lever Shaft
									Throttle Valve Lever Shaft
17	4505 098	1				EL0	DGT		SEAL, Manual Shift Valve, 1.25 OD
		1				EM0	DGT		
18									SCREW, Cap Head Lock, .312-24x1.25
	6030 609	1				EL0	DGT		Throttle Pressure Adjusting
		1				EM0	DGT		Throttle Pressure Adjusting
19									BRACKET, Valve Body Switch
	4617 010	1				EL0	DGT		Throttle Pressure Adjusting Screw
		1				EM0	DGT		Throttle Pressure Adjusting Screw
20	4130 492	1				EL0	DGT		SPRING, Switch Valve
		1				EM0	DGT		
21	4505 036	1				EL0	DGT		VALVE, Trans Lockup Switch
		1				EM0	DGT		
22	4617 008	1				EL0	DGT		TUBE, Boost Valve
		1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Valve Body 46RE (DGT)
Figure 46RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23									RETAINER, Boost Valve Oil Supply Tube
	5211 7958	1				EL0	DGT		
		1				EM0	DGT		
24									CLIP, Transmission Governor Transducer
	4617 219	1				EL0	DGT		
		1				EM0	DGT		
25									TRANSDUCER, Pressure Sensor
	5602 7720	1				EL0	DGT		
		1				EM0	DGT		
26									4 Prong Connector
	6034 493	1				EL0	DGT		
		1				EM0	DGT		
27									O RING, Pressure Switch
	4617 216	1				EL0	DGT		
		1				EM0	DGT		
28									.369 I.D.
	4617 211	1				EM0	DGT		
		1				EL0	DGT		
29									GASKET, Transmission Solenoid
	4723 549	1				EL0	DGT		
		1				EM0	DGT		
30									RETAINER, Transmission Governor Solenoid
	4617 210	1				EL0	DGT		
		1				EM0	DGT		
-31									O RING PACKAGE, Valve Body, Transmission Solenoid, .494 I.D., .873 I.D.
	3878 313	1				EL0	DGT		
		1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Servos, Accumulator 46RE (DGT)
Figure 46RE-725

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:
DGT = 4 Speed Automatic Transmission 46RE
ELF = 5.2L SMPI MAGNUM V8
ELN = 5.2L MPI CNG V8
ELP = 5.2L LPG V8
ELO = All 5.2L 8 Cyl Gas Engines
EML = 5.9L SMPI MAGNUM V8
EM0 = All 5.9L 8 Cyl Gas Engines

1									SNAP RING
	1942 130	1				EL0	DGT		Kickdown Servo Guide
		1				EM0	DGT		Kickdown Servo Guide
2	1942 123	1				EM0	DGT		SEAL, Servo Piston
		1				EL0	DGT		Kickdown Servo Guide ***
3									Kickdown Servo Guide ***
	3410 441	1				EM0	DGT		GUIDE, Kickdown Servo
		1				EL0	DGT		
4	4617 573	1				EM0	DGT		SPRING, Kickdown Servo Piston
5	3410 444	1				EM0	DGT		SPRING, Kickdown Servo Piston
		1				EL0	DGT		6 Coils
		1				EL0	DGT		6 Coils
6	6031 392	1				EM0	DGT		SNAP RING, Brake Master Cylinder
		1				EL0	DGT		Inner, 1-1/8" I.D.
7									Inner, 1-1/8" I.D.
	3410 437	1				EM0	DGT		RETAINER, Kick Down
		1				EL0	DGT		Inner
8	3410 445	1				EM0	DGT		Inner
		1				EL0	DGT		PISTON, Kickdown Servo
9	6028 864	1				EL0	DGT		Inner
		1				EM0	DGT		O RING, Kick Down Servo
									Inner, 15/16 x 1-1/8" x3/32"
									Inner, 15/16 x 1-1/8" x3/32"
10	1942 123	1				EL0	DGT		SEAL, Servo Piston
		1				EM0	DGT		
11	3410 440	1				EM0	DGT		PISTON, Kickdown Servo
		1				EL0	DGT		
12									SEAL, Kickdown Servo


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING


Servos, Accumulator 46RE (DGT)
Figure 46RE-725

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4412 444	1				EM0	DGT		
		1				EL0	DGT		
13	1942 130	1				EM0	DGT		SNAP RING
		1				EL0	DGT		
14	1942 150	1				EM0	DGT		RETAINER, Transmission Reverse Servo Piston Spring
		1				EL0	DGT		
15	2801 241	1				EM0	DGT		SPRING, Reverse Servo Piston
		1				EL0	DGT		
16									PLUG, Reverse Servo Piston
	5211 8740	1				EL0	DGT		
		1				EM0	DGT		
17	5211 8759	1				EL0	DGT		SPRING, Reverse Servo Piston
	4130 824	1				EM0	DGT		
18	4058 741	1				EL0	DGT		SEAL, Piston Reverse Servo, Rubber
		1				EM0	DGT		Rubber
19	2801 281	1				EM0	DGT		PISTON, Reverse Servo
		1				EL0	DGT		
20	6027 153	1				EL0	DGT		SNAP RING, .435 ID
		1				EM0	DGT		
21	3515 079	1				EL0	DGT		SPRING, Accumulator Piston
		1				EM0	DGT		Lower
22	3743 013	1				EL0	DGT		SEAL, Piston Accumulator
		1				EM0	DGT		Large
23	3743 650	1				EL0	DGT		PISTON, Accumulator
		1				EM0	DGT		
24	3743 010	1				EL0	DGT		SEAL, Piston Accumulator
		1				EM0	DGT		Small
25	4617 529	1				EL0	DGT		SPRING, Accumulator Piston


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005



KICKDOWN SERVO




LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING

Parking Sprag 46RE (DGT)
Figure 46RE-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGT = 4 Speed Automatic Transmission 46RE
ELF = 5.2L SMPI MAGNUM V8
ELN = 5.2L MPI CNG V8
ELP = 5.2L LPG V8

EL0 = All 5.2L 8 Cyl Gas Engines
EML = 5.9L SMPI MAGNUM V8
EM0 = All 5.9L 8 Cyl Gas Engines


1	2466 909	1				EL0	DGT		SPRING, Parking Sprag
2	4471 415	1				EL0	DGT		SPRAG, Transmission Parking
3	2466 892	1				EL0	DGT		SHAFT, Parking Sprag
4									SNAP RING, Rod
	6035 256	1				EL0	DGT		
5	2538 042	1				EM0	DGT		PLUG, Parking Sprag
6	2538 034	1				EL0	DGT		SNAP RING, Transmission
7									ROD, Parking Sprag
	4471 478	1				EL0	DGT		
		1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch 46RE (DGT) Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DGT = 4 Speed Automatic Transmission 46RE ELF = 5.2L SMPI MAGNUM V8 ELN = 5.2L MPI CNG V8 ELP = 5.2L LPG V8 EL0 = All 5.2L 8 Cyl Gas Engines EML = 5.9L SMPI MAGNUM V8 EM0 = All 5.9L 8 Cyl Gas Engines									
1	4740 774	1				EL0	DGT		PLATE PACKAGE, Transmission Module, w/Bearing, Direct Clutch Spring, Thrust
2									BEARING, Overdrive, (NOT SERVICED) (Not Serviced)
3	4778 742	1				EL0	DGT		GEAR, Overdrive Sun
4									BUSHING, (NOT SERVICED) (Not Serviced)
5	4798 520	1				EL0	DGT		CARRIER, O/Drive Planet Pinion, (4 Pinion)
6									RACE, Overrunning Clutch
	4461 124	1				EL0	DGT		
		1				EM0	DGT		
7	4461 014	1				EL0	DGT		THRUST BEARING, Ovedrive Third Position
8									CLUTCH, Overdrive Overrunning
	4461 015	1				EL0	DGT		
		1				EM0	DGT		
9									GEAR, Overdrive Annulus
	4761 010	1				EL0	DGT		
		1				EM0	DGT		
10	4461 059	1				EL0	DGT		SNAP RING, 5.25 OD
11	4461 060	2				EL0	DGT		SNAP RING, 6.00 OD, .
12	4461 089	1				EL0	DGT		DRUM, Automatic Transmission
13	4461 063	1				EL0	DGT		SNAP RING, 2.1875 OD
14	4461 027	1				EL0	DGT		SPRING, Direct Clutch
15	4461 072	1				EL0	DGT		HUB, Direct Clutch
16	4446 724	1				EM0	DGT		THRUST BEARING, Overdrive
17	4461 030	1				EL0	DGT		PLATE, Transmission Clutch
									Reaction
18	4461 042	8				EL0	DGT		DISC, Direct Clutch
19	4461 054	7				EM0	DGT		PLATE, Transmission Clutch
									Reaction

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch 46RE (DGT) Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	4461 031	1				EL0	DGT		PLATE, Transmission Clutch Reaction
21	4461 032	1				EL0	DGT		SPRING, Direct Clutch
22	4461 064	1				EL0	DGT		SNAP RING, 1.875" OD, .
23									GASKET, Overdrive Piston Retainer
	4471 565	1				EL0	DGT		
		1				EM0	DGT		
24									FILTER, Overdrive Clutch
	4412 583	1				EL0	DGT		
		1				EM0	DGT		
25									RETAINER, Transmission O/Drive Clutch Piston
	5211 7975	1				EL0	DGT		
		1				EM0	DGT		
26									PISTON, Overdrive Clutch
	5211 8599	1				EL0	DGT		
		1				EM0	DGT		
27	0152 796	6				EL0	DGT		SCREW, .25-20
28									SEAL, Overdrive Clutch Piston
	4431 697	1				EL0	DGT		Inner
		1				EM0	DGT		Inner
29									SEAL, Overdrive Clutch Piston
	4431 696	1				EL0	DGT		Outer
		1				EM0	DGT		Outer
30									PLATE, Transmission O/Drive Clutch
	4431 585	1				EL0	DGT		.123-.125" Thick
		1				EM0	DGT		.123-.125" Thick
	4431 587	1				EL0	DGT		.183-.185" Thick
	4431 586	1				EL0	DGT		.153-.155" Thick
		1				EM0	DGT		.153-.155" Thick
	4431 588	1				EL0	DGT		.213-.215" Thick
	4431 587	1				EM0	DGT		.183-.185" Thick
	4431 590	1				EL0	DGT		.243-.245" Thick
	4431 588	1				EM0	DGT		.213-.215" Thick
	4431 732	1				EL0	DGT		.168-.170" Thick
	4431 733	1				EM0	DGT		.198-.200" Thick
	4431 734	1				EM0	DGT		.228-.230" Thick
31	4431 916	1				EL0	DGT		SPACER, Intermediate Shaft, 1.58mm
-32	4431 917	1				EL0	DGT		SPACER, Intermediate Shaft, .175
-33									SPACER, Intermediate Shaft, .193

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Clutch 46RE (DGT)
Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4431 918	1				EL0	DGT		
		1				EM0	DGT		
-34	4431 919	1				EL0	DGT		SPACER, Intermediate Shaft, .211
		1				EM0	DGT		
35	4461 194	1				EM0	DGT		SNAP RING, Overdrive Clutch
36	4461 047	3				EL0	DGT		PLATE, Transmission Clutch Reaction
37	4461 181	4				EL0	DGT		DISC, Direct Clutch
38	4461 033	1				EL0	DGT		PLATE, Transmission Clutch Reaction
39	4461 066	1				EL0	DGT		SPRING, Overdrive Clutch
40	4461 065	1				EL0	DGT		SNAP RING, 6.50 OD

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Controls , Gearshift 46RE (DGT)
Figure 46RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGH = 3 Speed Automatic Transmission 36RH
DGT = 4 Speed Automatic Transmission 46RE
DG0 = All Automatic Transmission
ELF = 5.2L SMPI MAGNUM V8
ELN = 5.2L MPI CNG V8
ELP = 5.2L LPG V8
EL0 = All 5.2L 8 Cyl Gas Engines
EML = 5.9L SMPI MAGNUM V8
EM0 = All 5.9L 8 Cyl Gas Engines

1	5210 7674	1				EL0, EM0	DG0		CABLE, Shift
2	5207 8680	1					DGH, DGT DG0		BRACKET, Transmission Control Cable BRACKET, Throttle Valve Spring
3	5207 8718	1					DG0		NUT, Hex Flange Lock, .437-14
4	0152 476	1					DG0		SCREW AND WASHER, Truss
5									Head, .312-18x.750, (NOT SERVICED) (Not Serviced)
6	5207 9065	1					DG0		LEVER, Throttle Valve
7	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
8	0138 165	1					DG0		WASHER, Lock
9	0115 984	1					DG0		NUT, Brake Line
10	5210 7672	1					DG0		LEVER, Manual Control
11	6022 245	1					DG0		SCREW AND WASHER
12	5300 9055	1					DG0		SPRING, Throttle Valve Return


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


Group – 21P

Speedometer Pinions


GROUP 21P - Speedometer Pinions

Illustration Title	Group-Fig. No.
Speedometer Pinions	
Speedometer Pinons	Fig. 21P-110



21P-100 Speedometer Pinions			
			

Speedometer Pinons
Figure 21P-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5602 8183	1							SENSOR, Vehicle Speed, Speed
2	5206 9315	1							HOUSING, Speedometer Drive Gear, Speedometer Drive Pinion
3	6035 709	1							O RING, Trans Speedo Adapter, Housing
4	2892 399	1							CLAMP, Speedometer, Speedo. Drive Housing
5	0180 077	1							BOLT, Hex Head, 5/16x18x3/4, Speedo. Drive
6	5602 8182	1							O RING, Speed Sensor ***
7	5206 7634	1							PINION, Speedometer Drive 3.92 AXLE RATIO, 34 Teeth. LT245/75R16E BSW All
	5206 7636	1							3.92 AXLE RATIO, All LT225/ 235R16,All235R15,Michelin Brand Tires
	5206 7638	1							4.10 AXLE RATIO, 38 Teeth. All LT225/235516 Ti.res
	5206 7630	1							3.21 AXLE RATIO,30Teeth. All 235R15 Tires
	5206 7633	1							3.55 AXLE RATIO
	5206 7636	1							3.92 AXLE RATIO, 36 Teeth. LT245/75R16E BSW All.
	5206 7637	1							3.92 AXLE RATIO, 37 Teeth . All235R15, Goodyear Tires.

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

Group – 022
Wheels, Covers and Jacks

GROUP 22 - Wheels, Covers and Jacks


Illustration Title Group-Fig. No.

Wheels and Hardware	
Wheels And Hardware	Fig. 022-120
Wheel Covers and Center Caps	
Caps And Trim Ring	Fig. 022-220
Jack Stowage	
Jack And Storage	Fig. 022-330
Spare Tire Stowage	
Wheel, Spare Mounting	Fig. 022-420



022-100 Wheels and Hardware	022-200 Wheel Covers and Center Caps	022-300 Jack Stowage	022-400 Spare Tire Stowage

Wheels And Hardware
Figure 022-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: WCP,WCB = 15 x 6.5 Black Wheels WDA = 16 x 6.0 8-Stud Wheels WDG = 16 x 6.5 Steel Bright Wheels WJA = 15 x 7.0 Steel Wheels WJC = 15x7.0 Aluminum Wheels WJM = 15 x 7.0 Chrome Wheels									
1	5CP8 9M1S	4							WHEEL, Aluminum, WJC
2									WHEEL, Steel
	5DB8 8P4A	4							16x6.0 (WDA)
	5DB8 9P4A	4							16x6.5 WDG)
3									WHEEL, Steel
	QR22 S4A	4							15x7.0 (WJA)
	5FS0 6S4A	4							15x6.5 (WCP,WCB)
4									WHEEL, Steel
	5203 9100	4							15x7 (WJM)
	5203 9347	4							
5	J400 6956	20							NUT, Wheel, .50x20, Capped
6									CAP, Valve Stem, (NOT SERVICED)
7									(Not Serviced)
									STEM, Wheel Valve
	2073 355	1							Rubber
	5205 7949	1	3			12, 13, 52, 53			Steel
8	6034 958	20							NUT, Hex, .50-20, With Aluminum
									Wheels
9	1273 556	32							NUT, Wheel Mounting Stud, 5/8-18

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Caps And Trim Ring
Figure 022-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

WC0 = All 15" Non-Styled Wheels
WCP = 15 x 6.5 Black Wheels
WD0 = All 16" or 17" Wheels
WJA = 15 x 7.0 Styled Steel Wheel
WJC = 15" Aluminum Wheel
WMA = Hub Caps
WMJ = Chrome Center Hub


1									CAP, Wheel Center
	5200 6029	4							[WD0,WMA]
	5200 6318	4							[WCO,WMA]
	5203 8267	4							[WJA,WMJ]
-2	5DK6 0PX9	4							CAP, Wheel Center, Black, [WCP]
-3	5200 6560	4							RING, Wheel Trim, 16"

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Jack And Storage
Figure 022-330



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5505 5650	1							HANDLE, Jack
-2	5505 5647	4							CLIP, Anti Rattle, Handle
3	3634 409	1	3		12, 13, 52, 53				WRENCH, Wheel Lug Nut 1/2 x 20 - 13/16 Hex
	3464 976	1	1, 2						1/2 x 20 - 3/4 Hex
	4352 111	1	3		12, 13, 52, 53				5/8 x 18 - 1.0 Hex
-4									CLIP, Anti Rattle
	5505 5651	2	1, 2						Wrench
		2	3		12, 13, 52, 53				Wrench
5									JACK
	5205 8198	1	3		12, 13, 52, 53				Screw Type
	5205 8197	1	1, 2						Screw Type
6									SCREW, Pan Head, .25-20x2.375 Header Point, (NOT SERVICED) (Not Serviced)
7	6031 609	1							WINGNUT, Jack and Tire Hold Down
8	0118 615	4							NUT, Hex, .375-16, Spacer
9	3739 912	1			51, 52, 53				BRACKET, Tool Hold Down Front
		1			11, 12, 13				Front
10	0219 462	2							NUT, Hex, .250-20
11									SPACER
	4356 530	1	1, 2						Foam, Anti-Rattle
		1	3		12, 13, 52, 53				Foam, Anti-Rattle
12									WASHER, Sealing, ID=.219 OD=.75 THK= .19, (NOT SERVICED) (Not Serviced)
13	0219 462	2							NUT, Hex, .250-20
14	3739 908	1							CLAMP, Jack Storage
15									LABEL, Jack Instructions, (NOT SERVICED) (Not Serviced)
16	J576 6468	1							INSULATOR, Anti Rattle
17	5505 8226	1			11, 12				SPACER, Spare Tire


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Jack And Storage
Figure 022-330**

[illegible]


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wheel, Spare Mounting
Figure 022-420



SIDE MOUNTED SPARE



FLOOR MOUNTED SPARE

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4262 096	1							BRACKET, Spare Tire, Side Mount
2	6035 517	1							BOLT, Spare Wheel Anchor
3	6026 648	1							CLIP, Heater Duct, Spare Whl Anchor Bolt
4									WASHER, ID=.375, (NOT SERVICED) (Not Serviced)
5	6032 619	1							WINGNUT, Jack and Tire Hold Down
6	2909 542	32							NUT, Wheel Mounting Stud, 1/2x20 Threads
7	4215 633	1							BRACKET, Spare Tire, Floor Mount
8									WASHER, Flat, ID=.39 OD=1.50 THK=.125, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Group – 23D

Wiper/Lock Cylinder and Keys


GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No.
Lock Cylinders and Keys	
Lock Cylinders & Components	Fig. 23D-110
Windshield Wiper and Washer Systems	
Windshield Wiper & Washer	Fig. 23D-220



23D-100 Lock Cylinders and Keys	23D-200 Windshield Wiper and Washer Systems		
--	--	--	--

Lock Cylinders & Components
Figure 23D-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: ALL LOCK CYLINDERS ARE UNCODED									
1	4897 986AA	1							CYLINDER, Ignition Lock
2	4778 123	1							CYLINDER, Door Lock, Cargo and Sliding Doors
-3	4746 312	1							CYLINDER, Glove Box Lock
4	4778 117	1							TUMBLER, Door and Deck Number 1, Wide, And Ignition
5	4778 118	1							TUMBLER, Door and Deck Number 2, Wide, And Ignition
6	4778 119	1							TUMBLER, Door and Deck Number 3, Wide, And Ignition
7	4778 120	1							TUMBLER, Door and Deck Number 4, Wide, And Ignition
-8	4378 793	1							SPRING, Cylinder Return, Door Lock
-9	4746 873	1							SPRING, Lock Cylinder Tumbler
-10	4778 121	1							SPRING, Door and Deck Tumbler
11	5257 148	1							CAP, Door Lock Cylinder, Black
12	4778 150	1							SHUTTER, Door, Deck and Liftgate, Bright
13	2583 377	4							RETAINER, Door Lock Cylinder
14	6026 125	1							CLIP, Retainer, [C]
15	3454 220	1							CLIP, Parking Brake Cable, And Lock Cylinder Retainer
16	5507 4799	4							GASKET, Door Lock Cylinder, Black
17	4796 386	1							KEY, Blank
-18	5507 5488	2							KEY, Valet
19	5507 5824	2							LEVER, Door Lock Cylinder
20	5600 7049	2							TRANSMITTER, Keyless Entry
21	8350 4802	1							BATTERY, Transmitter, [2016]
22	5600 7503	1							RECEIVER, Keyless Entry, Module

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Windshield Wiper & Washer
Figure 23D-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4389 132AB	1							MOTOR, Wiper
2	4798 140	1							ARM, Wiper Motor Crank
3	6031 096	1							NUT, Wiper Crank Arm
4	9422 041	4							BOLT, Hex Head, .312-18x1.50
5									ARM, Wiper
	55076 884AA	2							After 02/03/97
	5515 5149	2							Up to 02/03/97 (w/Nozzle)
6	5515 5011	1							LINK AND PIVOT, Wiper
7									BLADE, Wiper
	55076 885AA	2							After 02/03/97
	5515 5444	2							Up to 02/03/97
8	5515 5001	2							SHIELD, Wiper Hose
9	5515 5002	2							CONNECTOR, Washer Hose, Elbow
									Type
10	0181 084	4							BOLT, Hex Head, .312-18x.62, Motor Mounting
11									PIVOT, Wiper, (Serviced w/Link Assembly, (NOT SERVICED) (Not Serviced)
12	3799 062	1							CONNECTOR, Washer Hose, T, Hose Tee
13	4270 855	1							SEAL, Wiper Motor
14	4439 003	1							HOSE, Windshield Washer, 0156 ID=4MM
15	4762 319	1							PUMP, Washer, Windshield, , w/ Grommet
16	4439 002	1							HOSE, Windshield Washer, , (.115 ID)
17	5515 4856	1							RESERVOIR, Washer, w/Sensor
18	4389 301AB	1							BRACKET, Wiper Motor, w/Seal, Mounting
19									LINK, Wiper, Wiper Drive (Serviced w/Link Assembly, (NOT SERVICED) (Not Serviced)
20	4756 656	1							CAP, Washer Reservoir
21	4339 418	1							SENSOR, Washer Fluid Level
22	3431 975	1							FILTER, Washer Pump
23	5600 0595	1							GASKET, Washer Reservoir Sensor, Fluid Level
24	5600 0594	1							WASHER, Wiper Reservoir Sensor, Filter Nut


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Windshield Wiper & Washer
Figure 23D-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	3431 744	1							GROMMET, Washer Pump
26	4270 855	1							SEAL, Wiper Motor, Bracket
-27	5507 6669	1							SEAL, Windshield Washer, Shroud Anti-Slosh
-28	5507 6668	1							BAFFLE, Coolant Bottle

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 024
Air Conditioning & Heater

GROUP 24 - Air Conditioning & Heater

Illustration Title Group-Fig. No.

Air Conditioner and Heater Units

Hevac Unit	Fig. 024-130
Rear Heater Unit	Fig. 024-140
Rear Hevac Unit	Fig. 024-170

Air Conditioner and Heater Plumbing

Plumbing, Hevac (1 Of 2)	Fig. 024-230
Plumbing, Hevac (2 Of 2)	Fig. 024-240
Plumbing, Rear Hevac Unit	Fig. 024-250

Air Conditioner and Heater Controls

Control, Heater	Fig. 024-320
Control, Hevac	Fig. 024-330
Vacuum Lines	Fig. 024-340

Air Conditioning Compressor


Compressor, Air Conditioning	Fig. 024-420
------------------------------------	--------------







Air Conditioning Compressor Mounting

Mounting,compressor	Fig. 024-510
---------------------------	--------------


Air Ducts and Outlets

Air Ducts And Outlets, Front	Fig. 024-610
Ducts and Outlets Rear	Fig. 024-620



024-100 Air Conditioner and Heater Units 	024-200 Air Conditioner and Heater Plumbing 	024-300 Air Conditioner and Heater Controls 	024-400 Air Conditioning Compressor 
024-500 Air Conditioning Compressor Mounting 	024-600 Air Ducts and Outlets 		

Hevac Unit Figure 024-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4734 968	1							HOUSING, A/C Evaporator Core
-2	4734 750	1							SEAL, Evaporator Housing
-3	5503 6425	1							CORE, Heater
-4	4882 817AB-	1							EVAPORATOR, Air Conditioning
5	4734 934	1							COVER AND STUD, Evaporator
6									Core
									CLIP, Control, Cable, (NOT SERVICED) (Not Serviced)
7	0271 173	1							NUT, Blend Air Door Lever
8	4114 087	1							LEVER, Mode Door, w/Pin, Blend Door Control
-9	5503 6424	1							DOOR, Blend Air
10	4114 039	1							DOOR, Fresh Air, w/Seal
11	6003 464	1							Recirculating SNAP RING, Transmission, 1 1/8 O.D., A/C Blend Air Door Control Cable Mounting
12									RETAINER, Drain Tube, Serviced in Housing, (NOT SERVICED) (Not Serviced)
13									TUBE, Drain, Serviced in Housing, (NOT SERVICED) (Not Serviced)
14	4114 095	1							LEVER, A/C Recirculation Door
15	4114 033	1							COVER AND SEAL, Heater Housing
16	4114 096	1							SEAL, A/C Unit To Dash, Recirculating Housing to Dash
17	5503 5984	1							HOUSING, Air Outlet, Motor Backing
18									NUT, Motor Mtg., (NOT SERVICED) (Not Serviced)
19	4638 058AB	1							MOTOR PACKAGE, Heater Blower
-20	3575 333	1							GROMMET
-21	3503 036	1							SEAL, Motor To Cover
-22	6031 694	1							SCREW AND WASHER, Hex Head, .164-18x1.0
-23	3843 386	1							TERMINAL, Motor
-24	5503 6170	1							BLOWER, Motor, Wheel
-25	2837 680	1							CLAMP, Blower Motor Wheel
-26									RESISTOR, Blower Motor
	4885 346AA-	1							[HC0]
	4734 998	1							[HAA]
27	3503 040	1							TUBE, A/C Motor Cooling


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hevac Unit
 Figure 024-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28	5503 6537	1							HOUSING AND STUD, Air
29	4114 052	1							Recirculating SEAL, Evaporator To Dash, Evaporator Housing to Recirculating Housing
30	4114 038	1							ACTUATOR, Heater, Recirculating Door
31	6035 599	1							CLIP, A/C Heater Housing, Actuator Shaft Mtg.
32	5503 6447	1							SWITCH, A/C Cycling
-33	4644 100	1							SEAL, Evaporator Header
	4734 749	1							Tube Opening
	5503 6442	1							Evaporator Top
	5503 6443	1							Evaporator Bottom
-34	5503 6426	1							SEAL, Heater Core
-35	4734 374	2							SEAL, Plate and Fin (38' Long)
-36	4114 096	1							SEAL, A/C Unit To Dash
-37	4114 032	1							SEAL, Housing To Cowl
-38	5503 6225	1							LABEL, Air Conditioning System

DODGE RAM VAN & WAGON (AB)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Heater Unit
Figure 024-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4085 377	1							HEATER, Auxillary
2	3895 460	1							MOTOR, Auxiliary Heater, Blower
-3	2822 338	1							INSULATOR, Air Conditioning, Motor
4	2511 034	1							FAN, Blower Motor, Blower
5	3895 992	1							CORE, Heater, Heater
6	2958 954	2							SEAL, Heater Stud




DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Hevac Unit Figure 024-170



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4361 290	1							ACTUATOR, Heater, Floor
2	4361 289	1							MOTOR, Auxiliary Heater, Blower
3	3895 890	1							RESISTOR, Blower Motor
4	4361 400	1							HOUSING, Air Conditioning Unit
5	4361 402	1							CORE, Heater, Unit
6	4361 401	1							EVAPORATOR, Air Conditioning, Evaporator
7	4494 314	AR							VALVE, A/C Expansion
-8	4361 101	1							CLAMP, Expansion Valve
9									BRACKET, Heater Core, (NOT SERVICED) (Not Serviced)
10									COVER, Air Conditioning, Housing, (NOT SERVICED) (Not Serviced)
11	3895 797	1							MOTOR, Auxiliary Heater, Blower
12	5600 4806	1							BLOWER
13	4798 243	1							TUBE, Auxilary A/C and Valve, Rear Expansion Valve
-14	2936 926	1							TUBE, Drain
15	3895 417	1							PLATE, Auxiliary A/C and Heater, Housing
16	4114 219	1							PLATE, Auxiliary A/C and Heater, Unit Mtg.
17									BRACKET, Front, Serviced in Housing, (NOT SERVICED) (Not Serviced)
18									BRACKET, Rear, Serviced 1n Housing, (NOT SERVICED) (Not Serviced)


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Hevac (1 Of 2)
Figure 024-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

EH0 = 3.9L V6 GAS ENGINES

EL0 = 5.2L 8 CYL GAS ENGINES

EMO = 5.9L 8 CYL GAS ENGINES

1	5503 6515	1							HOSE, Heater, Engine to Valve
-2	4397 809	1							TUBE, Convoluted, Hose
3	5503 7058	1							HOSE, Heater, Core to Valve
4	5252 013	1							HOSE, Heater, 5/8 Roll Stock
-5	4397 809	1							TUBE, Convoluted, Hose
6	4339 457	1							VALVE, A/C and Heater Water
7	2448 770	10							CLAMP, Hose
8	4641 780	4							STRAP, Tie
9	6502 017	2							CLAMP, Heater Hose
10	5503 5944	1							NIPPLE, Heater Inlet
11	5503 6160	1				EH0, EL0, EMO			TUBE, Water Pump Inlet, Return Hose
-12	4740 906	1				EH0, EL0, EMO			O RING, Tube Assy, Heater Return
13	5503 5876	1							SPACER, Heater Return Tube
14	6034 246	1							BOLT, Hex Head, .375-16x.75
15	5505 5694	2							CAP, Heater Hose, 5/8"
16	4361 251	2							TEE, Auxiliary Heater Hose, 45 Degree, Water Hose

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Hevac (2 Of 2)
Figure 024-240

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6030 223	4							BOLT, Header Point Square, .250-20x.875
2	6033 560	4							NUT AND WASHER, Hex Nut-Coned Washer, .25-20
3	6101 453	1							SCREW AND WASHER, Hex Head, M8x1.25x30
4	4773 595	1							CAP, A/C Check Valve
5									SCREW AND WASHER, M8-1.25x24.0, (NOT SERVICED) (Not Serviced)
6	55055 812AB	1							LINE, A/C Suction And Liquid
	55055 770AB	1							For Field Installation
	55055 811AB	1							w/Factory Rear HVAC
-7	4773 189	1							SWITCH, A/C Low Pressure Cut Off
8									FITTING, A/C Pre-charge
	5003 592AA	1							3/8'
	5003 593AA	1							5/8'
-9									O RING, A/C Suction Line to Drier
	3847 083	1							to Compressor
	3847 081	AR							
-10	3846 834	1							GASKET, A/C Suction And Liquid
11	5503 6890	1							LINE, A/C Discharge, Discharge and Liquid
12	4163 920	1							CONDENSER, Air Conditioning
13	5503 6003	1							RECEIVER DRIER
14	55055 740AB	1							HOSE AND TUBE, a/c suction, w/ Tube and Plate,
15	5505 6080	1							HOSE, Heater, w/Plate Discharge and Liquid
16	55036 079AB	1							VALVE, A/C Expansion
17	6032 572	2							SCREW, Cap, .25-20x2.00

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Plumbing, Rear Hevac Unit
Figure 024-250

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									HOSE, Auxiliary A/C Suction & Liquid Rear
	5503 6287	1							Liquid Line
	5503 6288	1							Suction Line
2									O RING, A/C Suction Line
	4761 825	1							Front
	4761 826	1							Rear
3	4882 139	2							O RING, High Pressure
4	6101 453	1							SCREW AND WASHER, Hex Head, M8x1.25x30
5	6032 572	2							SCREW, Cap, .25-20x2.00
6	5503 6181	1							VALVE, Auxiliary A/C Expansion
-7	4361 101	1							CLAMP, Expansion Valve
8	55055 811AB	1							LINE, A/C Suction And Liquid
9									SCREW, Self Piercing, .25-14x.625, (NOT SERVICED) (Not Serviced)
10	2448 770	14							CLAMP, Hose
11	5503 6512	1							HOSE, Auxiliary A/C Suction & Liquid Rear, Heater Tee to Front Tube
12	5503 6784	1							HOSE, Heater And A/C Lines, Heater Tee to Rear Tube
13	4741 932	1							HOSE, 5/8" I.D. 50 Foot Roll
14	5534 5432	1							TUBE, Auxiliary A/C and Heater, Front
15	5200 4223	2							CLAMP, Hose, Front Tube
16	4361 014	1							TUBE AND HOSE, Auxiliary A/C and Heater, Rear
17	4361 017	1							VALVE, Auxiliary Heater Water
18	4361 005	1							BRACKET, Aux A/C And Heater Line, Tube
19	4773 189	1							SWITCH, A/C Low Pressure Cut Off, Cut-Off
20	3441 105	1				EH0, EL0, EM0			SEAL, Low Pressure Switch

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Figure 024-250



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	4361 251	2							TEE, Auxiliary Heater Hose, 45 Degree
22	2936 926	1							TUBE, Drain
23	5200 4222	1							BRACKET, Alternator, Hose Mtg.
24	6016 155	1							STRAP, Tie, Hose Support
25									HOSE, Heater
	3441 835	1							1/2"x13"
	3502 771	1							1/2"x20"
26	0181 063	2							SCREW AND WASHER, .25-20x.75
27	5503 6078	1							RECEIVER DRIER
28	5503 6289	1							HOSE, Heater
29	4462 204	AR							SWITCH, A/C Line Temperature

DODGE RAM VAN & WAGON (AB)

L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Control, Heater
Figure 024-320


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5505 5748	1							CONTROL, Temperature
-2									VACUUM HARNESS, Heater and A/C
	5503 6174	1							Heater
	5503 6176	1							Speed Control
-3	5505 5508	1							CABLE, A/C And Heater Control



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Control, Hevac
Figure 024-330




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5011 344AA	1							CONTROL, A/C And Heater
-2									SWITCH, A/C and Heater Control
	3848 654	1							Six Button Control
	4261 306	1							Heater Control Blower
-3									VACUUM HARNESS, Heater and A/C
	5503 6174	1							Heater and A/C
	5503 6176	1							Speed Control
-4	4085 425	1							BRACKET, Auxilliary A/C Control
-5	6029 889	1							RETAINER, Temperature Control Cable, .098x.182
-6	4443 134	1							SOCKET AND BULB, Heater and A/C Control
7	3849 809	1							KNOB, A/C And Heater Control - Slide
8	4443 105	1							LEVER AND KNOB, Temperature Control
-9	4261 020	1							DECAL, A/C and Heater Control
10	5503 6023	1							KNOB, Blower Switch
-11	5505 5508	1							CABLE, A/C And Heater Control

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Vacuum Lines
Figure 024-340



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1									CLIP, (NOT SERVICED) (Not Serviced)
2	6029 889	1							RETAINER, Temperature Control Cable, .098x.182
3	3849 739	1							CLIP, Heater Control Cable
4									CLIP, (NOT SERVICED) (Not Serviced)
5	5505 5508	1							CABLE, A/C And Heater Control, Temperature Control, 1997
6	3847 622	1							HOSE, A/C Vacuum
-7	3580 172	1				EH0, EL0, EM0			CAP, Vacuum
8	5503 5902	1							RESERVOIR, Speed Control Vacuum
-9	6032 824	1							BOLT, Hex Flange Head, .25-14x.625
10									VACUUM HARNESS, Heater and A/C
	5503 6174	1							Heater
	5503 6176	1							Speed Control

DODGE RAM VAN & WAGON (AB)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Compressor, Air Conditioning
Figure 024-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5503 6887	1							COMPRESSOR, Air Conditioning
-2	4746 781	1							O RING KIT, Compressor
-3	4778 026	1							CLUTCH, A/C Compressor



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Mounting,compressor
Figure 024-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6034 247	1							BOLT, Hex Head, .375-16x.25
2									SCREW, (NOT SERVICED) (Not Serviced)
3	5300 9508	1							PULLEY, Idler, Idler
4	5300 8761	1							BRACKET, Alternator, Compressor Mounting
5									NUT, (NOT SERVICED) (Not Serviced)
6	6034 246	1							BOLT, Hex Head, .375-16x.75
7									SCREW, (NOT SERVICED) (Not Serviced)
8	3300 2201	1							BUSHING, Idler Pulley, Pulley
9	5301 0158	1							TENSIONER, Belt
10									SCREW, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure 024-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	L716 MD5	2							GRILLE, Defroster
2	6023 957	6							NUT, Hex, .375-16
3	5505 5505	1							DUCT, Air Outlet, Left, w/Seal, Left Complete
4	4261 107AB	1							ACTUATOR, Heater, Mode Door
5	4085 786	1							Vacuum ACTUATOR, Heater, Defroster Door
6	5505 5710	1							Vacuum DUCT, Air Distribution
7	4085 932	1							DUCT AND SEAL, Air Outlet, w/Seal, Right Outlet

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Ducts and Outlets Rear
Figure 024-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BEZEL, A/C Outlet
	5521 6872	4			51, 52, 53				
		4			11, 12, 13				
2									SCREW, (NOT SERVICED) (Not Serviced)
3									SCREW, (NOT SERVICED) (Not Serviced)
4	4361 290	1							ACTUATOR, Heater
-5	4361 018	1							CABLE, Aux Temperature Control
6	5503 6668	1							DUCT AND SEAL, A/C And Heater Air Outlet
7									SHIELD, Wiring, (NOT SERVICED) (Not Serviced)
8	3895 417	2							PLATE, Auxiliary A/C and Heater
9	6025 007	6							NUT AND WASHER, Hex, .312-18
10	3503 739	6							AIR OUTLET, Heater and A/C

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 025

Emission Systems

GROUP 25 - Emission Systems

Illustration Title Group-Fig. No.

Emission Labels


Emission Labels 3.9L (EHC), 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine Fig. 025-120




Vacuum Canister

Vacuum Canister 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine Fig. 025-320

Emission Harness

Emission Control Vacuum Harness 3.9L (EHC), 5.2L(ELF), 5.9L (EML) Engine Fig. 025-420



025-100 Emission Labels 	025-300 Vacuum Canister 	025-400 Emission Harness 	
--	--	---	--

Emission Labels 3.9L (EHC), 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine
Figure 025-120

1

53032003

CATALYST

CHRYSLER CORPORATION

IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO U.S. EPA REGULATIONS APPLICABLE TO 19XX MODEL YEAR NEW LIGHT-DUTY TRUCKS WITH A CURB WEIGHT GREATER THAN 3,450 POUNDS AT ALL ALTITUDES.

• BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.

◦ ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.

CAUTION : APPLY PARKING BRAKE WHEN SERVICING VEHICLE.

XX LITER
NCR5.2T5FEX3
NCRTG

SPARK PLUGS

IDLE *
TIMING BTC

MAN
X

AUTO
X

NO OTHER ADJUSTMENTS NEEDED

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

Engine
EHC = Magnum 3.9L SMPI V-6 Engine
ELF = Magnum 5.2L SMPI V-8 Engine
ELP = 5.2L V-8 LPG Engine
EML = Magnum 5.9L SMPI V-8 Engine
NAA = Federal Emissions
NAE = California Emissions
Check the VIN Number for the 'Z' Code GVW Rating

1							LABEL, Emission		
	5303 2563	1				EHC			Federal
	5303 2564	1				EHC			Canada
	5303 2566	1	1, 2			ELF			Federal, Except Z3A, Z3B
	5303 2565	1				EHC			California
	5303 2568	1				ELF			Federal, Z3B
	5303 2567	1				ELF			Federal, Z3A
	5303 2569	1	1, 2			ELF			Canada, Except Z3A, Z3B
	5303 2570	1				ELF			Canada, Z3A
	5303 2572	1	1, 2			ELF			California
	5303 2571	1				ELF			Canada, Z3B
	5303 2573	1	3		12, 13, 52, 53	ELF			California
	5303 2574	1	1, 2			EML			Federal, Except Z3A, Z3B, Z3D
	5303 2575	1				EML			Federal, Z3A
	5303 2577	1	1, 2			EML			Canada, Except Z3A, Z3B, Z3D
	5303 2576	1				EML			Federal, Z3B, Z3D
	5303 2579	1				EML			Canada, Z3B, Z3D
	5303 2578	1				EML			Canada, Z3A
	5303 2580	1	1, 2			EML			California
	5303 2581	1	3		12, 13, 52, 53	EML			California
	56022 317AA	1	3		12, 13, 52, 53	ELP			


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

« RETURN TO GROUP INDEX

Vacuum Canister 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 025-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


1	53030 381AB	1				EH0, ELF, EM0			CANISTER, Vapor
2	4405 796	2				EH0, ELF, EM0			STRAP, Canister
3	6027 822	1				EH0, ELF, EM0			SCREW, Socket Hex Head, .25- 20x1.625
4	0153 355	1				EH0, ELF, EM0			U-NUT, .25-20
5	4288 247	1				EH0, ELF, EM0			BRACKET, Vapor Canister
6	6032 824	2							BOLT, Hex Flange Head, .25-14x. 625

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Emission Control Vacuum Harness 3.9L (EHC), 5.2L(ELF), 5.9L (EML) Engine
Figure 025-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGG = 3 Speed Automatic Transmission 32RH
EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1	5303 2014	1				EH0, ELF, EM0			HARNESS, Canister Purge
2	6016 429	1				EH0, ELF, EM0			CLIP, Mounting
3									HARNESS, Emission Control Vacumn
	5303 1122	1				EH0			
	5303 1123	1				ELF, EM0			
4	4364 375	AR				EH0, ELF, EM0			TUBE, Convoluted
5	4669 475AB	1				EH0, ELF, EM0			SOLENOID, Duty Cycle Purge
6	5602 7320	1				EH0, ELF, EM0			BRACKET, Vacuum Solenoid


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005





Group – DAB

Doors and Related Parts




GROUP DAB - Doors and Related Parts

Illustration Title	Group-Fig. No.
Front Door	
Door, Front Shell And Hinges	Fig. DAB-110
Door, Front Glass And Regulator	Fig. DAB-120
Door, Front Lock And Controls	Fig. DAB-130
Door, Sliding Cargo	
Door, Sliding Cargo Shell And Hinges	Fig. DAB-310
Door, Sliding Cargo Glass And Hardware	Fig. DAB-320
Door, Sliding Cargo Lock And Controls	Fig. DAB-330
Door, Dual and Single Cargo	
Door, Dual Cargo Shell And Hinges	Fig. DAB-410
Door, Dual Cargo Glass And Hardware	Fig. DAB-420
Door, Dual Cargo, Right Lock And Controls	Fig. DAB-430
Door, Dual Cargo, Left Lock And Controls	Fig. DAB-435
Door, Single Rear Cargo Shell And Hinges	Fig. DAB-450
Door, Single Rear Cargo Glass And Hardware	Fig. DAB-460
Door, Single Rear Cargo Lock And Controls	Fig. DAB-470
Check Arm, Cargo Door	Fig. DAB-480
Exterior Mirror	
Mirrors, Exterior	Fig. DAB-520
Weatherstrips and Seals	
Door, Front Weatherstrips And Seals	Fig. DAB-610
Door, Sliding Weatherstrips	Fig. DAB-620
Door, Dual Cargo Weatherstrips And Seals	Fig. DAB-630
Door, Single Rear Cargo Weatherstrips And Seals	Fig. DAB-640

DAB-100 Front Door 	DAB-300 Door, Sliding Cargo 	DAB-400 Door, Dual and Single Cargo 	DAB-500 Exterior Mirror 
DAB-600 Weatherstrips and Seals 			

Door, Front Shell And Hinges
Figure DAB-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	5534 7410	1							Right
	5534 7411	1							Left
2									PANEL, Door Outer Repair
	5534 4988	1							Right
	5534 4989	1							Left
-3									WATERSHIELD, Front Door
	5513 4810	1							Right
	5513 4811	1							Left
4	6029 940	2							PLUG, Mirror Hole Cover, Access Hole
5	6029 057	2							PLUG, Body, 1.655 Diameter
6	6029 939	AR							PLUG, Body, .50 Diameter
7	3760 482	2							PLUG, Access Hole, Access Hole
8									BRACKET, Door Ice Breaker
	4217 654	1							Right
	4217 655	1							Left
9									HINGE, Door
	5507 4606	1							Upper, Right
	5507 4607	1							Upper, Left
10									HINGE, Door
	5507 6268	1							Lower, Right
	5507 6269	1							Lower, Left
11	6500 976	1							PIN, Hinge, Serviced in Hinge Assembly, Upper
12	6503 925	1							PIN, Hinge, M9.50x91, Lower
13	5507 4591	2							BUSHING, Pin
14	2583 568	1							BAR, Front Door Hinge Torsion, Lower
15	0181 112	6							SCREW AND WASHER, .375-16x1.00
16	6030 946	6							SCREW, Cap, .437-20x1.812

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Door, Front Glass And Regulator
Figure DAB-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS, Front Door
	5515 5058	1							Right
	5515 5059	1							Left
-2									GLASS, Front Door Vent
	5505 5648	1							Right
	5505 5649	1							Left
3									CHANNEL, Door Glass, Lower, Serviced with Glass, (NOT SERVICED) (Not Serviced)
4									REGULATOR, Front Door Window
	55275 376AB	1							Power, Right
	55275 377AB	1							Power, Left
	5527 4564	1							Manual, Right
	5527 4565	1							Manual, Left
5	4113 498	1							SPRING, Window Regulator Assist, Regulator
6	4339 301	1							SLIDER PACKAGE, Window Glass
7	6503 187	6							SCREW, Round Head Tapping, M6x1x11
8									BRACKET, Window Down Stop
	5523 4610	1							Right
	5523 4611	1							Left
9	5515 4796	2							BUMPER, Door Glass, Downstop
10									SCREW, (NOT SERVICED) (Not Serviced)
11	4415 820	2							HANDLE, Window Regulator, Regulator
12	4415 824	2							COVER, Manual Window Regulator, Screw
13									SCREW, Handle, (NOT SERVICED) (Not Serviced)
14	2950 491	1							SPACER, Door Handle
15	4445 993	2							SPACER, Window Regulator, Handle

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front Lock And Controls
Figure DAB-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Front Door
	5507 5872	1							Right
	5507 5873	1							Left
-2									BEZEL, Power Window /Door Lock Switch
	5CC1 2KX9	1							Right
	5CC1 3KX9	1							Left
3	6501 220	6							SCREW, Oval Head, SCREW
4	4615 409	1							SOLENOID, Locking, With Bracket
5									SCREW, Solenoid, (NOT SERVICED) (Not Serviced)
6									LINK, Latch Actuating
	5515 4504	1							Solenoid to Latch, Right
	5515 4505	1							Solenoid to Latch, Left
7									CLIP, Lever Link
	4184 244	1							Solenoid Link, Right
	4184 245	1							Solenoid Link, Left
8									CONTROL, Door Lock
	3670 808	1							Remote Lock, Right
	3670 809	1							Remote Lock, Left
9									TAPPING PLATE, Remote Control,
									Serviced in Door Shell, (NOT SERVICED) (Not Serviced)
10									BUMPER, Remote Control Lever
	2862 053	1							Left
	2862 052	1							Right
11	2862 053	1							BUMPER, Door Lock Striker, Left
12									CLIP, Remote Control, (NOT SERVICED) (Not Serviced)
13	0181 063	2							SCREW AND WASHER, .25-20x.75, Remote Control
14									HANDLE, Interior Door
	5507 6086	1							Right
	5507 6087	1							Left
15									LINK, Remote Handle to Latch
	5507 5450	1							Remote Control, Right
	5507 5451	1							Left
16									HANDLE, Exterior Door
	5507 5654	1							Outside Black, Right
	5507 5655	1							Outside Black, Left
17	2935 232	1							SPACER, Handle

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front Lock And Controls
Figure DAB-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	3454 220	1							CLIP, Parking Brake Cable, Outside Handle
19	J420 0306	4							NUT, Hex Lock
20	5507 4894	2							LINK, Exterior Door Handle
21	4184 110	1							KNOB, Door Lock, Black
22	4038 693	2							GROMMET, Lock Knob
23	5507 5449	1							KNOB AND LINK, Door Lock, Left
24									WASHER, (NOT SERVICED) (Not Serviced)
25	5507 6001	1							LINK, Key Cylinder To Latch, Left
26									CLIP, See Lock Cylinders, (NOT SERVICED) (Not Serviced)
27	5507 4543	2							STRIKER, Door Latch

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Sliding Cargo Shell And Hinges
Figure DAB-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Sliding
	55347 008AD	1							w/o Window
	55347 010AD	1							w/Window
2	5534 6178	1							PANEL, Side Cargo Door, Without Window
3	5534 6180	1							PANEL, Sliding Door Cargo Side, With Window
4	4217 653	1							HINGE, Door
5	5507 5673	1							SPRING, Hinge Return
6	9414 118	1							PIN, Coiled Spring, .250 x 1.50, Hinge Pivot Arm Cam Stop
7	0152 344	1							NUT, .375-16, Hinge
8	9416 171	8							SCREW, Hex Head, .375-16x1.25, Hinge
9	4217 644	1							ARM, Side Cargo Door Hinge
10	4217 695	1							HINGE, Body Half
11	4217 566	4							BEARING, Hinge Pivot Arm
12	4217 567	4							WASHER, Door Hinge Pivot, Hinge Pivot Arm Bearing
13	3636 929	1							WASHER, Square Hole, .96x.387x.060, Pivot Arm
14	4211 642	1							CAM, Cargo Door Pivot, Door Half Pivot Arm
15	4084 128	1							CAM, Cargo Door Hinge, Body Half Pivot Arm
16	5534 6509	1							ROLLER, Side Door, Hinge
17	4113 853	1							GUIDE, Door Stabilizer
18	4211 424	1							CATCH, Side Cargo Door, Lower
19	4211 425	1							CATCH, Side Cargo Door, Upper
-20	3636 934	2							SPRING, Side Cargo Door Hinge, Upper
21	3636 931	1							PLATE, Door Hinge, Striker Upper Catch
22	4084 129	2							SPACER, Side Cargo Door Striker, Upper Catch
23	6501 915	1							SCREW, Shoulder, M7x1x23.87
24									BUSHING, Serviced in Item, (NOT SERVICED) (Not Serviced)
25									PIN, Hinge Return, (NOT SERVICED) (Not Serviced)


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Sliding Cargo Shell And Hinges
Figure DAB-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26									NUT, .312-18, (NOT SERVICED) (Not Serviced)
27	4084 130	1							STRIKER, Sliding Door Stop, Outer Track Hinge
28	3636 870	AR							SPACER, Side Cargo Door Hinge, Outer, Hinge Striker
29	4084 769	1							BUMPER, Hinge Striker
30	0180 077	2			11, 12, 13 51, 52				BOLT, Hex Head, 5/16x18x3/4 Outer Track Hinge
31	5502 5522	1							Outer Track Hinge PLATE, Hinge, Hinge Retainer
32	6030 613	2							SCREW, Hex Head Locking, #10- 24x.50, Retainer Plate
33	5507 6237	1							BRACKET, Upper Roller
34	6022 202	3							SCREW AND WASHER, Hex Head, .25-20x.625, Bracket
35	5534 7146	1							ROLLER, Side Door, Upper
36	4084 129	2							SPACER, Side Cargo Door Striker, Upper,Roller
37	6025 007	1							NUT AND WASHER, Hex, .312-18, Upper,Roller
38	5534 7137	1							BRACKET, Side Cargo Door Roller, Lower
39	3739 768	1							TAPPING PLATE, Side Door Lock Striker, Lower Roller Bracket
40	J400 6887	2							BOLT AND WASHER, .375-16x.62, Catch Support
41	2276 749	1							STOPPER, Cargo Door, Roof, Upper
-42	5534 7152	1							BRACKET, w/Bumper, Lower,Rear
43	5507 5676	1							MAT, Floor, Lower Track

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS
	4081 253	1							Fixed Glass, Tinted
	5507 4700	1							Vented Glass, Tinted
	5513 5269	1							Fixed Glass, Privacy
	5513 5265	1							Vented Glass, Privacy
-2	5534 6581	1							LABEL, Side Door Operating Instruction, Clear
-3	5534 6582	1							LABEL, Side Door Operating Instruction, Opaque
4	5507 4704	1							HINGE, Glass
5	6030 650	3							SCREW, Hex Head Locking, .25-20x875, Hinge
6	0154 608	4							SCREW, Pan Head, .19-16x.625, Hinge
7	5513 5041	2							LATCH, Vent Window
8	9411 579	2							PIN, Latch
9	4084 167	2							NUT, Window Latch Side Glass
10	4084 164	2							GROMMET, Vent Window Latch
11	5513 4502	4							WASHER, Vent Window Latch
12	5502 2619	2							RETAINER, Side Panel Vent Window
13									SCREW, Oval Head, .164-32x.75, (NOT SERVICED) (Not Serviced)

AR = Use as required - = Non illustrated part # = New this model year

Door, Sliding Cargo Lock And Controls
Figure DAB-330




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 5378	1							LATCH, Cargo Door, Door
2	6035 617	4							SCREW, Flat Head, .312-18x1.00, Latch
3	0181 063	2							SCREW AND WASHER, .25-20x.75, Latch
4	5534 6503	1							ROD, Cargo Door Latch to Lock, Latch to Lock
5	5507 6381	1							ROD, Cargo Door Latch to Lock, Latch to Lock
6									CLIP, Latch to Lock Rod, Serviced in Latch, (NOT SERVICED) (Not Serviced)
7	3731 619	1							CLIP, Lever To Link, Lock Rod Anti-Rattle
8	5534 7099	1	1			11			LOCK, Side Cargo Door, Remote Control
9									CLIP, Handle to Latch Rod
	5507 5244	AR							Right
	5507 5245	2							Left
10	6022 202	3							SCREW AND WASHER, Hex Head, .25-20x.625, Lock
11	5534 7094	1							LINK, Latch Locking
12	6030 117	1							CLIP, Stabilizer Mounting, Latch Link to Latch
-13									CLIP, Key Cylinder, Serviced in Cylinder, (NOT SERVICED) (Not Serviced)
14	4498 114	1							MOTOR, Door Lock, Lock
15	4354 667	1							BRACKET, Sliding Door Solenoid, Solenoid Mounting
16									SCREW, w/Washer, Bracket (DNS), (NOT SERVICED) (Not Serviced)
17	4354 649	1							CRANK, Electric Door Lock, Solenoid
18	4354 668	1							LINK, Latch Actuating, Solenoid To Latch
19	6030 117	1							CLIP, Stabilizer Mounting, Solenoid Link To Latch
20	4184 245	1							CLIP, Lever Link, Solenoid Link
21	2956 754	1							KNOB, Door Lock, Locking, (Bright)
22	4038 693	1							GROMMET, Lock Knob, Knob
23	4081 654	1							ROD, Latch To Knob, Latch to Knob

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Sliding Cargo Lock And Controls
Figure DAB-330




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24	5507 6081	1							HANDLE, Cargo Door Interior, Inside
25	2935 232	1							SPACER, Handle, Handle
26	2950 491	1							SPACER, Door Handle, Anti-Rattle
27	6035 404	1							SCREW, Cap, .19-32x.57
28	4081 417	1							COVER, Side Cargo Door Latch,
									Latch Access
29									NUT, (NOT SERVICED) (Not
									Serviced)
30									SCREW, (NOT SERVICED) (Not
									Serviced)
31	5507 6303	1							HANDLE, Sliding Door Exterior,
									Exterior
32	5521 5740	1							ESCUTCHEON, Cargo Door Latch,
									Handle
33	5521 5865	1							SEAL, Door Handle
34	5507 5781	1							SUPPORT, Cargo Door, Hold Open
									Catch
35	0181 112	4							SCREW AND WASHER, .375-16x1.
									00, Support
-36									BOLT, Striker, (NOT SERVICED)
									(Not Serviced)
37	3420 1358	1							NUT AND WASHER, Hex Nut-
									Sealing Washer, M6 x 1.00, Striker
38	4038 836	1							STRIKER, Door Latch, Lock Pillar
39	5534 6527	AR							SPACER, Side Cargo Door Striker
40	6035 244	1							SCREW AND WASHER, Truss
									Head, .312-18x1.12
41									STRIKER, Door Latch
	5507 5669	1				51, 52,			B-Pillar
						53			
		1				11, 12,			
						13			

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Dual Cargo Shell And Hinges
Figure DAB-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Side Cargo
	55346 706AC	1							with window, Right
	55346 709AB	1							with window, Left
	55346 710AC	1							without window, Right
	55346 713AB	1							without window, Left
2									DOOR, Rear Cargo
	55346 714AC	1							with window, Right
	55346 717AB	1							with window, Left
	55346 718AC	1							without window, Right
	55346 721AB	1							without window, Left
3									PANEL, Side Cargo Door
	5502 3237	1							with window, Left
	5534 5625	1							without window, Right
	5534 5633	1							with window, Right
	5502 3231	1							without window, Left
4									PANEL, Cargo Door
	5502 3225	1							with window, Left
	5502 3243	1							without window, Left
5									PANEL, Rear Cargo Door Repair
	5534 6439	1							without window, Right
	5534 6441	1							with window, Right
6									HINGE, Side Door
	5507 5194	1							Upper Right
		1							Lower Left
	5507 5195	1							Upper Left
		1							Lower Right
7	6031 129	12							SCREW AND WASHER, Hex Head, .312-18x.875, Hinge to Door
8	6034 879	8							NUT, Inverted Flare, .50-20x.75, Hinge to Body
9									WASHER, (NOT SERVICED) (Not Serviced)
10	3760 482	2							PLUG, Access Hole
11									ARM, Cargo Door Check
	55346 730AC	1							Right
	55346 731AC	1							Left
12	5534 6728	1							HOUSING, Door Remote Control
13	6035 950AA	2							PIN, Check Arm
14	55347 338AB	2							BUMPER, Door
15	6029 939	AR							PLUG, Body, .50 Diameter


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Dual Cargo Shell And Hinges
Figure DAB-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16									SCREW, (NOT SERVICED) (Not Serviced)
17	6500 284	2							NUT, Hex, M6x1.00




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Dual Cargo Glass And Hardware
Figure DAB-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS, Side Cargo Door, Fixed
	5513 5268	2							Vented, Privacy
	4084 511	2							Fixed, Tinted
2	5507 4706	2							GLASS, Cargo Door, Vented, Tinted
3	5513 5264	2							GLASS, Cargo Door, Fixed, Privacy
4	5507 4712	2							HINGE, Glass
5	6033 560	4							NUT AND WASHER, Hex Nut-Coned Washer, .25-20
6	6030 650	4							SCREW, Hex Head Locking, .25-20x. 875
7	0154 608	4							SCREW, Pan Head, .19-16x.625
8	5513 5041	2							LATCH, Vent Window
9	4084 167	2							NUT, Window Latch Side Glass
10	4084 164	2							GROMMET, Vent Window Latch
11	5513 4502	4							WASHER, Vent Window Latch
12	5502 2619	2							RETAINER, Side Panel Vent Window
13	9411 579	2							PIN, Latch
14									SCREW, (NOT SERVICED) (Not Serviced)
15	5517 4544	1							LABEL, Exhaust Gas Warning, Exhaust Warning

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Dual Cargo, Right Lock And Controls
Figure DAB-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Cargo Door
	5534 6794	1							Manual
	5534 6795	1							Electric
2	6033 876	3							SCREW, Tapping, M6.3x1.8x38.1, Latch
3	5507 6382	1							LINK, Key Cylinder To Latch
4									CLIP, (NOT SERVICED) (Not Serviced)
5	3670 808	1							CONTROL, Door Lock, Remote ***
6									PLATE, (NOT SERVICED) (Not Serviced)
7	6022 202	3							SCREW AND WASHER, Hex Head, .25-20x.625, Remote Control
8	5503 3175	1							ROD, Inside Handle to Latch
9	5507 6083	1							HANDLE, Cargo Door, Remote Control
10	6022 202	3							SCREW AND WASHER, Hex Head, .25-20x.625, Handle
11	5507 5654	1							HANDLE, Exterior Door
12	5507 4892	1							SPACER, Handle, Handle
13	J420 0306	4							NUT, Hex Lock, Handle
14	5507 4896	1							LINK, Exterior Door Handle
15	3454 220	1							CLIP, Parking Brake Cable
16	4184 110	1							KNOB, Door Lock
17	4038 693	2							GROMMET, Lock Knob, Lock Knob
18	5503 3176	1							ROD, Latch To Knob, Lock Knob to Latch, 1997
19									CLIP, Latch Link
	4658 674	1							Right
	4658 675	2							Left

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Dual Cargo, Left Lock And Controls Figure DAB-435



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5507 5679	1							ROD, Inside Handle to Latch, Upper Latch
2	5503 3167	1							ROD, Inside Handle to Latch Side Door
	5503 3168	1							Rear Door
3	5507 5696	2							SILENCER, Anti-Rattle Disc, Rod ***
4	5503 4384	1							HANDLE, Interior Door, Remote Control
5									SCREW, (NOT SERVICED) (Not Serviced)
6	4354 931	1							LATCH, Cargo Door Lower
	4354 930	1							Upper
7	0181 084	6							BOLT, Hex Head, .312-18x.62
8	5503 3173	1							STRIKER, Door Latch, Latch
9	5507 4699	AR							SPACER, Striker, Striker
10									SCREW, (NOT SERVICED) (Not Serviced)
11	5503 3171	1							STRIKER, Door Latch Rear
	5503 3170	1							Upper
		1							Lower
12									GROMMET, 06502520, (NOT SERVICED) (Not Serviced)
13	5503 3174	AR							SPACER, Striker, Striker
14	6025 350	3							BOLT AND CONED WASHER, Hex Head, .312-18x1.00, Upper
15	6034 445	2							SCREW, Hex Head, .312-18x1.00, Lower
16									EXTENSION, Cargo Door Pillar To Sill
	5CS0 3MD5	1							Rear
	5CS1 0MD5	1							Side
17									SCREW, (NOT SERVICED) (Not Serviced)
18	5AA3 5MD5	1							PIN, Push .281

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Single Rear Cargo Shell And Hinges
Figure DAB-450


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55346 724AD	1							DOOR, Rear Cargo, Door ***
2	55346 443AB	1							PANEL, Rear Cargo Door Repair, Repair
3	5507 5195	1							HINGE, Side Door
4	6031 129	6							SCREW AND WASHER, Hex Head, .312-18x.875, Hinge to Door
5	6034 931	8							SCREW AND WASHER, Hex Head, .312-18x.690
6	5507 5208	1							PIN, Cargo Hinges
7	5507 5199	1							BUSHING, Pin
8	3636 720	2							WEDGE, Cargo Door
9									SPACER, (NOT SERVICED) (Not Serviced)
10									SCREW, (NOT SERVICED) (Not Serviced)
11	55346 731AC	1							ARM, Cargo Door Check, Check PIN, Check Arm, Check Arm
12	6035 950AA	1							
13	55347 338AB	1							BUMPER, Door
14	5534 6728	1							HOUSING, Door Remote Control, Check Arm ***
15	6500 284	2							NUT, Hex, M6x1.00
16									SCREW, (NOT SERVICED) (Not Serviced)
17	6029 939	1							PLUG, Body, .50 Diameter

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Single Rear Cargo Glass And Hardware
Figure DAB-460



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5507 4704	1							HINGE, Glass, Glass ***
2	6030 650	3							SCREW, Hex Head Locking, .25-20x. 875, Hinge
3	0154 608	4							SCREW, Pan Head, .19-16x.625, Hinge
4	5513 5041	2							LATCH, Vent Window, Window
5	9411 579	2							PIN, Latch, Latch
6	4084 167	2							NUT, Window Latch Side Glass, Latch
7	4084 164	2							GROMMET, Vent Window Latch, Latch
8	5513 4502	4							WASHER, Vent Window Latch, Latch
9	5502 2619	2							RETAINER, Side Panel Vent
10									Window, Latch SCREW, (NOT SERVICED) (Not Serviced)
11	5517 4544	1							LABEL, Exhaust Gas Warning, Exhaust Warning
12									GLASS Fixed, Tinted
	4081 253	1							Vented, Tinted
	5507 4700	1							Vented, Tinted
	5513 5265	1							Vented, Privacy
	5513 5269	1							Fixed, Privacy
13	5503 4480	1							BACKLITE
14	5513 5267	1							GLASS, Cargo Door, Vented, Privacy, Heated


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Single Rear Cargo Lock And Controls

Figure DAB-470



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5534 6541	1							LATCH, Cargo Door, Door
2									SCREW, (NOT SERVICED) (Not Serviced)
3	4467 251	1							MOTOR PACKAGE, Door Lock, Latch
4	4354 473	1							BRACKET, Door Lock Motor, Solenoid
5	4354 649	1							CRANK, Electric Door Lock, Solenoid
6	5507 6362	1							LINK, Latch Actuating, Solenoid To Latch
7	4184 245	1							CLIP, Lever Link, Solenoid to Latch Link
8									SCREW, Solenoid, (NOT SERVICED) (Not Serviced)
9	5507 6357	1							LINK, Rear Door Lock, Lock Cylinder to Latch
10	3670 809	1							CONTROL, Door Lock
11	6022 202	2							SCREW AND WASHER, Hex Head, .25-20x.625, Remote Control
12	5507 6083	1							HANDLE, Cargo Door, Remote Control
13	6022 202	1							SCREW AND WASHER, Hex Head, .25-20x.625, Handle
14									PLATE, (Serviced in Door Shell), (NOT SERVICED) (Not Serviced)
15	5507 6359	1							LINK, Rear Door Lock, Remote Control
16	5507 5655	1							HANDLE, Exterior Door, Exterior
17	5507 4892	1							SPACER, Handle, Handle
18	J420 0306	2							NUT, Hex Lock, Handle
19	5507 6358	1							LINK, Exterior Door Handle, Handle to Latch
20	3454 220	1							CLIP, Parking Brake Cable, O/S Handle to Latch Link
21	2956 754	1							KNOB, Door Lock, Lock, (Black)
22	4038 693	1							GROMMET, Lock Knob, Lock Knob
23	5507 6361	1							LINK, Rear Door Lock, Lock Knob to Latch
24	5507 4543	1							STRIKER, Door Latch
25									SPACER, Striker, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Check Arm, Cargo Door
Figure DAB-480


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, (NOT SERVICED) (Not Serviced)
2	6029 939	AR							PLUG, Body, .50 Diameter
3	55346 730AC	1							ARM, Cargo Door Check Right
	55346 731AC	1							Left
4	6500 284	2							NUT, Hex, M6x1.00
5	5534 6728	1							HOUSING, Door Remote Control, Check Arm
6	6035 950AA	1							PIN, Check Arm, Check Arm
7	55347 338AB	1							BUMPER, Door



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Mirrors, Exterior
Figure DAB-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MIRROR, Outside Rearview
	55076 878AA	1							6x9 Black, Right,Power
	55076 924AA	1							6x9 Black, Middle East Package, Right,Power
	55076 879AA	1							6x9 Black, Left,Power
	5515 4968	1							6x9 Black Dual, Right,Manual
	55076 947AA	1							6x9 Black, Middle East Package, Left,Power
	5515 4969	1							6x9 Black Dual, Left,Manual
2									REINFORCEMENT, Serviced In Door Shell, (NOT SERVICED) (Not Serviced)
3									SCREW, .164-18x.625, Tapping, w/ Washer, (NOT SERVICED) (Not Serviced)
-4	4274 258	1							TAPE, Radio Connector, Foam, Mirror Wire Harness Retention
5	6034 996	8							SCREW, Self Piercing, .250-14X.699

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Front Door
	4217 552	1							Right
	4217 553	1							Left
2									TAPE, Butyl, (NOT SERVICED) (Not Serviced)
3									WEATHERSTRIP, Front Door
	4161 674	2							Right
	4161 675	2							Left
4	4082 007	2							RUN, Front Door Glass
5	2217 508	8							CLIP, Weatherstrip, Glass
6	55347 336AB	2							WEATHERSTRIP, Front Door, Aux.



AR = Use as required - = Non illustrated part # = New this model year

Door, Sliding Weatherstrips
Figure DAB-620




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5534 7098	1							WEATHERSTRIP, Sliding Door, Door
2									SCREW, (NOT SERVICED) (Not Serviced)
3	4354 950	1							WEATHERSTRIP, Cargo Door Glass, Stationary
4	6003 220	1							CLIP, Weatherstrip, Weatherstrip
5	4498 169	1							WEATHERSTRIP, Side Panel Vent, Vented

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Dual Cargo Weatherstrips And Seals
Figure DAB-630





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Cargo Door
	55134 553AB	1							Left Side
	55134 555AB	1							Left Rear
2	4354 954	2							WEATHERSTRIP, Cargo Door Glass, Fixed
3									WEATHERSTRIP, Cargo Door
	55135 270AB	1							Right Side
	55135 271AB	1							Right Rear
4	55134 668AB	2							WEATHERSTRIP, Rear Cargo Door Header, Header
5	4498 170	2							WEATHERSTRIP, Cargo Door Vent Glass, Vented

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Door, Single Rear Cargo Weatherstrips And Seals
Figure DAB-640



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55347 318AB	1							WEATHERSTRIP, Rear Cargo Door, Door
2	4354 950	1							WEATHERSTRIP, Cargo Door Glass Fixed
	4354 954	2							Side Cargo Door Fixed
-3	4498 169	1							WEATHERSTRIP, Side Panel Vent, Rear Cargo Door, Vented
4	6003 220	1							CLIP, Weatherstrip, Weatherstrip

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – EAB

Exterior Ornamentation

GROUP EAB - Exterior Ornamentation

Illustration Title Group-Fig. No.

Nameplates


Nameplates And Decals Fig. EAB-120




Moldings and Ornamentation

Moldings Fig. EAB-220

Decals and Tapestripes


Tape Stripes Fig. EAB-325



EAB-100 Nameplates 	EAB-200 Moldings and Ornamentation 	EAB-300 Decals and Tapestripes 	
--	--	---	--

Nameplates And Decals
Figure EAB-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5529 5241	1							MEDALLION, Hood, Rams Head,
									Rams Head
2									NAMEPLATE, Front Fender, Ram
	5529 5310	1	2		13				1500
		1	3		53				
		1	1		11, 12,				51
3									NAMEPLATE, Front Fender, Ram
									2500
	5529 5311	1	3		53				
		1	2		13				
4									NAMEPLATE, Front Fender, Ram
									3500
	5529 5312	1	3		53				
		1	2		13				
5	5529 5401	2							NAMEPLATE, Front Fender, SLT
-6	LD42 PGY	3							DECAL, Door and Liftgate, CNG




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Moldings Figure EAB-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Fender
	55274 942AB	1							Right
	55274 943AB	1							Left
2									MOLDING, Front Door
	5527 4944	1							Right
	5527 4945	1							Left
3	55274 946AB	1							MOLDING, B-Pillar, Lock Pillar, Right Only
4	5527 4947	1							MOLDING, Cargo Door, Front Side
									Cargo Door
5									MOLDING, Side Panel
	5527 4953	1	2, 3		52, 53				Except 109' Wheelbase
	5527 4951	1	1		51				w/109' Wheelbase
6	5527 4948	1							MOLDING, Cargo Door, Rear Side
									Cargo Door
7									MOLDING, Side Panel
	5527 4950	1	2, 3		52, 53				Right
	5527 4952	1	1, 2		11, 51				Right
	55274 953AB	1	2, 3		52, 53				Left
8									MOLDING, Side Panel
	5527 4954	1							Right
	5527 4955	1							Left
9									MOLDING, Lower Corner Panel
	5527 4956	1			11				w/o 127 Wheelbase, Right
	55274 958AB	1	2, 3		13, 53				w/127' Wheelbase, Right
	5527 4957	1			11				w/o 127 Wheelbase, Left
	5527 4959	1	2, 3		13, 53				w/127' Wheelbase, Left
10	5527 4949	1							MOLDING, Cargo Door, Single Rear
									Cargo Door
11	5527 4960	2							MOLDING, Cargo Door, Rear Dual
									Cargo Door
12	5527 4961	1							MOLDING, Cargo Door, Sliding
									Cargo Door

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)



ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Tape Stripes
Figure EAB-325




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TAPE, Rear Cargo Door
	5CV3 8MAH	1							[KBA]
	5CV3 8MBA	1							[KBC]
	5CV3 8SQS	1							[KBQ]
2									TAPE, Body Side
	4740 070	1							[MBA], Right
	4740 073	1							[MBA], Left
-3									TAPE PACKAGE, Body Side
	4740 060	1							[MAH], Right
	4740 068	1							[MAH], Left
4									TAPE KIT, Bodyside
	4882 812	1							Textured, Black, Right
	4882 813	1							Textured, Black, Left








DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Group – IAB

Interior Trim




IAB-100 Headliner and Visor	IAB-200 Moldings, Scuff Plates	IAB-300 Carpet	IAB-400 Door Trim Panels-Front and Sliding
			
IAB-500 Front Seats and Attaching Parts	IAB-600 Rear Seats	IAB-700 Seat Belts-Front and Rear	IAB-800 Adjusters, Covers, Shields, and Risers
			

GROUP IAB - Interior Trim

Illustration Title	Group-Fig. No.
Headliner and Visor	
Headliner	Fig. IAB-110
Sunvisor	Fig. IAB-120
Moldings, Scuff Plates	
Cowl And Front Wheelhouse Trim	Fig. IAB-210
Panels, Trim Lower	Fig. IAB-220
Panels, Trim	Fig. IAB-230
Carpet	
Carpets, Mats, Scuff Plates, Front	Fig. IAB-310
Carpets, Mats, Scuff Plates, Rear	Fig. IAB-320
Door Trim Panels-Front and Sliding	
Panel Front Door Trim	Fig. IAB-405
Door Trim Panels, Side and Rear	Fig. IAB-420
Front Seats and Attaching Parts	
Seat Front, Trim Code N5	Fig. IAB-510
Seat Front, Trim Code M6, N6	Fig. IAB-520
Seat Front, Trim Code K5	Fig. IAB-530
Rear Seats	
Seat, Rear, Trim Codes K5, N5, N6	Fig. IAB-610
Seat Belts-Front and Rear	
Front Seat Belts	Fig. IAB-710
Belts, Rear Seats	Fig. IAB-720
Belts, Shoulder Rear Seats	Fig. IAB-730
Adjusters, Covers, Shields, and Risers	
Reclining Mechanism, Front Seat	Fig. IAB-810
Adjusters And Riser, Bucket Seats, Without Power	Fig. IAB-820
Adjusters and Riser, Bucket Seats, With Power	Fig. IAB-825
Risers, Rear Seats	Fig. IAB-830

Headliner Figure IAB-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
P.A.R.= Paint As Required									
1	5535 0515	1							HEADLINER, Front
	5EE5 9RD5	1						O0	Off White Hardboard
	5EE5 9SP8	1						O0	Quartz, With [SLT]
	5FR5 3HD5	1						O0	Blue, With [SLT]
	5FR5 3RP8	1						O0	Quartz, Without [SLT]
2	5EN6 9RD5	1	2		52			O0	Blue, Without [SLT]
		1	3		53			O0	HEADLINER, Center
		1			12, 13, 52, 53			O0	Quartz
	5EN6 9SP8	1	2		52			O0	Quartz
		1	3		53			O0	Blue
		1			12, 13, 52, 53			O0	Blue
	5EN7 0RD5	1	1, 2		11, 51			O0	Quartz
	5EN7 0SP8	1	1, 2		11, 51			O0	Blue
3	5EN7 1RD5	1	2, 3		13, 53			O0	HEADLINER, Rear
	5EN7 1SP8	1	2, 3		13, 53			O0	Quartz
	5EN7 2RD5	1			51			O0	Blue
		1			11, 12, 51, 52			O0	Quartz
	5EN7 2SP8	1			51			O0	Blue
		1			11, 12, 51, 52			O0	Blue
4									CLIP, (NOT SERVICED) (Not Serviced)
5	4356 474	2							RETAINER, Headliner
6									SCREW, [.190-16x.625], (NOT SERVICED) (Not Serviced)
7	5AJ9 3MD5	4						O0	CAP, Headliner Molding End,
								O0	Moulding (Paint as Required)
8	5AJ9 2MD5	2						O0	MOLDING, Headliner, Paint as Required
9	4356 530	4							SPACER
10	4084 409	1			12, 13, 52, 53			O0	INSULATION, Roof Headliner
11	4085 078	1							SEAL
12	4265 070	3							SPACER, Foam Headliner

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Headliner
Figure IAB-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-13	5535 0709	1							SILENCER, Roof Head/Liner, Anti, Buzz, Squeak, Rattle

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sunvisor
Figure IAB-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4084 481	1						O0	ARM AND BRACKET, Sunvisor
2									VISOR, Vinyl
	L559 SK5	1	1		11			O0	Tan, Right
		1	1		51			O0	Tan, Right
		1	1		12			O0	Tan, Right
		1	2		11			O0	Tan, Right
		1	2		12			O0	Tan, Right
		1	2		52			O0	Tan, Right
		1	2		13			O0	Tan, Right
		1	2		53			O0	Tan, Right
		1	3		13			O0	Tan, Right
		1	3		53			O0	Tan, Right
		1	3		12			O0	Tan, Right
	L559 SP8	1	3		52			O0	Tan, Right
		1	1		12			O0	Blue, Right
		1	1		51			O0	Blue, Right
		1	2		12			O0	Blue, Right
		1	2		13			O0	Blue, Right
		1	1		11			O0	Blue, Right
		1	2		11			O0	Blue, Right
		1	2		52			O0	Blue, Right
		1	3		12			O0	Blue, Right
		1	2		53			O0	Blue, Right
		1	3		13			O0	Blue, Right
		1	3		52			O0	Blue, Right
	L559 MD5	1	3		53			O0	Blue, Right
	5GC61 1P8AA	1						O0	Quartz, Right
	5GC61 1D5AA	1						O0	Blue, Left
	5GC61 1K5AA	1						O0	Quartz, Left
3	4113 576	1			11, 12, 13				COVER, Visor
4									CLIP, Visor
	L536 SK5	1						O0	Tan
	L536 MD5	1						O0	Quartz
	L536 SP8	1						O0	Blue
5	0152 438	3							SCREW, Oval Head, .19-16x.75
6	1490 983	2						O0	CLIP, Sunvisor
7									SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sunvisor
Figure IAB-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	2789 037	1						O0	TIP, Visor Support
9	2789 036	1						O0	SUPPORT, Visor
10									VISOR, Cloth
	5EN5 9SP8	1						O0	Blue Spruce, Up to 2-25-97, Left
	5EN5 9RD5	1						O0	Quartz, Up to 2-25-97, Left
	L892 SP8	1						O0	Blue Spruce, Right
	L892 MD5	1						O0	Quartz, Right
	5GC21 1D5AA	1						O0	Quartz ,After 2-25-97, Left
	5GC21 1P8AA	1						O0	Blue Spruce, After 2-25-97, Left
11									LABEL, Air Bag Warning, (NOT REQUIRED)


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

[illegible]

Panels, Trim Lower
Figure IAB-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Rear Corner, Rear Corner Lower
	5EJ7 3RD5	1	2, 3		13, 53			O0	Quartz, Without [SLT], Left
	5EJ7 3SP8	1	2, 3		13, 53			O0	Blue Spruce, Without [SLT], Left
	5EJ7 5RD5	1			11, 12,			O0	Quartz, Without [SLT], Left
					51, 52				
	5EJ7 5SP8	1			11, 12,			O0	Blue Spruce, Without [SLT], Left
					51, 52				
	5EM0 5SD3	1			11, 12,			O0	Quartz, With [SLT], Left
					51, 52				
	5EM0 5SP8	1			11, 12,			O0	Blue Spruce, With [SLT], Left
					51, 52				
	5EM0 7SD3	1	2, 3		13, 53			O0	Quartz, With [SLT], Left
	5EM0 7SP8	1	2, 3		13, 53			O0	Blue Spruce, With [SLT], Left
2									PANEL, Rear Side Lower
	5EE2 5SD3	1	1, 2		11, 51			O0	Quartz, With [SLT], Left
	5EE2 5SP8	1	1, 2		11, 51			O0	Blue Spruce, With [SLT], Left
	5EK3 7SD3	1			12, 13,			O0	Quartz, With [SLT], Left
					52, 53				
	5EK3 7SP8	1			12, 13,			O0	Blue Spruce, With [SLT], Left
					52, 53				
	5ER0 5RD5	1	1, 2		11, 51			O0	Quartz, Without [SLT], Left
	5ER0 5SP8	1	1, 2		11, 51			O0	Blue Spruce, Without [SLT], Left
	5ER0 9RD5	1			12, 13,			O0	Quartz, Without [SLT], Left
					52, 53				
	5ER0 9SP8	1			12, 13,			O0	Blue Spruce, Without [SLT], Left
					52, 53				
3	1623 945	10							CLIP, Trim Panel
4									PANEL, Side Front
	5EE2 9SD3	1						O0	Quartz, With [SLT], Lower,Left
	5EE2 9SP8	1						O0	Blue Spruce, With [SLT], Lower, Left
	5FW59 SD5AA	1						O0	Quartz, Without [SLT], Lower,Left
	5FW59 SP8AA	1						O0	Blue Spruce, Without [SLT], Lower, Left
5	6035 930AA	1							CLIP, Trim Panel
6									PANEL, Rear Side Lower
	5EE2 6SD3	1			12, 13,			O0	Blue Spruce, With [SLT], Right
					52, 53				


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Trim Lower
Figure IAB-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5EE2 6SP8	1			12, 13, 52, 53			O0	Quartz, With [SLT], Right
	5EE2 8SD3	1	1, 2		11, 51			O0	Quartz, With [SLT], Right
	5EE2 8SP8	1	1, 2		11, 51			O0	Blue Spruce, With [SLT], Right
	5ER0 0RD5	1			12, 13, 52, 53			O0	Quartz, Without [SLT], Right
	5ER0 0SP8	1			12, 13, 52, 53			O0	Blue Spruce, Without [SLT], Right
	5ER0 6SP8	1	1		11			O0	Blue Spruce, Without L.E. Decor, Right
		1	2		51			O0	Blue Spruce, Without L.E. Decor, Right
	5ER0 6TC3	1	1		11			O0	Quartz, Without L.E. Decor, Right
		1	2		51			O0	Quartz, Without L.E. Decor, Right
7	5EE5 0SD3	1	2, 3		13, 53			O0	Quartz, With [SLT], Right
	5EE5 0SP8	1	2, 3		13, 53			O0	Blue Spruce, With [SLT], Right
	5EE5 1SD3	1	2, 3		13, 53			O0	Quartz, With [SLT], Left
	5EE5 1SP8	1	2, 3		13, 53			O0	Blue Spruce, With [SLT], Left
	5EP9 1RD5	2	2, 3		13, 53			O0	Quartz, Without [SLT], Left
	5EP9 1SP8	2	2, 3		13, 53			O0	Blue Spruce, Without [SLT], Left
8	5EJ7 2RD5	1	2, 3		13, 53			O0	PANEL, Rear Corner Quartz, Without [SLT], Right
	5EJ7 2SP8	1	2, 3		13, 53			O0	Blue Spruce, Without [SLT], Right
	5EJ7 4RD5	1			11, 12, 51, 52			O0	Quartz, Without [SLT], Right
	5EJ7 4SP8	1			11, 12, 51, 52			O0	Blue Spruce, Without [SLT], Right
	5EM0 4SD3	1			11, 12, 51, 52			O0	Quartz, With [SLT], Right
	5EM0 4SP8	1			11, 12, 51, 52			O0	Blue Spruce, With [SLT], Right
	5EM0 6SD3	1	2, 3		13, 53			O0	Quartz, With [SLT]
	5EM0 6SP8	1	2, 3		13, 53			O0	Blue Spruce, With [SLT]
9	5EL0 3RD5	1						O0	CARPET, Fuel Filler Cover Quartz
	5EL0 3SP8	1						O0	Blue Spruce
10	5FE3 5RD5	1						O0	PANEL, Lock Pillar Paint as Required, Left

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Trim Lower
Figure IAB-220

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5FP1 2SD5	1			11, 12, 13			O0	With Sliding Door, Right
		1			51, 52, 53			O0	With Sliding Door, Right
	5FN3 2SD5	1			11, 12, 13			O0	With Hinged Center Doors, Right
		1			51, 52, 53			O0	With Hinged Center Doors, Right
11	4084 328	1	2, 3		13, 53				RETAINER, Trim Panel
12	4084 328	1	2, 3		13, 53				RETAINER, Trim Panel, All Wheelbases
13	4084 325	1							RETAINER, Spare Tire Mount Support, Rear Corner All Wheelbases
14	4084 328	1	2, 3		13, 53				RETAINER, Trim Panel, Extended Wheelbase
15	4084 328	1	2, 3		13, 53				RETAINER, Trim Panel, With 127" and 127" Extended Wheelbase
16	4084 328	1	2, 3		13, 53				RETAINER, Trim Panel, All Wheelbases
17	4084 328	1	2, 3		13, 53				RETAINER, Trim Panel, All Wheelbases
18	5521 6070	2							ASH RECEIVER, Trim Panel
19									SCREW, 3/4-18, (NOT SERVICED) (Not Serviced)
20									NUT, Push On, 8-18, (NOT SERVICED) (Not Serviced)
21	5521 6353	6						O0	FASTENER, Doghouse
22									CLIP
	6031 536	2			12, 13, 52, 53				
		2	1, 2		11, 51				
23	5521 6421	2							CUPHOLDER
24	4265 325	1							INSULATION, Side Panel
25	4265 326	1	1, 2		11, 51				
	4265 327	1			12, 13, 52, 53				
26	5521 5963	2			11, 12, 51, 52				INSULATION, Side Panel, Rear Wheel/House

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)



TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Trim Lower
Figure IAB-220

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	6031 551	2							CLIP, Molding, Side Rear Corner
-28	5EM0 8RD5	1			11, 12, 51, 52			O0	Lower Trim GRILLE, Exhauster Inlet Quartz
	5EM0 8SP8	1	2, 3		13, 53			O0	Quartz
		1			11, 12, 51, 52			O0	Blue Spruce
		1	2, 3		13, 53			O0	Blue Spruce




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Trim
Figure IAB-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
P.A.R.= Paint As Required									
1	5EC7 9RD5	1						O0	PANEL, Front Door, Side Cargo Door Upper, With Sliding Door (Paint as Required)
2	5521 4814	1							PANEL, Cargo Door Header Trim, Side Cargo Door With Sliding Door, PAR
3	5EE1 2PD5	1						O0	PANEL, Side Cargo Door, Side Cargo Door With Hinged Door, Paint as Required
4	5AX8 8MD5	1						O0	PANEL, Door Trim With Rear Hinged Doors
	L561 MD5	1						O0	With Rear Sliding Door
-5	5AX8 9MD5	1						O0	CAP, Trim Panel Screw Cover Quartz
	5AX8 9SP8	1						O0	Blue Spruce
6									PANEL, Rear Corner
	5CF0 8MD5	1	2, 3		13, 53			O0	PAR, Right
	5CF0 9MD5	1	2, 3		13, 53			O0	PAR, Left
7	5CJ0 5MD5	1	2, 3		13, 53			O0	PANEL, Side Trim PAR, Rear,Left
	5FK1 2SD5	1	2, 3		13, 53			O0	Without Grab Handles, PAR, Rear, Right
8									PANEL, Side Trim
	4636 727	1	1, 2		11, 51			O0	PAR, Rear,Left
	5FK1 8SD5	1	1, 2		11, 51			O0	PAR, Rear,Right
9									PANEL, Side Trim
	5FK1 4SD5	1			12, 52			O0	Without Grab Handle, PAR, Rear, Right
	5CF0 7MD5	1			12, 52			O0	PAR, Rear,Left
10	5FF0 1SD5	1						O0	PANEL, Side Front, Paint as Required
11	3685 992	1						O0	HOOK PKG, Coat
12	5EX9 0SD5	1						O0	PANEL, Windshield Header, Paint as Required
13									MOLDING, Windshield
	5FP3 6SD5	1						O0	Paint as Required, Right
	5FP3 7SD5	1						O0	Paint as Required, Left
14	5EY5 0SD5	1						O0	PANEL, Side Header Door Paint as Required, Upper Right

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Trim
Figure IAB-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5EY5 1SD5	1						O0	Paint as Required, Upper Left
15	0153 459	1							SCREW, Oval Head, .164-18x1
16									PIN, Push .281
	5AA3 5MD5	6						O0	Quartz
	5AA3 5SP8	1						O0	Blue Spruce
	5AA3 5SK5	1						O0	Tan
17									MOLDING, Windshield
	5ES2 4SD5	1						O0	Instrument Panel to Windshield, Paint as Required, Right
	5ES2 5SD5	1						O0	Instrument Panel to Windshield, Paint as Required, Left
18	6034 711	8							CLIP

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Carpets, Mats, Scuff Plates, Front Figure IAB-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MAT, Floor
	5521 7033	1							Full, With Jute Back
	5521 7037	1							Partial, With Jute Back
2									PAD, Center Floor Pan
	4356 133	1	2		13				Center Floor Pan Insulating, (22"x60")
		1	3		52, 53				Center Floor Pan Insulating, (22"x60")
3									CARPET, Floor
	5ET3 5SD5	1						O0	Quartz, One Piece, Passenger And Driver
	5ET3 5SP8	1						O0	Blue Spruce, One Piece, Passenger And Driver
4									PLATE, Scuff
	5535 0063	1			11, 12, 13				Side Step,Left
	5535 0062	1			11, 12, 13				Side Step,Right
5									PAD, Front Door Stepsill
	5EX0 4RX9	1						O0	Lower Right
	5EX0 5RX9	1						O0	Lower Left
	5FH9 2SX9	1						O0	Upper Right
	5FH9 3SX9	1						O0	Upper Left
6									RETAINER, Floor Carpet or Mat With Air, Passenger Side
	5535 0620	1							Drivers Side
	6033 752	4							
7									PAD, Front Floor Pan
	4356 132	1	3		12, 13				Front Floor Pan Insulating (12" x 19")
		1	3		53				Front Floor Pan Insulating (12" x 19")
8									MAT, Floor
	8220 2799	1							Blue Spruce
	8220 2797	1							Mist Gray
	8220 2798	1							Tan

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Carpets, Mats, Scuff Plates, Rear Figure IAB-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MAT, Floor
	5521 7027	1	1, 2		11, 51				With Hinged Doors
	5521 7028	1	1, 2		11, 51				With Sliding Door
	5521 7030	1			12, 52				With Sliding Door
	5521 7031	1	2, 3		13, 53				With Hinged Doors
	5521 7029	1			12, 52				With Hinged Doors
	5521 7032	1	2, 3		13, 53				With Sliding Door
2	5FV3 0SX9	1						O0	PAD, Side Cargo Door Sill, Step Sill Scuff, Dual Doors
3	5521 6707	2							MAT, Wheelhouse, Side Wheelhouse, Rear
4	5EL0 6SP8	2						O0	CARPET, Wheelhouse, Blue Spruce, Rear
5									CARPET, Rear Floor
	5FC0 2SP8	1			12, 52			O0	Quartz, With Hinged Center Doors
	5FC0 4SD5	1	1, 2		11, 51			O0	Quartz, With Sliding Doors
	5FC0 2SD5	1			12, 52			O0	Blue Spruce, With Hinged Center Doors
	5FC0 4SP8	1	1, 2		11, 51			O0	Blue Spruce, With Sliding Doors
	5FC0 6SD5	1	2, 3		13, 53			O0	Quartz, With Sliding Doors
	5FC0 6SP8	1	2, 3		13, 53			O0	Blue Spruce, With Sliding Doors
	5FD0 1SD5	1	1, 2		11, 51			O0	Quartz, With Hinged Center Doors
	5FD0 1SP8	1	1, 2		11, 51			O0	Blue Spruce, With Hinged Center Doors
	5FE0 3SP8	1	2, 3		13, 53			O0	Blue Spruce, With Hinged Center Doors
	5FE0 3SD5	1	2, 3		13, 53			O0	Quartz, With Hinged Center Doors
	5FE0 5SP8	1			12, 52			O0	Blue Spruce, With Sliding Door
	5FE0 5SD5	1			12, 52			O0	Quartz, With Sliding Door
6									PAD, Side Cargo Door Sill
	5FV2 4SX9	1			12, 13, 52, 53			O0	Upper
	5FV2 6SX9	1	1, 2		11, 51			O0	Upper
7									PLATE, Scuff
	5FU7 7SX9	1						O0	Rear Door Wagon, With Dual Hinged Doors
	5FV0 2SX9	1						O0	Rear Door Wagon, With Single rear Door
8									COVER, Spare Tire
	5FW5 1SD5	1						O0	Quartz

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Carpets, Mats, Scuff Plates, Rear
Figure IAB-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5FW5 1SP8	1						O0	Blue Spruce
9	4356 132	1	3		12, 13				PAD, Front Floor Pan
		1	2		13				Front Floor Pan Without Catalyst
		1	3		53				Front Floor Pan Without Catalyst
10	4356 133	1	2		13				PAD, Center Floor Pan
		1	3		52, 53				Center Floor Pan Without Catalyst
11	5FV2 8SX9	1						O0	PAD, Side Step Sill, Side Cargo
12	5FV1 2SX9	1						O0	Door Sill Scuff Upper
								O0	PAD, Side Step Sill, Side Cargo
									Door Step Sill Scuff, With Sliding Doors

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panel Front Door Trim
Figure IAB-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

AHL= Heavy Duty Insulation

ASP= Premium Decor


1	QQ64 HD5	1			51, 52, 53			O0	PANEL, Front Door Trim Quartz, With Heavy Duty Insulation Package (AHL), With [SLT], (ASP), Right
	QQ64 RP8	1			51, 52, 53			O0	Blue Spruce, With Heavy Duty Insulation Package (AHL), With [SLT], (ASP), Right
	QQ65 HD5	1			51, 52, 53			O0	Quartz, With Heavy Duty Insulation Package (AHL), With [SLT], (ASP), Left
	QQ65 RP8	1			51, 52, 53			O0	Blue Spruce, With Heavy Duty Insulation Package (AHL), With [SLT], (ASP), Left
	5EN0 6RD5	1			11			O0	Quartz, Without Heavy Duty Insulation Package, (AHL), Right
	5EN0 6SP8	1			11, 12, 13			O0	Blue Spruce, Without Heavy Duty Insulation Package, (AHL), Right
	5EN0 7RD5	1			11, 12, 13			O0	Quartz, Without Heavy Duty Insulation Package, (AHL), Left
	5EN0 7SP8	1			11, 12, 13			O0	Blue Spruce, Without Heavy Duty Insulation Package, (AHL), Left
	5FF2 6RD5	1			51, 52, 53			O0	Quartz, With Heavy Duty Insulation Package (AHL), Without [SLT], (ASP), Right
		1			11, 12, 13			O0	Quartz, With Heavy Duty Insulation Package (AHL), Without [SLT], (ASP), Right
	5FF2 6SK5	1			51, 52, 53			O0	Tan, With Heavy Duty Insulation Package (AHL), Without [SLT], (ASP), Right
		1			11, 12, 13			O0	Tan, With Heavy Duty Insulation Package (AHL), Without [SLT], (ASP), Right
	5FF2 6SP8	1			51, 52, 53			O0	Blue Spruce, With Heavy Duty Insulation Package (AHL), Without [SLT], (ASP), Right
		1			11, 12, 13			O0	Blue Spruce, With Heavy Duty Insulation Package (AHL), Without [SLT], (ASP), Right

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panel Front Door Trim
Figure IAB-405




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5FF2 7RD5	1			51, 52, 53			O0	Quartz, With Heavy Duty Insulation Package (AHL), Without [SLT], (ASP), Left
		1			11, 12, 13			O0	Quartz, With Heavy Duty Insulation Package (AHL), Without [SLT], (ASP), Left
	5FF2 7SK5	1			51, 52, 53			O0	Tan, With Heavy Duty Insulation Package (AHL), Without [SLT], (ASP), Left
		1			11, 12, 13			O0	Tan, With Heavy Duty Insulation Package (AHL), Without [SLT], (ASP), Left
	5FF2 7SP8	1			51, 52, 53			O0	Blue Spruce, With Heavy Duty Insulation Package (AHL), Without [SLT], (ASP), Left
		1			11, 12, 13			O0	Blue Spruce, With Heavy Duty Insulation Package (AHL), Without [SLT], (ASP), Left
2									HANDLE, Frong And Sliding Door
	5DH2 2MD5	2						O0	Quartz
	5DH2 2SK5	2						O0	Tan
	5DH2 2SP8	2						O0	Blue Spruce
3									SCREW, [.190-24x.250], (NOT SERVICED) (Not Serviced)
-4	6035 425	4							NUT/RIVET, .19-24, Pull Handle
5									Attach BOLSTER, Front Door
	5DH2 0MD5	1						O0	Quartz, Right
	5DH2 0SK5	1						O0	Tan, Right
	5DH2 0SP8	1						O0	Blue Spruce, Right
	5DH2 1MD5	1						O0	Quartz, Left
	5DH2 1SK5	1						O0	Tan, Left
	5DH2 1SP8	1						O0	Blue Spruce, Left
6									CARPET, Door Trim Panel, (NOT SERVICED) (Not Serviced)
7	L638 MD5	2						O0	BASE, Armrest, Paint as Required
8									PAD, Armrest
	L637 MD5	2						O0	Quartz
	L637 SK5	2						O0	Tan
	L637 SP8	2						O0	Blue Spruce

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panel Front Door Trim Figure IAB-405

[illegible]

DODGE RAM VAN & WAGON (AB)

BODGE RAM VAN
SERIES
 L = Van, Wagon
 X = Conv.

WAGON (AB)	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Door Trim Panels, Side and Rear
Figure IAB-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6035 930AA	1							CLIP, Trim Panel
2									PROTECTOR, Rear Cargo Door
	5FV4 6HD5	1						O0	Quartz
	5FV4 6RP8	1						O0	Blue
3	L666 MD5	2						O0	PROTECTOR, Side Cargo Door
4									PANEL, Door Trim
	5EE2 2SD3	1						O0	Quartz, With [SLT], Rear Cargo Door
	5EE2 2SP8	1						O0	Blue Spruce, With [SLT]
	5EP9 0RD5	1						O0	Quartz, Without [SLT]
	5EP9 0SP8	1						O0	Blue Spruce, Without [SLT]
5									PANEL, Side Cargo Door
	5EE1 5SD3	1						O0	Quartz, Hinged Door, With [SLT], Front
	5EE1 5SP8	1						O0	Blue Spruce, Hinged Door, With [SLT], Front
	5EE1 8SD3	1						O0	Quartz, Hinged Door, With [SLT], Rear
	5EE1 8SP8	1						O0	Blue Spruce, Hinged Door, With [SLT], Rear
	5EP9 2RD5	1						O0	Quartz, Hinged Door, Without [SLT], Front
	5EP9 2SP8	1						O0	Blue Spruce, Hinged Door, Without [SLT]
	5EP9 3RD5	1						O0	Quartz, Hinged Door, Without [SLT], Rear
	5EP9 3SP8	1						O0	Blue Spruce, Hinged Door, Without [SLT], Rear
6									PANEL, Rear Cargo Door Trim
	5EE2 0SD3	1						O0	Quartz, With [SLT], Rear Right
	5EE2 0SP8	1						O0	Blue Spruce, With [SLT], Rear Right
	5EE2 1SD3	1						O0	Quartz, With [SLT], Rear Left
	5EE2 1SP8	1						O0	Blue Spruce, With [SLT], Rear Left
	5EP9 6RD5	1						O0	Quartz, Without [SLT], Rear Right
	5EP9 6SP8	1						O0	Blue Spruce, Without [SLT], Rear Right
	5EP9 7RD5	1						O0	Quartz, Without [SLT], Rear Left
	5EP9 7SP8	1						O0	Blue Spruce, Without [SLT]
7									PANEL, Side Cargo Door Trim

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Door Trim Panels, Side and Rear
Figure IAB-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5EE2 3SD3	1						O0	Quartz, With [SLT], Up to 10-19-96
	5EE2 3SP8	1						O0	Blue Spruce, With [SLT], Up to10-19-96
	5EP9 5RD5	1						O0	Quartz, Without [SLT], Up to 10-19-96
	5EP9 5SP8	1						O0	Blue Spruce, Without [SLT], Up to 10-19-96
	5FU8 4SD5	1						O0	Quartz, Without [SLT], After 10-19-96
	5FU8 4SP8	1						O0	Blue Spruce, Without [SLT], After 10-19-96
	5FU8 8SD5	1						O0	Quartz, With [SLT], After 10-19-96
	5FU8 8SP8	1						O0	Blue Spruce, With [SLT], After 10-19-96
8									HANDLE, Front And Sliding Door
	5DH2 2SK5	2						O0	Tan
	5DH2 2SP8	2						O0	Blue Spruce
	5DH2 2TC3	2						O0	Mist Gray
9									SCREW, [.190-24x.250], (NOT SERVICED) (Not Serviced)
-10	6035 425	4							NUT/RIVET, .19-24, Pull Handle
11	L718 MD5	2			51, 52, 53			O0	Attach COVER, Raer Window Latch
12	4264 128	4			51, 52, 53				RETAINER, Window Latch
13	4265 329	1							INSULATION, Cargo Door
14	3832 616	1							FASTENER, Trim Panel
15	1623 945	10							CLIP, Trim Panel


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Seat Front, Trim Code N5 Figure IAB-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ARMREST, Seat
	5DH9 4SP8	1						N5	Blue Spruce, Driver
	5DH9 5SP8	1						N5	Blue Spruce, Passenger
	5DH9 4MD5	1						N5	Quartz, Driver
	5DH9 5MD5	1						N5	Quartz, Passenger
2	4796 202	1						N5	SUPPORT, Armrest, Armrest
3	5EH1 5RD5	1						O0	BEZEL, Power Seat Switch
4									CUSHION, Front Seat
	PR06 SP8	1						N5	Blue Spruce, Up to 6-18-97, Driver
	PR08 SP8	1						N5	Blue Spruce, Up to 6-18-97, Passenger
	PR10 SP8	1						N5	Blue Spruce, With Power, Up to 6-18-97, Driver
	PR06 SD3	1						N5	Quartz, Up to 6-18-97, Driver
	PR08 SD3	1						N5	Quartz, Up to 6-18-97, Passenger
	PR10 SD3	1						N5	Quartz, With Power, Up to 6-18-97, Driver
	SA77 SD3AA	1						N5	Quartz, After 6-18-97, Driver
	SA77 SP8AA	1						N5	Blue Spruce, After 6-18-97, Driver
	SA82 SD3AA	1						N5	Quartz, After 6-18-97, Passenger
	SA82 SP8AA	1						N5	Blue Spruce, After 6-18-97, Passenger
	SA83 SD3AA	1						N5	Quartz, With Power, After 6-18-97, Driver
	SA83 SP8AA	1						N5	Blue Spruce, With Power, After 6-18-97, Driver
5									COVER, Front Seat Cushion
	MH07 SP8	1						N5	Blue Spruce, With Power
	MH07 SD3	1						N5	Quartz, With Power
	5DP4 4SP8	1						N5	Blue Spruce, Without Power
	5DP4 4SD3	1						N5	Quartz, Without Power
6									SEAT BACK, Front
	MH02 SP8	1						N5	Blue Spruce, Up to 6-18-97, Right
	MH03 SP8	1						N5	Blue Spruce, Up to 6-18-97, Left
	MH02 SD3	1						N5	Quartz, Up to 6-18-97, Right
	MH03 SD3	1						N5	Quartz, Up to 6-18-97, Left
	SA94 SP8AA	1						N5	Blue Spruce, After 6-18-97, Right
	SA94 SD3AA	1						N5	Quartz, After 6-18-97, Right
	SA95 SD3AA	1						N5	Quartz, After 6-18-97, Left
	SA95 SP8AA	1						N5	Blue Spruce, After 6-18-97, Left
7									COVER, Front Seat Back

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Front, Trim Code N5 Figure IAB-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	MH04 SP8	1						N5	Blue Spruce, Right
	MH05 SP8	1						N5	Blue Spruce, Left
	MH04 SD3	1						N5	Quartz, Right
	MH05 SD3	1						N5	Quartz, Left
8									BRACKET, Arm Rest
	4084 279	1	1		12			N5	Left,Driver,Inner
	4084 278	1						N5	Right,Passenger,Inner
	4084 279	1	1		11			N5	Left,Driver,Inner
		1	2		11			N5	Left,Driver,Inner
		1	2		13			N5	Left,Driver,Inner
		1	1		51			N5	Left,Driver,Inner
		1	2		12			N5	Left,Driver,Inner
		1	2		53			N5	Left,Driver,Inner
		1	2		52			N5	Left,Driver,Inner
		1	3		13			N5	Left,Driver,Inner
		1	3		53			N5	Left,Driver,Inner
		1	3		12			N5	Left,Driver,Inner
		1	3		52			N5	Left,Driver,Inner
9									HANDLE, Grab
	MH09 RD5	1						N5	Quartz, Right Seat
	MH09 SP8	1						N5	Blue Spruce, Right Seat
10									COVER, Assist Handle
	MH10 RD5	1						N5	Quartz
	MH10 SP8	1						N5	Blue Spruce
11	5012 912AA	2						N5	CLIP, Attaching, Attach Assist Handle
12	4796 066	2						N5	SCREW, Attach Assist Handle

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Front, Trim Code M6, N6 Figure IAB-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT COMPLETE, Front
	5DP4 6SP8	2						N6	Blue Spruce
	5DP4 5RD5	2						M6	Quartz
	5DP4 6RD5	2						N6	Quartz
2									COVER, Front Seat Cushion
	5DJ0 0SP8	2						N6	Blue Spruce
	5DJ0 0MD5	2						N6	Quartz
	5DJ2 6MD5	2						M6	Quartz
3									COVER, Front Seat Back
	5DJ0 6SP8	2						N6	Blue Spruce
	5DJ0 6MD5	2						N6	Quartz
	5DK8 6MD5	2						M6	Quartz




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT COMPLETE, Front
	5DH9 8SP8	1						K5	Blue Spruce, Right
	5DH9 8RDD	1						K5	Quartz, Right
	5DH9 9SP8	1						K5	Blue Spruce, Left
	5DH9 9RDD	1						K5	Quartz, Left
2									COVER, Front Seat Cushion
	5DJ1 6SP8	1						K5	Blue Spruce
	5DJ1 6MDD	1						K5	Quartz
3									COVER, Front Seat Back
	5DJ1 4SP8	1						K5	Blue Spruce
	5DJ1 4MDD	1						K5	Quartz
4									ARMREST, Seat
	5DH9 4SP8	1						K5	Blue Spruce, Right
	5DH9 5SP8	1						K5	Blue Spruce, Left
	5DH9 4MD5	1						K5	Quartz, Right
	5DH9 5MD5	1						K5	Quartz, Left
5	4796 202	1						K5	SUPPORT, Armrest



TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

September 15, 2005

Seat, Rear, Trim Codes K5, N5, N6
Figure IAB-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	5DJ4 1MD5	1						N6	Quartz, 3 Passenger
	5DJ4 1SP8	1						N6	Blue Spruce, 3 Passenger
2									COVER, Rear Seat Cushion, Three Passenger
	5DJ4 0SP8	1						N6	Blue Spruce
	5DJ4 0MD5	1						N6	Quartz
3									COVER, Rear Seat Cushion, Four Passenger
	5DJ6 8SP8	1	3		52, 53			N6	Blue Spruce
	5DJ6 8MD5	1	3		52, 53			N6	Quartz
4									SEAT BACK, Rear, 3 Passenger
	5FV0 4SD5	1						N6	Quartz
	5FV0 4SP8	1						N6	Blue Spruce
5									SEAT BACK, Rear
	5DJ7 1SP8	1	3		52			N6	Blue Spruce, 4 Passenger
	5DJ7 1MD5	1	3		52, 53			N6	Quartz, 4 Passenger
6									COVER, Rear
	5DJ4 2MD5	1						N6	Quartz, 3 Passenger
	5DJ4 2SP8	1						N6	Blue Spruce, 3 Passenger
	5DJ7 0MD5	1	3		52, 53			N6	Quartz, 4 Passenger
	5DJ7 0SP8	1	3		52, 53			N6	Blue Spruce, 4 Passenger
7	6008 076	AR							HOG RING, Seat, Cushion and Back Cover
8	4211 675	2							SPACER, Rear Armrest Pivot Bolt
9	4211 689	2							SPRING, Armrest Pivot
10	6031 853	2							BOLT, Hex Shoulder, .250-20x.875
11									ARMREST, Seat
	L110 SP8	1						N6	Blue Spruce, Right
		1						N5	Blue Spruce, Right
		1						K5	Blue Spruce, Right
	L110 MD5	1						N6	Quartz, Right
		1						K5	Quartz, Right
		1						N5	Quartz, Right
12									CUSHION, Rear Seat, Three Passenger
	5DJ5 5SP8	1						N5	Blue Spruce
	5DJ5 5SD3	1						N5	Quartz
13									CUSHION, Rear Seat, Four Passenger

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Rear, Trim Codes K5, N5, N6
Figure IAB-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5DJ7 5SP8	1	3		52, 53			K5	Blue Spruce
	5DJ8 1SD3	1	3		52, 53			N5	Quartz
15	5DJ5 4SP8	1						N5	Blue Spruce
	5DJ5 4SD3	1						N5	Quartz
16	5DJ8 0SP8	1	3		52, 53			N5	Blue Spruce
	5DJ8 0SD3	1	3		52, 53			N5	Quartz
	5FU9 3SD3	1						N5	Quartz
17	5FU9 3SP8	1						N5	Blue Spruce
	5DJ8 3SD3	1	3		52, 53			N5	SEAT BACK, Rear
18	5DJ8 3SP8	1	3		52, 53			N5	Quartz, 4 Passenger
	5DJ5 6SP8	1						N5	Blue Spruce, 3 Passenger
19	5DJ5 6SD3	1						N5	Quartz, 3 Passenger
	5DJ8 2SP8	1	3		52, 53			N5	Blue Spruce, 4 Passenger
	5DJ8 2SD3	1	3		52, 53			N5	Quartz, 4 Passenger
	5DJ4 7SP8	1						K5	CUSHION, Rear Seat, Three Passenger
20	5DJ4 7MDD	1						K5	Blue Spruce
	5DJ7 5MDD	1	3		52, 53			K5	Quartz
21	5DJ7 5SP8	1	3		52, 53			K5	Blue Spruce
	5DJ4 6SP8	1						K5	COVER, Rear Seat Cushion, Three Passenger
22	5DJ4 6MDD	1						K5	Blue Spruce
	5DJ7 4SP8	1	3		52, 53			K5	Quartz
23	5DJ7 4MDD	1	3		52, 53			K5	Blue Spruce
	5FV1 0SD5	1						K5	SEAT BACK, Rear, 3 Passenger
24	5FV1 0SP8	1						K5	Quartz
									Blue Spruce
24									SEAT BACK, Rear


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Rear, Trim Codes K5, N5, N6
Figure IAB-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	5DJ7 7SP8	1	3		52, 53			K5	Blue Spruce, 4 Passenger
	5DJ7 7MDD	1	3		52, 53			K5	Quartz, 4 Passenger
	5DJ5 0SP8	1						K5	Blue Spruce, 3 Passenger
	5DJ5 0MDD	1						K5	Quartz, 3 Passenger
-26	5DJ7 6SP8	1	3		52, 53			K5	Blue Spruce, 4 Passenger
	5DJ7 6MDD	1	3		52, 53			K5	Quartz, 4 Passenger
	6034 384	1							SCREW, Pan Head, .437-20x1.15, Back to Cushion, Reinforcement to Cushion, .437-20x1.15



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Seat Belts
Figure IAB-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	BELT AND RETRACTOR, Front Seat								
	5FE1 5RAZ	1						O0	Agate, Tip Half, Drivers Side
	5FE1 5SK5	1						O0	Tan, Tip Half, Drivers Side
	5FE1 5SP8	1						O0	Blue Spruce, Tip Half, Drivers Side
2	BELT AND RETRACTOR, Front Seat								
	5EZ5 6RAZ	1						O0	Agate, With Hinged Cargo Doors, Passenger Side
	5EZ5 6SK5	1						O0	Tan, With Hinged Cargo Doors, Passenger Side
	5EZ5 6SP8	1						O0	Blue Spruce, With Hinged Cargo Doors, Passenger Side
	5EZ5 8SK5	1						O0	Tan, With Sliding Cargo Door, Passenger Side
	5EZ5 8RAZ	1						O0	Agate, With Sliding Cargo Door, Passenger Side
	5EZ5 8SP8	1						O0	Blue Spruce, With Sliding Cargo Door, Passenger Side
-3	6034 449	1						O0	SCREW, Pan Head, .437-20x1.79, Also serviced with Item 2
4	LAP BELT, Buckle Half								
	5DW4 2RAZ	1						O0	Agate, (Label 55314782), Right
	5DW4 2SK5	1						O0	Tan, (Label 55314782), Right
	5DW4 2SP8	1						O0	Blue Spruce, (Label 55314782), Right
	5DW4 3RAZ	1						O0	Agate, Includes Electric Switch, (Label 55314783), Left
	5DW4 3SK5	1						O0	Tan, Includes Electric Switch, (Label 55314783), Left
	5DW4 3SP8	1						O0	Blue Spruce, Includes Electric Switch, (Label 55314783), Left
5	SCREW, Pan Head, .437-20x1.875								
	6034 459	1	1		11			O0	
		1	1		51			O0	
		1	1		12			O0	
		1	2		11			O0	
		1	2		12			O0	
		1	2		52			O0	
		1	2		13			O0	
		1	2		53			O0	
		1	3		12			O0	


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Seat Belts

Figure IAB-710

[illegible]

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Belts, Rear Seats
Figure IAB-720

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BELT, Rear Lap Tip, Label 55134785
	5DW4 5SP8	2						O0	Blue Spruce, 3 Passenger
	5DW4 5RAZ	2						O0	Agate, 3 Passenger
2									SEAT BELT, Rear Lap Buckle, Label 55314790
	5DW5 0RAZ	3						O0	Agate, 3 Passenger
	5DW5 0SP8	3						O0	Blue Spruce, 3 Passenger
3									SEAT BELT, Rear Lap Buckle, Label 55134798
	5DW5 8RAZ	2						O0	Agate, 4 Passenger
	5DW5 8SP8	2						O0	Blue Spruce, 4 Passenger
4									SEAT BELT, Rear Lap Buckle, Label 55314802
	5DW6 2RAZ	1						O0	Agate, 4 Passenger
	5DW6 2SP8	1						O0	Blue Spruce, 4 Passenger
5									SEAT BELT, Rear Lap Tip, Label 55314800
	5DW6 0RAZ	1						O0	Agate, Center Tip Half, 4 Passenger
	5DW6 0SP8	1						O0	Blue Spruce, Center Tip Half, 4 Passenger
6									SEAT BELT, Rear Lap Buckle, Label 55314796
	5DW5 6RAZ	1						O0	Agate, Center Buckle Half, 4 Passenger
	5DW5 6SP8	1						O0	Blue Spruce, Center Buckle Half, 4 Passenger
7									SEAT BELT, Rear Lap Tip, Label 55314792
	5DW5 2RAZ	1						O0	Agate, 4 Passenger
	5DW5 2SP8	1						O0	Blue Spruce, 4 Passenger
8									SEAT BELT, 4 Passenger Outer, Label 55350152
	5EZ6 6RAZ	2						O0	Agate, Shoulder, Right & Left
	5EZ6 6SP8	2						O0	Blue Spruce, Shoulder, Right & Left
9									REINFORCEMENT, Seat Riser and Seat Belt Mounting, 3 Passenger
	5502 9448	1	2, 3			52, 53			

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Belts, Rear Seats
Figure IAB-720

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1		51				Mounting, 3 Passenger
10	6034 397	4							SCREW, Pan Head, .437-20x1.57, Belt Attaching
11	6034 397	4							SCREW, Pan Head, .437-20x1.57, Seat Belt Mounting 4 Passenger
12	4087 642	4							PLUG, With Mounting Bracket and Nut
13	4352 237	2							BRACKET, Seat Belt Anchor
14	4402 887	1							EXTENDER, Seat Belt
15	6034 383	2							SCREW, Pan Head, .437-20x1.5
-16	4358 469AB-	1							TETHER PACKAGE, Child Seat

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Belts, Shoulder Rear Seats
Figure IAB-730


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BELT, Rear Outer, Label 55314787
	5DW4 7SP8	2						O0	Blue Spruce, 5 and 8 Passenger
	5DW4 7RAZ	2						O0	Agate, 5 and 8 Passenger
2	6034 459	2							SCREW, Pan Head, .437-20x1.875
3									BOLT, Serviced in Item1, (NOT SERVICED) (Not Serviced)
4									PLUG, Shoulder Harness Anchor, Paint as Required
	5DD0 8MD5	2	2, 3		52			O0	Quartz
		6	2, 3		13			O0	Quartz
		4			12			O0	Quartz
		4	2, 3		53			O0	Quartz
		2	1, 2		11			O0	Quartz
	5DD0 8SP8	2	2, 3		52			O0	Blue Spruce
		4			12			O0	Blue Spruce
		2	1, 2		11			O0	Blue Spruce
		4	2, 3		53			O0	Blue Spruce
		6	2, 3		13			O0	Blue Spruce
5	5502 9448	4							REINFORCEMENT, Seat Riser and Seat Belt, Mounting, 3 Passenger

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Reclining Mechanism, Front Seat Figure IAB-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	9422 041	1							BOLT, Hex Head, .312-18x1.50
2									RECLINER, Seat Back
	4190 968	1						N5	Driver
	4190 969	1	1		11			N5	Passenger
		1	1		51			N5	Passenger
		1	1		12			N5	Passenger
		1	2		11			N5	Passenger
		1	2		12			N5	Passenger
		1	2		53			N5	Passenger
		1	2		13			N5	Passenger
		1	2		52			N5	Passenger
		1	3		12			N5	Passenger
		1	3		53			N5	Passenger
		1	3		13			N5	Passenger
		1	3		52			N5	Passenger
3									ADAPTER, Seat Recliner
	4029 871	1	1		12			N5	
		1	2		11			N5	
		1	1		11			N5	
		1	1		51			N5	
		1	2		13			N5	
		1	2		53			N5	
		1	2		12			N5	
		1	2		52			N5	
		1	3		12			N5	
		1	3		52			N5	
		1	3		13			N5	
		1	3		53			N5	
4									SPRING, Recliner Release
	4190 248	1						N5	Driver
	4190 249	1	1		12			N5	Passenger
		1	1		51			N5	Passenger
		1	1		11			N5	Passenger
		1	2		11			N5	Passenger
		1	2		12			N5	Passenger
		1	2		52			N5	Passenger
		1	3		12			N5	Passenger
		1	2		13			N5	Passenger
		1	3		13			N5	Passenger
		1	3		53			N5	Passenger

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Reclining Mechanism, Front Seat
Figure IAB-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3		52			N5	Passenger
5	0120 622	1						N5	NUT, Hex, .164-32, Release Handle Adapter
6									SCREW, 8-18x1, (NOT SERVICED) (Not Serviced)
7	S877 TC3	1						N5	COVER, Front Seat Hinge Driver,Outer
	S876 TC3	1						N5	Passenger,Outer
8									COVER, Seat Recliner, Paint as Required
	S810 TC3	1						N5	With Hole For Recliner, Passenger,Inner
	S811 TC3	1						N5	With Hole For Recliner, Driver, Inner
9	5519 5448	1						N5	HANDLE, Recliner, Release
10									SCREW, 8-32x1/2, (NOT SERVICED) (Not Serviced)
11	4029 846	1						N5	BUSHING, Pivot
12	6030 913	1						N5	SNAP RING, .310, Retaining Pivot Pin
-13									BOLT, Pivot, (NOT REQUIRED)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Adjusters And Riser, Bucket Seats, Without Power
Figure IAB-820

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
1										
ADJUSTER, Manual Seat										
4856 991	2	1			12			N6	With Handle, Outboard	
	2	1			11			N6	With Handle, Outboard	
	2	1			51			N6	With Handle, Outboard	
	2	2			12			N6	With Handle, Outboard	
	2	2			11			N6	With Handle, Outboard	
	2	2			13			N6	With Handle, Outboard	
	2	2			53			N6	With Handle, Outboard	
	2	2			52			N6	With Handle, Outboard	
	2	3			13			N6	With Handle, Outboard	
	2	3			52			N6	With Handle, Outboard	
	2	3			12			N6	With Handle, Outboard	
	2	3			53			N6	With Handle, Outboard	
	2	1			12			M6	With Handle, Outboard	
	2	1			51			M6	With Handle, Outboard	
	2	1			11			M6	With Handle, Outboard	
	2	2			11			M6	With Handle, Outboard	
	2	2			12			M6	With Handle, Outboard	
	2	2			52			M6	With Handle, Outboard	
	2	2			13			M6	With Handle, Outboard	
	2	2			53			M6	With Handle, Outboard	
	2	3			13			M6	With Handle, Outboard	
	2	3			53			M6	With Handle, Outboard	
	2	3			12			M6	With Handle, Outboard	
	2	3			52			M6	With Handle, Outboard	
	5519 4860	1							N5	With Handle, Outboard
		1							K5	With Handle, Outboard
2		1			11			N6	Inboard	
2		1			12			N6	Inboard	
	2	1			51			N6	Inboard	
	2	2			11			N6	Inboard	
	2	2			52			N6	Inboard	
	2	3			12			N6	Inboard	
	2	2			12			N6	Inboard	
	2	2			13			N6	Inboard	
	2	3			52			N6	Inboard	
	2	1			11			M6	Inboard	
	2	2			53			N6	Inboard	
	2	3			13			N6	Inboard	
	2	1			51			M6	Inboard	


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Adjusters And Riser, Bucket Seats, Without Power Figure IAB-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	2		12			M6	Inboard
		2	3		53			N6	Inboard
		2	1		12			M6	Inboard
		2	2		52			M6	Inboard
		2	3		12			M6	Inboard
		2	2		11			M6	Inboard
		2	3		52			M6	Inboard
		2	2		13			M6	Inboard
		2	2		53			M6	Inboard
		2	3		13			M6	Inboard
		2	3		53			M6	Inboard
		1						N5	Inboard
		1						K5	Inboard
2	0104 918	1							BALL, Valve Body Check
3	6022 777	1							SCREW AND WASHER, Hex Head, .312-18x.875, Adjuster Mounting
4									WASHER, Sealing
	5513 5290	8			11, 12, 13				Stud Sealing
		8			51, 52, 53				Stud Sealing
5	6028 040	4							NUT, Push, .31-18, Adjuster Mounting Screw
6									SPRING, Seat Track Adjuster
	4118 646	2	1		12			N6	Release
		2	1		11			N6	Release
		2	1		51			N6	Release
		2	2		12			N6	Release
		2	2		11			N6	Release
		2	2		13			N6	Release
		2	2		52			N6	Release
		2	3		12			N6	Release
		2	2		53			N6	Release
		2	3		13			N6	Release
		2	3		53			N6	Release
		2	3		52			N6	Release
		2	1		12			M6	Release
		2	1		51			M6	Release
		2	1		11			M6	Release
		2	2		11			M6	Release

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Adjusters And Riser, Bucket Seats, Without Power Figure IAB-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	2		12			M6	Release
		2	2		52			M6	Release
		2	2		13			M6	Release
		2	2		53			M6	Release
		2	3		13			M6	Release
		2	3		53			M6	Release
		2	3		12			M6	Release
		2	3		52			M6	Release
		1						N5	Release
7		1						K5	Release
									WIRE, Adjuster Release
	4118 676	2	1		11			N6	
		2	1		12			N6	
		2	2		11			N6	
		2	2		13			N6	
		2	1		51			N6	
		2	2		12			N6	
		2	2		52			N6	
		2	3		12			N6	
		2	2		53			N6	
		2	3		13			N6	
		2	3		53			N6	
		2	1		12			M6	
		2	3		52			N6	
		2	1		11			M6	
		2	2		11			M6	
		2	2		13			M6	
		2	1		51			M6	
		2	2		12			M6	
		2	2		53			M6	
		2	2		52			M6	
		2	3		12			M6	
		2	3		52			M6	
		2	3		13			M6	
		2	3		53			M6	
		1						N5	Adjuster Track Release
		1						K5	Adjuster Track Release
8									KNOB, (NOT SERVICED) (Not Serviced)
9									RISER, Seat

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Adjusters And Riser, Bucket Seats, Without Power Figure IAB-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5519 5680	1						O0	Driver
	5519 5681	1						O0	Passenger
10	6025 014	4							NUT AND CONED WASHER, Hex, .437-14
11	6025 008	4							NUT, .312-18
12									SCREW AND WASHER, (NOT SERVICED) (Not Serviced)
13									SHIELD, Seat Cushion
	5DN6 9SP8	1						O0	Blue Spruce
	5DN6 9SK5	1						O0	Tan
	5DN6 9RD5	1						O0	Quartz
14									PIN, Push .281
	5AA3 5SK5	1						O0	Tan
	5AA3 5MD5	1						O0	Quartz
	5AA3 5SP8	1						O0	Blue Spruce
15									DRAWER, Front Seat Storage
	MH13 SP8	1	1		11			O0	Blue Spruce
		1	1		51			O0	Blue Spruce
		1	1		12			O0	Blue Spruce
		1	2		13			O0	Blue Spruce
		1	2		12			O0	Blue Spruce
		1	2		52			O0	Blue Spruce
		1	3		53			O0	Blue Spruce
		1	3		12			O0	Blue Spruce
		1	3		13			O0	Blue Spruce
		1	2		11			O0	Blue Spruce
		1	3		52			O0	Blue Spruce
	MH13 RD5	1	1		12			O0	Quartz
		1	1		11			O0	Quartz
		1	1		51			O0	Quartz
		1	2		11			O0	Quartz
		1	2		12			O0	Quartz
		1	2		13			O0	Quartz
		1	3		12			O0	Quartz
		1	3		13			O0	Quartz
		1	3		52			O0	Quartz
		1	3		53			O0	Quartz
		1	2		52			O0	Quartz
16	4798 626	1						O0	BRACKET, Storage Drawer Slide
17								O0	RIVET, Dome Head, .156x.1875

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Adjusters And Riser, Bucket Seats, Without Power
Figure IAB-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6030 804	3	1		51			O0	
		3	2		11			O0	
		3	2		52			O0	
		3	1		11			O0	
		3	1		12			O0	
		3	2		12			O0	
		3	3		12			O0	
		3	3		13			O0	
		3	2		13			O0	
		3	3		52			O0	
		3	3		53			O0	
18									SPRING, Storage Drawer
	4798 628	1	1		12			O0	
		1	1		51			O0	
		1	2		11			O0	
		1	2		13			O0	
		1	2		12			O0	
		1	2		52			O0	
		1	3		12			O0	
		1	3		13			O0	
		1	3		53			O0	
		1	3		52			O0	
		1	1		11			O0	

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Adjusters and Riser, Bucket Seats, With Power
Figure IAB-825




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
P.A.R.= Paint As Required									
1	4796 062	1						N5	ADJUSTER, Power Seat
2	6025 008	4							NUT
3	5519 5679	1						O0	RISER, Seat
4	6025 014	4							NUT AND CONED WASHER, Hex, .437-14
5									STUD, Riser to Floor, (NOT SERVICED) (Not Serviced)
6									WASHER, Sealing
	5513 5290	4			11, 12, 13				
		8			11, 12, 13				
7									SHIELD, Seat Cushion
	5DN6 8SK5	1						O0	Tan
	5DN6 8RD5	1						O0	Quartz
	5DN6 8SP8	1						O0	Blue Spruce
8									PIN, Push .281
	5AA3 5MD5	6						O0	Quartz
	5AA3 5SK5	6						O0	Tan
	5AA3 5SP8	6						O0	Blue Spruce
9	5EH1 5RD5	1						O0	BEZEL, Power Seat Switch, Paint as Required, P.A.R.

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Risers, Rear Seats Figure IAB-830

[illegible]

DODGE RAM VAN & WAGON (AB)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Group – SAB






Body Sheet Metal Except Doors



Group – SAB

Body Sheet Metal Except Doors

SAB-1500 Track Sliding Door 			
---	--	--	--


SAB-200 Floor Pans 	SAB-300 Plugs 	SAB-400 Front Fenders 	SAB-500 Hood and Hood Release 
SAB-600 Cowl and Dash Panel 	SAB-700 Glass and Rear View Mirror 	SAB-900 Quarter Panel and Pillars 	SAB-1100 Roof Panels 

GROUP SAB - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pans	
Floor Pan	Fig. SAB-210
Plugs	
Plugs	Fig. SAB-310
Front Fenders	
Fender Front	Fig. SAB-410
Hood and Hood Release	
Hood and Hood Release	Fig. SAB-510
Cowl and Dash Panel	
Cowl and Dash	Fig. SAB-610
Glass and Rear View Mlrror	
Glass and Weatherstrips	Fig. SAB-710
Mirror, Rear View	Fig. SAB-720
Quarter Panel and Pillars	
Supports And Channels, Right	Fig. SAB-910
Supports Retainers And Fuel Filler Door	Fig. SAB-920
Stepwell	Fig. SAB-925
Panels, Pillars, Reinforcements, Right Side	Fig. SAB-930
Panels, Pillars, Reinforcements, Left Side	Fig. SAB-940
Panels, Pillars, Reinforcements	Fig. SAB-950
Roof Panels	
Panels Roof Header And Roof Rails	Fig. SAB-1110
Track Sliding Door	
Track Sliding Door	Fig. SAB-1510



Floor Pan
Figure SAB-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FILLER, Side Panel To Underbody
	55346 294AB	1			11, 12, 51, 52				Right
	55346 295AB	1			11, 12, 51, 52				Left
	5534 6296	1	2, 3		13, 53				Right
	5534 6297	1	2, 3		13, 53				Left
2	5534 6398	1							PANEL, Underbody Front
3									PANEL, Front Floor Pan
	5534 6280	1			12, 13				
		1	3		12, 13, 52, 53				
	5534 6243	1	1, 2		11				
		1	1		51				
	5534 6280	1	2		52, 53				
-4									BRACKET, Seat Anchor
	55346 403AB-	8							8 and 12 passenger
		12							15 Passenger
5	5534 7191	1	2, 3		13, 53				EXTENSION, Floor Pan
6									PANEL, Heat Shield
	5534 5424	1							Right
	5534 6390	1							Left
7	6022 202	2							SCREW AND WASHER, Hex Head, .25-20x.625
8									PANEL, Side Panel
	55346 285AB	1	1, 2		11, 51				
	55346 287AB	1			12, 13, 52, 53				

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Plugs
Figure SAB-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	2860 332	1							PLUG, Anti-Rattle, Antenna Grommet Hole
2	6029 939	AR							PLUG, Body, .50 Diameter, Cowl Gage Hole
3	3760 482	2							PLUG, Access Hole, Filler Gage Hole
4	4475 385	1							PLUG
5	1963 755	1							PLUG, Body, 1.187 Diameter
6	4780 194	1							PLUG
7	2860 332	2	1, 2		11, 51				PLUG, Anti-Rattle, Side Step Sill Rear Panel
8	4499 069	1							PLUG, Front Pillar Side Lock, Without Power Door Locks
9	4083 788	8							PLUG, Underbody Access, Seat Anchor Bracket Drain
10	6029 057	1							PLUG, Body, 1.655 Diameter

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Fender Front
Figure SAB-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side
	5534 4976	1							Right
	5534 4977	1							Left
2									BEAM, Cowl Side Impact
	5534 4982	1							Right
	5534 4983	1							Left
3	5525 4614	1							SHIELD, Cowl
4									EXTENSION, Wheel House
	4212 556	1							Right
	4212 557	1							Left
5									REINFORCEMENT, Step Sill
	4215 878	1							Right
	4215 879	1							Left
-6									EXTENSION, Front Sill
	4087 524	1							Right
	4087 525	1							Left
7									WHEELHOUSE, Front Inner
	5534 6388	1							Right
	5534 6584	1							Left
8									FENDER
	5534 6482	1							Right
	5534 6483	1							Left
9									EXTENSION, Fender To Headlamp
	55344 912AB	1							Right
	55344 913AB	1							Left
10									EXTENSION, Fender To Windshield
	4087 518	1							Right
	4087 519	1							Left
11									PANEL, Front Fender Rear Side
	4215 952	1							Right
	4215 953	1							Left
12	5527 4696	1							SHIELD, Alternator
13	6031 321	10							PIN, Retainer, Front Fender Splash
									Shield
14									BAFFLE, Fender
	5513 5336	1							Right
	5513 5337	1							Left
15	4113 920	1							SHIELD, Cowl

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hood and Hood Release
Figure SAB-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55344 901AB	1							PANEL, Hood
-2	4215 966	2							LABEL, Equipmemt Identification
3	5525 4983	1							STRIKER, Hood Safety Catch
4	4087 802	1							STRIKER, Hood Latch
5	4087 521	1							REINFORCEMENT, Hood Striker
6	0181 063	8							SCREW AND WASHER, .25-20x.75
7	6024 203	2							NUT, .375
8									BOLT, .312-18x1.00, (NOT SERVICED) (Not Serviced)
9									ARM, Hood Hinge
	5534 7106	1							Right
	5534 7107	1							Left
10	5207 387	1							SPRING, Hood Pop Up, Hood Pop-Up
11									SUPPORT, Hood Latch, See Group 7, (NOT SERVICED) (Not Serviced)
12	5507 5870	1							CATCH, Hood Safety
13	5523 4850	1							ROD, Hood Prop
14	6035 669	2							SCREW AND WASHER
15	2276 804	2							BUMPER, Hood
16	0154 631	1							SCREW, Pan Head, .190-16x.5
17	4083 053	2							RETAINER, Hood Prop
18	5207 088	1							LATCH, Hood
-19	5207 447	1							SPRING, Hood Latch Inside Release
20	0181 063	2							SCREW AND WASHER, .25-20x.75
21	5507 5458	1							SHIELD, Hood Latch, Latch Release Upper Support
22	55074 995AB	1							RELEASE, Hood Latch
23									SCREW, .190-16x.50, Self Piercing, (NOT SERVICED) (Not Serviced)
24	0154 631	2							SCREW, Pan Head, .190-16x.5, Tapping
25	3695 100	1							GROMMET, Lock Knob, Hood Latch Release
26	3495 003	1							RETAINER, Hood Prop
27	5511 5637	1							BRACE, Hood Latch, Release Support

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hood and Hood Release
Figure SAB-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28									BRACKET, Cowl Side Panel Hood Bumper, Serviced in Panel, Cowl Side, (NOT SERVICED) (Not Serviced)
29	5534 6355	2							BUMPER, Hood to Fender
30	2276 804	2							BUMPER, Hood, Hex
31									REINFORCEMENT, Cowl Plenum Right Left
	5534 4970	1							
	5534 4971	1							
-32	4673 102	1							LABEL, System Warning, Compressed Natural Gas
-33	5205 8616	1							LABEL, CNG, French, Compressed Natural Gas

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cowl and Dash Figure SAB-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55346 817AB	1							PANEL, Dash
-2	5534 4558	1							REINFORCEMENT, Plenum, Upper Wiper Motor Mounting
3	5534 6967	1							EXTENSION, Dash Panel To Engine
4	2956 620	1							BRACKET, Engine Housing, Extension To Instrument Panel
5	5527 4647	1							RETAINER, Engine Housing Seal
6	5505 5327	1							PANEL, Cowl Top
-7	6503 639	8							NUT, Plastic Snap-in
-8	6503 512	2							CLIP, Cowl Screen
9	5534 6479	1							PANEL, Cowl And Plenum
-10	5503 6527	1							SEAL, Cowl To Hood
-11									SEAL, Cowl To Windshield
	5505 5616	1	1				11		
		1	1				12		
		1	2				12		
		1	1				51		
		1	2				11		
		1	2				52		
		1	2				13		
		1	3				12		
		1	3				13		
		1	3				52		
		1	3				53		
12									PANEL, A Pillar
	5534 5860	1							Right
	5534 6447	1							Left
13									PANEL, A Pillar
	5534 4922	1							Right
	5534 6227	1							Left
14									REINFORCEMENT, Cowl Outer Hinge Pillar
	4080 466	1							Right
	4080 467	1							Left
15	5534 6338	1							PANEL, Cowl Side, Filler Inner To Outer Hinge Pillar
16									PANEL, Windshield Frame
	5534 4948	1							Right
	5534 6385	1							Left
17	4499 027	1							INSULATION, Dash Panel
18	5521 6095	1							INSULATION, Dash Panel

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cowl and Dash
Figure SAB-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	5511 5643	1							SUPPORT, Dash Panel
20	5600 6990	1							PLUG, Sealing, Antenna Hole
21	5534 7336	2							WEATHERSTRIP, Front Door

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Glass and Weatherstrips Figure SAB-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE "1": Order From Your Local "MOPAR: Glass Distributor									
1	4087 023	1	2, 3		13				GLASS, Quarter Window
		1	2, 3		53				Tinted, Rear Corner Curved, Left
	4087 022	1	2, 3		13				Tinted, Rear Corner Curved, Left
		1	2, 3		53				Tinted, Rear Corner Curved, Right
	5513 5262	1	2, 3		13, 53				Privacy, Rear Corner Curved, Right
	5513 5263	1	2, 3		13, 53				Privacy, Rear Corner Curved, Left
2									GLASS, Bodyside Window
	4084 522	1			12, 13, 52, 53				Tinted, Right
	4084 523	1			12, 13, 52, 53				Tinted, Left
	5513 5260	1			12, 13, 52, 53				Privacy, Right
	4084 516	1	1, 2		11, 51				Tinted, Right
	4084 517	1	1, 2		11, 51				Tinted, Left
	5513 5254	1	1, 2		11, 51				Privacy, Right
	5513 5261	1			12, 13, 52, 53				Privacy, Left
	5513 5255	1	1, 2		11, 51				Privacy, Left
3									GLASS, Door, See Doors, (NOT REQUIRED)
4	4883 953AA	1							WINDSHIELD, Shipping Assembly - 10 Lite Glass
5	4883 970AA	1							WINDSHIELD, Shipping Assembly - 30 Lite Glass
6									GLASS, Cargo Door, Vented
	5507 4706	2							Tinted
	5513 5268	2							Privacy
7									GLASS, Sliding Door, See Doors, (NOT REQUIRED)
8									GLASS
	4081 253	1							Fixed Tinted, (Also Used Right Sliding Door and Single Rear Door)
	5513 5269	1							Fixed Privacy, (Also Used Right Sliding Door and Single Rear Door)

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Glass and Weatherstrips Figure SAB-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5507 4700	1							Vented Tinted, (Also Used Right Sliding Door and Single Rear Door)
	5513 5265	1							Vented Privacy, (Also Used Right Sliding Door and Single Rear Door)
9	5503 4480	1							GLASS Tint, Heated
	5513 5267	1							Privacy, Heated
	5507 4700	1							Tint
	5513 5265	1							Privacy
10	5517 4501	4	2, 3		13, 53				GASKET, Remote Control Handle, Rear Corner Panel Glass
11	5507 4791	4	2, 3		13, 53				RETAINER, Glass Corner Panel
12									GLASS, Sliding Door, See Doors, (NOT REQUIRED)
13	6034 911	4	2, 3		13, 53				SCREW, Oval Head, .25-20x.50
14	5513 5123	4	2, 3		13, 53				RETAINER, Glass Corner Panel, Rear Corner Panel Glass Inside
15	2504 566	4	2, 3		13, 53				WASHER, Flat, .23x1.0x.045
16	3788 265	4	2, 3		13, 53				SPACER, Rear Corner Vent Glass
17	4354 952	2	2, 3		13, 53				WEATHERSTRIP, Rear Corner Panel
18									WEATHERSTRIP, Side Panel Rear Glass
	4354 949	2	1		51				
	4354 948	2	2, 3		52, 53				
		2			12, 13				
	4354 949	2	1, 2		11				
19	5534 7038	1							MOLDING, Windshield
20	4354 950	1							WEATHERSTRIP, Cargo Door Glass, Fixed
21	4498 169	1							WEATHERSTRIP, Side Panel Vent
22	4673 324	2							SPACER, Dissolvable, Windshield Lower
23	5502 8214	3							SPACER, Windshield
24	6030 650	3							SCREW, Hex Head Locking, .25-20x.875
25	0154 608	4							SCREW, Pan Head, .19-16x.625
26	5507 4704	1							HINGE, Glass

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Glass and Weatherstrips
Figure SAB-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	6033 560	3							NUT AND WASHER, Hex Nut-Coned Washer, .25-20
28	6033 766	3							WASHER, Flat, ID=.230/OD=.750
29	5513 5041	2							LATCH, Vent Window
30	5502 2619	2							RETAINER, Side Panel Vent Window
31	5513 4502	4							WASHER, Vent Window Latch
32	4084 164	2							GROMMET, Vent Window Latch
33	4084 167	2							NUT, Window Latch Side Glass
34	9411 579	2							PIN, Latch

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mirror, Rear View
Figure SAB-720

[illegible]

DODGE RAM VAN & WAGON (AB)

**BODGE RAM VAN
SERIES**
L = Van, Wagon
X = Conv.

WAGON (AB)	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Supports And Channels, Right
Figure SAB-910



FLOOR MOUNTED SPARE WHEEL
127" W.B. (TYPICAL OF 127" EXT. W.B.)



127" EXT. W.B.

109 & 127" W.B.

SIDE MOUNTED SPARE WHEEL

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4084 328	1	2, 3		13, 53				RETAINER, Trim Panel, Floor
2	4084 325	1							RETAINER, Spare Tire Mount Support, Lower Corner
3	4084 350	2			12, 13, 52, 53				RETAINER, Trim Panel, Corner, Rear Lower
4	4084 328	1	2, 3		13, 53				RETAINER, Trim Panel, Wheelhouse, Side
5	4084 328	1	2, 3		13, 53				RETAINER, Trim Panel, Wheelhouse, Top
6	4084 902	1	2, 3		13				SUPPORT, Channel, Upper Right
7	4262 096	1							BRACKET, Spare Tire
8									SUPPORT, Side Upper Rear
	5534 5720	1	1		51				
		1	1, 2		11				
9									SUPPORT, Upper Rear
	5534 5716	1	2, 3		52				
		1			12				
10									STRAINER, Side Panel With Window
	55346 375AB	1			11, 12, 13				
		2			51, 52, 53				With Window
	4084 117AB	1			11, 12, 13				Without Window
11	4084 902	1	2, 3		13				SUPPORT, Channel
12									SUPPORT, Upper Rear
	5534 5718	1	2, 3		53				Horizontal Upper
		1	2, 3		13				Horizontal Upper
13	4262 096	1							BRACKET, Spare Tire


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Supports Retainers And Fuel Filler Door Figure SAB-920



109\"W.B. (LEFT)



127\"W.B. (LEFT)



127\"EXT.W.B. (LEFT)

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5534 5721	1	1, 2		11, 51				SUPPORT, Side Upper Rear
2	4084 350	1							RETAINER, Trim Panel, Lower Corner
3	4084 325	1							RETAINER, Spare Tire Mount Support, Rear Corner Lower
4	4084 328	1	2, 3		13, 53				RETAINER, Trim Panel, Side Wheelhouse And Floor
-5	4081 421	1	1, 2		11, 51				REINFORCEMENT, Wheelhouse Strainer, Side Wheelhouse Rear to Strainer, Left Side
6	4084 350	1							RETAINER, Trim Panel, Vent Strainer
7	4084 328	1	2, 3		13, 53				RETAINER, Trim Panel, Center Floor
8	4084 328	1	2, 3		13, 53				RETAINER, Trim Panel, Front Floor
9	4084 350	1							RETAINER, Trim Panel, Front Door Lock Pillar
10	4084 348	1							SUPPORT, Pillar Side, Lower
11	4084 328	1	2, 3		13, 53				RETAINER, Trim Panel, Front Floor
12	2956 502	1			11, 12, 13				BRACE, Side Panel Strainer Strainer to Under Body Side Panel Left
		1			51, 52, 53				Strainer to Under Body Side Panel Left
13	4084 350	1							RETAINER, Trim Panel, Corner Lower
14	5534 5717	1			12, 52				SUPPORT, Upper Rear
	5534 5719	1	2, 3		13, 53				
-15	5502 3370	1	2, 3		53				SUPPORT, Side Coach Joint Right
	5502 3371	1	2, 3		53				Left
16	4084 328	1	2, 3		13, 53				RETAINER, Trim Panel, Rear,Floor
17	4212 603	1			11, 12, 13				SUPPORT, Vent Window Latch Without Windows
	4212 602AB	1			11, 12, 13				With Windows, Right
		1			51, 52, 53				With Windows, Right
18	4262 022	1							COVER, Side Panel Fuel Filler Outer

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)




ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Supports Retainers And Fuel Filler Door Figure SAB-920



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4262 024	1							Inner
19	5534 7377	1	1, 2		11, 51				STRAINER, Side Panel, Without Windows
20	55346 375AB	2			51, 52, 53				STRAINER, Side Panel With Windows
	4084 117AB	1			11, 12, 13				Without Windows
	55346 375AB	1			11, 12, 13				With Windows
-21	4482 265	1	2, 3		53				REINFORCEMENT, Fuel Filler Door, To Fuel Filler Door Opening
22									STRAINER, Side Panel
	4084 118AB	2	2, 3		13				Approximately 47.75 Inches
	5534 7354	1			11, 12, 13				Approximately 38 1/2 Inches, Left
	5534 7359	1			12, 13				Vison Van, Approximately 57 Inches, Left
	5534 7354	1			51, 52, 53				Approximately 38 1/2 Inches, Left
	5534 7359	1	2, 3		52, 53				Approximately 57 Inches, Left
		1	1, 2		11				Panel Van, Vision Curb Side Van, Approximately 57 Inches, Left
		2			12, 13				Panel Van, Vision Curb Side Van, Approximately 57 Inches, Left
23	4084 118AB	2	2, 3		13				STRAINER, Side Panel Without Windows, Approximately 47.75 Inches, Right & Left
	5534 6376	2	2, 3		13, 53				With Windows, Approximately 28 Inches, Right & Left
24	5534 6976	1							DOOR, Fuel Fill
-25	5212 7985	1							LABEL, Fuel Propane, Black
	5210 2158	1							Propane, Silver
	5602 2050	1			12, 13, 52, 53				Bi-Lingual, Compressed Natural Gas
	5602 2049	1			12, 13, 52, 53				English, Compressed Natural Gas
	5602 2051	1			12, 52				English
-26	5212 7844	1							LABEL, CNG, CANADA, Compressed Natural Gas

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)




ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Supports Retainers And Fuel Filler Door Figure SAB-920



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	5507 6371	1							SPRING, Fuel Filler Door
28									SCREW, (.190-16x.625), (NOT SERVICED) (Not Serviced)
29	5220 250	2							BUMPER, Fuel Door
30	4262 020	1							REINFORCEMENT, Fuel Tube
31	4262 081	AR							SPACER, Fuel Door Hinge
32	4116 878	1			11, 12, 51, 52				SHIELD, Fuel Filler Tube
33	4262 097	1							GASKET, Fuel Filler Tube
34									SCREW, Tapping, M6x1x20, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Stepwell
Figure SAB-925



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5534 6898	1	1, 2		11, 51				PANEL, Side To Underbody, With Sliding Door
2	5534 6903	1							BRACKET, Spring, With Sliding Door, Front,Right
3	5534 6396	1							PANEL, Side Step Well, With Sliding Door
4	5534 7261	1	1, 2		11, 51				FILLER, Side Step To Step Well, With Sliding Door
5	55347 052AB	1	1, 2		11, 51				PANEL, Sill, With Sliding Door
6	5534 7275	1							PILLAR, Front Door Lock, With Sliding Door
7	4083 460	1							EXTENSION, Wheel House, With Sliding Door
8	4083 142	1							FILLER, B Pillar Lock, With Sliding Door
9	5534 6899	1			12, 13, 52, 53				PANEL, Side To Underbody, With Sliding Door
10	5534 6903	1							BRACKET, Spring, With Sliding Door, Front,Right
11	5534 6396	1							PANEL, Side Step Well, With Sliding Door
12	5534 7260	1			12, 13, 52, 53				FILLER, Side Step To Step Well, With Sliding Door
13	5525 5813	1							REINFORCEMENT, Seat Belt Anchor, Seat Riser Mounting, With Sliding Door
14	55347 053AC	1			12, 13				PANEL, Side Step Sill With Sliding Door
		1	2, 3		52, 53				With Sliding Door
15	5534 7275	1							PILLAR, Front Door Lock, With Sliding Door
16	4083 460	1							EXTENSION, Wheel House, With Sliding Door
17	4083 142	1							FILLER, B Pillar Lock, With Sliding Door
18	5534 6288	1			12, 13, 52, 53				REINFORCEMENT, Sill, With Dual Doors, Modify For Body 11,51
19	4081 418	1							REINFORCEMENT, Step Sill, With Dual Doors
20	5534 6902	2							BRACKET, Long Rail, With Dual Doors

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Pillars, Reinforcements, Right Side Figure SAB-930



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture
	5534 6358	1	1, 2		11				With Windows, Sliding Door
	5534 6360	1	1, 2		11				Without Windows, Sliding Door
	5534 6364	1	2, 3		52, 53				With Windows, Dual Doors
	5534 6356	1	1, 2		11				Without Windows, Dual Doors
	5534 6358	1	1		51				With Windows, Sliding Door
	5534 6362	1	1		51				With Windows, Dual Doors
	5534 6364	1			12, 13				With Windows, Dual Doors
	5534 6368	1	2, 3		52, 53				With Windows, Sliding Door
	5534 6369	1			12, 13				Without Windows, Sliding Door
	5534 6362	1	1, 2		11				With Windows, Dual Doors
	5534 6366	1			12, 13				Without Windows, Dual Doors
	5534 6368	1			12, 13				With Windows, Sliding Door
2									PANEL, Side To Underbody
	4084 480	1	2, 3		13, 53				
	5534 6298	1			11, 12, 51, 52				
3	55346 300AB	1							WHEELHOUSE
4	4212 542AB	1			12, 13, 52, 53				PANEL, Sill
5	4482 237	1			12, 13, 52, 53				PANEL, Rear Side To Underbody
6	4083 458	1							EXTENSION, Wheel House
7									PILLAR, Front Door Lock
	5534 6697	1							With Dual Doors
	5534 7275	1							With Sliding Door
8									PANEL, Side Step Sill
	5534 6424	1			12, 13				With Dual Doors
		1	2, 3		52, 53				With Dual Doors
	55347 052AC	1	1, 2		11, 51				With Sliding Door
	5534 6434	1	1, 2		11				With Dual Doors
		1	1		51				With Dual Doors
	55347 053AC	1	2, 3		52, 53				With Sliding Door
		1			12, 13				With Sliding Door
9	4080 959	1							FILLER, Rear Cargo Door Hinge
10									PILLAR, Side Cargo Door, Dual Doors
	55346 836AC	1			12, 13, 52, 53				
	55347 319AC	1	1, 2		11, 51				

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Pillars, Reinforcements, Right Side
Figure SAB-930



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11									EXTENSION, Cargo Door Pillar To Sill, Dual Doors
	4212 541	1			12, 13, 52, 53				
	4499 167	1	1, 2		11, 51				
12									REINFORCEMENT, Side Cargo Door Pillar
	4080 161	1	1, 2		11, 51				
	4080 306	1			12, 13, 52, 53				
13	4087 125	1							BRACKET, Cargo Door Hinge, Dual Doors
14	4087 123	1							BRACKET, Cargo Door Hinge, Dual Doors
15									PILLAR, Side Cargo Door, Sliding Door
	55347 190AC	1	1, 2		11, 51				
	55347 097AB	1			12, 13, 52, 53				
16	4482 235	1			12, 13, 52, 53				EXTENSION, Cargo Side To Step Sill, Sliding Door, Serviced With Pillar, (For 109' Wheelbase Order Pillar)
17	3739 768	1							TAPPING PLATE, Side Door Lock Striker, Sliding Door
18	5534 6386	1							BRACKET, Side Cargo Door
19	5534 6383	1							BRACKET, Side Cargo Door Lower
	5534 6384	1							Upper
20	3899 719	1							REINFORCEMENT, Door Lock Striker
21	55346 698AB	1							BRACKET, Side Cargo Door


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Pillars, Reinforcements, Left Side
Figure SAB-940



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REINFORCEMENT, Side Panel to Uni Body
	5534 6606	1	1, 2		11, 51				
	5534 6607	1			12, 13, 52, 53				
2	5534 6592	1							BRACKET, Spring, Rear Spring Mounting Support
3	5534 6290	1							REINFORCEMENT, Rear Spring to Side Panel
4	5534 6604	1							BRACKET, Floor Pan Side Rail
5	2956 413	1							EXTENSION, Side Sill
6	4084 917	1							REINFORCEMENT, Step Sill
7	2956 275	1							EXTENSION, Wheel House
8	5534 7323	1							PANEL, B Pillar, See Aperture Panel
9	2956 415	1							FILLER, B Pillar To Side Step, See Aperture Panel
10	2956 095	1							PANEL, Sill
11	5502 6345	1							EXTENSION, Door Lock
12									PANEL, Body Side Aperture
	5534 6372	1	1, 2		11				With Windows
		1	1		51				With Windows
	5534 6370	1	1, 2		11				Without Windows
	5534 6371	1			12, 13				Without Windows
	5534 6373	1	2, 3		52, 53				With Windows
		1			12, 13				With Windows
13	55346 301AB	1							WHEELHOUSE
14	5534 6299	1							PANEL, Side To Underbody
15	5534 6384	1							BRACKET, Side Cargo Door, Upper
16	5534 6383	1							BRACKET, Side Cargo Door, Lower
17	5534 6386	1							BRACKET, Side Cargo Door
18	3899 719	1							REINFORCEMENT, Door Lock Striker

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Pillars, Reinforcements
Figure SAB-950




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Side Corner
	5507 5134	1	2, 3		13				Dual Doors, Without Windows, Right
	5507 5135	1	2, 3		13				Without Windows, Left
	5507 5137	1	2, 3		53				With Windows, Left
	5507 5132	1			11, 12, 51, 52				Dual Doors, Right
	5507 5133	1			11, 12, 51, 52				Dual Doors, Single Door, Left
	5507 5136	1	2, 3		53				Single Door, With Windows, Right
	5507 5137	1	2, 3		13				With Windows, Left
	5507 5138	1			11, 12, 51, 52				Single Door, Right
	5507 5140	1	2, 3		13				Single Door, Without Windows, Right
	5507 5136	1	2, 3		13				Single Door, With Windows, Right
	5507 5142	1	2, 3		53				Dual Doors, With Windows, Right
		1	2, 3		13				Dual Doors, With Windows, Right
2	5534 6592	1							BRACKET, Spring, Mounting Support
3									REINFORCEMENT, Rear Spring to Side Panel
	5534 6596	1	2, 3		13, 53				Right
	5534 6597	1	2, 3		13, 53				Left
4									EXTENSION, Rear Spring Bracket
	4081 526	1	2, 3		13, 53				Right
	4081 527	1	2, 3		13, 53				Left
5									PILLAR, Rear Cargo Door Hinge, Dual Doors
	55346 838AB	1							Right
	55346 839AB	1							Left
6									REINFORCEMENT, Door Hinge
	5534 6105	1							Left
	5534 6104	1							Right
7									FILLER, Cargo Door Header Panel
	5534 6983	1							Left
	5534 6982	1							Right
8									REINFORCEMENT, Door Hinge
	2956 284	1							Right
	2956 285	1							Left
9									BRACKET, Cargo Door Hinge, Dual Doors

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Pillars, Reinforcements
Figure SAB-950




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4087 124	1							Right,Upper
	4087 125	1							Left,Upper
10	4087 122	1							BRACKET, Cargo Door Hinge Pillar, Dual Doors, Right,Lower
11	4087 123	1							BRACKET, Cargo Door Hinge, Dual Doors, Left,Lower
12									REINFORCEMENT, Side Rear Corner Panel, Dual Doors
	3639 148	1			11, 12,				Rear Fascia Mounting, Right
	3639 149	1			51, 52, 11, 12, 51, 52				Rear Fascia Mounting, Left
	2956 664	1	2, 3		13, 53				Rear Fascia Mounting, Right
13	2956 665	1	2, 3		13, 53				Rear Fascia Mounting, Left FILLER, Rear Door Pillar, Dual Doors
	4166 723	1							Left
	4166 722	1							Right
14	4499 147AB	1							PILLAR, Rear Cargo Door Lock, Single Cargo Door, Right
15	55346 700AB	1							PILLAR, Hinge Inner, Single Door, Left
16	4087 125	1							BRACKET, Cargo Door Hinge, Single Door, Left,Upper
17	4087 123	1							BRACKET, Cargo Door Hinge, Single Door, Left,Lower
18									TAPPING PLATE, Striker, Single Door, (NOT SERVICED) (Not Serviced)
19	3824 601	1							RETAINER, Door Lock Striker, Single Door
20	5505 5657	2							EXHAUSTER, Quarter Panel

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels Roof Header And Roof Rails Figure SAB-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
For rail with sliding door see illustration 1510, Track Sliding Door									
1	5534 5596	1	2, 3		13, 53				ROOF
	5534 5594	1	1, 2		11, 51				
	5534 5595	1			12, 52				
2	55344 924AB	1							PANEL, Windshield Header
3	5534 6504	1							PANEL, Front Door Header Right
	5534 6505	1							Left
4	5534 6394	1			12, 52				PANEL, Roof Side Rail, With Hinged Doors
	5534 6524	1	2, 3		13, 53				Left
	5534 6392	1	1, 2		11, 51				Right
	5534 6394	1	2, 3		13, 53				Left
	5534 6525	1	1, 2		11, 51				Right
	5534 6528	1			12, 52				Right
-5	6033 150	2	1, 2		11, 51				NUT PLATE, .25-20 Plate Extruded, Atach Reinforcement Assy. to Roof Side Rail Header Rear
		2			12, 52				Plate Extruded, Atach Reinforcement Assy. to Roof Side Rail Header Rear
		2	2, 3		13, 53				Plate Extruded, Atach Reinforcement Assy. to Roof Side Rail Header Rear
6	5534 6532	1							HEADER, Rear Door, With Dual Doors
7	5534 6526	1							HEADER, Rear-Single Door
8	5534 6174	1			12, 52				RAIL, Roof Side Right
	5534 6175	1			12, 52				Left
	5534 6172	1	1, 2		11, 51				Right
	5534 6173	1	1, 2		11, 51				Left
	5534 6246	1	2, 3		13, 53				Right
	5534 6247	1	2, 3		13, 53				Left
9	5534 7257	2							RAIL, Roof Side, Rear Corner
10	5534 7083	2							CLIP, Roof Rail
11									BOW, Roof

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure SAB-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4796 094	1			11, 12,				BOW # 4
					51, 52				
	4796 096	1	2, 3		13, 53				BOW # 5
	4778 343	4	2, 3		13, 53				BOW # 1,2,3,4
		3			11, 12,				BOW # 1,2,3
					51, 52				
-12									FASTENER, Bulkhead
	4696 963	10			13, 53				
		8	1		11, 51				
		8			12, 52				
-13									BRACKET, Dome Lamp Dome Lamp Mounting
	5534 5970	1			51, 52, 53				
		2			11, 12, 13				Dome Lamp Mounting

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Track Sliding Door Figure SAB-1510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
GHA = Doors, Rear and Right Side, No Glass									
GHB = Doors, Rear With Glass, Right Side No Glass									
GHD = Doors, Doors, Rear and Right Side, With Glass									
GHJ = Window Group, Vision Van, Curb Side									
GHG = Window Group, Vision Van									
1	4084 099	1			12, 13, 51, 52, 53				TRACK, Sliding Door
-2	2276 749	1	1, 2		11				STOPPER, Cargo Door, Roof Cargo Door Upper
3	0154 621	6							SCREW, Self Drilling, .190-16x5.00
4	4084 105	1							COVER, Side Cargo Door Hinge
-5	6030 538	1							RETAINER, Hinge Cover, .300x.710, Hinge Cover
6									REINFORCEMENT, Sliding Door Track
	5534 7375	1	1, 2		11				With GHA, GHB, GHD, Front
	5534 7373	1	1, 2		11				All Vision Vans, (GHJ, GHG), Front
		1			12, 13, 51, 52, 53				Front
7									REINFORCEMENT, Sliding Door Track
	5502 2775	1	1, 2		11				With GHA, GHB, GHD, Rear
	5502 2776	1	1, 2		11				All Vision Vans, (GHJ, GHG), Rear
		1			12, 13, 51, 52, 53				Rear
8	5534 7287	1							COVER, Roof Side Rail, Hinge Outer
9	5534 7382	1							PLUG, Side Rail Hinge Outer Track Cover
10	0154 631	1							SCREW, Pan Head, .190-16x.5
11									PANEL, Roof Side Rail
	5534 4576	1	2, 3		13, 53				
	4080 202	1	1, 2		11, 51				
	4080 206	1			12, 52				
12	4084 107	1							SUPPORT, Roof Side Rail

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500


BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Track Sliding Door
Figure SAB-1510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	4084 215	1							RAIL, Roof Side
14	4087 399	1							TRACK, Roof Header Upper Roller
15	4080 278	1							RAIL, Roof Side, Roof Side Header Outer
16	4081 773	1							BRACKET, Roof Side Rail, Header Panel Shoulder Belt
17									TAPPING PLATE, Side Door Track Hinge
	3636 872	1	1, 2		11				Side Center Door Hinge Outer Track Hinge
		1			12, 13, 51, 52, 53				Side Center Door Hinge Outer Track Hinge
18	6030 538	1							RETAINER, Hinge Cover, .300x.710
19	0154 601	1							SCREW, Pan Head, .19-24x.5

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		