

1999
DODGE/CHRYSLER VIPER
(SR)



Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION

1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.

The following table interprets the VIN Plate positions shown above.


Position	Interpretation	Codes = Description
1	Country of Origin	1 = U.S.
2	Make	B = Dodge
3	Vehicle type	3 = Passenger Car
4	Pass. Safety	E = Restraint System Active Driver & Passenger Air Bag (CGW)
5	Vehicle Line	R = Viper
6	Series	7 = Performance/Image
7	Body Style	5 = Convertible - Open Body 9 = 2 Door Specialty Coupe
8	Engine	E = 8.0L 10 Cyl. Alum Blk (EWB)
9	Check Digit	
10	Model Year	X = 1999
11	Assembly Plant	V = New Mack Development Center
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence


Group – 002

Front Suspension & Drive


GROUP 2 - Front Suspension & Drive

Illustration Title	Group-Fig. No.
Front Suspension	
Suspension, Front	Fig. 002-110



002-100 Front Suspension 			
--	--	--	--

Suspension, Front
Figure 002-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:SKD= COMPETITION GROUP									
1	4873 102	2							SPRING, Front Suspension Coil
-2									SHIM, Coil Over Shock Spring, (NOT REQUIRED)
3									SEAT, Spring, (NOT REQUIRED)
4									SHOCK ABSORBER, Suspension, Front
	4848 641	2							SDE]
	5264 844AA	2							SDK]
5	6100 969	4							BOLT, Hex Flange Head, M14x2.00x90
6	6502 698	4							NUT, Hex Flange Lock
7	4404 219	2							RETAINER, Sway Bar
8	4848 105	1							STABILIZER BAR, Front Suspension
9	4763 147	2							LINK, Sway Eliminator, Stablizer Bar
10	6502 556	2							NUT, Hex, M10-1.5
11	4643 004	2							BUSHING, Sway Bar, Stablizer Bar
12									Clamp
									SCREW, M10x1.50x30.00, (NOT SERVICED) (Not Serviced)
13	4709 292	2							ARM, Control, Upper
14	6030 099	2							FITTING, Ball Joint, Zirc
15	5200 6404	1							SEAL, Ball Joint
16	4848 049	4							BUSHING, Control Arm, Upper
17	4014 175	4							WASHER, Control Arm Pivot, .627x1.30x.089, Upper
18	3815 704	4							RETAINER, Control Arm Bushing, Upper
19	6036 048AA	4							NUT, Hex Lock, .562 - 18
20									BALL JOINT, Upper Control Arm, [Service in Arm], (NOT SERVICED) (Not Serviced)
21	0120 123	2							PIN, Cotter, .125x1.25
22	6036 048AA	4							NUT, Hex Lock, .562 - 18
23	6035 641	2							NUT, Hex, .625-18
24									ARM, Control
	4709 296	1							Lower, Right
	4709 297	1							Lower, Left
25	2269 232	4							CAM, Front Suspension Control Arm, Adjusting
26	0152 349	4							NUT, Hex, .50-20
27									KNUCKLE, Front
	4709 303	1							Left

DODGE-CHRYSLER VIPER (SR)								
SERIES	LINE		BODY	ENGINE	TRANSMISSION			
S=RT/10	D=Dodge		27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual			
S=GTS Coupe			29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual			
X=GTS/Lemans								

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Suspension, Front
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4709 304	1							Right
28	6035 670	4							NUT, Hex, .687-18
29	4642 056	4							SHIM, Control Arm, Front Adjusting
30	4709 323	4							BOLT, Control Arm Cam, Lower
31	6502 136	3							BOLT, Hex Flange Head, M10x1.50x55
32	4848 050	2							BUSHING, Control Arm
33									BALL JOINT, Lower Control Arm, Serviced with Control Arm, (NOT SERVICED) (Not Serviced)
34									BRACKET, Shock Mounting
	4709 298	1							Right
	4709 299	1							Left
35									BOLT, M10x1.50x65.00 (Not Serv.), (NOT SERVICED) (Not Serviced)
36	6502 696	3							NUT, Hex Flange Lock, M10x1.5
-37	5012 650AA-	2							BUSHING, Shock Absorber
38									SHOCK ABSORBER, Suspension, Front
	5264 844AA	2							Shock with Spring, [SDK]
	5264 846AA	2							Shock Only,[SDK]
39	5264 845AA	2							SPRING, Front Suspension Coil, SDK
40	5264 847AA	8							SPACER, Shock Absorber Bushing, SDK
41	6036 254AA	4							SCREW, SDK
42	6036 253AA	4							NUT, SDK

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Group – 003




Rear Axle

GROUP 3 - Rear Axle

Illustration Title Group-Fig. No.


Rear Axle	
Axle Assembly, Rear	Fig. 003-110
Differential and Housing	
Differential Assembly, Rear	Fig. 003-205
Rear Axle Shafts	
Shaft, Rear Axle	Fig. 003-405



003-100 Rear Axle	003-200 Differential and Housing	003-400 Rear Axle Shafts	
			

Axle Assembly, Rear

Figure 003-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 897AB	1							DIFFERENTIAL, Rear Axle, Rear Complete 3.0 Ratio

DODGE-CHRYSLER VIPER (SR)


SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual


Differential Assembly, Rear
Figure 003-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6100 468	2							BOLT, Hex Head, M16x95
2	6100 887	2							WASHER, Flat, M15.02x28x2.8
3	6100 520	2							NUT, Hex Flange Head Locking, M14x2
4	4384 188	1							SEAL, Drive Pinion
-5	4626 710	1							PLUG, Differential Housing, (Fill)
6	4626 709	9							BOLT, Differential Cover

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Shaft, Rear Axle
 Figure 003-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 676	2							SHAFT, Axle Half
2	4428 723	6							CLAMP, U-Joint
3	6502 581	12							BOLT, Hex Flange Head, M8x1.0x19
4	4797 307	4							U JOINT

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 004

Parking Brake


GROUP 4 - Parking Brake


Illustration Title

Group-Fig. No.

Parking Brake Lever and Cables

Lever Assembly And Cables Parking Brake Fig. 004-110



004-100 Parking Brake Lever and Cables 			
---	--	--	--

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
1	LEVER, Park Brake												
	SM74 1X9AA	1								Flat Black			
	SM74 WUCAA	1								Black			
2	4763 181	2								CABLE, Parking Brake			
3	CLIP, (Serviced in Item #2) ***, (NOT SERVICED) (Not Serviced)												
4	6035 135	1								SCREW			
5	6100 575	2								BOLT AND CONED WASHER, Hex Head, M8x25x17			
6	6101 445	3								NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25			


September 15, 2005





Group – 005

Service Brakes


GROUP 5 - Service Brakes

Illustration Title	Group-Fig. No.
Front Brakes	
Brakes, Front	Fig. 005-110
Rear Brakes	
Brakes, Rear	Fig. 005-210
Power Brake Booster	
Booster, Power Brake	Fig. 005-310
Brake Master Cylinder	
Master Cylinder, Brake	Fig. 005-410
Brake Lines and Hoses	
Lines And Hoses, Brake	Fig. 005-510
Brake Pedals	
Pedal, Brake	Fig. 005-610



005-100 Front Brakes	005-200 Rear Brakes	005-300 Power Brake Booster	005-400 Brake Master Cylinder
			
005-500 Brake Lines and Hoses	005-600 Brake Pedals		
			

Brakes, Front
Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BEARING, Suspension Trailing
	4763 182	1							Right
		1							with Hub, Left
2	4642 122	2							ROTOR, Brake
3									WASHER, Flat (Not Serv.), (NOT SERVICED) (Not Serviced)
4									BOLT, Hex Head (Not Serv.), (NOT SERVICED) (Not Serviced)
5									KNUCKLE, Front
	4709 303	1							Left
	4709 304	1							Right
6									BLEEDER SCREW PKG, BRAKE
	4720 990	1							Right
		1							Left
7									CALIPER, Disc Brake
	4723 572	AR							Right
	4723 573	AR							Left
8									PAD KIT, Front Disc Brake
	4897 218AB	1							Right
		1							Left
9	6101 964	4							SCREW AND WASHER, Hex Head, M12x1.75x40, Caliper to Knuckle
10									BOLT, D Head, .50-20x2.00
	6033 702	6							Right
		6							Left
11									BOLT, Hex Flange Head, M10x1. 50x55
	6502 136	3							Right
		3							Left
12									NUT, Hex Flange, M22x1.25
	6502 294	1							Right
		1							Left
-13									GASKET, Front Wheel Bearing
	4848 166	1							Right
		1							Left

DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Brakes, Rear
Figure 005-210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 716	2							HUB AND BEARING, Brake
2	4642 353	2							ROTOR, Brake
3									KNUCKLE, Rear
	4709 281	1							Left
	4709 282	1							Right
4									CALIPER, Disc Brake
	4723 606	AR							Right
	4723 607	AR							Left
-5									PAD KIT, Rear Disc Brake
	4897 219AB-	1							Right
		1							Left
6									BLEEDER SCREW PKG, BRAKE
	4720 990	1							Right
		1							Left
7	3420 2857	2							SCREW, Socket Head, M8x1.25x60
8	3420 2858	2							BOLT, Hex Head, M10x1.25x80
9	6033 702	6							BOLT, D Head, .50-20x2.00
10									SCREW AND WASHER, Hex Head
									Locking, .50-20x2.25 Grade 8
	6035 642	1							Right
		1							Left
11	6500 336	2							PIN, Cotter, M5x36.00
12	4293 167	2							NUT AND WASHER PACKAGE, Front Hub
13	6502 294	1							NUT, Hex Flange, M22x1.25, (Axle Shaft Hub)
14	6502 293	2							WASHER, Flat, M23x43x4
-15	4723 459	1							PLATE, Brake Torque

DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Booster, Power Brake
 Figure 005-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code EWB= 8.0L V10 SFI									
1	4763 952	1							BOOSTER, Power Brake
-2	4723 640	AR							GROMMET, Brake Booster Check Valve
3	4723 391	1							VALVE, Brake Booster Check
4	6101 445	2							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
5	4294 158	1							BOOT, Brake Booster Push Rod
6	4723 642	AR							SEAL, Brake Booster To Dash
7	4723 395	1							SEAL, Master Cylinder To Booster, M/Cyl. to Booster
8	6502 524	2							NUT, Hex Lock, M8x1.25
9	4848 345AB	1							HOSE, Vacuum Supply, 11/32 rough stock

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Master Cylinder, Brake
Figure 005-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4723 394	1							PIN, Master Cylinder Reservoir
2	4642 548	1							MASTER CYLINDER, Brake
3	4723 389	1							GROMMET, Master Cylinder Reservoir
4	4723 387	AR							RESERVOIR, Brake Master Cylinder
5	4509 683	1							CAP, Master Cylinder Reservoir

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines And Hoses, Brake
Figure 005-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	1843 251	1							TUBE, Steel, .187 25 Foot Roll
2	2207 919	1							CLIP, Parking Brake Cable, Front Brake Tube
3	4763 154	1							HOSE, Front Wheel Disc Right
	4763 155	1							Left
4	6502 114	8							WASHER, Brake Hose
5	6503 805	4							BOLT, Hex Head, M10x1.0x21.75
6	6100 575	4							BOLT AND CONED WASHER, Hex Head, M8x25x17
7	6034 881	1							NUT, Inverted Flare, .375-24
8	6035 135	2							SCREW
9	3404 625	1							CLIP, Tube, Front Brake Tubes
10	4848 445	1							TUBE, Brake
11	4848 445	1							TUBE, Brake
12	4848 532AB	1							VALVE, Proportioning
13	6034 862	1							NUT, Inverted Flare, .50-20x.625, Brake Tube to Valve
14	6100 151	1							BOLT, Hex Head, M8x14
15	6100 047	1							NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00, Valve Mounting Bolt
16	5201 7741	5							CLIP, Fuel Bundle, Brake and Fuel Tubes
17	4683 653	2							CLIP, Tube
18	4709 068	AR							TUBE, Brake
19	1141 472	1							TEE, Brake Tube, Front to Rear Brake Tubes
20	4642 230	1							HOSE, Brake Right
	4642 231	1							Left
21	6502 746	2							SCREW AND WASHER, Hex Head Header Point, M10x1x14

DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
S=RT/10	D=Dodge	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe		EW0 = All 8.0L Gas		DBB = All Manual	
X=GTS/Lemans							

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pedal, Brake Figure 005-610

[illegible]

DODGE-CHRYSLER VIPER (SR)
SERIES **LINE**
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Group – 006





Clutch

GROUP 6 - Clutch


Illustration Title Group-Fig. No.

Clutch	
Clutch	Fig. 006-110
Clutch Housing	
Clutch Housing	Fig. 006-210
Clutch Controls	
Clutch Actuation System	Fig. 006-310
Clutch Pedals	
Clutch Pedal	Fig. 006-410



006-100 Clutch	006-200 Clutch Housing	006-300 Clutch Controls	006-400 Clutch Pedals
			

Clutch
Figure 006-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; EWB = 8.0L V10

1	4848 708AC	1				EWB			PLATE, Clutch Pressure
2									SCREW, .312-24x1.25, SCREW, Hex Flg Hd. .312-18x1.125 (Not Serviced), (NOT SERVICED) (Not Serviced)

DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					

Clutch Housing
Figure 006-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4626 594	1					DEC		HOUSING, Clutch
2	4642 581	1							BEARING, Clutch Release, Clutch Concentric Slave
3	0181 148	2							SCREW, Hex Head, .437-14x2.75, Trans. to Engine Att. .437-14x2.75
4	0153 371	4							BOLT, Hex Head, .375-16x2.25, Trans. to Engine Att. .375-16x2.250
5	5245 010	1							COVER, Transmission Dust, Clutch Housing
6	6023 092	4							SCREW AND WASHER, Hex Head, .25-20x.50, (.250-20x5.00)
7	6100 296	2							BOLT, Hex Head, (M8x1.25x25.00)
8	9417 838	2							WASHER, Flat, ID .484 OD 890 Thk .0710

DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch Actuation System
Figure 006-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


1	4642 666AB	1							ACTUATOR, Hydraulic Clutch
2	4643 448	1							BUSHING, Hydraulic Clutch Actuator, Self Retaining



DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Clutch Pedal

Figure 006-410

[illegible]

DODGE-CHRYSLER VIPER (SR)

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Group – 007

Cooling

GROUP 7 - Cooling

Illustration Title Group-Fig. No.

Radiator and Related Parts

- Radiator And Related Parts Fig. 007-110
- Radiator Air Baffles Fig. 007-120

Water Pump and Related Parts

- Water Pump And Related Parts Fig. 007-210

Tank, Coolant Engine

- Coolant Reserve And Pressurized Coolant Tank Fig. 007-310

Pulleys and Related Parts


- Pulleys, Drive Fig. 007-410






Drive Belts

- Belts, Drive Fig. 007-510


Lines, Transmission Oil Cooler

- Oil Cooler And Lines Fig. 007-610



007-100 Radiator and Related Parts	007-200 Water Pump and Related Parts	007-300 Tank, Coolant Engine	007-400 Pulleys and Related Parts
			
007-500 Drive Belts	007-600 Lines, Transmission Oil Cooler		
			

Radiator And Related Parts
Figure 007-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes: [EWB] = 8.0L V10 SFI									
1	3200 2366	2							CLAMP, Hose, 55mm Black, Rad to Rad Hose Inlet
2	4763 584	1							HOSE, Radiator Outlet, Outlet to Water Pump
3	4763 585	1							HOSE, Radiator Inlet, Thermostat to Inlet
4	5200 6750	2							CLAMP, Radiator
-5									BRACKET, Bulkhead
	4709 356	1							Right
	4709 357	1							Left
6	4855 123AB	1							RADIATOR, Engine Cooling
-7	4266 328	2							ISOLATOR, Radiator
-8	4596 198	1							CAP, Pressurized Coolant, Radiator
9	6101 444	4							NUT AND WASHER, Hex, M6x1.0, Radiator to Closure Att
10									SHIELD, Splash, Serviced in Fan Module, (NOT SERVICED) (Not Serviced)
11	4854 720AA	1							FAN MODULE, Radiator Cooling
12	4709 352AC	1							SHROUD, Fan, Includes Support Radiator Closure
13	6101 444	4							NUT AND WASHER, Hex, M6x1.0, Radiator Fan Assy
14	5304 1078	1				EWB			THERMOSTAT, 195 Degrees
-15	4763 839	1				EWB			GASKET, Thermostat
-16	4763 779AE-	1				EWB			HOUSING, Thermostat
17	5503 5944	2				EWB			NIPPLE, Heater Inlet
18	4848 199	2							RETAINER, Radiator Closure, Radiator Closure
19	4763 564	AR							SHIM
20	4763 565	AR							SHIM
-21									LABEL, Emission
	4855 100AC-	1							
	4855 105AC-	1							Canada
	4848 862AC-	1							EXPORT


DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Radiator Air Baffles
Figure 007-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 737	1							BAFFLE, Radiator
2	6100 545	4							SCREW AND WASHER, Hex Head, M5x.8x25
3	6029 074	1							U-NUT, .25-20
4	4848 763	1							COVER, Baffle Air Upper
5	4848 198	2							BRACKET, Radiator, Radiator
6	6501 067	4							PIN, Push, M6.3x20.5, Baffle Att.



DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Water Pump And Related Parts
Figure 007-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTE: Sales Codes:

[EWB] = 8.0L V10 SFI

1	4763 776AB	1				EWB			PUMP, Water
2									HUB, Water Pump Pulley, (NOT SERVICED) (Not Serviced)
3	4763 790	1				EWB			GASKET, Water Pump
4	5301 0221	1				EWB			PULLEY, Water Pump
5	6034 530	1							SCREW, Hex Head, .312-18x.75, Water Pump Pulley Mounting
6	6035 558	9				EWB			SCREW, Hex Flange Head, .375-16x1.50, Water Pump Mounting

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Coolant Reserve And Pressurized Coolant Tank
Figure 007-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes:

[EWB] = 8.0L V10 SFI

1	4682 828	1							CAP, Coolant Reserve Tank
2	5202 7784	1							TANK, Coolant Reserve
3									U-NUT, (NOT SERVICED) (Not Serviced)
4	6502 018	2							CLAMP, Hose, M28.9 x 1.60, Cool Ret Hose/Pres Btle
5									SCREW, (NOT SERVICED) (Not Serviced)
6									HOSE, Coolant Reserve Tank Radiator Outlet to Water Pump
	4763 584	1							Coolant Engine to T/Stat to Inlet
	4763 585	1							
	4763 877	1				EWB			High Pressure C/Bottle to Water Pump
									High Pressure Coolant
	5245 038	1							
7	4709 389	1							BOTTLE, Pressurized Coolant
8	4596 198	1							CAP, Pressurized Coolant, Tank
9	5245 039	1							TUBE, Coolant Reserve Tank, Low Pressure Coolant
10	4709 381	2							CLIP, Hose
11	4592 126	2							CLAMP, Hose

DODGE-CHRYSLER VIPER (SR)

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual


Pulleys, Drive
Figure 007-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes:

[EWB] = 8.0L V10 SFI

1	5300 9508	1				EWB			PULLEY, Idler
2	5301 0222	1				EWB			PULLEY, Crankshaft
-3	3300 2201	1				EWB			BUSHING, Idler Pulley
4	4626 444AB	1				EWB			TENSIONER PACKAGE, Belt
5	6502 135	1				EWB			NUT, Hex Flange, M10x1.5, Belt Tensioner
6	5301 0221	1				EWB			PULLEY, Water Pump
7									SCREW, Hex Head, .312-18x.75, (NOT SERVICED) (Not Serviced)
8	4763 863AB	1				EWB			BELT, Accessory Drive, Accesory Drive Non A/C
-9	4763 934	1							LABEL, Emission, A/C Spec. & Belt Rtg.



DODGE-CHRYSLER VIPER (SR)



SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Belts, Drive
Figure 007-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes:									
[EWB] = 8.0L V10 SFI									
1	4763 863AB	1				EWB			BELT, Accessory Drive, Without Air Conditioning
2	4763 795AB	1				EWB			BELT, A/C, With Air Conditioning

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				


Oil Cooler And Lines
Figure 007-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes:

[EWB] = 8.0L V10 SFI

1	4848 310	1							LINE, Oil Cooler Inlet
2	4848 300	1							LINE, Oil Cooler Outlet
3	4643 826AB	1							COOLER, Engine Oil
4	6034 530	4				EWB			SCREW, Hex Head, .312-18x.75
5	6100 296	2							BOLT, Hex Head



DODGE-CHRYSLER VIPER (SR)

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans


BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual







Group – 008









Electrical



Group – 008

Electrical

008-1000 Battery Tray and Cables	008-1100 Lamps – Front, Rear and Courtesy	008-1200 Wiring-Engine & Related Parts	008-1300 Wiring-Headlamp to Dash
			
008-1400 Wiring-Instrument Panel	008-1500 Wiring-Body & Accessories	008-1600 Wiring Repair	008-1900 Spark Plugs-Cables-Coils
		WIRING REPAIR PKG.	

008-100 Starters	008-200 Alternators	008-400 Modules	008-500 Relays
			
008-600 Sensors	008-700 Single Board Engine Controllers	008-800 Switches	008-900 Horns
			


GROUP 8 - Electrical		
Illustration Title	Group-Fig. No.	
Starters		
Starter	Fig. 008-105	
Alternators		
Alternators	Fig. 008-205	
Modules		
Modules	Fig. 008-405	
Relays		
Relays, Fuses, Circuit Breakers	Fig. 008-505	
Sensors		
Sensors	Fig. 008-605	
Single Board Engine Controllers		
Single Board Controllers Powertrain Control Module	Fig. 008-705	
Switches		
Switches and Sending Units	Fig. 008-805	
Horns		
Horns	Fig. 008-905	
Battery Tray and Cables		
Battery Tray and Cables	Fig. 008-1005	
Lamps - Front, Rear and Courtesy		
Lamps and Wiring - Front	Fig. 008-1105	
Lamps and Wiring - Rear	Fig. 008-1110	
Wiring-Engine & Related Parts		
Wiring - Engine and Related Parts	Fig. 008-1205	
Wiring-Headlamp to Dash		
Wiring - Headlamp to Dash	Fig. 008-1305	
Wiring-Instrument Panel		
Wiring - Instrument Panel	Fig. 008-1405	
Wiring-Body & Accessories		
Wiring - Body and Accessories	Fig. 008-1505	
Wiring Repair		
Connector Repair Package	Fig. 008-1610	
Spark Plugs-Cables-Coils		
Spark Plugs - Cables - Coil	Fig. 008-1905	



Starter
 Figure 008-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

1	4763 794	1				EWB			STARTER
-2	6035 558	2				EWB			SCREW, Hex Flange Head, .375-16x1.50



DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Alternators
Figure 008-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

EWB= 8.0L V10 SFI									
1	4848 662AB	1				EWB			ALTERNATOR, Electrical
2									BRACKET, Alternator (Serviced w/ COVER ASSEMBLY, Chain Case #4763731), (NOT SERVICED) (Not Serviced)
3	4626 444AB	1				EWB			TENSIONER PACKAGE, Belt
-4	4848 124	1				EWB			SPACER, Alternator

DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					

Modules
Figure 008-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4672 271	1							MODULE, Daytime Running Lamp
2									SCREW, .250-14x.875, (NOT SERVICED) (Not Serviced)
3	RW19 JX8AB	1							AIR BAG, Passenger
4									SCREW, Round Head, .164-15x1.00, (NOT SERVICED) (Not Serviced)
5	4848 663	1			27				BEZEL, Security Indicator
		1			29				
6	4848 664	1			27				WIRING, LED Security w/Red Lens
		1			29				w/Red Lens
7	4848 291	1							MODULE, Wiper
8	4848 290	1							STRAP, Module Mounting
9	4848 802AE	1							MODULE, Air Bag Control
10	4709 109	1							BOX, Antenna Amplifier
11									SCREW, Tapping, .19-16x1.75, (NOT SERVICED) (Not Serviced)
12	LB45 JX8AB	1							AIR BAG, Driver
13	5266 269	1							CHIME, Warning
14									MODULE, Keyless Entry Receiver
	4848 148AG	1							Export
	4848 832AE	1							
15	4848 290	1							STRAP, Module Mounting
16	4865 431AA	2							TRANSMITTER, Keyless Entry
-17	5245 299AB-	1							MODULE, Lighting Control, Instrument Panel Lamp dimming

DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans


BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual


Relays, Fuses, Circuit Breakers
Figure 008-505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 193	1							RELAY, Electrical, Fuel Pump
-2	2889 565	1							RELAY, Electrical, Time Delay
-3	5600 5146	1			29				RELAY, Electrical, Heated Rear Window
4	00FL F30	1							CARTRIDGE, Fuseable Link, 30 Amp, Pink
-5	4414 333	1			29				BREAKER, Circuit, Rear Defogger



DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					

Sensors
Figure 008-605




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EWB=8.0L V10 SFI									
DEC= MANUAL 6-SPEED									
1	4626 572	1					DEC		SOLENOID, Transmission Skip Shift
2	4848 214	1					DEC		SENSOR, Vehicle Speed
3	4746 271	1					DEC		SOLENOID, Transmission
4	5602 8194	1							SENSOR, Battery Temperature
5	4874 371AB	1				EWB			SENSOR, Throttle Position
6	5227 805	1				EWB			SENSOR, Ambient Temperature
7	4848 416	1				EWB			SENSOR, Crankshaft
-8	5245 585	1				EWB			SHIELD, Crank Position Sensor
9	5245 084	1				EWB			SENSOR, Camshaft
10	5602 9405	1				EWB			SENSOR, Map
11									SENSOR, Oxygen
	56041 212AE	2				EWB			Front
	56041 212AF	2				EWB			Rear
-12	6016 152	2				EWB			CLIP, Rear O2 Sensor Wiring Attaching
-13	5600 9087	2				EWB			PLUG, Oxygen Sensor, Rear, Export

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Switches and Sending Units

Figure 008-805



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EWB= 8.0L V10 SFI									
DEC= MANUAL 6-SPEED									
1	4671 334	1							SWITCH, Stop Lamp, Stop Lamp/ Speed Control (Clutch Inter-Lock)
2	4848 110	1				EWB			SENDING UNIT, Temperature Gauge
3	4626 593	1					DEC		SWITCH, Back Up Lamp
4	53007 944AB	1							SWITCH, Clutch Starter Interlock
-5	4848 295	1				EWB			SWITCH, Oil Pressure
6	5602 6779	1				EWB			SENDING UNIT, Oil Pressure
7	5245 736	1			29				SWITCH, Electric Back Light
8	4687 594	1							SWITCH, Door Ajar, Also Under Hood Security Alarm
9	4848 283AC	1							BRACKET, Wiring, After 02/10/97
10	4848 149	1			29				SWITCH, Strut, Rear Hatch Alarm
-11	4763 135	1							SWITCH, Headlamp Federal, Canada
	4763 596	1							Export
-12	4848 135	1							KNOB, Head Lamp Switch Federal, Canada
	4848 136	1							Export
13	5602 1346	1							SWITCH, Ignition
-14	6503 845	5							SCREW, Ignition Switch
-15	4848 150	2							SWITCH, Door Handle
16									SWITCH, Power Window
	4685 434	2			29				
		2			27				
-17	4848 291	1							SWITCH, Windshield Wiper
18	4854 270AA	1							SWITCH, Mirror
-19	4854 304AA-	1							NUT, Power Mirror Switch Attaching
20	4848 934AA	1							SWITCH, Passenger Airbag Disarm
-21	4728 424	1							SWITCH, Multifunction

DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans


BODY
 27 = Convertible
 29 = Coupe

ENGINE
 EWB = 8.0L 10 Cyl. SFI
 EW0 = All 8.0L Gas

TRANSMISSION
 DEC = 6 Speed Manual
 DBB = All Manual



Horns
Figure 008-905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4643 867AB	1							HORN, High Note
-2	4643 868AB-	1							HORN, Low Note
-3	6035 135	2							SCREW, .250-14x.875, Horn Attaching, Horn Mounting



DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Battery Tray and Cables
Figure 008-1005



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4642 591	1							COVER, Battery Terminal, Battery
									Side Post, Negative
2	4642 924	1							COVER, Battery Terminal, Battery
									Side Post, Positive
3	4763 635	1							RETAINER, Battery Hold Down
4									SCREW AND WASHER, Hex Head,
									M8x1.25x30
	6500 584	8				29			
		8				27			
5	4848 158AE	1				27			WIRING, Body
6	4642 610AB	1							WIRING, Battery Negative
7	4642 589	1							BOLT, Hex Head, .375-16x.95
8	4763 057AB	1							WIRING, Battery Positive
-9	4848 923AA-	1							LABEL, Battery, English/French
10	4643 305	1							TRAY, Battery
11	5602 8194	1							SENSOR, Battery Temperature
12									CLIP, (NOT SERVICED) (Not
									Serviced)

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Lamps and Wiring - Front
Figure 008-1105

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ACR=COMPETITION GROUP									
1	4643 939	2			29				LAMP, Side Marker Export
	4642 930	2			29				
2	6025 002	4			29				NUT AND WASHER, Hex Nut-Coned Washer, .190-24, Sidemarker, Mounting
3	4676 565	2							LAMP, Front Fender, Side Repeater, Export
-4	0153 620	2							BULB, 8/4, Side Repeater,Export
-5	4676 801	2							GASKET, Side Marker Lamp, Side Repeater
6	4481 618	2							WIRING, Side Repeater Lamp, Export
-7	4676 802	1							O RING, Fender Side, Side Repeater,Export
8									COVER, Fog Lamp
	4643 818	1			29				Right
	4643 819	1			29				Left
9	5245 104	2							LAMP, Fog
-10									SCREW, .19-16x.75
	6033 526	4			27				Fog Lamp to Adapter
		4			29				Fog Lamp to Adapter
-11	4728 646	AR							BULB PACKAGE, 55 Watt
12	5245 172	2			29				BRACKET, Fog Lamp
13	0154 150	6			27				SCREW, Hex Flange Head, Fog Adapter To Fascia
-14	5245 991	1			29				SEAL, Fog Lamp
15									HEADLAMP
	4848 062AB	1							Right
	4848 063AB	1							Left
	4708 146AB	1							Right,Export
	4708 147AB	1							Left,Export
-16	L000 9005	1							BULB, Headlamp
-17	L000 009011	1							BULB, 9011, high beam, Right & Left
-18	L0003 157NA-	1							BULB, 3157 NAK, Park And Turn Signal Lamp
19	6504 572	8							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Headlamp Mounting
-20	4643 463	AR							SHIM, Hood Latch, Headlamp To Closeout
-21	4708 012	4							NUT, Wing, Headlamp Mounting

DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
S=RT/10	D=Dodge	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe		EW0 = All 8.0L Gas		DBB = All Manual	
X=GTS/Lemans							

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps and Wiring - Rear Figure 008-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Turn
	4848 420	1			29				Right
	4848 421	1			29				Left
	4848 424	1			29				Right,Export
	4848 425	1			29				Left,Export
	4848 420	1			27				Right
	4848 421	1			27				Left
	4848 424	1			27				Right,Export
	4848 425	1			27				Left,Export
-2									BULB, 3157
	0154 851AA-	3			27				Tail And Stop Lamp,Fog Lamp, Export
	L000 3157	1			27				Tail, Stop, Turn Signal, And Side
3									Marker Lamp,Back Up Lamp
	4642 101	1			29				LAMP, Back-Up and Turn Signal Left
	4642 100	1			29				Right
-4	4399 900	1			27				SOCKET, Park, Turn, and Side Lamp
-5	4399 599	1			27				SEAL, Turn Signal And Side Marker Lamp
6									WIRING, Taillamp
	4848 422	1			27				Export
	4848 423	1			27				Export
7	6502 589	10			27				NUT, Wing, M6, Tail Lamp Attaching
8	4642 929	2			27				LAMP, License Plate
9									SCREW, (NOT SERVICED) (Not Serviced)
10	L000 0168	1			29				BULB, 168, License Lamp
11									WIRING, License Lamp, Serviced in Uni-Body Harness, (NOT SERVICED) (Not Serviced)
12	4642 571	1			27				LAMP, High Mounted Stop
13									SEAL, High Mounted Stop Lamp
	4643 600	1			27				Chimnel, Anti-Light Leak
	4848 937AA	2			27				BRACKET, High Mounted Stop Lamp
14	4643 601	1			27				CLIP, Panel Fastener
15	3420 1942	2			27				SCREW, (NOT SERVICED) (Not Serviced)
16									SCREW, (NOT SERVICED) (Not Serviced)
17									SCREW, (NOT SERVICED) (Not Serviced)

DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY
 27 = Convertible
 29 = Coupe

ENGINE
 EWB = 8.0L 10 Cyl. SFI
 EW0 = All 8.0L Gas

TRANSMISSION
 DEC = 6 Speed Manual
 DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005





Figure 008-1110

[illegible]

DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe


ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring - Engine and Related Parts
Figure 008-1205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


EWB=8.0L V10 SFI

1									WIRING, Engine
	4763 760AC	1				EWB			
	4848 501AC	1				EWB			ACR
-2	4848 285AC-	1				EWB			WIRING, Alternator
-3	4848 860AA-	1				EWB			BRACKET, Wire Harness
-4	4848 344AB-	1				EWB			BRACKET, Wiring Harness
-5	4642 610AB-	1							WIRING, Battery Negative
-6	4848 507	1				EWB			WIRING, Engine Ground

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Wiring - Headlamp to Dash
Figure 008-1305


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 082AM	1							WIRING, Headlamp and Dash



DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Wiring - Instrument Panel

Figure 008-1405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 138AJ	1							WIRING, Instrument Panel
2									BLOCK, Fuse, (Pia in Wire Harness), (NOT SERVICED) (Not Serviced)
-3	4848 297	1							COVER, Fuseblock, Rear Body Fuseblock
-4	4848 579	1							LABEL, Fuse Block
-5	5600 7098	1							FLASHER, Turn Signal
-6									FUSE, (See Manual), (NOT REQUIRED)
-7	4414 333	1			29				BREAKER, Circuit, Rear Defogger

DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans


BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Wiring - Body and Accessories

Figure 008-1505

[illegible]

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Connector Repair Package

Figure 008-1610

[illegible]

For Electrical Connector Repair Information visit
the World Wide Web at

<http://dto.vftis.com/mopar/disclaimer.asp>

DODGE-CHRYSLER VIPER (SR)


SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Spark Plugs - Cables - Coil
Figure 008-1905



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EWB=8.0L V10 SFI									
1	5245 237AB	7				EWB			SEPERATOR, Ignition Cable, Attached to Thermostat Housing
2	4883 365AA	1				EWB			CABLE PACKAGE, Ignition, Spark Plug
3									WIRE, Spark Plug
	4763 780	1				EWB			[#1]
	4763 781	1				EWB			[#2]
	4763 782	1				EWB			[#3]
	4763 783	1				EWB			[#4]
	4763 784	1				EWB			[#5]
	4763 785	1				EWB			[#6]
	4763 786	1				EWB			[#7]
	4763 787	1				EWB			[#8]
	4763 788	1				EWB			[#9]
	4763 789	1				EWB			[#10]
4	SP0RC 12LYC	10				EWB			SPARK PLUG
-5	5302 0419	10				EWB			SHIELD, Heat, Spark Plug
6	5603 2520	1				EWB			COIL, Ignition, Six Lead
7	5603 2521	1				EWB			COIL, Ignition, Four Lead


DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=RT/10	D=Dodge	29 = Coupe		EW0 = All 8.0L Gas		DBB = All Manual	
S=GTS Coupe							
X=GTS/Lemans							





Group – 08A

Instrument Panel and Radios and Consoles


GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
Instrument Panel	
Instrument Panel	Fig. 08A-110
Instrument Panel Cluster	
Gauge Cluster	Fig. 08A-210
Radio, Antenna, and Speakers	
Radios	Fig. 08A-305
Antenna-Speakers	Fig. 08A-310
Consoles	
Console	Fig. 08A-410



08A-100 Instrument Panel	08A-200 Instrument Panel Cluster	08A-300 Radio, Antenna, and Speakers	08A-400 Consoles
			

Instrument Panel
Figure 08A-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	LB39 JX8AG	1							FASCIA, Instrument Panel
2	6032 723	23							SCREW, Self Tapping, M4.2x1. 69x19.05, I/P Carrier
-3	6503 519	6							CLIP, M7.25x16.20, I/P Fascia Attaching
4	4763 604	1							SUPPORT, Instrument Panel Right
	4763 605	1							Left
5	0154 555	2							SCREW
6									U-NUT, [.190-16], (NOT SERVICED) (Not Serviced)
7	4763 610	1							PLATE, Instrument Panel Support Right
	4763 611	1							Left
8									SCREW, Hex Flange Head, .19-16x. 625, (NOT SERVICED) (Not Serviced)
9	5245 939AC	1							PANEL, Instrument Closure Right
	5245 962AB	1							Left
10									SCREW, Self Tapping, M4.2x1. 69x19.05
	6032 723	4							Close Out
		23							I/P Carrier
-11	6034 833	36							CLIP, Push, .164-7.5, I/P Carrier
12	4763 468AC	1							CARRIER, Instrument Panel
13	QN71 BX7AC	1							PAD, Instrument Panel, Black, Kneeblocker,Left
14	6035 625	3							SCREW, Kneeblocker,Right & Left
15	KS79 JX8AD	1				29			BEZEL, Instrument Panel Black, Center Bezel
	PK84 JX8AD	1				27			Black, Center Bezel
-16									CLIP, M5.35x12.65
	6032 268	6				29			Center Bezel attaching
		6				27			Center Bezel attaching
-17	4854 434AA-	1				29			NAMEPLATE, Instrument Panel, ACR Plaque
18	D221 SX8	1							ASH RECEIVER, Rear Door
-19	4848 773	1							COVER, Fuse Access
-20	4848 579	1							LABEL, Fuse Block
21	RW19 JX8AB	1							AIR BAG, Passenger
22	3420 2304	2							NUT, M5x.8
23									SWITCH, Headlamp

DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe


ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Panel
Figure 08A-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4763 135	1							
	4763 596	1							Export
24									SEAL, Headlamp Switch, (NOT SERVICED) (Not Serviced)
-25	5245 299AB-	1							MODULE, Lighting Control,
-26									Instrument Panel Lamp dimming KNOB, Head Lamp Switch
	4848 135	1							Export
	4848 136	1							Export
27	4848 798	1							CAP
28									PAD, Instrument Panel
	LB36 BX7AD	1							Black, Kneeblocker,Right
	LB36 WUCAD	1							Cognac (Brown), Kneeblocker,
									Right
29									WASHER, (NOT SERVICED) (Not Serviced)
30									SCREW, [.190-16x2.00], (NOT SERVICED) (Not Serviced)
-31									BEZEL, Security Indicator
	4848 663	1					27		
		1					29		
-32									WIRING, LED Security
	4848 664	1					27		w/Lens
		1					29		w/Lens


DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Gauge Cluster Figure 08A-210

[illegible]

DODGE-CHRYSLER VIPER (SR)

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual


Radios

Figure 08A-305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

RBH=PREMIUM, ALPINE STEREO W/CD

1				RADIO, AM/FM with CD
	4763 982AB	1		Sales Code (RBH)
	4848 134AB	1		Sales Code (RBH), Export
-2	6032 723	2		SCREW, Self Tapping, M4.2x1.
				69x19.05, Radio Attaching
-3	4763 136	1		BRACKET, Radio, Rear Mount



RBH

DODGE-CHRYSLER VIPER (SR)

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Antenna-Speakers
Figure 08A-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1									ANTENNA, Serviced with
-2	4848 850AC-	1							Windshield, (NOT REQUIRED)
3									COVER, Antenna Opening
									SPEAKER, 6.5", All Speakers
									Serviced Only By ALPINE Dealer,
									(NOT SERVICED) (Not Serviced)
4	SL12 DX9AA	2							GRILLE, Speaker
	SL12 WUCAA	2							Black, Door
									Cognac, Door
5									SCREW, [.164-18x1.5] Not Serviced,
									(NOT SERVICED) (Not Serviced)
6	4848 147	1				27			GRILLE, Speaker, Center
7									RING, Speaker, (NOT SERVICED)
									(Not Serviced)
8									SCREW, .164-15x.750, (NOT
									SERVICED) (Not Serviced)
9									AMPLIFIER, Radio, Serviced Only
									By ALPINE Dealer, (NOT
									SERVICED) (Not Serviced)
10	4848 139	1							BRACKET, Amplifier Retainer
11	6100 557	2							BOLT AND CONED WASHER, Hex
									Head, M6x20x14, Amplifier
									Retainer Attaching
12	4848 137	1							BRACKET, Amplifier, Assembly
13	3420 1358	3							NUT AND WASHER, Hex Nut-
									Sealing Washer, M6 x 1.00,
									Amplifier Attaching
-14	4865 432AA-	1							CABLE AND GROMMET, ANTENNA
-15	4709 110	1							CABLE, Amplifier Box, Windshield to
									Amplifier
-16	4709 112	1							GROMMET, Antenna Amplifier
17	4709 109	1							BOX, Antenna Amplifier
18									SCREW, .190-16X.375, (NOT
									SERVICED) (Not Serviced)
-19	4848 082	1							HOLDER, Fuse, Block
-20	4854 436AA-	4				29			PLATE, Speaker, Speaker Delete
									ACR Package

DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans


BODY
27 = Convertible
29 = Coupe
ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Console
Figure 08A-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	D221 SX8	1							ASH RECEIVER, Rear Door, Ash (Black)
-2	4643 872	2			29				CLIP, Ash Receiver Retention
		2			27				
3	KS79 JX8AD	1			29				BEZEL, Instrument Panel Black, Center
	PK84 JX8AD	1			27				Black, Center
4									SCREW, Self Tapping, M4.2x1. 69x19.05, (NOT SERVICED) (Not Serviced)
5	PF25 1X7AC	1							CONSOLE, Front Black
	PF25 WUCAC	1							Cognac
-6	4854 434AA-	1			29				NAMEPLATE, Instrument Panel, ACR Plaque
7									SCREW, Oval Head, (NOT SERVICED) (Not Serviced)
-8	3747 634	1			29				SHELL, Cigar Lighter
		1			27				
9	4685 536	1							KNOB AND ELEMENT, Cigar Lighter
10	PD66 1X9AB	1							BOOT, Parking Brake Lever Black
	PD66 WUCAB	1							Cognac
11	PD67 WUC	1							BOOT, Gearshift Cognac, Leather
	PD67 TX9	1							Black, Leather
12	4848 038	1							BOOT, Gearshift, Inner, Rubber

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Group – 009

Engine Mounting


GROUP 9 - Engine Mounting

Illustration Title	Group-Fig. No.
Engine Mounting	
Engine Mounting, Front 8.0L Engine	Fig. 009-110
Engine Mounting, Rear 8.0L Engine	Fig. 009-120



009-100 Engine Mounting			
---	--	--	--

Engine Mounting, Front 8.0L Engine
Figure 009-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6034 523	4				EWB			BOLT, Alternator
2	0152 344	4				EWB			NUT, .375-16
3	4796 376	2				EWB			BRACKET PACKAGE, Engine Mount
4	4643 546	2				EWB			SHIELD, Heat
5									INSULATOR, Engine Mount
	4643 530	1				EWB			Right
	4642 617	1				EWB			Left
6	6025 022	2							NUT AND WASHER, Hex Nut-Coned Washer, .500-13

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Engine Mounting, Rear 8.0L Engine

Figure 009-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6101 707	2							BOLT, M10x1.50x75, Trans.
2	6502 696	2							Crossmember to Frame, NUT, Hex Flange Lock, M10x1.5, Trans. Crossmember to Frame,
3	4643 318	1							MOUNT, Transmission
4	6501 596	2							SCREW AND WASHER, Hex Head, M10x1.5x45
5	4763 813	1							CROSSMEMBER, Transmission
6	6502 696	1							NUT, Hex Flange Lock, M10x1.5, Mount to Trans. Crossmember,

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans


BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Group – 8.0L

Engine 8.0L Ten Cylinder




X Model Year	X Manufacturing Plant	XXXXX Component Code/Usage	XXXX Month/Day	XXXXXXXX Serial Code
Last digit of model year	Satellite S Trenton T Toluca K	Engine Usage Pass Car PC		Last 8 Digits of VIN

8.0L10-100


Group – 8.0L

Engine 8.0L Ten Cylinder

8.0L-900
Crankcase Ventilation




8.0L-1100
Oil Cooler




8.0L-100
Engine Identification

X Model Year	X Manufacturing Plant	XXXXX Component Code/Usage	XXXX Month/Day	XXXXXXXX Serial Code
Last digit of model year	Satellite S Trenton T Toluca K	Engine Usage Pass Car PC Truck T		Last 8 Digits of VIN


8.0L-200
Cylinder Head




8.0L-300
Cylinder Block




8.0L-400
Crankshaft, Piston and Torque
Converter




8.0L-500
Camshafts & Valves




8.0L-600
Timing Belt and Cover



8.0L-700
Engine Oiling



8.0L-800
Manifolds



GROUP 8.0L - Engine 8.0L Ten Cylinder

Illustration Title	Group-Fig. No.
Engine Identification	
I.D. Location 8.0L Engine	Fig. 8.0L-110
Cylinder Head	
Cylinder Head 8.0L Engine	Fig. 8.0L-210
Cylinder Block	
Cylinder Block 8.0L Engine	Fig. 8.0L-310
Crankshaft, Piston and Torque Converter	
Crankshaft and Pistons 8.0L Engine	Fig. 8.0L-410
Camshafts & Valves	
Camshafts and Valves 8.0L Engine	Fig. 8.0L-510
Timing Belt and Cover	
Timing Belt and Cover 8.0L Engine	Fig. 8.0L-610
Engine Oiling	
Engine Oiling 8.0L Engine	Fig. 8.0L-710
Manifolds	
Manifolds, Intake and Exhaust 8.0L Engine	Fig. 8.0L-810
Crankcase Ventilation	
Crankcase Ventilation 8.0L Engine	Fig. 8.0L-910
Oil Cooler	
Oil Cooler 8.0L Engine	Fig. 8.0L-1110






I.D. Location 8.0L Engine
Figure 8.0L-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

VIN Number located on right rear side of cylinder block in front of clutch housing. SERIAL Number located on right lower front of cylinder block above oil filter.

1

LABEL, Engine Identification, (NOT SERVICED) (Not Serviced)




DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe
ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Cylinder Head 8.0L Engine
Figure 8.0L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EWB = 8.0L V-10 SFI Engine									
-1	4882 950AB-	1				EWB			GASKET PACKAGE, Engine Upper
2									COVER, Cylinder Head
	4763 754AB	1				EWB			Right
	4763 755AB	1				EWB			Left
3	5245 081	1				EWB			CAP, Oil Filler
4	6035 666	26				EWB			SCREW, Hex Flange Head, .25- 20x1.00
-5	6034 540	5				EWB			STUD, Double Ended, .25-20x1.81
6	5245 095	2				EWB			GASKET, Valve Cover
7	4763 724AB	2				EWB			HEAD, Cylinder
8	4763 749	2				EWB			GASKET, Cylinder Head
9	6035 471	24				EWB			BOLT, Cylinder Head
10	6035 666	12				EWB			SCREW, Hex Flange Head, .25- 20x1.00

DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					


Cylinder Block 8.0L Engine
Figure 8.0L-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EWB = 8.0L V-10 SFI Engine

-1	4882 951AC-	1	EWB	GASKET PACKAGE, Engine Lower
2	4763 703AD	1	EWB	BLOCK, Short
3	J400 5149	4	EWB	DOWEL, Oil Pump
4	6034 166	1	EWB	PLUG, Cylinder Block Oil Hole
5	4429 678	2	EWB	PIN, Dowel
6				PIN, .620D x .50 J4005149, (NOT SERVICED) (Not Serviced)



DODGE-CHRYSLER VIPER (SR)

S=RT/10
S=GTS Coupe
X=GTS/Lemans


BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Crankshaft and Pistons 8.0L Engine

Figure 8.0L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4882 965	1				EWB			PISTON RING SET, COMPLETE
2	5245 142AB	AR				EWB			ENGINE, STD.
3									PISTON, ENGINE, [+0.010 Oversize], Standard
	4883 705AA	AR				EWB			[+0.010 Oversize]
	4883 706AA	AR				EWB			[+0.020 Oversize]
4	5300 5779	10				EWB			PIN, Piston
5	5245 366	10				EWB			ROD, Connecting
6	6033 441	10				EWB			BOLT, Connecting Rod
7	4848 733AB	1				EWB			CRANKSHAFT
8	5300 9181	1				EWB			BEARING, Pilot
9	6035 811	8				EWB			BOLT, Hex Head, .437-20x1.50
10	4763 726	1				EWB			RETAINER, Crankshaft Rear Oil Seal
11	4428 037	1				EWB			GEAR, Ring
12	5245 072	1				EWB			GASKET, Rear Oil Seal Retainer
13	2421 305	20				EWB			BEARING, Connecting Rod, STD.
14	4643 416AB	1				EWB			FLYWHEEL
15	6032 296	10				EWB			NUT, Hex, .375-24
16									BEARING PACKAGE, Crankshaft, Standard
	4723 538	AR				EWB			Main -#1-2-4-5-6- White - Clear
	4723 541	AR				EWB			Main -#1-2-4-5-6- Orange
	4883 374AA	AR				EWB			Main -#1-2-4-5-6- Yellow
	4723 536	1				EWB			Main -#1-2-4-5-6- Magenta
	4740 292	AR				EWB			Main -#1-2-4-5-6- Black
17									BEARING PACKAGE, Crankshaft, Thrust
	4883 685AA	1				EWB			Standard, +.030 Outside Diameter
	4883 686AA	1				EWB			[.001 Undersize +.030 Outside Diameter]
	4883 687AA	1				EWB			[.002 Undersize +.030 Outside Diameter]
	4883 688AA	1				EWB			[.020 Undersize +.030 Outside Diameter]
18									BEARING PACKAGE, Crankshaft Thrust, Standard Size
	4723 542	AR				EWB			Orange
	4883 375AA	AR				EWB			Yellow
	4723 537	AR				EWB			Magenta
	4723 540	1				EWB			White-Clear

DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY
 27 = Convertible
 29 = Coupe

ENGINE
 EWB = 8.0L 10 Cyl. SFI
 EW0 = All 8.0L Gas


TRANSMISSION
 DEC = 6 Speed Manual
 DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft and Pistons 8.0L Engine

Figure 8.0L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4740 293	AR				EWB			Black
19	4883 681AA	1				EWB			BEARING PACKAGE, Crankshaft Standard, Main +.030 Outside Diameter
	4883 682AA	1				EWB			[.001 Undersize, Main +.030 Outside Diameter]
	4883 683AA	AR				EWB			[.002 Undersize, Main +.030 Outside Diameter]
	4883 684AA	AR				EWB			[.020 Undersize, Main +.030 Outside Diameter]
20	5096 020AA	AR				EWB			BEARING PACKAGE, Crankshaft, .009" U/S
21	5096 021AA	AR				EWB			BEARING PACKAGE, Crankshaft thrust, .009" U/S
22	5096 022AA	AR				EWB			BEARING PACKAGE, Crankshaft, .010" U/S
23	5096 023AA	AR				EWB			BEARING PACKAGE, Crankshaft thrust, .010" U/S
24	5096 024AA	AR				EWB			BEARING PACKAGE, Crankshaft, .011" U/S
25	5096 025AA	AR				EWB			BEARING PACKAGE, Crankshaft thrust, .011" U/S
26	6034 749	1				EWB			KEY, Crankshaft Sprocket
27	5245 110	1				EWB			DAMPER, Crankshaft
28	6034 504	1				EWB			WASHER, Flat, .78x1.94
29	6034 505	1				EWB			SCREW, Hex Head, .75-16x2.25
30	6035 470	12				EWB			BOLT, Bearing Cap
31	6035 665	4				EWB			BOLT, Bearing Cap
32	6035 469	8				EWB			STUD, .562-12x5.670

DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY
 27 = Convertible
 29 = Coupe

ENGINE
 EWB = 8.0L 10 Cyl. SFI
 EW0 = All 8.0L Gas

TRANSMISSION
 DEC = 6 Speed Manual
 DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshafts and Valves 8.0L Engine
Figure 8.0L-510


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5245 335	20				EWB			ROCKER ARM, Valve
2	5245 336	20				EWB			PIVOT, Rocker Arm
3	4848 550	10				EWB			RETAINER, Rocker Arm Pedestal
4	6034 499	20				EWB			BOLT, Hex Flange Head, .375-16x1.50
5	3300 3521	20				EWB			LOCK, Valve Spring Retainer
6	5245 374	20				EWB			RETAINER, Valve Spring
7	4761 616	20				EWB			SPRING PACKAGE, Valve
8	5245 162	20				EWB			SEAT, Valve Spring
9	5300 9886	10				EWB			SEAL, Valve Guide, Intake
10	5300 9887	10				EWB			SEAL, Valve Guide, Exhaust
11	4763 747	10				EWB			VALVE, Intake, Standard
-12	4883 699AA-	1				EWB			VALVE, Intake, .003" O/S, Orange
-13	4883 700AA-	1				EWB			VALVE, Intake, .015" O/S, Orange
14	4763 748	10				EWB			VALVE, Exhaust, Standard
-15	4883 702AA-	1				EWB			VALVE, Exhaust, .005" O/S, Orange
-16	4883 703AA-	1				EWB			VALVE, Exhaust, .015" O/S, Orange
-17	4883 704AA-	1				EWB			VALVE, Exhaust, .030" O/S, Orange
-18	5096 010AA-	AR				EWB			INSERT, Valve Guide
19	5245 071	1				EWB			PLUG, Camshaft
20	0141 195	1				EWB			DOWEL, .25x.62
21	4713 439	20				EWB			TAPPET PACKAGE, Valve
-22	4883 695AA-	1				EWB			CAMSHAFT, Engine, .002" O/S Journal, Brown
23									CAMSHAFT, Engine
	4763 708	1				EWB			
	4883 696AA	1				EWB			[+.003 Oversize Journal - Blue]
	4883 697AA	1				EWB			[+.030 Oversize Journal - White]
24	4848 548AC	20				EWB			PUSH ROD, Valve
25	5245 169	10				EWB			YOKE, Tappet Aligning
26	5245 170	10				EWB			BOLT, .25-20x.88

DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
S=RT/10	D=Dodge	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe		EW0 = All 8.0L Gas		DBB = All Manual	
X=GTS/Lemans							

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure 8.0L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EWB = 8.0L V-10 SFI Engine									
1	5245 359	1				EWB			PLATE, Camshaft Thrust
2	0220 800	2				EWB			SCREW, Hex Head, .312-18x.75
3	4863 827	1				EWB			CHAIN PACKAGE, Timing
4	6034 749	1				EWB			KEY, Crankshaft Sprocket
5	6024 035	1				EWB			BOLT, Hex Head, .375-14x1.75
6	6035 558	9				EWB			SCREW, Hex Flange Head, .375-16x1.50
7	4763 745	1				EWB			GASKET, Chain Case Cover
8	4763 731AF	1				EWB			COVER, Timing Case
9	5245 135	1				EWB			SEAL, Rear Main Crankshaft


DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Engine Oiling 8.0L Engine
Figure 8.0L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 784	1				EWB			CAP, Oil Pressure Relief Valve
	2806 273	2				EWB			29
2	4323 326	2				EWB			27
	4848 785	1				EWB			SPRING, Oil Pressure Relief Valve
3	4848 786	1				EWB			27
-4	2843 208AB-	2				EWB			VALVE, Oil Cooler Pressure, 29
									PLUNGER, Oil Pressure Relief Valve, Serviced in Case Cover
5	4763 731AF	1				EWB			COVER, Timing Case
6	5245 525	1				EWB			ROTOR SET, Oil Pump
7	5245 128	1				EWB			COVER, Engine Oil Pump
8	6034 475	4				EWB			SCREW, Torx Head, .25-20x.75
9	4763 791AD	1				EWB			INDICATOR, Engine Oil Level
10	4763 792AC	1				EWB			TUBE, Engine Oil Indicator
11	4763 740	1				EWB			PICKUP, Engine Oil
12	0154 601	4				EWB			SCREW, Pan Head, .19-24x.5
13	J012 0375	8				EWB			NUT, Hex, .250-20
14	5281 090	1				EWB			FILTER, Engine Oil
15	5300 7563	1				EWB			CONNECTOR, Oil Filter
16	6035 666	6				EWB			SCREW, Hex Flange Head, .25-20x1.00
17	4886 503AC	1				EWB			ADAPTER, Oil Filter
	4886 503AD	1				EWB			[ARC]
18	4763 738	1				EWB			SEAL, Drain Plug
19	5245 086AC	1				EWB			GASKET, Oil Filter Adapter
20	4848 331AC	1				EWB			CONNECTOR, Engine Oil Cooler
21	4763 737AB	1				EWB			GASKET, Oil Pan
22	4763 744	1				EWB			PAN, Engine Oil
23	6035 666	26				EWB			SCREW, Hex Flange Head, .25-20x1.00
24	4763 739	1				EWB			PLUG, Oil Drain
25	4848 705AB	1				EWB			TRAY, Windage
-26	5245 324	1				EWB			SEAL, Rear Main Crankshaft

DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=RT/10	D=Dodge	29 = Coupe		EW0 = All 8.0L Gas		DBB = All Manual	
S=GTS Coupe							
X=GTS/Lemans							

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifolds, Intake and Exhaust 8.0L Engine
Figure 8.0L-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 758AB	1				EWB			MANIFOLD, Intake
2	6034 166	1				EWB			PLUG, Cylinder Block Oil Hole
3	6035 666	20				EWB			SCREW, Hex Flange Head, .25-20x1.00
4	5245 194AB	2				EWB			GASKET, Intake Manifold
5	4848 339AB	2				EWB			GASKET, Exhaust Manifold
6									MANIFOLD, Exhaust
	4848 341	1				EWB			Left
	4848 342	1				EWB			Right
7	6034 595	20				EWB			WASHER, Coned, .340 x .750 x .180
8	0154 881AA	14				EWB			BOLT, Hex Head
9	6036 066AA	6				EWB			STUD
10									SHIELD, Exhaust Manifold
	5004 005AB	1							Left
	5004 006AB	1							Right
11	5245 585	1				EWB			SHIELD, Crank Position Sensor
12	6034 856	6							NUT AND WASHER, Hex Nut-E
									Teeth Washer, .312-24
13	4763 414	2				EWB			PLUG, Cylinder Block Oil Hole
14	5245 193	1				EWB			VALVE, Shrader

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 8.0L Engine
Figure 8.0L-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EWB = 8.0L V-10 SFI Engine									
1	4763 767AD	1				EWB			HARNESS, PCV
2	4763 806AB	1				EWB			HARNESS, CCV To Air Cleaner
3	4763 804AD	1				EWB			HARNESS, Canister Purge
4	4848 340AC	1				EWB			HOSE, PCV Inlet
5	5245 322	1				EWB			GROMMET, Crankcase Vent

DODGE-CHRYSLER VIPER (SR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual					
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual					
X=GTS/Lemans									

Oil Cooler 8.0L Engine
Figure 8.0L-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 310	1							LINE, Oil Cooler Inlet
2	4848 300	1							LINE, Oil Cooler Outlet
3	4643 826AB	1							COOLER, Engine Oil
4	6101 283	2							U-NUT, M8x1.25
5	6100 296	2							BOLT, Hex Head




DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				



Group – 011

Exhaust


GROUP 11 - Exhaust

Illustration Title	Group-Fig. No.
Exhaust System	
Exhaust System, U.S. and Canada	Fig. 011-115
Exhaust System, Export	Fig. 011-120
Heat Shields	
Heat Shield	Fig. 011-210



011-100 Exhaust System	011-200 Heat Shields		
			

Exhaust System, U.S. and Canada
Figure 011-115




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 667	1							ISOLATOR, Exhaust Support
2	4763 629	2							SUPPORT, Exhaust Isolator
3	4709 038	5							ISOLATOR, Exhaust
4	4708 458	5							SUPPORT, Exhaust Isolator
5									BOLT, Shoulder, .312-18x2.00, 06033047, (NOT REQUIRED)
6	5245 788	1							MUFFLER, Exhaust
7	6101 445	2							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Hanger
8	5245 034	1							HANGER, Muffler, Rear
9									RESONATOR AND PIPE, Exhaust
	4854 302AA	1							Right
	4854 303AA	1							Left
10									INSULATION, Thermal Sill Inner
	5245 814	1							Right
	5245 815	1							Left
11									BOLT AND CONED WASHER, Hex Head, M8x45x17, (NOT REQUIRED)
12									CONVERTER, Catalytic
	4873 122	1							Right
	4873 123	1							Left
-13	4848 909AA-	2							CLAMP, Exhaust Manifold
14	4848 935AA	1							CLAMP, Exhaust
15	4695 220AB	2							CLAMP, Exhaust, 57.2mm
16									TIP, Exhaust Pipe, Serviced in Rear Muffler, (NOT SERVICED) (Not Serviced)
17									GASKET, Exhaust, (NOT REQUIRED)
18									NUT, Hex Flange, M8x1.25, (NOT REQUIRED)
19	4709 106	1							HANGER BAR, Muffler
20	6101 542	2							SCREW, Hex Head, M8-1.25 x 20, Hanger Bar,

DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
S=RT/10	D=Dodge	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe		EW0 = All 8.0L Gas		DBB = All Manual	
X=GTS/Lemans							

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust System, Export
Figure 011-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 667	1							ISOLATOR, Exhaust Support
2	4763 629	2							SUPPORT, Exhaust Isolator
3	4709 038	5							ISOLATOR, Exhaust
4	4708 458	5							SUPPORT, Exhaust Isolator
5									BOLT, Shoulder, .312-18x2.00, 06033047, (NOT REQUIRED)
6									MUFFLER, Exhaust
	4763 668	1							Right
	4763 669	1							Left
7	6101 445	2							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Hanger
8	5245 034	1							HANGER, Muffler, Rear
9									RESONATOR AND PIPE, Exhaust
	4763 588	1							Right
	4763 589	1							Left
10									INSULATION, Thermal Sill Inner
	5245 814	1							Right
	5245 815	1							Left
11									BOLT AND CONED WASHER, Hex Head, M8x45x17, (NOT REQUIRED)
-12	4848 909AA-	2							CLAMP, Exhaust Manifold
13	4695 220AB	2							CLAMP, Exhaust
14									TIP, Exhaust Pipe, Serviced in Rear Muffler\, (NOT SERVICED) (Not Serviced)
15									CONVERTER, Catalytic
	4873 122	1							Right
	4873 123	1							Left
16									GASKET, Exhaust, (NOT REQUIRED)
17									NUT, Hex Flange, M8x1.25, (NOT REQUIRED)
18	4709 106	1							HANGER BAR, Muffler, Muffler Hanger
19	6101 542	2							SCREW, Hex Head, M8-1.25 x 20, Hanger Bar
20	4848 935AA	1							CLAMP, Exhaust
21									CLAMP, Exhaust
	4695 220AB	2							
	4848 935AA	1							2 1/2' Band

DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Heat Shield
Figure 011-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD, Heat
	4763 846	1							Right
	4763 847	1							Left
2	6035 135	2							SCREW
3	6029 074	6							U-NUT, .25-20, Shield
4	5245 730	1							SHIELD, Heat
5	6035 494	10							SCREW TAPPING & WASHER, Hex Head, .190-16X.500, Shield, (.190- 16x.500)

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Group – 013

Frames and Bumpers

GROUP 13 - Frames and Bumpers

Illustration Title

Group-Fig. No.

Frames

Frame

Fig. 013-110

Front Bumper and Fascia


Fascia, Front

Fig. 013-210

Rear Bumper and Fascia


Fascia, Rear

Fig. 013-310



013-100 Frames	013-200 Front Bumper and Fascia	013-300 Rear Bumper and Fascia	
--	---	--	--

Frame
 Figure 013-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FRAME
	4855 232AB	1							
	4886 458AA	1							Right Rear
	4886 459AA	1							Left Rear
2	4886 314AA	1							FRAME, Front Clip
3	4848 657	1							CROSSMEMBER, Front Frame
-4	4848 653	2							BRACKET, Sportbar
-5	4848 656	2							STUD PLATE, Sport Bar Support Bracket
-6	6503 571	3							SCREW AND WASHER, M10x1. 50x35, Front Cross Member
7	4763 524AB	1							CROSSMEMBER, Differential
8	6102 073AA	2							SCREW, Hex Flange Head, M10x1. 5x65
9	6502 696	3							NUT, Hex Flange Lock, M10x1.5, Transmission,Cross Member To Frame
10									STRUT, Support to Upper Rail
	4708 052	1							Right
	4708 053	1							Left
11	6101 780	2							SCREW, M6x1x25, to Upper Radiator
12	6025 335	4							SCREW

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fascia, Front
Figure 013-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes:

[ACR] =COMPETITION GROUP

1									FASCIA, Front, [APV]
	SV53 1RNAB	1			29				Red Clear w/o ACR (Silver Stripes)
	SV53 1A9AB	1			29				Bright Silver w/o ACR (Blue Stripes)
	SV53 1X3AB	1			29				Black w/o ACR (Silver Stripes)
	SZ30 1RNAA	1			29				Red Clear (ACR) (Silver Stripes)
	SZ30 1A9AA	1			29				Bright Silver (ACR) (Blue Stripes)
	SZ30 1X3AA	1			29				Black (ACR) (Silver Stripes)
	5014 539AB	1			27				Paint as Required (w/o Stripes)
		1			29				Paint as Required (w/o Stripes)
2	5015 296AA	1			29				FASCIA, Front, Primed, [APA], ACR
3	4763 098	1							BUMPER, Fascia, Reinforcement
-4									SCUFFER, Fascia Front, Chip Tape
	4848 828	1							Right
	4848 829	1							Left
-5									ADAPTER, Bumper Fascia
	5245 074	1							Right
	5245 075	1							Left
-6	4763 096	1							FOAM AND TAPE, Fascia
-7	5245 044	1							FOAM AND TAPE, Frt Fascia Grille Opng, GT-2
-8	4848 448	1							SEAL, Front Fascia To Hood, Fascia to Hood
9	6025 335	8							SCREW
10	6100 515	1							NUT, Hex Flange Lock, M5
11									PANEL, Front Fascia
	4848 612	1			29				Right
	4848 613	1			29				Left
12									U-NUT, .25-20
	6029 074	10			27				
		10			29				
13	6102 086AA	10							SCREW AND WASHER, Hex Head, M5x0.80x25.00
14	6101 448	4							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
15									NUT, (NOT SERVICED) (Not Serviced)
16	5245 443	AR							SHIM, Bumper, Thin
17	5245 444	AR							SHIM, Bumper, Thick
18									BOLT, M10x1.50x35, (NOT SERVICED) (Not Serviced)

DODGE-CHRYSLER VIPER (SR)

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe


ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Fascia, Front
Figure 013-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	4709 049AB	1							HANDLE AND CABLE, Hood
20	4709 275	2							Release
21									PAD, Bulkhead Spacer
									SCREW, (NOT SERVICED) (Not Serviced)
-22	4708 129	1							BRACKET, Towing
-23									FRAME, License Plate
	4708 268	1							
	4709 042	1							Export

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Fascia, Rear
Figure 013-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FASCIA, Rear
	SV63 1A9AA	1			29				Bright Silver (Blue Stripes)
	SV63 1RNAA	1			29				Red (Silver Stripes)
	SV63 1X3AA	1			29				Black (Silver Stripes)
	5014 554AA	1			27				Primed
	5014 555AA	1			29				Primed
2	4763 098	1							BUMPER, Fascia, Reinforcement
-3									ADAPTER, Bumper Fascia, with Brackets
	5245 076	1			27				Right
	5245 077	1			27				Left
	5245 076	1			29				Right
	5245 077	1			29				Left
-4	4270 974	1							LICENSE PLATE KIT
5									SCREW, (NOT SERVICED) (Not Serviced)
6									NUT AND WASHER
	6501 941	4			27				
		4			29				
7									SCREW, (NOT SERVICED) (Not Serviced)
8	6025 335	8							SCREW
9	6101 448	4							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
10									SHIM, (NOT SERVICED) (Not Serviced)
-11									BRACKET, Towing
	4708 188	1			27				
		1			29				
-12	4643 662	1							FRAME, License Plate
-13									SHIELD, Heat
	4709 085	1			27				
		1			29				
14									RETAINER, Rear Fascia
	5245 790	1			29				Right
	5245 791	1			29				Left
-15	4763 373	1			29				FOAM AND TAPE, Fascia

DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Group – 014

Fuel

Group – 014

Fuel



014-1100 Accelerator Pedal			
-------------------------------	--	--	--

014-100 Tank, Fuel	014-200 Fuel Tank Filler Tube	014-300 Fuel Lines	014-400 Fuel Rail
014-500 Fuel Pump and Sending Unit	014-600 Throttle Body	014-700 Throttle Controls	014-800 Air Cleaner


GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
Tank, Fuel	
Fuel Tank	Fig. 014-110
Fuel Tank Filler Tube	
Fuel Filler Tube	Fig. 014-210
Fuel Lines	
Fuel Lines And Filter	Fig. 014-310
Fuel Rail	
Fuel Supply Tube	Fig. 014-410
Fuel Pump and Sending Unit	
Fuel Module	Fig. 014-510
Throttle Body	
Throttle Body	Fig. 014-610
Throttle Controls	
Throttle Controls	Fig. 014-710
Air Cleaner	
Air Cleaner	Fig. 014-810
Accelerator Pedal	
Accelerator Pedal	Fig. 014-1110



Fuel Tank Figure 014-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 812	1							TANK, Fuel
2	4848 282AB	1							STRAP, Fuel Tank
3									SCREW AND WASHER, Hex Head, M8x1.25x25, Locking, (NOT SERVICED) (Not Serviced)



DODGE-CHRYSLER VIPER (SR)

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Fuel Filler Tube
Figure 014-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TUBE, Fuel Filler
	4848 760AB	1			27				
	4848 811AB	1			29				
2									TUBE, Fuel Vapor Recirculation
	4763 002AC	1			29				
	4763 008AC	1			27				
3	6502 089	1							CLAMP, HOSE CLAMP
4									CAP, Fuel Filler
	4848 132	1							
	4763 684AC	1			29				
5									SCREW, Tapping, .19-16x.75, (NOT SERVICED) (Not Serviced)
6									CLAMP, Hose
	6502 090	2			27				
		2			29				
7									NUT, Hex Flange With Serration, (NOT SERVICED) (Not Serviced)

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Fuel Lines And Filter
Figure 014-310


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 006AB	1							TUBE BUNDLE, Fuel Lines
2									SCREW, M8x1.25x25, (NOT SERVICED) (Not Serviced)
3	4708 317	1							FILTER, Fuel
4	3404 625	1							CLIP, Tube
5	4764 000	1							TUBE, Fuel
6	5201 7741	5							CLIP, Fuel Bundle
7	2207 919	3							CLIP, Parking Brake Cable, Fuel Line
8	6035 135	3							SCREW, Fuel Line Clip, (.250-14x.875)

DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Supply Tube
Figure 014-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE Sales Code									
[EWB]=8.0L V-10 Engine									
1	5245 792	1				EWB			RAIL, Fuel
2	6035 666	10				EWB			SCREW, Hex Flange Head, .25-20x1.00
3									RETAINER, Fuel Injector
	5245 809	1				EWB			
	5245 807	9				EWB			
4	5245 724	10				EWB			INJECTOR, Fuel
-5	4723 971	10				EWB			O RING PACKAGE, Fuel Injector

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				


Fuel Module
Figure 014-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5200 5389	1							NUT, Fuel Pump Module
2	5201 8808	1							SEAL, Fuel Pump and Level Unit
3	5011 546AA	1							MODULE KIT, Fuel Pump/Level Unit
4	5011 545AA	1							LEVEL UNIT KIT, Fuel
5	4897 498AA	1							FILTER KIT, Fuel, Serviced in Module

DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
S=RT/10	D=Dodge	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe		EW0 = All 8.0L Gas		DBB = All Manual	
X=GTS/Lemans							

Throttle Body
Figure 014-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EWB=8.0L V-10 Engine									
1	6035 666	2							SCREW, Hex Flange Head, .25-20x1.00
2	4763 766	1				EWB			THROTTLE BODY Right
	4763 763	1				EWB			Left
3	4874 371AB	1				EWB			SENSOR, Throttle Position
4	4848 126	2				EWB			GASKET, Throttle Body To Intake
5	5245 749	1				EWB			MOTOR AND BODY, IACV
6	6035 666	8				EWB			SCREW, Hex Flange Head, .25-20x1.00
7	4778 637AB	1				EWB			MOTOR KIT, A.I.S.
8	5245 373	1				EWB			GASKET, A.I.S. Motor
9	4763 805	1							HOSE, A.I.S. Supply
10	5300 9672	1				EWB			CONNECTOR, Emission Hose, Elbow, Map Sensor


DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Throttle Controls
Figure 014-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EWB=8.0L V-10 Engine

1	4763 969	1							CABLE, Accelerator
2	4848 836AB	1							BRACKET, Accelerator Cable
3	6035 666	2							SCREW, Hex Flange Head, .25-20x1.00
4	4763 764	1				EWB			LINKAGE, Throttle Body
5	4287 736	1							RETAINER, Throttle Cable
6	4882 274	1				EWB			SCREW, Adjusting
7	4606 041	1				EWB			CLIP, Accelerator Cable

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				


Air Cleaner
Figure 014-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOUSING, Air Inlet
	5245 780AB	1							
	4848 870AA	1							Export
2	5245 312	1							HOUSING, Air Outlet
3	5245 778AC	2							TUBE, Air Cleaner to T/Body, Air Cleaner to Throttle Body
4	5245 492	1							SCREW, Air Cleaner Cover
5	4848 321AB	1							HARNESS, CCV To Air Cleaner, Crankcase Vent to Air Cleaner
6	6502 018	2							CLAMP, Hose, M28.9 x 1.60, AIS Hose
7	4763 805	1							HOSE, A.I.S. Supply, Air Cleaner
8	5245 266	1							ELEMENT, Air Cleaner, Crankcase Vent Filter
9	5245 265AB	2							ELEMENT, Air Cleaner, Air Cleaner Filter
10	4848 313	2							SCREW, Air Cleaner
11	5245 455	1							HOSE, Crankcase Vent

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Accelerator Pedal Figure 014-1110

[illegible]

DODGE-CHRYSLER VIPER (SR)

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas


TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual


Group – 016

Propeller Shafts and U-Joints


GROUP 16 - Propeller Shafts and U-Joints

Illustration Title	Group-Fig. No.
Propeller Shaft Shaft, Propeller	Fig. 016-110



016-100 Propeller Shaft 			
--	--	--	--

Shaft, Propeller
 Figure 016-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4797 307	4							U JOINT
2	4642 040	1							SHAFT, Drive
3	6502 581	12							BOLT, Hex Flange Head, M8x1.0x19
4	4428 723	6							CLAMP, U-Joint
5									STRAP, Bearing (For Shipping, (NOT SERVICED) (Not Serviced)

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Group – 017

Rear Suspension


GROUP 17 - Rear Suspension


Illustration Title

Group-Fig. No.


Rear Suspension

Suspension, Rear Fig. 017-120



017-100 Rear Suspension 			
--	--	--	--

Suspension, Rear
Figure 017-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Codes									
[SDE]= SPORT GROUP									
[SDK]= COMPETITION GROUP									
1									SHOCK ABSORBER, Suspension, Rear
	4848 508	2							[SDE]
	4854 449AA	1							Assembly with Spring [SDK]
	5264 841AA	1							Shock only, [SDK]
2									SPRING, Rear Coil
	4873 203	2							[SDE]
	5264 843AA	1							[SDK]
3	4709 316	2							BRACKET, Suspension, Rear Shock
4	6504 189	2							SCREW, M14x2.00x127.00
5	6502 698	2							NUT, Hex Flange Lock
6	0120 123	2							PIN, Cotter, .125X1.25
7	0152 349	4							NUT, Hex, .50-20
8	6502 337	2							NUT, M10x1.5
9	6035 641	2							NUT, Hex, .625-18
10	6101 063	4							SCREW AND WASHER, M10x1.5x45
11	4763 159	2							LINK, Trailing Rear Suspension, with Boot
12	6100 969	4							BOLT, Hex Flange Head, M14x2.00x90, [SDE]
13	6036 254AA	4							SCREW, [SDK]
14	4709 289	2							LINK, Rear Suspension Assist
15									SCREW, W/Washer M10x1.50x30.00, (NOT SERVICED) (Not Serviced)
16	6502 556	2							NUT, Hex, M10-1.5
17	6100 219	2							NUT, Hex Jam, M10x1.5
18	4709 320	2							ARM, Control, Upper
19									ARM, Control
	4709 324	1							Lower, Right
	4709 325	1							Lower, Lower
20	2269 232	4							CAM, Front Suspension Control Arm
21	6502 585	4							NUT
22									SCREW, W/Washer M12x1.75x95.00, (NOT SERVICED) (Not Serviced)
23	6100 219	2							NUT, Hex Jam, M10x1.5
24									SHIM, Tow Link To Frame [NOM]
	4643 912	AR							


DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Suspension, Rear

Figure 017-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4643 914	AR							[4U]
	4643 915	AR							[6U]
	4643 985	AR							[2D]
	4643 986	AR							[4D]
	4643 987	AR							[6D]
25	4848 646	1							BAR, Rear Sway
26	4404 219	2							RETAINER, Sway Bar
27	4643 031	2							BUSHING, Sway Bar
28	6035 643	2							NUT, .562-18
29									KNUCKLE, Rear
	4709 281	1							Left
	4709 282	1							Right
30	4709 309	2							ROD, Toe Link
31	4848 174AB	1							BALL JOINT, Lower Control Arm

DODGE-CHRYSLER VIPER (SR)

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005





Group – 019

Steering


GROUP 19 - Steering

Illustration Title	Group-Fig. No.
Steering Wheel	
Wheel, Steering	Fig. 019-120
Steering Column	
Column Assembly And Mounting	Fig. 019-230
Steering Gear	
Gear, Rack & Pinion Power And Attaching Parts	Fig. 019-310
Steering Linkage	
Tie Rod Ends	Fig. 019-410
Power Steering Pump	
Pump And Hoses, Power Steering	Fig. 019-510



019-100 Steering Wheel	019-200 Steering Column	019-300 Steering Gear	019-400 Steering Linkage
			
019-500 Power Steering Pump			
			


Wheel, Steering
Figure 019-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WHEEL, Steering
	PB41 SX9	1							Flat Black
	PB41 1UC	1							Black
2	LB45 JX8AB	1							AIR BAG, Driver
3	6503 771	3							SCREW, Hex Flange Head, M6x1x23
4									SWITCH, Horn, (Serviced with Wheel), (NOT SERVICED) (Not Serviced)
5	4848 437	1							CLOCKSPRING
6	6505 248AA	1							NUT, Hex Flange Lock

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Column Assembly And Mounting
Figure 019-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4874 334AB	1							COLUMN, Steering, Tilt
2	4470 605	1							LEVER, Tilt Column Release
3	4763 861	1							SHAFT, Steering Column, Intermediate Gear To Column
4	6503 210	2							SCREW, Hex Flange Head, M10x1. 5x35.
5	DH69 JX8	1							SHROUD, Lock Housing
6	DH69 JX8	1							SHROUD, Lock Housing
7	KJ95 PX8	1							SHROUD, Steering Column
8	KJ95 PX8	1							SHROUD, Steering Column
9	4470 105	2							SCREW, Filister Head, #8-16x.25
10									SCREW, [.164-32x1.00], (NOT SERVICED) (Not Serviced)
11	6502 390	2							STUD, M6x1.00x43.80
12									WASHER, [.250x1.135x.062], (NOT SERVICED) (Not Serviced)
13	6100 517	2							NUT, Hex Flange Lock, M8 Phosphate, Steering Column to Toe Box Attch
14	6501 730	2							NUT, Retainer, M6 x 1.00
15	6101 308	2							NUT, U, M6x1
-16	5602 1346	1							SWITCH, Ignition
-17	6503 845	5							SCREW, Ignition Switch

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear, Rack & Pinion Power And Attaching Parts
Figure 019-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	5203 7501	1							END, Tie Rod, Package
-2	5203 7502	1							BOOT, Steering Gear, Package
3	4709 489	1							GEAR, Power Steering, Rack and Pinion Power
4	6034 710	4							WASHER, Flat
5	6033 181	2		S					BOLT, Hex Head, .625-11x3.75
6	4117 796	1							NUT, Pivot Arm
7	6035 643	2							NUT, .562-18
8	0120 123	2							PIN, Cotter
9	4642 116	4							ISOLATOR, Steering Gear, Gear Mtg.
10	4708 035	2							O RING, Steering Gear, Gear Bushing
11	4708 475	AR							SHIM, Steering Gear, 0.5mm
-12	4708 070	AR							SHIM, Steering Gear, 1.0mm
-13	4708 068	AR							SHIM, Steering Gear, 1.5mm
-14	4708 069	AR							SHIM, Steering Gear, 3.0mm


DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Tie Rod Ends
Figure 019-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5203 7501	1							END, Tie Rod
2	6035 643	2							NUT, .562-18
3	0120 123	2							PIN, Cotter
4									NUT, Jam (Servive in Tie Rod End), (NOT SERVICED) (Not Serviced)




DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pump And Hoses, Power Steering
Figure 019-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code EWB= 8.0L V10 SFI									
1	4642 153	1				EWB			PUMP, Power Steering
2	5245 799	1				EWB			BRACKET, Power Steering Pump
3	6034 244	3				EWB			SCREW AND WASHER, Hex Head, .312-18x3.50
4	6035 558	3				EWB			SCREW, Hex Flange Head, .375- 16x1.50
5	4796 473	1				EWB			CAP, Power Steering Reservoir
6	4848 104	1							HOSE, Power Steering Pressure
7	4642 601	1							HOSE, Power Steering Return
8	2448 761	2							CLAMP, Hose, Return Hose
9	5301 1017	1				EWB			PULLEY, Power Steering Pump
10	4848 617	1							COOLER, Power Steering
11	4642 601	1							HOSE, Power Steering Return
12	6022 202	2							SCREW AND WASHER, Hex Head, .25-20x.625
-13	8350 3495	1				EWB			RESERVOIR, Power Steering Pump


DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					

Group – T56

Manual Transmission 6 Speed

GROUP T56 - Manual Transmission 6 Speed

Illustration Title	Group-Fig. No.
Transmission	
Transmission Assembly	Fig. T56-110
Case & Extension	
Case And Extension	Fig. T56-210
Transmission Mounting	
Transmission Mounting	Fig. T56-310
Gear Train	
Gear Train	Fig. T56-410
Forks and Rails	
Shift Forks, Rails, Miscellaneous Parts	Fig. T56-910
Gear Shift Controls	
Gear Shift	Fig. T56-1210




T56-100 Transmission	T56-200 Case & Extension	T56-300 Transmission Mounting	T56-400 Gear Train
T56-900 Forks and Rails	T56-1200 Gear Shift Controls		

Transmission Assembly
Figure T56-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTE; DEC - 6 Spd Manual Trans

1	5018 770AA	1					DEC		TRANSMISSION, 6 speed, WITHOUT 4626594 Bell Housing
---	------------	---	--	--	--	--	-----	--	--



DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					

Case And Extension
Figure T56-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4626 460	AR							CASE, Transmission
2	4626 591	1					DEC		PLUG, Oil Fill, Drain
3	4626 511	1					DEC		ADAPTER, Transmission, Front
4	4886 337AA	1					DEC		CASE, Transmission Rear, Rear
5	4626 461	1					DEC		STUD, Extension
6	4626 568	1					DEC		NUT, Transmission Case, Rear Housing
-7	4626 513	1					DEC		DOWEL, Transmission Case, Front Case Adapter
-8	4626 514	1					DEC		DOWEL, Transmission Case, Hollow
-9	4626 515	1					DEC		SEAL, Input Shaft, Input Shaft
-10	4626 520	1					DEC		BOLT, Transmission Case
-11	4626 567	1					DEC		MAGNET, Transmission
-12	4626 520	1					DEC		BOLT, Transmission Case
-13	4626 573	1					DEC		BREATHER, Transmission Case
-14	4626 591	1					DEC		PLUG, Oil Fill, Front Adapter Inspection
-15	4626 592	1					DEC		VENT, Transmission Pipe
-16	4626 570	1					DEC		CLIP, Vent Tube, Vent Tube
17	4531 216	1					DEC		SEAL, Extension Yoke, Rear


DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Transmission Mounting
Figure T56-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 813	1							CROSSMEMBER, Transmission,
									Transmission Mounting
2	6502 696	3							NUT, Hex Flange Lock, M10x1.5
3	6501 596	2							SCREW AND WASHER, Hex Head,
									M10x1.5x45, w/ WASHER (M10x1.
									50x45.00)
4	4643 318	1							MOUNT, Transmission, Transmission
5	6101 707	2							BOLT, M10x1.50x75
6	6503 571	12							SCREW AND WASHER, M10x1.
									50x35
7	4642 876	1							PLATE, Floor Console



DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					

Gear Train
Figure T56-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4626 574	1					DEC		INPUT SHAFT PACKAGE, Transaxle, w/Bearing
2	4626 737	1					DEC		BEARING PACKAGE, Input Shaft
3	4626 476	AR							STOP RING, Synchronizer, 3rd and 4th Synchronizer
4	4626 736	1					DEC		BEARING PACKAGE, Mainshaft, Front
5	4626 487	1					DEC		SNAP RING
6	4626 474	AR							STRUT, Synchronizer
-7	4626 475	AR							SPRING, 3rd And 4th Synchronizer
8	4626 471	AR							GEAR, Third
9	4626 469	1					DEC		NEEDLE BEARING, Third Gear
10	4626 549	1					DEC		BEARING CONE, Idler Gear, Reverse
-11	4626 470	1					DEC		SPACER, Third Gear
12	4626 467	1					DEC		MAINSHAFT, Transmission
13	4626 469	1					DEC		NEEDLE BEARING, Third Gear, 2nd Speed Needle
14	4626 478	AR							GEAR, Second
15	4626 564	1					DEC		SNAP RING, Mainshaft
16	4626 484	1					DEC		FRICITION CONE, Second Gear
17	4626 485	1					DEC		Inner FRICITION CONE, Second Gear
18	4626 483	1					DEC		RING, 1st and 2nd Speed Blocker
19	4626 481	AR							KEY, Synchronizer
-20	4626 482	1					DEC		SPRING, Synchronizer
21	4626 536	1					DEC		SNAP RING
22	4626 487	1					DEC		SNAP RING
23	4626 488	1					DEC		NEEDLE BEARING, First Gear, 1st Speed Needle
24	4626 489	1					DEC		GEAR, First
25	4626 734	1					DEC		BEARING PACKAGE, Mainshaft, Rear
-26	4626 486	1					DEC		THRUST WASHER, First And Second Gear
-27	4626 552	1					DEC		GEAR, Fifth, 5th-6th Speed Driven
-28	4626 474	AR							STRUT, Synchronizer
-29	4626 482	1					DEC		SPRING, Synchronizer
-30	4626 554	1					DEC		RETAINER, Reverse Syncro
-31	4626 555	1					DEC		WASHER, Reverse Thrust
-32	4626 556	1					DEC		WASHER, Reverse Wave

DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe


ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train
Figure T56-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-33	4626 557	1					DEC		RING, Reverse Blocker
-34	4626 536	1					DEC		SNAP RING
-35	4626 558	1					DEC		NEEDLE BEARING, Reverse Gear
-36	4626 559	1					DEC		GEAR, Reverse
-37	4626 560	1					DEC		WASHER, Reverse Thrust
-38	4626 562	1					DEC		WASHER, Mainshaft
-39	4626 563	1					DEC		NEEDLE BEARING, Mainshaft Rear
-40	4626 564	1					DEC		SNAP RING, Mainshaft, Bearing Race
-41	4626 536	1					DEC		SNAP RING
-42	4626 565	1					DEC		SNAP RING
-43	4626 566	1					DEC		ROTOR, Speedometer
44	4626 735	1					DEC		BEARING PACKAGE, Countershaft, Front
45	4626 464	AR							GEAR, Cluster
46	4626 733	1					DEC		BEARING PACKAGE, Countershaft, Rear
47	4626 539	1					DEC		GEAR, Sixth
48	4626 538	1					DEC		BEARING, Sixth Gear
49	4626 474	AR							STRUT, Synchronizer
-50	4626 534	1					DEC		SPRING, Synchronizer
-51	4626 476	1					DEC		STOP RING, Synchronizer
-52	4626 536	1					DEC		SNAP RING
53	4626 531	1					DEC		GEAR, Countershaft Fifth
-54	4626 530	1					DEC		NEEDLE BEARING, Fifth Gear
55	4626 529	1					DEC		GEAR, Countershaft
56	4626 736	1					DEC		BEARING PACKAGE, Mainshaft, Countershaft Extension
-57	4626 537	AR							SPACER, Sixth Gear
-58	4626 541	1					DEC		THRUST WASHER, Sixth Gear
-59	4626 545	1					DEC		FUNNEL, Counter Shaft, Extension
-60	4626 547	1					DEC		IDLER SHAFT, Transmission
-61	4626 548	1					DEC		GEAR, Reverse Idler
-62	4626 550	1					DEC		WASHER, Reverse Idler
-63	4626 527	1					DEC		BOLT
-64	4626 551	1					DEC		BRACKET, Reverse Idler Shaft

DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
S=RT/10	D=Dodge	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe		EW0 = All 8.0L Gas		DBB = All Manual	
X=GTS/Lemans							

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shift Forks, Rails, Miscellaneous Parts Figure T56-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4626 498	1					DEC		RAIL, Top, Top Shift
2	4626 499	1					DEC		FORK, Third and Fourth
3	4626 502	1					DEC		PAD, Shift Fork, 3rd-4th Shift Fork
4	4626 505	1					DEC		FORK, First and Second
5	4626 502	1					DEC		PAD, Shift Fork, 1st-2nd Shift Fork
6	4626 492	1					DEC		RAIL, Reverse Shift
7	4626 553	1					DEC		FORK, Transmission, Reverse
8	4626 496	1					DEC		PAD, Shift Fork, Reverse Fork
-9	4626 540	1					DEC		FORK, Fifth Shift
10	4626 496	1					DEC		PAD, Shift Fork, 5th and 6th Shift Fork
-11	4626 493	1					DEC		PIN, Roll, Reverse Collar
-12	4626 494	1					DEC		COLLAR, Reverse Shift
-13	4626 495	1					DEC		LEVER, Fifth and Sixth, w/Bushing
-14	4626 497	1					DEC		LEVER, Reverse
-15	4626 493	1					DEC		PIN, Roll, Reverse Lever
-16	4626 503	1					DEC		PLATE, Shift, 1st - 2nd- 3rd and 4th Shift
17	4626 506	1					DEC		ARM, Gearshift Selector
-18	4626 493	1					DEC		PIN, Roll, Selector Arm
-19	4626 507	1					DEC		PLATE, Transmission Module, Interlock
-20	4626 508	1					DEC		BOLT, Shift Lever Guide
-21	4626 512	1					DEC		BUSHING, Shift Rail, Top Shift Rail
-22	4626 521	1					DEC		PLATE, Transmission Shifter, Guide 6th Speed
-23	4761 999	1					DEC		LEVER, Offset, Offset Front
-24	4626 523	1					DEC		SPRING, Detent Offset
25	4626 526	1					DEC		BALL, Check, Offset Detent
-26	4626 527	1					DEC		BOLT, Guide Plate
-27	4626 528	1					DEC		LEVER, First and Fourth
-28	4626 493	1					DEC		PIN, Roll, Skip Shift
-29	4626 493	1					DEC		PIN, Roll, Front Offset Lever
-30	4626 542	1					DEC		SNAP RING, Shift Fork, 5th-6th Shift Fork
-31	4626 512	1					DEC		BUSHING, Shift Rail, Top Shift Rail
-32	4626 561	1					DEC		SNAP RING, Shift Fork, Reverse Fork
-33	4626 521	1					DEC		PLATE, Transmission Shifter, Front Shifter Cover
-34	4626 571	1					DEC		BOLT, Shifter Cover, Front Shifter Cover


DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY
 27 = Convertible
 29 = Coupe

ENGINE
 EWB = 8.0L 10 Cyl. SFI
 EW0 = All 8.0L Gas

TRANSMISSION
 DEC = 6 Speed Manual
 DBB = All Manual

Shift Forks, Rails, Miscellaneous Parts
Figure T56-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-35	4626 577	1					DEC		HOUSING, Shift
-36	4626 578	1					DEC		O RING, Shift Detent Housing, Transmission
-37	4626 571	1					DEC		BOLT, Shifter Cover
-38	4626 579	1					DEC		LEVER, Offset, Rear
-39	4626 493	1					DEC		PIN, Roll, Rear Offset Lever
-40	4626 586	1					DEC		SNAP RING, Reverse Inhibitor, Reverse Lockout
-41	4626 587	1					DEC		O RING, Reverse Inhibitor, Manual Transmission, Reverse Lockout
-42	4626 588	1					DEC		LEVER, Gearshift
-43	4626 578	1					DEC		O RING, Shift Detent Housing, Transmission

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Gear Shift Figure T56-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									KNOB, Gearshift
	SG08 1X9AA	1							Black
	SG08 WUCAA	1							Cognac
2	4709 410	1							ISOLATOR, Shift Lever
3	0124 934	1							NUT, Hex Jam, .50-20, Lock (.500-20)



DODGE-CHRYSLER VIPER (SR)

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Group – 022
Wheels, Covers and Jacks

GROUP 22 - Wheels, Covers and Jacks

Illustration Title Group-Fig. No.

Wheels and Hardware

Wheels And Hardware Fig. 022-110

Wheel Covers and Center Caps


Caps, Wheel Fig. 022-210

Jack Stowage

Jack Stowage Fig. 022-310

Spare Tire Stowage



Wheel, Spare Fig. 022-410



022-100 Wheels and Hardware	022-200 Wheel Covers and Center Caps	022-300 Jack Stowage	022-400 Spare Tire Stowage

Wheels And Hardware

Figure 022-110

1 2 			
			5 7 3 4 6 2 

[illegible]

DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Caps, Wheel
Figure 022-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes:									
[SDK] = SUSPENSION - COMPETITION									
[WPD] = 18" ALUMINUM - POLISHED									
[WPE] = 18" ALUMINUM - PAINTED									
1									CAP, Wheel Center
	RR38 SZ2AA	4							18" ALUMINUM - POLISHED
									(WPD)
	SM12 DX9AA	4							Plastic (SDK)

DODGE-CHRYSLER VIPER (SR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual					
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual					
X=GTS/Lemans									


Jack Stowage
Figure 022-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4512 493	1							WINGNUT, Jack and Tire Hold Down
2	4695 774	1							JACK, Scissor
3	6033 599	1							BOLT, .375-16x3.75
4	4764 663AA	1							HANDLE, Jack
5	4708 087	1							LABEL, Tire Storage, Jacking
									Instructions
-6	5256 549	1							BAG, Jack Tool Storage

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

**Wheel, Spare
Figure 022-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4512 493	1							WINGNUT, Jack and Tire Hold Down
2	4708 210	1							RETAINER, Spare Tire, Spare Wheel Mounting
3	4643 212	1							WHEEL, Spare, Mini-Spare, Aluminum
4	6033 599	1							BOLT, .375-16x3.75
-5	LB98 SX9AB-	1			29				COVER, Spare Tire

DODGE-CHRYSLER VIPER (SR)

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas


TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual



Group – 23D

Wiper/Lock Cylinder and Keys


GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No.
Lock Cylinders and Keys	
Lock Cylinders and Keys	Fig. 23D-110
Windshield Wiper and Washer Systems	
Windshield Wiper and Washer	Fig. 23D-210



23D-100 Lock Cylinders and Keys	23D-200 Windshield Wiper and Washer Systems		
			

Lock Cylinders and Keys
 Figure 23D-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: All Lock Cylinders are Uncoded									
1	4883 828AA	1							KEY, Ignition
2	5003 845AA	1							CYLINDER, Ignition Lock
3	5010 879AA	1							TUMBLER, Ignition Number 1, Sidebar
-4	5010 880AA-	1							TUMBLER, Ignition Number 2, Sidebar
-5	5010 881AA-	1							TUMBLER, Ignition Number 3, Sidebar
-6	5010 882AA-	1							TUMBLER, Ignition Number 4, Sidebar
-7	5010 883AA-	1							SPRING, Ignition Tumbler, Sidebar
8	4778 147	1							CYLINDER, Deck Lid Lock
9	4778 117	1							TUMBLER, Door and Deck Number 1, Wide
-10	4778 118	1							TUMBLER, Door and Deck Number 2, Wide
-11	4778 119	1							TUMBLER, Door and Deck Number 3, Wide
-12	4778 120	1							TUMBLER, Door and Deck Number 4, Wide
13	4778 121	1							SPRING, Door and Deck Tumbler
14	4746 903	1							CYLINDER, Glove Box Lock
15	5257 132	1							TUMBLER, Ignition Number 1, Glove Box Only Not Ignition
-16	5257 133	1							TUMBLER, Ignition Number 2, Glove Box Only Not Ignition
-17	5257 134	1							TUMBLER, Ignition Number 3, Glove Box Only Not Ignition
18	5257 135	1							TUMBLER, Ignition Number 4, Glove Box Only Not Ignition
19	4746 873	1							SPRING, Lock Cylinder Tumbler, Glove Box Only Not Ignition
20	4054 202	1							NUT, Cylinder Lock
21	4848 692	1				29			GASKET, Key Cylinder Isolator
22	5257 163	1							CAP, Lock Cylinder
23	3695 321	1							GASKET, Lock Cylinder
24	2583 377	1							RETAINER, Door Lock Cylinder
25	4778 151	1							SHUTTER, Door, Deck Lid, Black
26	5257 245	1							SPRING, Deck Lid Return
27	4723 494	1							LEVER, Deck Lid Lock Cylinder
28	4848 148AE	1							MODULE, Keyless Entry Receiver Export

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lock Cylinders and Keys
Figure 23D-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4848 832AE	1							
29	4848 151	AR							TRANSMITTER, Keyless Entry Export
	5245 289	AR							
-30	4848 290	1							STRAP, Module Mounting

DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
S=RT/10	D=Dodge	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=GTS Coupe				EW0 = All 8.0L Gas		DBB = All Manual	
X=GTS/Lemans							

AR = Use as required - = Non illustrated part # = New this model year

Windshield Wiper and Washer
Figure 23D-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6101 445	2							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Wiper Arm Retaining
2	4848 830	1							ARM, Wiper Right
	4848 831	1							Left
3	4642 532	1							BLADE, Wiper
4	HWV0 0532	1							HOSE, Washer And Vacuum, 50 Foot Roll 5/32"
5	4805 010	1							CHECK VALVE, Washer
6	4643 877	1							CONNECTOR, Washer Hose, In Line
7	4708 009	2							SEAL, Wiper Motor
8									MOTOR, Wiper
	4643 065	1							Right
	4708 171	1							Left
9	6101 780	6							SCREW, M6x1x25, Windshield Wiper Motor Mounting
10	4874 876	1							RESERVOIR, Washer
11	4797 694	1							CAP, Washer Reservoir
12	0181 063	3							SCREW AND WASHER, .25-20x.75
13	4864 634	1							PUMP, Washer, Windshield, with Seal
-14	4798 779	1							GROMMET, Washer Reservoir
15	4848 291	1							SWITCH, Windshield Wiper, without Bracket
16	4848 290	1							STRAP, Module Mounting

DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
S=RT/10	D=Dodge	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe		EW0 = All 8.0L Gas		DBB = All Manual	
X=GTS/Lemans							

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 024
Air Conditioning & Heater

GROUP 24 - Air Conditioning & Heater

Illustration Title Group-Fig. No.

Air Conditioner and Heater Units

Blower Motor	Fig. 024-110
Hevac Unit	Fig. 024-120

Air Conditioner and Heater Plumbing

Heater Plumbing	Fig. 024-210
Plumbing A/C	Fig. 024-220

Air Conditioner and Heater Controls


Control Assembly	Fig. 024-310
------------------------	--------------






Air Conditioning Compressor

Compressor, A/C	Fig. 024-410
-----------------------	--------------


Air Ducts and Outlets

Vents And Outlets	Fig. 024-610
-------------------------	--------------



024-100 Air Conditioner and Heater Units	024-200 Air Conditioner and Heater Plumbing	024-300 Air Conditioner and Heater Controls	024-400 Air Conditioning Compressor
			
024-600 Air Ducts and Outlets			
			

Blower Motor Figure 024-110

[illegible]

DODGE-CHRYSLER VIPER (SR)

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Hevac Unit
 Figure 024-120


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4874 423	1							HOUSING, A/C And Heater
-2	4763 972AB-	1							DUCT, A/C And Heater, Recirculating
-3	4874 425	1							CLIP, Spring
4	4874 422	1							COVER, Heater
5	4874 375	1							ACTUATOR, Heater Door
6	4874 376	1							ACTUATOR, Fresh Air Door
-7	4848 515	1							ACTUATOR, Recirculation Door
8	4886 471AA	1							HARNESS, A/C And Heater Vacuum
9	4708 364	1							WIRING, Heater and A/C
10	4708 205	1							THERMOSTAT, Air Conditioning
11	4874 421	1							BRACKET, Heater Core
12	4874 374	1							CORE, Heater
13	4708 196	1							EVAPORATOR, Air Conditioning
14	4709 102	1							VALVE, A/C Expansion
15	4874 424	1							SEAL KIT, A/C And Heater Unit

DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Heater Plumbing
Figure 024-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes:

[EWB] = 8.0L V10 SFI

1	4642 554	1							VALVE, Water Control, Water
2	4643 381	1							CABLE, A/C And Heater Control, Heater Control
3	4642 555	1							HOSE, Water Valve To Heater Core, Valve to Core
4	6505 604AA	2							CLAMP
5	6502 017	2							CLAMP, Heater Hose
-6	6100 047	1							NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
7	4763 975AB	1				EWB			HOSE, Heater Core To Engine
8	4763 974AC	1				EWB			HOSE, Engine to Water Valve
-9	5245 458AC-	1				EWB			TUBE, Heater
10	6035 728	2							SCREW, .190-16x1.00

DODGE-CHRYSLER VIPER (SR)


SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Plumbing A/C
Figure 024-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5245 035	1							LINE, A/C Suction
2	4796 564	1							O RING, A/C Line, 5/8 inch
3	4740 361	1							O RING, A/C Line
-4	5011 346AA-	1							VALVE CORE, Service Port
5	6035 583	2							CLIP, Wrap Around
6	5264 642	1							CAP, A/C Check Valve
7	4848 164	1							LINE, A/C Liquid
8	5114 529AA	1							O RING, A/C Line, Drier
9	5114 528AA	1							O RING, A/C Line, Condenser
-10	5011 346AA-	1							VALVE CORE, Service Port
11	5072 866AA	1							CAP, A/C Charge Valve
12	5245 036	1							LINE, A/C Discharge
13	4796 565	2							O RING, A/C Line
14	4709 099	1							CLIP, Discharge Line, 1/2"
15	4708 201	1							RECEIVER DRIER, w/Bracket
16	5264 650	1							DECAL, A/C System Specification, English
17	4708 204	1							SWITCH, Dual Pressure
-18	4848 672	1							TUBE, Filter Drier to Evaporator, w/ Switch, Tube/Harness
19	4708 206	1							CONDENSER, Air Conditioning, w/ Bushings
20	4708 365	1							HOSE, Drain, Drain
21	4709 377	1							BRACKET, A/C Condenser, Upper

DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe


ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Control Assembly
Figure 024-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

1	5245 298	1							CONTROL, A/C And Heater
2									KNOB, Temperature Controller, Served in #1, (NOT SERVICED) (Not Served)



DODGE-CHRYSLER VIPER (SR)


SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Compressor, A/C
Figure 024-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTE: Sales Codes:

[EWB] = 8.0L V10 SFI

1	4848 584	1				EWB			COMPRESSOR, Air Conditioning
2	6034 244	3				EWB			SCREW AND WASHER, Hex Head, .312-18x3.50
3	4882 801	1				EWB			MANIFOLD KIT, A/C Compressor
-4	4728 854	1				EWB			SEAL, Manifold To Compressor
5	4897 330AA	1				EWB			PULLEY HUB KIT, A/C Compressor
-6	5264 452	1				EWB			CLUTCH OVERHAUL KIT, A/C Compressor
-7	4882 802	1				EWB			COIL, Stator, A/C Compressor Clutch

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Vents And Outlets
Figure 024-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4462 469	3							AIR OUTLET, Heater and A/C
2	4643 122	1							DUCT, Air Outlet, Left
3	6032 723	4							SCREW, Self Tapping, M4.2x1.69x19.05
4	4848 764	1							ADAPTER, Defroster Duct
5	4763 113	1							VENT, A/C Duct Right
6	4763 111	1							VENT, A/C Duct Left
7	4763 972AB	1							DUCT, A/C And Heater
8	6032 723	4							SCREW, Self Tapping, M4.2x1.69x19.05
9									SCREW, .190-16x.500, (NOT SERVICED) (Not Serviced)

DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
S=RT/10	D=Dodge	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe		EW0 = All 8.0L Gas		DBB = All Manual	
X=GTS/Lemans							

Group – 025

Emission Systems

GROUP 25 - Emission Systems

Illustration Title Group-Fig. No.

Emission Labels

Emission Labels Fig. 025-110


Vacuum Canister

Vacuum Canister Fig. 025-310

Emission Harness

Emission Harness Fig. 025-410

Leak Detection Pump Fig. 025-450



025-100 Emission Labels	025-300 Vacuum Canister	025-400 Emission Harness	
--	--	---	--

Figure 025-110



1		LABEL, Emission
	4848 862AC 1	Export
	4855 100AC 1	Federal
	4855 105AC 1	Canada

DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe


ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Vacuum Canister
Figure 025-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4669 456	1							CANISTER, Vapor
2	5013 433AA	1							BRACKET, Leak Detection Pump
3									NUT, Hex, .250-20, (NOT REQUIRED)
-4	6101 447	3							NUT
5									CAP, Vapor Canister, (NOT REQUIRED)
6	6503 951	3							STUD, M6X1.00X.250-14X30.00
7									BOLT, .250-20x1.50, (NOT REQUIRED)

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Emission Harness
Figure 025-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Code

[EWB] = 8.0L V10 SFI Engine

1	4763 804AD	1				EWB			HARNESS, Canister Purge
2	4848 757AB	1							HARNESS, Purge Body
3	4669 475AB	1							SOLENOID, Duty Cycle Purge
4	6100 270	2							SCREW AND WASHER, M6x1x40
5	4762 085	1							BRACKET, Duty Cycle Purge Solenoid
6	4669 268	2							GROMMET
7	3502 916	2							SPACER, Speed Control Servo
8	3420 1358	2							NUT AND WASHER, Hex Nut-Sealing Washer, M6 x 1.00
9									ELBOW, Vapor Tube Harness, .25x.25 90 Degree, (NOT SERVICED) (Not Serviced)

DODGE-CHRYSLER VIPER (SR)


SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Leak Detection Pump
Figure 025-450



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4669 306AB	1							PUMP, Leak Detection
2	4669 358	1							BRACKET, Leak Detection Pump
3	6035 482	3							SCREW, Tapping, .19-16x.375
4	4612 901	1							FILTER, Fuel Vapor Vent
5	4669 359	1							HOSE, Leak Detection Pump
6	4669 360	1							HOSE, Leak Detection Pump to Canister
7	6502 493	1							NUT, Hex Flange Serration, M6x1

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Group – DSR

Doors and Related Parts

GROUP DSR - Doors and Related Parts

Illustration Title Group-Fig. No.

Front Door


Door, Front Shell And Hinges	Fig. DSR-110
Door , Front Glass And Regulator	Fig. DSR-125
Door, Front Lock And Controls	Fig. DSR-130




Exterior Mirror

Mirrors, Exterior	Fig. DSR-510
-------------------	--------------


Weatherstrips and Seals

Door, Front Seals Viper 27	Fig. DSR-610
Door, Front Weatherstrips And Seals Viper 29	Fig. DSR-620



DSR-100 Front Door	DSR-500 Exterior Mirror	DSR-600 Weatherstrips and Seals	
			

Door, Front Shell And Hinges
Figure DSR-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	4854 332AC	1			27				Right
	4854 333AC	1			27				Left
	4854 336AC	1			29				Right
	4854 337AC	1			29				Left
2									COVER, B Pillar Trim Panel
	QB96 JX8AF	1			27				Right
	QB97 JX8AF	1			27				Left
	ME74 MX3AD	1			29				Right
	ME75 MX3AD	1			29				Left
-3	4763 963	1			29				BRACKET, Stanchion Cover Mtg.
4									WASHER, Cover Mtg., (NOT SERVICED) (Not Serviced)
5									SCREW, (NOT SERVICED) (Not Serviced)
-6									TAPE, Stanchion Cover, Rear of Door
	4848 916AA-	1			29				Right
	4848 917AA-	1			29				Left
7	5245 109	2							HINGE, Front Door
8	6502 549	4							SCREW, Pan Head, M8x1.25x30
9	6503 351	4							SCREW AND WASHER, Hex Head, M8x1.25x35
10									NUT, (NOT SERVICED) (Not Serviced)
11	6502 676	4							NUT, Hex, M6x1.00
12	6032 723	4							SCREW, Self Tapping, M4.2x1.69x19.05
13									COVER, Hinge
	4642 956	1			29				Right
	4642 957	1			29				Left
14	3502 2111	AR							SPACER, Fender, 1.0
15									SCREW, (NOT SERVICED) (Not Serviced)
16									TAPE, Stanchion Cover Shutface
	4848 918AB	1							Right
	4848 919AB	1							Left

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door , Front Glass And Regulator Figure DSR-125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS, Front Door
	4763 269AB	1			29				Left
	4763 268AB	1			29				Right
2									GLASS, Door
	4848 470AB	1			27				Right
	4848 471AB	1			27				Left
-3	4763 280	2			27				UPSTOP, Front Door Window Glass
4	6501 373	6							SCREW AND WASHER, Hex Head, M6x1x20
5									CHANNEL, Front Door Glass
	4763 278	1			29				Right
	4763 279	1			29				Left
	4848 460	1			27				Right
	4848 461	1			27				Left
6	6504 199	4							SCREW, Hex Flange Head, M6x1x12
7	6502 843	2							NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
8									CHANNEL, Door Glass
	4763 284AB	1							Right
	4763 285AB	1							Left
9	6501 373	6							SCREW AND WASHER, Hex Head, M6x1x20
10	6500 284	2							NUT, Hex, M6x1.00
11	4658 734	2							STABILIZER, Door Glass Belt
12									REGULATOR, Front Door Window
	4763 282	1							Right
	4763 283	1							Left


DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY
 27 = Convertible
 29 = Coupe

ENGINE
 EWB = 8.0L 10 Cyl. SFI
 EW0 = All 8.0L Gas

TRANSMISSION
 DEC = 6 Speed Manual
 DBB = All Manual

Door, Front Lock And Controls
Figure DSR-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Front Door
	4763 187	1							Left
	4763 186	1			27				Right
		1			29				Right
2	6501 373	6							SCREW AND WASHER, Hex Head, M6x1x20, Latch
3									HOUSING, Door Remote Control, Service in Door Trim Panel, (NOT SERVICED) (Not Serviced)
4									SCREW, Pan Head, .164-18x.50, (NOT SERVICED) (Not Serviced)
5									U NUT, .190-16, (NOT SERVICED) (Not Serviced)
6	4643 066	2							STRIKER, Door Latch
7	4643 067	AR							SPACER, Door Lock Striker
8	4643 428	4							SCREW, Flat Head, M8x1.25x36.3, Striker
9	5245 098AB	2							INTERLOCK, Door Restraint
10	4763 553	AR							SPACER, Lower Door Restraint
11	4763 554	2							INSULATOR, Restraint System
12	6503 665	4							SCREW, Flange Head, M6x1x18
13									HANDLE, Inside Manual Override, Serviced in Trim Panel, (NOT SERVICED) (Not Serviced)
14									HANDLE, Front Door
	PS20 SX8	1			29				Black, Right
	PS20 TX9	1			27				Flat Black, Right
	PS21 SX8	1			29				Black, Left
	PS21 TX9	1			27				Flat Black, Left
15	5245 795	1			27				NUT
16	4848 479	2							PIN, Snap


DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
S=RT/10	D=Dodge	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe		EW0 = All 8.0L Gas		DBB = All Manual	
X=GTS/Lemans							

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Mirrors, Exterior
Figure DSR-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6503 666	4							SCREW
2									MIRROR, Outside Rearview, Primed
	4854 276AC	1							U.S - CANADA, Right
	4854 282AA	1			27				EXPORT, Right
		1			29				EXPORT, Right
	4854 277AC	1							Left




DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Door, Front Seals Viper 27
Figure DSR-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAL, Door
	4848 204	1			27				Right
	4848 205	1			27				Left
2	4642 872	2							SEAL, Door
3									WEATHERSTRIP, A-Pillar to Roof
	4848 304AG	1			27				Right
	4848 305AG	1			27				Left
4									RETAINER, B Pillar Weatherstrip
	4848 464AB	1			27				Right
	4848 465AB	1			27				Left
-5									WEATHERSTRIP, Door Belt
	4763 890AB-	1							Right,Inner
	4763 891AB-	1							Left,Inner
	4854 262AA-	1			27				Right,Outer
	4854 261AA-	1			27				Left,Outer

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

[illegible]

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EWO = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

September 15, 2005

Group – ESR

Exterior Ornamentation

GROUP ESR - Exterior Ornamentation


Illustration Title Group-Fig. No.

Medallions

Name Plates Fig. ESR-110




Decals

Decals Fig. ESR-310



ESR-100 Medallions 	ESR-300 Decals 		
---	---	--	--

Name Plates Figure ESR-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Also see DECAL Illustration									
1									MEDALLION, Hood
	PF00 S3B	1			29				Blue
	PF00 T1R	1							Red
	PF00 V4S	1							Silver
	PF00 W3X	1							Black
2									MEDALLION, Viper Head
	JW40 M1R	1			27				Charcoal & Chrome
	JW40 M3X	1			27				Black & Chrome
	JW40 V4S	1			27				Silver & Chrome
3	4848 943AA	2			29				NAMEPLATE, HOOD, GTS, Chrome
4	4848 944AA	2			27				NAMEPLATE, HOOD, RT/10, Chrome
5									NAMEPLATE, Chrysler, Decklid
	GM69 SX3	1			29				Black
	GM69 VAD	1			29				Silver
	GM69 WRR	1			29				Red

DODGE-CHRYSLER VIPER (SR)



SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Decals
Figure ESR-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Also see NAMEPLATE Illustration									
1	GC54 SX3	1			27				DECAL, Dodge, Fascia
		1			29				Black
	GC54 VAD	1			27				Black
		1			27				Silver
		1			29				Silver
	GC54 WRR	1			27				Red
2		1			29				Red
		1			27				Red
		1			29				DECAL, Viper R/T 10, Fascia
	GC43 SX3	1			27				Black
		1			27				Red
	GC43 WRR	1			27				Silver
3		1			27				Silver
		1			27				Red
	MB59 VAD	1			29				DECAL, VIPER GTS, Fascia
	MB59 PX3	1			29				Black
		1			29				Silver
	MB59 WRR	1			29				Red
4	GC53 SX3	2			27				DECAL, Viper R/T 10, Hood
		2			27				Black
	GC53 WRR	2			27				Red
5		2			27				DECAL, VIPER GTS, Hood
		2			29				Black
	MB61 WRR	2			29				Red
6		2			29				DECAL, Hood, ACR
		2			29				Silver
	SZ22 SBBAA	2			29				Blue

DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					







Group – ISR

Interior Trim




GROUP ISR - Interior Trim

Illustration Title	Group-Fig. No.
Headliner and Visor	
Visors And Footrest	Fig. ISR-110
Headliner Viper, Coupe	Fig. ISR-120
Quarter Panels and Scuff Plates	
Quarter And Rear Bulkhead Panels Viper, Convertible	Fig. ISR-210
Quarter And Rear Bulkhead Panels Viper, Coupe	Fig. ISR-215
Door Sill Scuff Plate	Fig. ISR-220
Carpets, Mats and Insulation	
Carpet, Front And Rear	Fig. ISR-320
Door Trim Panels-Front	
Door Panels	Fig. ISR-410
Front Seats	
Seat, Front	Fig. ISR-510
Seat Belts Front-Outer and Inner	
Belt - Front Seat-outer	Fig. ISR-710

ISR-100 Headliner and Visor	ISR-200 Quarter Panels and Scuff Plates	ISR-300 Carpets, Mats and Insulation	ISR-400 Door Trim Panels-Front
			
ISR-500 Front Seats	ISR-700 Seat Belts Front-Outer and Inner		
			

Visors And Footrest Figure ISR-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									VISOR, W/Mirror
	SE32 DX9AC	1						O0	Black, Right
	SE33 DX9AC	1						O0	Black, Left
2	6032 723	4			27				SCREW, Self Tapping, M4.2x1. 69x19.05, Visor Attaching (.164- 15x.750)
3									SCREW, (.164-18x.625), (NOT SERVICED) (Not Serviced)
4									FOOTREST, Part Of Frame Chassis, (NOT SERVICED) (Not Serviced)
-5									LABEL, Air Bag Warning Canada Only
	4595 749AA-	1							English/French 5 Points
	4787 437AA-	2							
	4595 748AA-	1			29			O0	Removable - Dash
		1			27			O0	Removable - Dash

DODGE-CHRYSLER VIPER (SR)


SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Headliner Viper, Coupe Figure ISR-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	LC06 DX9AB	1			29			O0	PANEL, Headliner, Black
2	PB58 DX9	1			29			O0	NET, Cargo, Black, (Overhead Storage)
3	QE54 DX9	1			29			O0	BEZEL KIT, HEADLINER, Black
4	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05, Attaching, Roof
-5	6031 869	2			29				NUT, Push, .19, Attaching, For .190 Screw, Headliner
6	QK37 SX9	2						O0	RETAINER, Headliner, Black

DODGE-CHRYSLER VIPER (SR)


SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual


Quarter And Rear Bulkhead Panels Viper, Convertible
Figure ISR-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Bulkhead Trim
	LC17 1XBAD	1			29			O0	Black, (w/5-Point Seat Belt Harness
	LC17 1X7AE	1			29			O0	Black, (w/o 5-Point Seat Belt Harness
-2									LATCH, Glovebox
	P894 DX9	1			27			O0	Black
	P894 JX9	1			29			O0	Black
-3	6502 871	4			27			O0	BOLT, M6.3x22.80, Attaching, Bulkhead
4	6035 085	4			27				SCREW, Tapping, .164-15x1, And Snap (Backlite/Tonneau Cover Mounting
5									BEZEL, Seat Belt
	HC81 LX9	1			27			O0	Black, Left
	HC76 LX9	1			27			O0	Black, Right
		1			29			O0	Black, Right
	HC81 LX9	1			29			O0	Black, Left
6	4874 868	1			29			O0	STRIKER, Glove Box Door Latch
7									BUMPER, Console Lid
	4763 504	2			27			O0	
		2			29			O0	
8	4874 869	1			29			O0	HINGE, Glovebox
9	SB95 1X7AA	1			29			O0	DOOR, Rear Cargo
10									PANEL, Quarter Trim
	PS12 1X7AD	1			27			O0	Black, Right
	PS13 1X7AD	1			27			O0	Black, Left
11	6505 390AA	4							SCREW, Oval Head, Bulkhead Trim Panel Attaching
12	6035 451	5			27				NUT/SPRING, "U"1THD, For .164-15 Screw
13	4848 863AA	2							PATCH, Floor Pan Rear Corner, Deadener, Bulkhead
14									COVER, Quarter Trim Opening
	QV59 DX9AB	1			27			O0	Black, Left
	QV58 DX9AB	1			27			O0	Black, Right
		1			29			O0	Black, Right
	QV59 DX9AB	1			29			O0	Black, Left

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Quarter And Rear Bulkhead Panels Viper, Coupe Figure ISR-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4874 859	1			29			O0	BIN, Floor Console
2	LC17 1XBAD	1			29			O0	PANEL, Bulkhead Trim
	LC17 1X7AE	1			29			O0	Black, (w/Racing Style 5-Point Restraint System)
-3	6502 871	4			27			O0	Black, (w/o Racing Style 5-Point Restraint System)
4								O0	BOLT, M6.3x22.80, Bulkhead Attaching
	HC76 LX9	1			29			O0	BEZEL, Seat Belt
	HC81 LX9	1			27			O0	Black, Right
	HC76 LX9	1			27			O0	Black, Left
	HC81 LX9	1			29			O0	Black, Right
								O0	Black, Left
5									BUMPER, Console Lid
	4763 504	2			27			O0	
		2			29			O0	
6									STRIKER, Glove Box Door Latch
	4874 868	1			29			O0	
		1			27			O0	
7									HINGE, Glovebox
	4874 869	1			29			O0	
		1			27			O0	
8									DOOR, Rear Cargo
	RE85 1X7AB	1			27			O0	
		1			29			O0	
-9									LATCH, Glovebox
	P894 JX9	1			29			O0	Black
	P894 DX9	1			27			O0	Black
10									PANEL, Quarter
	QL03 1XBAD	1			29			O0	Black, (w/Racing Style 5-Point Restraint System), Left
	QL03 1X7AE	1			29			O0	Black, (w/o Racing Style 5-Point Restraint System), Left
	QL02 1XBAD	1			29			O0	Black, (w/Racing Style 5-Point Restraint System), Right
	QL02 1X7AE	1			29			O0	Black, (w/o Racing Style 5-Point Restraint System), Right
11	6505 390AA	4							SCREW, Oval Head, Bulkhead Attaching
12	5517 6291	4							BUMPER, Steel Insert
13									BRACKET, Quarter Trim
	4854 292AA	1			29				Right


DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY
 27 = Convertible
 29 = Coupe

ENGINE
 EWB = 8.0L 10 Cyl. SFI
 EW0 = All 8.0L Gas

TRANSMISSION
 DEC = 6 Speed Manual
 DBB = All Manual

Quarter And Rear Bulkhead Panels Viper, Coupe
Figure ISR-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4854 293AA	1			29				Left
14	6034 384	4			29				SCREW, Pan Head, .437-20x1.15, .437-20x1.15
15	4848 863AA	2							PATCH, Floor Pan Rear Corner, Deadner, Bulkhead
16									COVER, Quarter Trim Opening
	QV58 DX9AB	1			29			O0	Black, Right
	QV59 DX9AB	1			29			O0	Black, Left

DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans


BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Door Sill Scuff Plate Figure ISR-220

ISR-220A




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SILL COVER, Interior
	KS20 DX9AC	1						O0	Black, Right
	KS21 DX9AC	1						O0	Black, Left
2	0154 751	8							SCREW, Tapping, .164-18x1
3	4848 881AA	8							PLUG, Body, .75 Diameter

DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY	ENGINE	TRANSMISSION
27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual

Carpet, Front And Rear
Figure ISR-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Front Floor, 12 oz
	QD06 DX9AB	1						O0	Black, Right
	QD06 WUCAB	1						O0	Cogac, Right
2									CARPET, Front Floor
	QD07 DX9AC	1			27			O0	Black, Left
	QD07 WUCAC	1			27			O0	Cogac, Left
3	LC11 DX9AB	1			29			O0	CARPET, Cargo Side Trim, Black, Upper
4									CARPET, Luggage Compartment
	LC12 DX9	1			29			O0	Black, (w/o Competition Group, Lower
	SZ28 DX9AA	1			29			O0	Black, (w/Competition Group, Lower
-5	6505 392AA-	2			29				WASHER, Rubber Mount, Rubber Mount
6	LC07 BX7AD	1			29			O0	PANEL, Cargo Door Header Trim, Cargo Rear
7									PANEL, Cargo Door Header Trim
	QK42 BX7AB	1			29			O0	Black, Right
	QK43 BX7AB	1			29			O0	Black, Left
8	6031 869	10			29				NUT, Push, .19, (For .190 Screw)
9									SCREW, (.190-16x1.00), (NOT SERVICED) (Not Serviced)
10	4709 275	2							PAD, Bulkhead Spacer
11	6505 390AA	4							SCREW, Oval Head
12	6031 869	10			29				NUT, Push, .19, Push

DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Door Panels
Figure ISR-410


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Door Trim Front
	QS02 1UCAG	1						O0	Cogac, Includes Interior Door Handle, Right
	QS02 1X9AG	1						O0	Black, Includes Interior Door Handle, Right
	QS03 1UCAG	1						O0	Cogac, Includes Interior Door Handle, Left
	QS03 1X9AG	1						O0	Black, Includes Interior Door Handle, Left
2									BEZEL, Remote Control
	EK02 PX9	1						O0	Black, Right
	EK03 PX9	1						O0	Black, Left
3	6031 869	3			29				NUT, Push, .19
4	6032 723	4							SCREW, Self Tapping, M4.2x1.69x19.05, M4.2x1.69x19.05
5									SCREW, [.164-18x.500], (NOT SERVICED) (Not Serviced)
6									COVER, B Pillar Trim Panel
	ME68 JX8AB	1			29			O0	Black, Right
	ME69 JX8AB	1			29			O0	Black, Left
	QB92 JX8	1			27			O0	Black, Right
	QB93 JX8	1			27			O0	Black, Left
7	5517 6291	4							BUMPER, Steel Insert
8	6101 973	6			29				SCREW, Pan Head, M5X0.80X8.00
9									SCREW, [.190-16x1.500], (NOT SERVICED) (Not Serviced)
10	4658 887	AR							PUSH PIN, Front Door Glass Run With Weatherstrip
11									WATERSHIELD, Front Door
	4763 796AD	1							Right
	4763 797AD	1							Left
12									BEZEL, Door Trim Panel, Serviced In Door Panel Only, (NOT SERVICED) (Not Serviced)
-13	6503 709	1						O0	PIN, Door Panel

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Seat, Front
Figure ISR-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front
	SN61 1X9AA	1						O0	Black, w/Manual Lumbar, Left
	SN60 1X9AA	1						O0	Black,, Right
	SN78 1UCAA	1						ML	Black/Cognac, Right
	SN79 1UCAA	1						ML	Black/Cognac, Left
2									CUSHION, Front Seat
	SN77 1UCAA	1						ML	Black/Cognac, Right & Left
	SN59 1X9AA	1						O0	Black,, Right & Left
3	QE63 SX9	1						O0	GUIDE, Seat Belt, Black
4	6504 572	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, M8x1.25, Rear Seat to Floor Pan Attach
5	6503 354	4							SCREW AND WASHER, Hex Head, M8x1.25x25, Seat Track To Floor
6	4773 266	1						O0	PIN, Actuator Front, w/Manual Driver Lumbar
-7	5013 600AA-	1						O0	TRACK, Seat Adjuster, w/Manual Driver Lumbar
-8	4773 266	1						O0	PIN, Actuator Front, w/Manual Driver Lumbar
-9	4874 889	1						O0	LUMBAR, Support, w/Manual Driver Lumbar
10	5013 601AA	1						O0	WIRE, Seat Adjuster Manual, w/ Manual Driver Lumbar
11									BRACKET, Serviced with Item 2, (NOT SERVICED) (Not Serviced)

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Belt - Front Seat-outer
Figure ISR-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BELT, Front
	4854 438AA	1			29				5 Point Seat Belt Harness - Competition Group (ACR), Right
	4854 439AA	1			29				5 Point Seat Belt Harness - Competition Group (ACR), Left
2	6034 383	2							SCREW, Pan Head, .437-20x1.5
3	4708 494	4							SPACER, Seat Belt Retainer
4	6034 457	2							SCREW, Pan Head, .437-20x1.375
5									SEAT BELT, Buckle Half
	4848 718	1							Right
	4848 719	1							Left
6	6034 389	1							SCREW, Pan Head Shoulder, .437- 20x1.87, (Included with Buckle)
-7	4883 004	1			27			00	RETAINER PACKAGE, Child Seat Tether, Hardware Package, Child Seat
-8	5260 606	1							EXTENDER, Seat Belt, 5260606 Need Set Up.

DODGE-CHRYSLER VIPER (SR)

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans


BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual



Group – SSR







Body Sheet Metal Except Doors



Group – SSR

Body Sheet Metal Except Doors

SSR-1300 Deck Lid 	SSR-1400 Rear Shelf Panel 		
---	---	--	--


SSR-200 Floor Pan 	SSR-400 Fender 	SSR-500 Hood & Hood Release 	SSR-600 Cowl and Dash Panel 
SSR-700 Glass, Windshield, Backlite, Mirror 	SSR-900 Quarter Panel 	SSR-1000 Splash Shields 	SSR-1100 Roof – Hard & Folding Top 

GROUP SSR - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pan	
Floor Pan	Fig. SSR-210
Fender	
Fender Shield	Fig. SSR-410
Hood & Hood Release	
Hood Release And Hinge	Fig. SSR-520
Cowl and Dash Panel	
Cowl And Dash Panel	Fig. SSR-610
Glass, Windshield, Backlite, Mirror	
Glass Windshield, Frame And Mirror	Fig. SSR-710
Glass Windshield Frame And Mirror Viper Coupe	Fig. SSR-715
Glass, Backlite Hardtop	Fig. SSR-720
Quarter Panel	
Rear Quarter Panel	Fig. SSR-910
Splash Shields	
Loose Panel	Fig. SSR-1010
Roof - Hard & Folding Top	
Sport Cap	Fig. SSR-1110
Toupette Assembly-top	Fig. SSR-1120
Hard Top Convertible	Fig. SSR-1125
Roof Panel Viper Coupe	Fig. SSR-1130
Deck Lid	
Deck Lid	Fig. SSR-1310
Deck Lid Weatherstrip And Latch	Fig. SSR-1320
Fuel Filler Door	Fig. SSR-1330
Rear Shelf Panel	
Rear Shelf Panel Viper, Coupe	Fig. SSR-1410



Floor Pan
Figure SSR-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PAN, Floor
	4848 187AB	1			27				
	4848 681AB	1			29				
-2	4848 681	1			29				PAN, Trunk
3									FRAME, (Reference Only) See Group 13, (NOT SERVICED) (Not Serviced)
4	4848 591	4			29				EXHAUSTER, Bodyside Aperture
-5	4848 818AB-	2			29				COVER, Trunk Exhauster
6	6502 688	2							SCREW AND WASHER, Hex Head, M10x1.5x70
7	4642 900	4							ISOLATOR, Rear Floor Pan To Frame
8									SPACER, Floor Pan Isolator
	4642 902	2			27				
	4848 189	2			29				
9									SHIM, Floor Pan Isolator
	4643 353	AR							
	4848 868AA	AR			27				One Inch
10	6503 675	2							SCREW AND WASHER, Hex Head, M10x1.5x40
-11	4848 419	4							PLUG, Floor Pan, Frame, Floor Pan
12	4665 288	2			27				ANCHOR, Tie Down
13	6034 646	4			27				RIVET, .197 Grip-.187-.375
14	4708 256	2			27				PLATE, Footman Loop
15	4763 477	2			27				CUSHION, Trunk Pan
16									PATCH, Floor Pan Rear Corner
	4848 864AA	1							Right
	4848 865AA	1							Left
-17	4708 168	1			27				STRAP, Cargo Tie Down
-18	4848 103	1			29				GASKET, Fuel Pump Cover Plate

DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY
 27 = Convertible
 29 = Coupe

ENGINE
 EWB = 8.0L 10 Cyl. SFI
 EW0 = All 8.0L Gas

TRANSMISSION
 DEC = 6 Speed Manual
 DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fender Shield
Figure SSR-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD, Splash
	4763 824AB	1							Right
	4763 825AD	1							Left
2	4708 180	12							SCREW, Splash Shield
3									SHIELD, Splash
	4643 504AB	1							Right
	4643 505AB	1							Left
4	4709 030AB	2							WEATHERSTRIP, Front Splash to Hood
5									PUSH PIN, 6.3x22.8, (NOT SERVICED) (Not Serviced)
6									SHIELD, Splash
	4763 348AB	1							Right
	4763 349AB	1							Left
7									SHIELD, Splash
	4709 037	1							Rear Lower, Left
	4763 092	1							Rear Lower, Right
8									BRACKET, Bulkhead
	4709 356	1							Right
	4709 357	1							Left
9	0181 063	5							SCREW AND WASHER, .25-20x.75
10	6029 074	8							U-NUT, .25-20
11	6100 877	3							WASHER, Flat, M6
12	4709 031AB	2							WEATHERSTRIP, Front Splash to Hood
13	6034 578	2			29				RIVET, .25 Grip.06-.25
14	6500 911	4							RIVET, M6.25x28
15	4708 057	2							PLUG, Trunk Seal, 3" Round
16									RIVET, .250x.492, (NOT SERVICED) (Not Serviced)
17	6035 135	3							SCREW
18	4708 235	1							SHIELD, Wheelhouse

DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe


ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hood Release And Hinge Figure SSR-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOOD
	4854 328AA	1			29				Domestic and Canada
		1			27				Domestic and Canada
	4854 329AA	1			29				Export
2	6003 351	23							RETAINER, Hood Insulation, .415x.690
3	4848 024AC	1							SHIELD, Heat, Silencer, Center
-4	6504 004	2							NUT, Push On, M6 x 30 x .50
-5	6503 999	2							PIN, Ground Shield To Chassis
6	4848 025AB	1							SHIELD, Heat, Left
7	4708 281	2							BUMPER, Deck Lid, Front Hood Overslam
8	6100 591	6							BOLT AND CONED WASHER, Hex Head, M8x25x24
9	4848 639AB	1							HINGE, Hood
10									FRAME, Reference Only, (NOT SERVICED) (Not Serviced)
11	6100 583	4							BOLT AND CONED WASHER, Hex Head, M8x25x20
12	4708 439	2							LATCH, Hood, Primary,Hood
13	5245 045AB	2							STRIKER, Hood Latch
14	6100 557	4							BOLT AND CONED WASHER, Hex Head, M6x20x14
15									PIVOT, Hood Hinge Lift Assist Right
	4709 074	1							Left
	4709 075	1							Left
16	6100 584	6							BOLT AND CONED WASHER, Hex Head, M8x30x20
17									BRACKET, Lower Hood Lateral Right
	4643 874	1							Right
	4643 875	1							Left
18									SCREW, .250-14x.750, (NOT SERVICED) (Not Serviced)
19	4643 374	2							BRACKET, Lower Hood Lateral
20	6100 591	4							BOLT AND CONED WASHER, Hex Head, M8x25x24
21									BRACKET, Hood Right
	5245 114	1							Right
	5245 115	1							Left
22									SCREW, M8x1.25x40.00, (NOT SERVICED) (Not Serviced)
23	4643 463	AR							SHIM, Hood Latch
24									BRACKET, Hood

DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY
 27 = Convertible
 29 = Coupe


ENGINE
 EWB = 8.0L 10 Cyl. SFI
 EW0 = All 8.0L Gas

TRANSMISSION
 DEC = 6 Speed Manual
 DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hood Release And Hinge
Figure SSR-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5245 116AB	1							Right
	5245 117AB	1							Left
25									ANTENNA, Reference Only, (NOT SERVICED) (Not Serviced)
26	6500 532	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
27	4709 248	1							SCREEN, Hood Right
	4709 249	1							Left
28									SCREW, .164-18x.625, (NOT SERVICED) (Not Serviced)
29	4643 073	1							SEAL, Hood To Cowl, Hood to Cowl
30									LOUVER, Air Outlet
	4763 330AB	1				27			Right
		1				29			Right
	4763 331AB	1				29			Left
		1				27			Left
31									BEZEL, Nacaduct
	4763 335AB	1				27			
		1				29			

DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=RT/10	D=Dodge	29 = Coupe		EW0 = All 8.0L Gas		DBB = All Manual	
S=GTS Coupe							
X=GTS/Lemans							

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cowl And Dash Panel
Figure SSR-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 547	1							PANEL, Dash, Dash
2	6101 542	4							SCREW, Hex Head, M8-1.25 x 20, Panel to Frame
3	6100 544	1							SCREW, Hex Flange Head, M5x0.80x20.00, Pedal to Toe Box
4	6101 452	5							SCREW AND WASHER, Hex Head, M8x1.25x20, Dash Panel to Frame
5	QN61 SX9	1			29				PANEL, Cowl, Black
6									ROD, Cowl Panel
	5245 872	1							Right
	5245 873	1							Left
7	6035 625	4							SCREW, .190-16x.750
8	6502 843	2							NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
9	6101 090	6							SCREW AND WASHER, Hex Head, M10x1.5x25, Panel to Sill
10	6502 337	2							NUT, M10x1.5
11									FRAME, Reference Only, (NOT SERVICED) (Not Serviced)
12									SCREW, 10x16x.5, (NOT SERVICED) (Not Serviced)
13	6100 516	2							NUT, Hex Flange Lock, M6 Phosphate, Attach Accelerator Pedal to Toe Box
14									COVER, A Pillar
	4848 900AA	1							Right
	4848 901AA	1							Left
15	4848 897AB	1							STRAP, Ground
16	4373 728	4							PLUG
17	4848 850AC	1							COVER, Antenna Opening


DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
S=RT/10	D=Dodge	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe		EW0 = All 8.0L Gas		DBB = All Manual	
X=GTS/Lemans							

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Glass Windshield, Frame And Mirror

Figure SSR-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4709 116AD	1			27				WINDSHIELD
-2	4643 847	AR							SHIM, Windshield
3	PR74 DX9AE	1			27				FRAME, Windshield
4	4643 256	1			27				MIRROR, Inside Rear View, Lighted
5	4054 098	1			27				BUTTON, Rear View Mirror
6	6031 094	1			27				SCREW, Pan Head Tapping, .19-16x.375
7	4848 883AA	1			27				BACKLITE, w/Seal
-8	4848 886AA-	3			27				BACKLITE, Snap Assy
-9									BACKLITE, Lock Cover
	4848 888AA-	1			27				Right
	4848 889AA-	1			27				Left
-10	4848 891AA-	1			27				BACKLITE, Lock Package
-11	4848 894AA-	2			27				KEY, Backlite, Viper
-12	4848 895AA-	2			27				LOCK COVER, End Cap
-13	4848 896AA-	2			27				WASHER, Lock Cylinder, With Seal
14									RETAINER, A Pillar Trim
	4848 306	1			27				Right
	4848 307	1			27				Left
-15									WEATHERSTRIP, A-Pillar to Roof
	4848 304AG-	1			27				Right
	4848 305AG-	1			27				Left
16									CAP
	RC76 DX9AA	1			27				Right
	RC77 DX9AA	1			27				Left
-17	GA75 LX7	1			27				BAG, Backlite, Storage Backlite Assy

DODGE-CHRYSLER VIPER (SR)

SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe


ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Glass Windshield Frame And Mirror Viper Coupe
Figure SSR-715



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 697AD	1			29				WINDSHIELD
2	4643 847	AR							SHIM, Windshield, Windshield Mounting
3	4054 098	1			29				BUTTON, Rear View Mirror
4	6031 094	1			27				SCREW, Pan Head Tapping, .19- 16x.375
5	4848 196	1			29				MIRROR ASSEMBLY, I/S Prismatic
6	4278 662	4							SPACER
7									COVER, A Pillar
	SX50 VA9AA	1			29				Silver, Right
	SX51 LRNAA	1			29				Red, Left
	SX50 LRNAA	1			29				Red, Right
	SX50 MX3AA	1			29				Black, Right
	SX51 MX3AA	1			29				Black, Left
	SX51 VA9AA	1			29				Silver, Left
8	QM22 MX4AE	1			29				FRAME, Windshield
9	4848 823	5			29				BRACKET, Windshield Frame to Roof
10									BRACKET, Windshield Right
	4848 526	1							Left
	4848 527	1							
11	6100 582	5			29				BOLT AND CONED WASHER, Hex Head, M8x20x20
12									SCREW AND WASHER, M10x1. 5x30, (NOT SERVICED) (Not Serviced)
13									RETAINER, Front Pillar to Glass Right
	4763 888AD	1			29				Left
	4763 889AD	1			29				
14	5245 843	6			29				LOCK COVER, Dual, Cover Half
15	5245 842	6			29				LOCK COVER, Dual, Body Half
16	6500 584	5			29				SCREW AND WASHER, Hex Head, M8x1.25x30
17	4848 371	2							SEAL, Sport Cap Base
18	6500 584	8			29				SCREW AND WASHER, Hex Head, M8x1.25x30

DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Glass, Backlite Hardtop
Figure SSR-720


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 380AC	1			29				BACKLITE
2	4763 964	1			29				HINGE, Liftgate Right
	4763 965	1			29				Left
3	QM20 SX9	1			29				COVER, Hinge, Black, Right
4	6035 857	8			29				PIN PUSH, .281x.770
5	4848 225	AR			29				SHIM, Liftgate Hinge, To Sport Bar
6	6100 567	4			29				SCREW AND WASHER, Hex Head, M6x1x25
7	6501 941	4			29				NUT AND WASHER, Liftgate Hinge to Glass
8	4763 387AB	2			29				PROP, Backlite
9	5256 749	2			29				BUMPER, Deck Lid Adjuster
10	4848 474	2			29				GASKET, Bumper Bracket
11	4763 384	1			29				STRIKER, Backlite
12	6501 941	4			27				NUT AND WASHER
		2			29				
13	4848 358	1			29				BRACKET, Liftgate Right
	4848 359	1			29				
-14	5245 666	1			29				REINFORCEMENT, Mounting Right
	5245 667	1			29				Left
15	6100 557	6			29				BOLT AND CONED WASHER, Hex Head, M6x20x14
16	5245 886	1			29				LATCH, CABLE AND SWITCH
-17	4848 767	1			29				BRACKET, Trunk Lamp Mounting
18	6100 567	1							SCREW AND WASHER, Hex Head, M6x1x25
19	4763 671AB	1			29				WEATHERSTRIP, Liftgate Glass
20	4763 386	1			29				BRACKET, Mounting
-21	6016 152	2							CLIP, Inner Hole, Deck Lid
-22	SF88 DX9AA-	1			29				HANDLE, Backlight Remote Release

DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
S=RT/10	D=Dodge	27 = Convertible		EWB = 8.0L 10 Cyl. SFI		DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe		EW0 = All 8.0L Gas		DBB = All Manual	
X=GTS/Lemans							

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Quarter Panel Figure SSR-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Quarter
	4763 340AB	1			29				Right
	4763 341AB	1			29				Left
	4848 232AB	1			27				Right
	4848 233AB	1			27				Left
2	4643 893	AR							SHIM, Quarter Panel
3	6034 844	AR			29				RIVET, Blind, .250x.375/.562
4	6034 645	14			27				RIVET, .25 Grip-.06-.25
5	4848 202	2			27				SEAL, Panel, Quarter Panel Lower
6									PAN, Rear Floor, (Reference Only), (NOT SERVICED) (Not Serviced)
7									RIVET, .25 Grip.06-.25
	6034 578	16			27				
		2			29				
8									SCREW AND WASHER, Hex Head, M6x1x20
	6501 373	3			27				
	6101 455	6			29				Quarter Panel Mounting, M6x1. 00x20.00

DODGE-CHRYSLER VIPER (SR)
 SERIES LINE
 S=RT/10 D=Dodge
 S=GTS Coupe
 X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe


ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Loose Panel
Figure SSR-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

[P.A.R.] = Paint As Required

1	4848 838AA	1							PANEL, Door Surround Paint as Required, Right
	4848 839AA	1							Paint as Required, Left
2	3502 2111	AR							SPACER, Fender, 1.0
3	3502 2112	AR							SPACER, Fender, 1.5
4	4848 881AA	8							PLUG, Body, .75 Diameter
5	4763 641AD	1							PANEL, Sill Left
	4763 640AD	1							Right
-6	6504 580	20							SCREW, Hex Flange Head Tapping, M4.8x1.59x13, M4.8x1.59x13.00
-7	5245 544	1							CAP Right
	5245 545	1							Left
-8	4708 428	1							CLADDING, Front Sill Right
	4708 429	1							Left
9	6504 580	20							SCREW, Hex Flange Head Tapping, M4.8x1.59x13, M4.8X1.59X13.00
-10	4708 021	2							LABEL, Exhaust Warning
	4708 337	2							Canada


DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Sport Cap
Figure SSR-1110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 848AB	1			27				PANEL, Sport Cap, Service Dealer Paint
2	4848 875AB	1			27				APPLIQUE, SPORT CAP, Anti- Scratch Applique
-3									RIVET, Blind, .156x.460
	6034 756	4			29				
		10			27				
-4									BRACKET, Quarter Trim
	4848 684	2			29				
	4848 876AA-	2			27				
5									WASHER, Sport Cap, (NOT SERVICED) (Not Serviced)
-6	6503 139	5			27				SCREW, Tress Head, M5x.80x15
7									RIVET, .25 Grip.06-.25
	6034 578	16			27				
		2			29				
8	6502 337	2							NUT, M10x1.5
9	6503 675	2							SCREW AND WASHER, Hex Head, M10x1.5x40, M10x1.50x40.00
10	6035 227	2			27				STUD, .312-18x1.875
11	PR73 DX9AD	1			27				PAD, Sport Cap, Black
12									DEADNER, Body Panel, (NOT SERVICED) (Not Serviced)
13	4848 371	2			27				SEAL, Sport Cap Base, Sport Cap Base
14									SCREW, and WASHER, M8x1. 25x40.00,, (NOT SERVICED) (Not Serviced)
15	4643 353	AR							SHIM, Floor Pan Isolator, Floor Pan Isolator
16									GROMMET, Sport Cap This Is A Slotted Grommet At The Rear Of The Header. Backlite
	4643 927AB	2			27				
	QX23 DX9AB	2			27				Attaches To This Black
17	RV88 DX9AA	1			27				COVER, "B" Pillar Outside Black, Right
	RV89 DX9AA	1			27				Black, Left

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Toupette Assembly-top
Figure SSR-1120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	PK61 SX9AJ	1			27				TOP, Toupette
2	4643 927AB	2			27				GROMMET, Sport Cap
3									WEATHERSTRIP, A-Pillar to Roof
	4848 644AE	1			27				Right
	4848 645AE	1			27				Left
4	4848 902AA	4			27				COVER, Weatherstrip, Weatherstrip Nut
-5	4848 950AA-	4			27				STORAGE BAG, Top
-6	GA79 BX7AD-	4			27				COVER, Tonneau
-7	6035 085	4			27				SCREW, Tapping, .164-15x1
-8	6035 227	2			27				STUD, .312-18x1.875
-9	4658 673	2			27				PIN PUSH, .150x.410
-10	6100 515	8			27				NUT, Hex Flange Lock, M5
-11	4848 949AA-	4			27				ROD, Tonneau Cover
12	5015 402AA	1			27				PLATE, Frame Reinforcment, These Camplates Go Around The Hole Where The Removable Hartop Pins Go In

DODGE-CHRYSLER VIPER (SR)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual	
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual	
X=GTS/Lemans					

Hard Top Convertible
Figure SSR-1125

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TOP, Hard
	SW18 VA9AA	1			27				Sliver
	SW18 LRNAA	1			27				Red
	SW18 MX3AA	1			27				Black
2									LATCH KIT, Hard Top, Front
	5016 176AA	1			27				Right
	5016 177AA	1			27				Left
-3									LATCH KIT, Hard Top, Rear
	5010 854AA-	1			27				Right
	5010 855AA-	1			27				Left
4	4882 378	2			27				ISOLATOR, Rear Latch Pin, Rear Latch Pin
5									SCREW, M4x0.7x12.0 Pan Head, (NOT SERVICED) (Not Serviced)
6	4882 380	4			27				SCREW, M4x0.7xx16.0 Flat Head
7	4626 527	1							BOLT, M8-1.25x50.0 Shoulder
8	4886 404AA	1							WEATHERSTRIP
-9	5010 323AA-	1			27				RAIL KIT, Side, Used For Leak Fix
-10	5010 850AA-	1			27				HEADLINER KIT, Hard Top

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

Roof Panel Viper Coupe
Figure SSR-1130


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Roof
	SV29 LRNAB	1			29				Viper Red
	SV29 MX3AB	1			29				Black
	SV29 VA9AB	1			29				Dark Silver
2									SEAL, Door
	4848 906AA	1			29				Right
	4848 907AA	1			29				Left
3	5245 858	AR			29				SHIM, Side Rail To Sport Bar
4									BRACKET, Roof To Sport Bar
	4848 884AA	1			29				Right
	4848 885AA	1			29				Left
5	6101 452	5							SCREW AND WASHER, Hex Head, M8x1.25x20
6	5245 664	4			29				REINFORCEMENT, Mounting, Closeout Mounting, Roof,Inner
7	4848 685	1			29				BAR, Sport
8	4848 790	AR			29				SHIM, Sport Bar Base Plate
-9	4848 849AA-	2							PLATE, Sport Bar to Frame
10									COVER, Roof to Door Surround
	4848 904AB	1			29				Right
	4848 905AB	1			29				Left
11									NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
	6503 825	9			29				M6x1.00
		4			27				M6x1.00
12	4848 265	2			29				CABLE, Roof To Sport Bar Mounting
13	5245 640	1			29				REINFORCEMENT, Mounting
14	4848 930AA	2			29				SEAL, Enclosure To Body, Roof to Quarter, Rear
15	4848 929AA	2			29				SEAL, Enclosure To Body, Roof to Quarter, Front
16									BRACKET, Roof
	4848 912AA	1			29				Right
	4848 913AA	1			29				Left
-17	4848 128	2							WASHER, Sport Bar
-18	5245 853	4			29				NOZZLE, Tube
-19	4848 768	4			29				SEAL, Impact Joint
-20	6101 916	2			29				NUT, Hex Weld, M8x1.25, Hex Weld, Roof Inner to Sport Bar Gusset

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Deck Lid
Figure SSR-1310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DECKLID
	4642 971AB	1			27				
	4709 181AB	1			27				Export
2	4643 062	2			27				HINGE, Deck Lid
3	4643 881	AR			27				SHIM, Decklid Hinge, .030mm, .030mm
4	4643 882	AR			27				SHIM, Decklid Hinge, .060mm, .060mm
5									NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
	6503 825	2			29				
		4			27				
6									NUT AND WASHER
	6501 941	4			27				Deck Lid
		4			29				Deck Lid
7	4643 272	1			27				ROD, Deck Lid Prop, Deck Lid Prop
8	6502 407	2			27				SCREW AND WASHER, Hex Head, M6x1x20, M6x1.00x20
9	J400 7456	1			27				CLIP, Prop Rod, Prop Rod Deck Lid Stowage
10	4708 281	2							BUMPER, Deck Lid, Deck Lid
									Overslam
11	4848 241	1			27				COVER, Fuel Tank Access
12									RIVET, .25 Grip.06-.25
	6034 578	16			27				
		2			29				
13	4643 604	1			27				REINFORCEMENT, Decklid Prop Rod, Decklid Prop Rod Mounting
14	4848 206AB	2			27				SEAL, TRUNK CLOSEOUT

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Deck Lid Weatherstrip And Latch
Figure SSR-1320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4643 286	1			27				WEATHERSTRIP, Liftgate Opening
2	4642 894	1			27				STRIKER, Door Latch
3									SCREW, Pan Head, M6x1.0x17.00, (NOT SERVICED) (Not Serviced)
4	4642 897	1			27				REINFORCEMENT, Decklid Striker
5									RIVET, (NOT SERVICED) (Not Serviced)
6	4642 974	1			27				LATCH, Decklid
-7	4848 767	1			29				BRACKET, Trunk Lamp Mounting, Trunk Lamp Mounting
8	6100 567	2							SCREW AND WASHER, Hex Head, M6x1x25
9									RIVET, (NOT SERVICED) (Not Serviced)
10	6032 723	6							SCREW, Self Tapping, M4.2x1. 69x19.05, .164-15x.750
11	4643 273	1			27				PLATE, Decklid Cylinder
12	4665 288	1			27				ANCHOR, Tie Down, Tie Down Anchor
13	6034 646	2			27				RIVET, .197 Grip-.187-.375


DODGE-CHRYSLER VIPER (SR)
SERIES LINE
S=RT/10 D=Dodge
S=GTS Coupe
X=GTS/Lemans

BODY
27 = Convertible
29 = Coupe

ENGINE
EWB = 8.0L 10 Cyl. SFI
EW0 = All 8.0L Gas

TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

Fuel Filler Door
Figure SSR-1330




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4709 219AB	1			27				DOOR, Fuel Fill
2	4643 884	AR			27				SHIM, Fuel Filler Door
3	6100 046	3							NUT AND WASHER, Hex, M5x.80
4	4763 838	2			27				BUMPER, Fuel Door
5	4709 364	1			27				PLATE AND SCREW, Fuel Filler
									Door
6	4708 234	1			27				LABEL, Fuel
7	4848 132	1							CAP, Fuel Filler, Non-Locking
8									SCREW, [.190-16x1.00], (NOT
									SERVICED) (Not Serviced)
9									TUBE, Fuel, Tank Filler (Reference
									Only), (NOT SERVICED) (Not
									Serviced)
10	6102 004	4			29				SCREW, CAP, M8x1.25x26.8
11	5245 877	1			29				SEAL, Truck Closeout, Trunk
									Closeout to Roof Filler
12	5245 665	1			29				SEAL
13									SEAL, Fuel Filler Flange
	4643 885	1			27				Fuel Filler
		2			29				
14	4763 476	1			27				SHIELD, Fuel Filler Door, Fuel Filler
									Paint Chip
15	4848 956AA	1							TUBE, Drain
16	4763 684AC	1			29				CAP, Fuel Filler

DODGE-CHRYSLER VIPER (SR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE	27 = Convertible	29 = Coupe	EWB = 8.0L 10 Cyl. SFI	EW0 = All 8.0L Gas	DEC = 6 Speed Manual	DBB = All Manual
S=RT/10	D=Dodge						
S=GTS Coupe							
X=GTS/Lemans							

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Shelf Panel Viper, Coupe Figure SSR-1410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4883 764AA	AR			29				PANEL, Rear Body
-2	4883 765AA-	1			29				COVER, Rear
-3	4886 071AA-	1			29				COVER, Lamp
-4	4763 881	1			29				ISOLATOR, Roof to Rear Closure Panel
-5									SCREW, M6x1x20, (NOT SERVICED) (Not Serviced)

DODGE-CHRYSLER VIPER (SR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
S=RT/10	D=Dodge	27 = Convertible	EWB = 8.0L 10 Cyl. SFI	DEC = 6 Speed Manual
S=GTS Coupe		29 = Coupe	EW0 = All 8.0L Gas	DBB = All Manual
X=GTS/Lemans				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005