

1998
DODGE RAM VAN AND WAGON
(AB)



Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION

1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.

The following table interprets the VIN Plate positions shown above.


Position	Interpretation	Codes = Description
1	Country of Origin	2 = Canada
2	Make	B = Dodge
3	Vehicle type	7 = Truck
4	GVWR & Pass. Safety	D=0-1360 kg (0-3000 lbs) E=1361-1814 kg (3001-4000 lbs) F=1815-2267 kg (4001-5000 lbs) G=2268-2721 kg (5001-6000 lbs) H=2722-3175 kg (6001-7000 lbs) J=3176-3628 kg (7001-8000 lbs) K=3629-4082 kg (8001-9000 lbs) L=4083-4535 kg (9001-10000 lbs) M=4536-6350 kg (10001-14000 lbs) W=Bus's & Incomplete vehicles
5	Vehicle Line	B = Wagon/Van/Bus
6	Series	1 = 1500 2 = 2500 3 = 3500
7	Body Style	1 = Van 2 = Wagon 5 = Wagon
8	Engine	X - 3.9L 6 Cyl. (EHC) Y = 5.2L 8 Cyl. (ELF) T = 5.2L 8 Cyl. (ELP) Z = 5.9L 8 Cyl. (EML)
9	Check Digit	
10	Model Year	V = 1997, W = 1998, X = 1999
11	Assembly Plant	K = Pillette Windsor
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence


Group – 002

Front Suspension & Drive


GROUP 2 - Front Suspension & Drive

Illustration Title	Group-Fig. No.
Front Suspension	
Upper Control Arms and Knuckles	Fig. 002-110
Lower Control Arms,Springs,Shocks and Strut	Fig. 002-120
Front Stabilizer Bar	Fig. 002-130



002-100 Front Suspension			
			


Upper Control Arms and Knuckles
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DJB=3500 Lb. Front Axle---DJE=4000Lb. Front Axle									
1	4167 415	2							WASHER, Control Arm, [DJB,DJE]
2	52106 434AA	2							BUSHING, Control Arm [DJB]
	4213 119	2							[DJE]
3	4032 192	2							RETAINER, Control Arm, [DJB,DJE]
4	6031 718	2							NUT, Hex Lock, .750 - 10, [DJB,DJE]
5	6030 099	1							FITTING, Ball Joint, Zirc
6									BALL JOINT PACKAGE, Upper
	2808 394	1							Control Arm [DJB]
	3744 929	1							[DJE]
7									SEAL, Ball Joint
	5200 6405	1							[DJB]
	5200 6404	1							[DJE]
8	0120 123	2							PIN, Cotter
9									NUT, Hex
	1671 405	2							[DJB] Knuckle Arm to Lower Ball Joint Mounting
	9425 133	1							[DJE] Knuckle Arm to Lower Ball Joint Mounting
10									KNUCKLE, Front
	5203 8862	1							[DJB], Right
	5203 8863	1							[DJB], Left
	5203 8860	1							[DJE], Right
	5203 8861	1							[DJE], Left
11	6030 009	2							BOLT, Hex Head [DJB] Front Knuckle to Knuckle Arm Mounting
	6030 063	4							[DJE] Front Knuckle to Knuckle Arm Mounting
12									NUT, Hex
	0273 912	2							[DJB] Upper Ball Joint to Front Knuckle Mounting
	1671 405	2							[DJE] Upper Ball Joint to Front Knuckle Mounting
13	0120 123	2							PIN, Cotter
14									ARM, Knuckle
	5203 8878	1							[DJB], Right
	5203 8879	1							[DJB], Left
	5203 8884	1							[DJE], Right

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Upper Control Arms and Knuckles
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 8885	1							[DJE], Left
15	0152 353	4							NUT, Hex Lock
	0152 355	4							[DJB] Front Knuckle to Knuckle Arm Mounting
									[DJE] Front Knuckle to Knuckle Arm Mounting
16	4117 796	4							NUT, Pivot Arm
17	4014 050	2							BUMPER, Jounce
18									ARM, Control
	4210 872	1							[DJB], Right,Upper
	4210 873	1							[DJB], Left,Upper
	4210 876	1							[DJE], Right,Upper
	4210 877	1							[DJE], Left,Upper
19	0152 344	2							NUT, .375-16, Jounce Bumper Mounting
20	6031 842	4							BOLT AND CONED WASHER, Hex Head, .62-11x2.25, Upper Control Arm to Frame Mounting

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

Note:

DJB = Front Axle-3500LB

DJD = 3600LB Front Axle

DJE = Front Axle-4000LB

TW0 = 225/245 Tires

TYT = LT245/75R16E BSW All Season

Check the VIN Number for the 'Z' Code GVW Rating

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHOCK ABSORBER PACKAGE, Suspension, Front
	5011 636AB	2	1		11, 51				[Z1D,Z1E]
	5016 226AA	2	1		12				[Z1F]
	5011 635AC	2	2, 3		12, 13, 52, 53				(Z2E, Z3E, Z3F)
2	6504 317	2							NUT, Hex, Upper Shock Mounting, Upper
3	5203 9232	2							RETAINER, Shock Absorber Bushing, Upper
4	5203 9187	2							BUSHING, Shock Absorber, Upper
5	5203 9223	2							BUSHING, Shock Absorber, Lower
6	5203 9233	2							RETAINER, Shock Absorber Bushing, Lower
7									SCREW AND WASHER, Hex Head [Z1D,Z1E] Shock Mounting, Lower [Z2E,Z3EZ3F] Shock Attaching, Lower
	6025 361	2	1		11, 51				
		2	2, 3		12, 13, 52, 53				
8	6033 455	4							BOLT AND CONED WASHER, Hex Head, .50-13x2.25, Jounce Bumper Mounting
9									BUMPER, Jounce
	4112 309AB	2							[DJB]
	4112 310AB	2							[DJE]
10	52039 277AB	2							STRUT, Lower Control Arm
-11	52020 264AB-	1							SHIELD, Heat, Strut Rod
12	3898 896	2							RETAINER, Control Arm, Strut Rod Bushing, Front
13									BUSHING, Control Arm Strut [DJB], Front
	5203 8364	2							[DJE], Front
	5203 8479	2							[DJB], Rear
14									BUSHING, Control Arm Strut [DJB], Rear
	5203 8365	2							[DJE], Rear
	5203 8481	2							[DJB], Rear

DODGE RAM VAN & WAGON (AB)

SERIES

L = Van, Wagon

X = Conv.

LINE

1=1500

2=2500

3=3500

BODY

11=Van(109 WB)

12=Van(127 WB)

13=X-Van(127 WB)

51=Wagon(109 WB)

52=Wagon(127 WB)

53=X-Wagon(127 WB)

ENGINE

EHC=3.9L 6 Cyl. (MPI)

ELF=5.2L 8 Cyl. (MPI)

ELN=5.2L 8 Cyl. (CNG)

ELP=5.2L 8 Cyl. (LPG)

EML=5.9L 8 Cyl. (MPI)

TRANSMISSION


DGG = 32RH 3 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DGH = 36RH 3 Spd. Auto.

DGO = Auto Trans.

Lower Control Arms, Springs, Shocks and Strut
Figure 002-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	3898 897	2							RETAINER, Control Arm, Strut Rod
16	6031 718	2							Bushing, Rear
17									NUT, Hex Lock, .750 - 10, Strut Rod Mounting
18	6029 982	4							WASHER, Conical, ID=.540 OD=1.00 THK=.146, (NOT SERVICED) (Not Serviced)
19	0152 355	2							NUT, Control Arm Strut, Strut Rod Mounting
20									NUT, Hex Lock, [DJB,DJE] Lower Control Arm Mounting
21									NUT, Hex [DJB] Lower Ball Joint Mounting
22									[DJE] Lower Ball Joint Mounting
23									SEAL, Ball Joint [DJB]
24									[DJE]
25									BALL JOINT PACKAGE, Lower Control Arm [DJB]
26									[DJE]
27									FITTING, Ball Joint, Zirc, [DJB,DJE]
28									ARM, Lower Control, Front [DJB], Right
29									[DJB], Left
									[DJE,+TW0], Right
									[DJE,+TW0], Left
									[DJE,+TYT], Right
									[DJE,+TYT], Left
									BUSHING, Lower Control Arm, [DJB, DJE]
									BOLT, Hex Head, .75-16x5.00, Lower Control Arm Mounting
									WASHER, Flat, ID .842 x OD. .499 x THK.160, (NOT SERVICED) (Not Serviced)
									SPRING, Front Coil
									[ZHC,ZWC] Tag 9170
									[ZHD,ZWD] Tag 9175
									[ZHE,ZWE] Tag 9176
									[ZHF,ZWF] Tag 9177

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lower Control Arms,Springs,Shocks and Strut
Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 9178	1							[ZHG,ZWG] Tag 9178
	5203 9180	1							[ZHH,ZWH] Tag 9180
	5203 9270	1							[ZHJ,ZWJ] Tag 9270
	5203 9271	1							[ZHK,ZWK] Tag 9271
	52039 273AB	1							[ZJB,ZXB] Tag 9273AB
	52039 278AB	1							[ZJC,ZXC] Tag 9278AB
	5210 6630	1							[ZJD,ZXD] Tag 6630
	5210 6631	1							[ZJE,ZXE] Tag 6631
	5210 6632	1							[ZJF,ZXF] Tag 6632
	5210 6633	1							[ZJG,ZXG] Tag 6633
29	52038 732AB	2							ISOLATOR, Front Suspension Spring


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Stabilizer Bar
Figure 002-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4116 589AB	2							LINK, Sway Eliminator, Complete
2	5203 9336	1							SHAFT, Suspension, Sway Eliminator
3	5208 8524	2							BUSHING, Sway Bar
4	5208 7865	2							RETAINER, Sway Bar
5									SCREW AND WASHER, M10x1. 50x35, Hex Head, (NOT SERVICED) (Not Serviced)



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 003

Rear Axle

GROUP 3 - Rear Axle

Illustration Title Group-Fig. No.

Rear Axle

Rear Axle Fig. 003-110

Differential and Housing


Differential and Housing,Chrysler Model 8.25 Fig. 003-210




Differential and Housing,Chrylser Model 9.25 Fig. 003-220

Differential and Housing,Dana Model 60 Fig. 003-230


Rear Axle Vent

Rear Axle Vent Fig. 003-310



003-100 Rear Axle	003-200 Differential and Housing	003-300 Rear Axle Vent	
			

Rear Axle
Figure 003-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:DRA=Chrysler 8.25 Corporate Axle---DRB=Chrysler 9.25 LD Corporate Axle---DRG=Chrysler 9.25 HD Corporate Axle--- DRC=Spicer 60 Rear Axle---DRD=Spicer 60HD Rear Axle---DMD=3.55 Ratio---DMH=3.92 Ratio---DMF=4.09 Ratio									
1									AXLE, Service Rear
	5003 872AA	1							[DRA,DMD,-DSA] Tag 52069624AB
	5003 873AA	1							[DRA,DMD,+DSA] Tag 52069622
	5003 874AA	1							[DRA,DMH,-DSA]Tag 52069625AB
	5003 846AA	1							[DRB,DMH,-DSA] Tag 52069465AC
	5003 876AA	1							[DRG,DMH,-DSA] Tag 52069466AB
	5003 954AA	1							[DRC,DMF+DSA] Tag 52069498AD
	5003 957AA	1							[DRD,DMF,-DSA] Tag 52069499AC

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Differential and Housing,Chrysler Model 8.25 Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRA =8.25 Chrysler Axle---DMD=3.55 Ratio---DMH=3.92 Ratio---DSA= Anti-Spin Differential									
1	6028 041	1							NUT, Pinion Yoke
2	2070 117	1							WASHER, Pinion Yoke
3	4137 976AB	1							YOKE, Pinion Gear
4	5206 7595	1							SEAL, Drive Pinion
5	2070 316	1							BEARING, Drive Pinion, Front
6	2070 317	1							CUP, Drive Pinion Bearing, Front
7	5003 850AA	1							HOUSING, Axle
8	5206 7508	1							BOLT, Axle Vent
9	3723 668	8							STUD, Axle Housing to Backing Plate
10	3507 898AB	2							BEARING, Wheel
11	4137 426	2							SEAL, Axle Drive Shaft
12	5206 9665	2							SHAFT, Axle
13	6035 839	10							STUD, Wheel
14	3432 695	4							SCREW, Hex Head, .50-13x2.38, Carrier Cap Retaining
15	5010 884AA	1							SEALANT, RTV
16	53007 761AB	1							COVER, Differential
17	6033 043	10							SCREW AND WASHER, Hex Flange Head, .312-18x.562, Differential Cover
18	3723 687	1							PLUG, Differential Cover
19	3507 876	2							ADJUSTER, Differential Bearing
20	3723 859	2							LOCK, Differential Bearing
21	6023 092	2							SCREW AND WASHER, Hex Head, .25-20x.50, Differential Bearing Lock
22	3723 569	2							CUP, Differential Side Bearing
23	1790 541	2							BEARING, Differential
24	4443 158	1							SCREW PACKAGE, Axle Drive Gear, Ring Gear Attaching
25	5206 9657	1							SHAFT, Differential Pinion, Also Serviced In Differential Gear Package, [-DSA]
26	5206 9428	1							CASE, Differential, [-DSA]
-27	4384 226	1							TONE RING, Sensor
28	3507 724	1							SCREW, Hex Head, .312-18x1.80, Also Serviced in Differential Gear Package
29									GEAR KIT, Ring And Pinion

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential and Housing,Chrysler Model 8.25
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4856 540	1							[DMD]
	4882 132	1							[DMH]
30	2800 484	1							BEARING, Drive Pinion, Rear
31	2800 485	1							CUP, Drive Pinion Bearing, Rear
32	3723 520	AR							SHIM, Drive Pinion Bearing, .020
-33	3723 522	AR							SHIM, Drive Pinion Bearing, .022
-34	3723 524	AR							SHIM, Drive Pinion Bearing, .024
-35	3723 526	AR							SHIM, Drive Pinion Bearing, .026
-36	3723 527	AR							SHIM, Drive Pinion Bearing, .027
-37	3723 528	AR							SHIM, Drive Pinion Bearing, .028
-38	3723 529	AR							SHIM, Drive Pinion Bearing, .029
-39	3723 530	AR							SHIM, Drive Pinion Bearing, .030
-40	3723 531	AR							SHIM, Drive Pinion Bearing, .031
-41	3723 532	AR							SHIM, Drive Pinion Bearing, .032
-42	3723 534	AR							SHIM, Drive Pinion Bearing, .034
-43	3723 536	AR							SHIM, Drive Pinion Bearing, .036
-44	3723 538	AR							SHIM, Drive Pinion Bearing, .038
45	3507 575	1							SPACER, Drive Pinion Bearing
46	5206 9426	2							RETAINER, Axle Shaft
47	2852 912	2							WASHER, Pinion Thrust, Also Serviced In Differential Gear
									Package, [-DSA]
48	5206 9655	2							PINION, Differential, Also Serviced In Differential Gear Package, [-DSA]
49	4883 087	1							GEAR PACKAGE, Differential, [-DSA]
50	5206 9429	2							GEAR, Differential, Also Serviced In Differential Gear Package, [-DSA]
51	4883 085	1							WASHER PACKAGE, Side Gear Thrust, Also Serviced In Differential Gear Package, [-DSA]
52	5209 8778	1							CASE, Differential, with Internal Parts, [+DSA]

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential and Housing,Chrylser Model 9.25
Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRB =9.25 Light Duty Chrysler Axle---DRG=9.25 Heavy Duty Rear Axle---DMD=3.55 Ratio---DMH=3.92 Ratio---DSA= Anti-Spin Differential									
1	6028 041	1							NUT, Pinion Yoke
2	2070 117	1							WASHER, Pinion Yoke
3	3432 487AB	1							YOKE, Axle
4	5206 7596	1							SEAL, Drive Pinion
5	1820 552	1							BEARING, Drive Pinion, Front
6	1820 551	1							CUP, Drive Pinion Bearing, Front
7									HOUSING, Rear Axle
	5003 828AA	1							[DRB]
	5003 875AB	1							[DRG]
8	5206 7508	1							BOLT, Axle Vent
9	3723 668	8							STUD
10									SEAL, Axle Drive Shaft
	4137 426	2							[DRB]
	4137 314	2							[DRG]
11									STUD, Wheel
	6035 839	10							[DRB]
	6035 323	16							[DRG]
12									SHAFT, Axle
	52067 708AB	2							[DRB]
	4117 897AB	2							[DRG]
13									BEARING, Wheel
	3507 898AB	2							[DRB]
	4117 858	2							[DRG]
14	3432 695	4							SCREW, Hex Head, .50-13x2.38
15	5010 884AA	1							SEALANT, RTV
16	4384 293AC	1							COVER, Differential
17	6033 043	12							SCREW AND WASHER, Hex Flange
									Head, .312-18x.562
18	3723 687	1							PLUG, Differential Cover
19	3507 723	2							ADJUSTER, Differential Bearing
20	3723 858	2							LOCK, Differential Bearing
21	6023 092	2							SCREW AND WASHER, Hex Head, .25-20x.50
22	3723 148	2							CUP, Differential Side Bearing
23	3723 149	2							BEARING, Differential
24	6036 054AA	12							SCREW, Hex Flange Head, .437-20x.88
25	1633 928	1							SHAFT, Differential, Also Serviced in Differential Gear Package, [-DSA]

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential and Housing, Chrysler Model 9.25

Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26	4384 222	1							CASE, Differential, [-DSA]
-27									TONE RING, Sensor
	4384 227	1							[DRB]
	4384 228	1							[DRG]
28	3507 724	2							SCREW, Hex Head, .312-18x1.80, Also Serviced in Differential Gear Package
29									GEAR PACKAGE, Ring And Pinion, 29
	3837 595	1							[DMD]
	4761 715	1							[DMH]
30	2852 731	1							BEARING, Drive Pinion, Rear
31	2852 732	1							CUP, Drive Pinion Bearing, Rear
32	3432 320	AR							SHIM, Drive Pinion Bearing, .020
-33	3432 321	AR							SHIM, Drive Pinion Bearing, .021
-34	3432 322	AR							SHIM, Drive Pinion Bearing, .022
-35	3432 323	AR							SHIM, Drive Pinion Bearing, .023
-36	3432 324	AR							SHIM, Drive Pinion Bearing, .024
-37	3432 325	AR							SHIM, Drive Pinion Bearing, .025
-38	3432 326	AR							SHIM, Drive Pinion Bearing, .026
-39	3432 327	AR							SHIM, Drive Pinion Bearing, .027
-40	3432 328	AR							SHIM, Drive Pinion Bearing, .028
-41	3432 329	AR							SHIM, Drive Pinion Bearing, .029
-42	3432 330	AR							SHIM, Drive Pinion Bearing, .030
-43	3432 331	AR							SHIM, Drive Pinion Bearing, .031
-44	3432 332	AR							SHIM, Drive Pinion Bearing, .032
-45	3432 333	AR							SHIM, Drive Pinion Bearing, .033
-46	3432 334	AR							SHIM, Drive Pinion Bearing, .034
-47	3432 335	AR							SHIM, Drive Pinion Bearing, .035
-48	3432 336	AR							SHIM, Drive Pinion Bearing, .036
-49	3432 337	AR							SHIM, Drive Pinion Bearing, .037
-50	3432 338	AR							SHIM, Drive Pinion Bearing, .038
51	3507 678	1							SPACER, Drive Pinion Bearing
52	4137 669	2							LOCK, Drive Shaft
53	3507 641	2							WASHER, Pinion Thrust, Also Serviced in Differential Gear Package, [-DSA]
54									GEAR, Differential, Serviced in Differential Gear Package Only, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

September 15, 2005

Differential and Housing,Dana Model 60 Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRC=Dana Model 60/248MM---DRD=Dana Model 60/248MM Heavy Duty---DMF=4.09 Ratio---DSA = Limited Slip Differential									
1	3507 543	2							WASHER, [-DSA]Pinion Gear Thrust
2	2961 848	2							WASHER, [-DSA]Side Gear Thrust
3	3898 313	1							SHIM, Differential Bearing
4	4746 605	1							BEARING, Differential
5	4746 603	1							BEARING, Drive Pinion, Rear
6	J812 4026	1							SHIM KIT, Pinion Shaft
7	5003 935AA	1							HOUSING, Rear Axle [DRC]
	5003 956AA	1							[DRD]
8	2952 474	10							BOLT, Hex Flange Head, Cover Attaching
9	J400 4751	1							PLUG, Differential Cover
10	5010 884AA	1							SEALANT, RTV
11	4506 142	1							COVER, Differential
12	5206 7508	1							BOLT, Axle Vent
13	4746 606	1							SPACER, Drive Pinion Bearing
14	4746 604	1							BEARING, Drive Pinion, Front
15	4746 867	1							SLINGER, Drive Pinion
16	4384 188	1							SEAL, Drive Pinion
17	4746 029	1							YOKE, Axle
18	1795 175	1							WASHER, Pinion Yoke
19	1795 173	1							NUT, Pinion Yoke
20	4506 060	1							DISC AND PLATE KIT, Differential
21	4506 066	12							SCREW, Hex Head, Ring Gear Attaching
22	4746 023	1							GEAR KIT, Ring And Pinion
-23	4506 057	1							ONE RING, Sensor
24	4746 024	1							CASE, Differential [-DSA]
	4506 058	1							[+DSA]
25	4746 027	1							GEAR KIT, Center Differential, [-DSA]
26	4506 059	1							GEAR KIT, Center Differential, [+DSA]
27	4384 186	2							GASKET, Axle Shaft
28	5206 7540	1							SHAFT, Axle Right
	5206 7541	1							Left
29	5003 648AA	4							BOLT, Differential
30	4883 560AA	1							ROLL PIN, Differential, [-DSA]

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential and Housing,Dana Model 60
Figure 003-230

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
31	1922 276	1							SHAFT, Differential, [-DSA]




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Axle Vent Figure 003-310

[illegible]

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 004

Parking Brake


GROUP 4 - Parking Brake

Illustration Title


Group-Fig. No.

Parking Brake Lever and Cables


Park Brake Lever		Fig. 004-110
Parking Brake Cables		Fig. 004-120



004-100
Parking Brake Lever and Cables



Park Brake Lever
Figure 004-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55351 013AD	1							BRACKET, Steering Column
2	6035 613	1							SCREW, Park Brake Lever to Steering Column Bracket Mounting
3	52009 192AB	1							LEVER, Park Brake
-4	4221 463	1							SWITCH, Parking Brake
5	5200 9591	1							HANDLE, Parking Brake
-6	6101 946	2							SCREW, Tapping, Park Brake Release Handle Mounting
7	4641 780	1							STRAP, Tie
8	4019 175	1							PAD, Parking Brake Pedal
9	52009 331AB	1							CABLE, Parking Brake, Front
10	6025 007	1							NUT AND WASHER, Hex, .312-18, Park Brake Lever Mounting

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Parking Brake Cables
Figure 004-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRA=Chrysler Corporate 8.25---DRB=Chrysler Corporate 9.25 LD---DRG=Chrysler Corporate 9.25 HD---DRC=Dana 60---DRD=DANA 60 HD									
1	2201 467	1	2, 3		12, 13, 52, 53				CLIP, Parking Brake Cable
2	5200 9563	1	2, 3		12, 13, 52, 53				EQUALIZER, Parking Brake Cable, [DRC,DRD,DRG]
3	52009 374AC	1	2, 3		12, 13, 52, 53				CABLE, Parking Brake, [DRC,DRD, DRG]
4	52009 331AB	1							CABLE, Parking Brake, Front
5	5200 8977	1	1		12, 13				CABLE, Parking Brake Extension
6	52008 437AD	1	1		11, 12, 13, 51				TENSIONER, Parking Brake Cable, [DRA,DRB]
7									CABLE, Parking Brake
	5200 9197	1	1		11, 12, 13, 51				[DRA,DRB], Left Rear
	5200 9221	1	2, 3		12, 13, 52, 53				[DRC,DRD,DRG], Left Rear
8									CABLE, Parking Brake
	5200 9196	1	1		11, 12, 13, 51				[DRA,DRB], Right Rear
	5200 9216	1	2, 3		12, 13, 52, 53				[DRC,DRD], Right Rear
	52009 751AA	1	2, 3		12, 13, 52, 53				[DRG], Right Rear
9	0152 472	1							NUT, Hex Flange Lock, .312-18, Cable Mounting

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 005

Service Brakes

GROUP 5 - Service Brakes

Illustration Title Group-Fig. No.

Front Brakes

Front Brakes Fig. 005-110

Rear Brakes

Rear Brakes,11 Inches x 2.25 Inches Fig. 005-210

Rear Brakes,12 Inches x 3.5 Inches Fig. 005-220

Drums and Bearing,Rear Brake,12 Inches x 3.5 Inches Fig. 005-230

Power Brake Booster

Power Brake Booster Fig. 005-310

Brake Master Cylinder

Master Cylinder Fig. 005-410

Hydraulic Control Unit Fig. 005-420


Brake Lines and Hoses






Brake Lines,Front Fig. 005-510

Brake Lines,Rear Fig. 005-520



Brake Pedals

Brake Pedal Fig. 005-610



005-100 Front Brakes 	005-200 Rear Brakes 	005-300 Power Brake Booster 	005-400 Brake Master Cylinder 
005-500 Brake Lines and Hoses 	005-600 Brake Pedals 		

Front Brakes Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
DJB= Axle - Front - 3500#									
DJE= Axle - Front - 4000#									
1									PAD KIT, Front Disc Brake
	5003 899AA	1	1		11, 12,				
					13, 51				
	5003 921AA	1	2, 3		12, 13,				
					52, 53				
2									PISTON, Brake
	4423 572	1	1		11, 12,				
					13, 51				
	5003 912AA	1	2, 3		12, 13,				
					52, 53				
3	4364 779	1	1		11, 12,				SEAL PACKAGE, Brake Caliper,
					13, 51				Consists of Boot and Seal
4	5003 911AA	1	2, 3		12, 13,				BOOT, Brake Piston
					52, 53				
5	5003 910AA	1	2, 3		12, 13,				SEAL, Caliper Piston
					52, 53				
6									CAP, Bleeder
	4238 717	1	1		11, 12,				
					13, 51				
		1	2, 3		12, 13,				
					52, 53				
7									BLEEDER SCREW, Brake
	3780 788	1	1		11, 12,				
					13, 51				
		1	2, 3		12, 13,				
					52, 53				
8									SLEEVE, Disc Brake Caliper
	5003 920AA	2	1		11, 12,				
					13, 51				
		2	2, 3		12, 13,				
					52, 53				
9									BUSHING, Disc Brake Caliper
	5003 896AA	2	1		11, 12,				
					13, 51				
	5003 913AA	2	2, 3		12, 13,				
					52, 53				
10									PIN, Caliper

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)



ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Brakes Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 898AA	2	1		11, 12,				
		2	2, 3		13, 51				
11					12, 13,				CALIPER, Disc Brake
					52, 53				
	5003 894AA	1	1		11, 12,				Right
					13, 51				
	5003 895AA	1	1		11, 12,				Left
					13, 51				
	5003 906AA	1	2, 3		12, 13,				Right
					52, 53				
	5003 907AA	1	2, 3		12, 13,				Left
					52, 53				
12									BOLT
	6504 691	4							[DJB] Adapter, Mounting
	6505 129AA	4							[DJE] Adapter, Mounting
13									ADAPTER, Disc Brake Caliper
	5003 900AA	1	1		11, 12,				Right
					13, 51				
	5003 901AA	1	1		11, 12,				Left
					13, 51				
	5003 924AA	1	2, 3		12, 13,				Right
					52, 53				
	5003 925AA	1	2, 3		12, 13,				Left
					52, 53				
14									CLIP, Brake Anti-Rattle
	5003 902AA	1	1		11, 12,				Leading
					13, 51				
	5003 903AA	1	1		11, 12,				Trailing
					13, 51				
	5003 922AA	1	2, 3		12, 13,				Leading
					52, 53				
	5003 923AA	1	2, 3		12, 13,				Trailing
					52, 53				
15									SEAL, Brake, (NOT REQUIRED)
16									SHIELD, Brake
	52009 286AB	1	1		11, 12,				Right
					13, 51				
	52009 287AB	1	1		11, 12,				Left
					13, 51				

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)



ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Brakes Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52009 284AB	1	2, 3		12, 13, 52, 53				Right
	52009 285AB	1	2, 3		12, 13, 52, 53				Left
17									SEAL, Wheel Bearing
	3699 678	2							[DJB]
	3820 197	2							[DJE]
18									HUB AND ROTOR, Brake Right or Left
	5200 9414	2	1		11, 12, 13, 51				
	5200 9415	2	2, 3		12, 13, 52, 53				Right or Left
19									STUD, Hub
	5139 452AA	5	1		11, 12, 13, 51				
	4746 917	8	2, 3		12, 13, 52, 53				
20	5300 2925	2	2, 3		12, 13, 52, 53				CUP, Wheel Bearing, Outer
21	5200 9573	2	2, 3		12, 13, 52, 53				BEARING, Wheel, Outer
22									NUT, Wheel Bearing Adjusting [DJB]
	6029 692	2							[DJE]
	6029 985	2							
23									CAP, Wheel Hub Grease
	3580 894	2							[DJB]
	5200 9590	2	2, 3		12, 13, 52, 53				[DJE]
24									LOCK, Wheel Bearing Adj Nut
	1673 324	2							[DJB]
	6029 986	2							[DJE]
25									WASHER, Thrust
	0600 194	2							[DJB]
	6029 984	2							[DJE]
26	3683 974	2	1		11, 12, 13, 51				BEARING PACKAGE, Wheel Bearing Outer
27									CUP, Wheel Bearing Inner
	3699 677	2	1		11, 12, 13, 51				

DODGE RAM VAN & WAGON (AB)



SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Brakes

Figure 005-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 826AA	2	2, 3		12, 13, 52, 53				Inner
28									BEARING, Wheel
	3699 676	2							[DJB], Inner
	5200 9574	2	2, 3		12, 13, 52, 53				[DJE], Inner
29									SCREW, 5/16'-18x5/8', (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Brakes,11 Inches x 2.25 Inches Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6028 921	2							BOLT, Hex Head, Wheel Cylinder Mounting
2	2260 548	2							PIN, Brake Shoe Hold Down
3	3200 0147	2							PLUG, Brake Adjusting Hole
4									PLATE, Brake Backing
	5003 782AA	1							Right
	5003 783AA	1							Left
5	5200 9541	2							DRUM, Brake
6	6031 635	4							NUT, Push, .50-13, Brake Drum
7									Retainer
	4746 582	1							SPRING, Auto Adjusting Right
	4746 583	1							Left
8									CYLINDER, Wheel
	4088 898	1							Right
	4088 899	1							Left
9	3492 657	2							LINK, Brake, Wheel Cylinder (Push Rod)
10	J320 3313	1							SCREW, Bleeder
11	4746 782	2							SPRING, Brake Shoe Hold Down
12	4773 762	1							CLIP, Park Brake Strut
13	4773 942	1							SPRING, Parking Brake Strut
14	5003 781AA	1							SPRING, Brake Shoe Return, Primary
15	5003 791AA	1							STRUT, Parking Brake
16	4746 586	1							SOCKET, Brake Adjusting
17	J320 1947	1							GUIDE, Brake Adjusting Cable
18	5003 786AA	1							PLATE, Brake Shoe Guide
19	2953 992	1							SPRING, Brake Shoe Return, Secondary
20									LEVER, Rear Wheel Brake Adjust
	5003 788AA	1							Right
	5003 789AA	1							Left
21	3461 660	1							SPRING, Adjuster Cable
22	3461 664	1							CABLE, Brake Automatic Adjuster
23	5003 780AA	1							SHOE AND LINING KIT, drum
24									LEVER, Park Brake Adjusting
	5003 784AA	1							Right
	5003 785AA	1							Left
25	J310 8202	1							RETAINER, Parking Brake Lever
26	8350 2900	1							WASHER, Parking Brake Lever

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Brakes,11 Inches x 2.25 Inches
Figure 005-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	5003 790AA	1							SPRING, Brake Auto Adjuster Lever
28	4746 585	1							WASHER, Rear Brake Adjuster
29	0152 345	8							NUT, Hex Flange Lock
30	5003 787AA	1							SPRING, Brake Shoe to Shoe
31									NUT, Rear Brake Auto Adjust Pivot
	2944 692	1							Right
	2944 693	1							Left
32									SCREW, Brake Adjusting
	2881 686	1							Right
	2881 687	1							Left

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Brakes,12 Inches x 3.5 Inches
Figure 005-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRG=9.25 Heavy Duty Rear Axle---DRC=Dana Model 60/248MM---DRD=Dana Model 60/248MM Heavy Duty									
1	5010 000AA	1							PLATE, Brake Backing
	5010 001AA	1							[DRG], Right
	5010 012AA	1							[DRG], Left
	5010 013AA	1							[DRC,DRD], Right
2	6028 921	2							[DRC,DRD], Left
									BOLT, Hex Head, Wheel Cylinder
									Mounting
3	3492 655	1							NUT, Parking Brake
4	3200 0147	2							PLUG, Brake Adjusting Hole
5	3492 662	2							PIN, Brake Shoe Hold Down
6	3492 664	1							GUIDE, Brake Adjusting Cable
7	4383 267	1							CABLE, Brake Automatic Adjuster
8	3492 671	1							PIN, Brake Adjusting Lever
9									SPRING, Auto Adjusting
	4383 274	1							Right
	4383 275	1							Left
10									LEVER, Park Brake Adjusting
	4383 276	1							Right
	4383 277	1							Left
11	5003 999AA	1							SHOE AND LINING KIT, drum
12									NUT, Brake Adjusting
	4383 270	1							Right
	4383 271	1							Left
13									SCREW, Brake Adjusting
	4383 262	1							Right
	4383 263	1							Left
14									LEVER, Park Brake Adjusting
	5010 006AA	1							Right
	5010 007AA	1							Left
15	4419 698	1							BOLT, Park Brake Lever, .25-28
16	3492 670	1							WASHER, Parking Brake Lever
17	3492 656	1							SPRING, Parking Brake Lever
18	3492 668	1							SPRING, Brake Shoe Return
19	3492 663	2							SPRING, Brake Shoe Hold Down
20	3496 235	1							SPRING, Brake Shoe Return
21	3492 657	2							LINK, Brake
22									CAM, Parking Brake Lever
	4383 298	1							Right
	4383 299	1							Left
23	5010 005AA	1							CYLINDER, Wheel

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Brakes,12 Inches x 3.5 Inches
Figure 005-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


24	3766 674	1							SCREW, Bleeder
-25	5010 008AA-	1							SPRING, Parking Brake Cable, Guide, Right or Left

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drums and Bearing,Rear Brake,12 Inches x 3.5 Inches
Figure 005-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRG= Chrysler 9 1/4 Heavy Duty Axle---DRC=Dana Model 60/248MM---DRD=Dana Model 60/248MM Heavy Duty									
1	52009 519AC	2							DRUM, Brake, [DRG]
2	6031 635	4							NUT, Push, .50-13, [DRG]
3	4797 126	2							LOCK, Wheel Bearing Adj Nut, [DRC,DRD]
4	5206 9306	2							NUT, Bearing Adjusting, [DRC,DRD]
5	2852 729	2							BEARING, Wheel, [DRC,DRD], Outer
6	2955 374	2							CUP, Wheel Bearing [DRC], Outer
7	6031 062	16							[DRD], Outer SCREW, Socket Hex Flange Head, .437-14x1.375, [DRC,DRD]
8									HUB, Rear Wheel
	5200 9517	2							[DRC] with Cups and Wheel Studs
	5200 9523	2							[DRD] with Cups and Wheel Studs
9	52009 519AB	2							DRUM, Brake, [DRC,DRD]
10									CUP, Wheel Bearing
	2955 374	2							[DRC], Inner
	4746 918	1							[DRD], Inner
11									BEARING, Wheel
	2852 729	2							[DRC], Inner
	0927 017	2							[DRD], Inner
12	4032 450	2							SEAL, Wheel Bearing, [DRC,DRD]
13	4746 915	8							STUD, Hub, [DRC,DRD]


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Power Brake Booster
Figure 005-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:EH0=All 3.9L V-6 Gas Engines---EL0= All 5.2L 8 Cylinder Gas Engines---EM0= All 5.9L 8 Cylinder Gas Engines									
1	5200 8948	1							HOSE, Brake Vacuum [EH0]
	52009 658AA	1							[ELF,EML]
2	4897 211AA	1							BOOSTER, Power Brake
3	6100 517	4							NUT, Hex Flange Lock, M8 Phosphate, Booster to Dash Mounting
4	4723 640	1							GROMMET, Brake Booster Check Valve
5	4723 391	1							VALVE, Brake Booster Check
6	2448 761	1							CLAMP, Hose




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Master Cylinder Figure 005-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4897 210AA	1							MASTER CYLINDER, Brake
2	4683 656	2							CAP, Master Cylinder Reservoir
3	4882 865	1							RESERVOIR, Brake Master Cylinder
4	4723 394	2							PIN, Master Cylinder Reservoir, Reservoir to Master Cylinder,
5	4723 389	2							Mounting GROMMET, Master Cylinder Reservoir, Mounting
6	4723 395	2							SEAL, Master Cylinder To Booster, Mounting
7	4897 209AA	2							NUT, Master Cylinder to Booster, Mounting


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hydraulic Control Unit
Figure 005-420





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note :BGJ = BRAKES - POWER DISC/DRUM, REAR ANTI-LOCK --- BGK = BRAKES - 4 WHEEL ANTI-LOCK									
1	6502 720	3							NUT, Hex Flange Lock, M8x1.25, [BGK] HCU to Left Inner Apron, Mounting
2	52009 430AE	1	1		11, 12, 13, 51				CONTROL UNIT, Anti-Lock Brake [BGK]
	52009 496AF	1	2, 3		12, 13, 52, 53				[BGK]
3	5003 103AB	1	1		11, 12, 13, 51				MODULE, Anti-lock Brakes [BGK]
	5003 104AB	1	2, 3		12, 13, 52, 53				[BGK]
4	6502 720	3							NUT, Hex Flange Lock, M8x1.25, [BGJ] HCU to Left Inner Apron, Mounting
5	5003 313AA	1	1		11, 12, 13, 51				VALVE, Brake Pressure Limit [BGJ]
		1	2, 3		12, 13, 52, 53				[BGJ]
6	5003 310AA	1	1		11, 12, 13, 51				TUBE, Brake [BGJ] Module Jumper
		1	2, 3		12, 13, 52, 53				[BGJ] Module Jumper
7	5010 917AA	1	1		11, 12, 13, 51				MODULE, Anti-lock Brakes [BGJ]
	5010 919AA	1	2, 3		12, 13, 52, 53				[BGJ]
8	5003 815AA	1	1		11, 12, 13, 51				VALVE, Proportioning [BGJ]
	5003 309AA	1	2, 3		12, 13, 52, 53				[BGJ]
9	5011 621AA	1	1		11, 12, 13, 51				BRACKET, Anti-Lock Brake Module [BGJ]

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hydraulic Control Unit
Figure 005-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3		12, 13, 52, 53				[BGJ]
10	5003 814AA	1	1		11, 12, 13, 51				BRACKET, Anti-Lock Brake Module [BGK]
		1	2, 3		12, 13, 52, 53				[BGK]
11	5003 815AA	1	1		11, 12, 13, 51				VALVE, Proportioning [BGK]
	5003 309AA	1	2, 3		12, 13, 52, 53				[BGK]
12	5003 307AA	1	1		11, 12, 13, 51				TUBE, Brake [BGK] Module Jumper Front
		1	2, 3		12, 13, 52, 53				[BGK] Module Jumper Front
13	5003 308AA	1	1		11, 12, 13, 51				TUBE, Brake [BGK] Module Jumper Rear
		1	2, 3		12, 13, 52, 53				[BGK] Module Jumper Rear
14	52009 293AC	1							TUBE, Master Cyl to Prop Valve, [BGJ,BGK] Primary
15	52009 294AC	1							TUBE, Master Cyl to Prop Valve, [BGJ,BGK] Secondary
16	5200 8940	2							CLIP, Brake Line, [BGJ,BGK]
17	52009 445AD	1							TUBE, Brake, [BGK] jBrake Hose to HCU Front Right
18	52009 436AB	1							TUBE, Brake, [BGJ,BGK] HCU to Rear Union
19	52009 446AB	1							TUBE, Brake, [BGK] Brake Hose to HCU Front Left

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brake Lines,Front
Figure 005-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note :BGJ = BRAKES - POWER DISC/DRUM, REAR ANTI-LOCK --- BGK = BRAKES - 4 WHEEL ANTI-LOCK

1	5200 9234	3							FASTENER, Push Pin
2	52009 443AD	1							TUBE, Brake [BGJ]
	52009 445AD	1							[BGK]
3	52009 436AB	1							TUBE, Brake, [BGJ,BGK]
4	6035 886	4							GASKET, Brake Hose To Caliper
5	6035 832	2							BOLT, Banjo
6									HOSE, Brake
	52009 450AC	1							[BGJ,BGK], Right
	52009 451AC	1							[BGJ], Left
	52009 449AC	1							[BGK], Left
7	0154 726	2							BOLT, Hex Flange Head, .312-18x. 50
8									SCREW, Hex Flange Head, M8x1. 25x25.00, (NOT SERVICED) (Not Serviced)
9	6031 321	11							PIN, Retainer
10	3200 0404	1							CLIP, Tube
11	52009 447AD	1	1		11, 51				TUBE, Brake Brake Tube Union to Rear Hose
	52009 448AD	1			12, 13, 52, 53				Brake Tube Union to Rear Hose
12	52009 442AB	1							TUBE, Brake [BGJ]
	52009 446AB	1							[BGK]


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brake Lines,Rear
Figure 005-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:DRA=Chrysler 8.25 Corporate Axle---DRB=Chrysler 9.25 LD Corporate Axle---DRG=Chrysler 9.25 HD Corporate Axle---
DRC=Spicer 60 Rear Axle---DRD=Spicer 60HD Rear Axle

1	5200 7914	3							CLIP, Brake Line
2									TUBE, Brake
	52009 447AD	1	1		11, 51				
	52009 448AD	1			12, 13, 52, 53				
3	6504 581	1							NUT, M8x1.25
4	52009 840AB	1							BRACKET, Brake Hose
5	2208 893	1							LOCK, Brake Hose
6	6501 648	1							SCREW, Hex Flange Head, M8x1. 25x25.00
7									TUBE, Brake
	5200 9525	1							[DRA,DRB], Right
	52009 524AB	1							[DRG], Right
	52009 632AC	1							[DRC,DRD], Right
8									TUBE, Brake
	5200 9526	1							[DRA,DRB], Left
	52009 628AB	1							[DRC,DRG], Left
	52009 633AB	1							[DRD], Left
9	52009 458AD	1							HOSE, Brake

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Brake Pedal Figure 005-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	3420 1515	1							BOLT, Hex Head, M12x1.75x145
2	6100 884	1							WASHER
3	6503 711	1							NUT, Hex Flange Lock, M12x1.75
4	4294 639	2							BUSHING, Clutch and Brake Pedal
5	52009 766AB	1							SLEEVE, Pedal Shaft
6	4294 036	1							CLIP
7	52079 426AC	1							PEDAL, Brake
8	5207 8540	1							PAD, Pedal



DODGE RAM VAN & WAGON (AB)

L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 007

Cooling

GROUP 7 - Cooling

Illustration Title

Group-Fig. No.

Radiator and Related Parts

Radiator And Related Parts Fig. 007-120

Water Pump and Related Parts

Water Pump And Related Parts Fig. 007-210

Tank, Coolant Engine

Coolant Tank Fig. 007-310

Pulleys and Related Parts

Drive Pulleys Fig. 007-410

Drive Belts

Drive Belts Fig. 007-520


Lines, Transmission Oil Cooler







Oil Cooler Lines Fig. 007-610

Auxiliary Oil Cooler Fig. 007-640


Grilles

Grille And Related Parts Fig. 007-710



007-100 Radiator and Related Parts	007-200 Water Pump and Related Parts	007-300 Tank, Coolant Engine	007-400 Pulleys and Related Parts
			
007-500 Drive Belts	007-600 Lines, Transmission Oil Cooler	007-700 Grilles	
			

Radiator And Related Parts
Figure 007-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									RADIATOR, Engine Cooling
	5202 8627	1				EH0			without Max Cooling
	5202 9628	1				EH0			with Max Cooling
		1				EL0, EM0			without Max Cooling
	5202 9630	1				EL0, EM0			with Max Cooling
2									CAP, Radiator
	3781 830	1	3			EL0			
		1				EM0			
		1				EH0			
		1	1, 2			EL0			
3									HOSE, Radiator Inlet
	5202 8686	1				EH0			
	5202 8687	1				EL0, EM0			
4	5200 5580	2							CLAMP, Hose to Radiator, Inlet Hose
5	6034 549	2							SCREW, Hex Head, .312-18x.94, Housing
6	5302 0115	1							HOUSING, Thermostat, Thermostat
-7	5503 5944	1							NIPPLE, Heater Inlet, Heater Supply
8	5202 8185	1							THERMOSTAT, 195 Degrees
9	5302 1051	1							GASKET, Thermostat, Housing
10	6032 277	2							CLAMP, Radiator, Outlet Hose
11									HOSE, Radiator Outlet
	52028 685AC	1				EH0			
	52028 689AC	1				EL0, EM0			
12									DRAINCOCK, Radiator, (NOT SERVICED) (Not Serviced)
13									SHROUD, Fan
	5202 8583	1				EH0			
	5202 8584	1				EL0, EM0			
14	6022 225	4							SCREW AND WASHER, Hex Head, .312-18x.75
15									FAN, Cooling


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Radiator And Related Parts

Figure 007-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5202 8440	1				EL0,			with Max Cooling
	5202 7999	1				EM0			
		1				EH0			
						EL0,			without Max Cooling
						EM0			
16									BOLT, Hex Head, .312-18x.75, (NOT SERVICED) (Not Serviced)
17									DRIVE, Fan
	52028 747AA	1				EL0,			
						EM0			
	52028 305AB	1				EH0			


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Water Pump And Related Parts
Figure 007-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DG0 = All Automatic Transmissions

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	5302 1018	1				EH0, EL0 EM0			PUMP, Water up To 1-5-98
		1				EM0			up To 1-5-98
	53021 018AB	1				EH0, EL0 EM0			After 1-5-98
2	4483 757	1				EH0, EL0, EM0			After 1-5-98 GASKET, Water Pump, Body
3	5300 8654	1				EH0, EL0, EM0			HOSE, Water Pump Bypass
4	4401 436	2				EH0, EL0, EM0			CLAMP, Radiator, Water Pump By- Pass Hose
5	5302 0185	1				EH0, EL0 EM0			NIPPLE, By-Pass Water Pump By-Pass
		1				EM0			Water Pump By-Pass
6	6034 279	3				EH0, EL0, EM0			SCREW AND WASHER, Hex Head Lock, .375-16x1.75
7	5300 8291	1				EH0, EL0 EM0			HUB, Water Pump Pulley Up To 1-5-98 (After Use Water Pump Assy.)
		1				EM0			Up To 1-5-98 (After Use Water Pump Assy.)
-8	5503 6160	1				EH0, EL0, EM0			TUBE, Water Pump Inlet
-9	4740 906	1				EH0, EL0, EM0			O RING, Tube Assy, Heater Return

DODGE RAM VAN & WAGON (AB)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Coolant Tank
Figure 007-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOSE, Coolant Recovery Bottle, 4626148, (NOT SERVICED) (Not Serviced)
2	5207 9331	1							CAP, Coolant Reserve Tank
3	2448 761	1							CLAMP, Hose
4	52028 726AA	1							TANK, Coolant Reserve
5	6034 716	2							SCREW AND WASHER, Hex Flange Head, .25-14x.875



DODGE RAM VAN & WAGON (AB)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Pulleys

Figure 007-410

[illegible]

DODGE RAM VAN & WAGON (AB)

BODGE RAM VA
SERIES
L = Van, Wagon
X = Conv.

WAGON (AB)	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Belts

Figure 007-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5301 0306	1							BELT, Accessory Drive, w/o Air Conditioning
2	5301 0305	1							BELT, Accessory Drive, w/Air Conditioning
-3	5300 8745	1							LABEL, Belt Routing, Belt Routing

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Oil Cooler Lines Figure 007-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DG0 = All Automatic Transmissions									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	5202 8645	1				EH0	DG0		TUBE AND HOSE, Oil Cooler
	5202 8646	1				EL0, EM0	DG0		
2	52028 647AB	1				EH0	DG0		TUBE AND HOSE, Oil Cooler
	5202 8841	1				EL0, EM0	DG0		
3	5202 8629	2				EH0			CONNECTOR, Oil Cooler Tube, .375
		2	1, 2			EL0			Tube x .25 Thread
		2	3			EL0			
		2				EM0			
4	4401 753	1					DG0		BRACKET, Oil Cooler Tube
5	5202 8629	2				EH0			CONNECTOR, Oil Cooler Tube, .375
		2	1, 2			EL0			Tube x .25 Thread
		2	3			EL0			3/8" Quick
		2				EM0			3/8" Quick
6	4401 753	1					DG0		BRACKET, Oil Cooler Tube
7	J400 6001	2					DG0		NUT, Hex Flange, .375-16
8	4401 752	1					DG0		BRACKET, Oil Cooler Tube
9									CLIP, (NOT SERVICED) (Not
									Serviced)
10									SCREW, (NOT SERVICED) (Not
									Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Auxiliary Oil Cooler
Figure 007-640




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code EM0 = 5.9L Gas Engine									
Note: Sales Code EL0 = 5.2L Gas Engine									
NHB = Cooler, Aux Transmission.									
Note: Sales Code DG0 = All Auto Trans									
Note: Sales Code NHB = Aux. Cooler									
1	5202 8744	1				EL0, EM0	DG0		COOLER, Transmission Oil without H.D. (NHB)
	52029 006AA	1				EL0, EM0	DG0		with H.D. (NHB)
2	6033 560	1					DGG, DGK		NUT AND WASHER, Hex Nut-Coned Washer, .25-20
3	52028 664AE	1							TUBE AND HOSE, Oil Cooler
4	52029 023AB	1							TUBE, Oil Cooler
5	6030 223	2				EL0, EM0			BOLT, Header Point Square, .250- 20x.875
6	6033 560	1					DGG, DGK		NUT AND WASHER, Hex Nut-Coned Washer, .25-20
7									SCREW, (NOT SERVICED) (Not Serviced)
8									CLIP, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure 007-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, (NOT SERVICED) (Not Serviced)
2	55359 063AA	1							SUPPORT, Radiator
3	55347 161AB	1							REINFORCEMENT, Radiator Closure, Center
4	5534 5304	2							BRACE, Radiator, Upper Support to Panel
5	55359 056AA	1							SUPPORT, Radiator Grille, Right
6	5534 6775	1							SUPPORT, Radiator Grille, Left
-7	55359 060AA-	2							STRUT, Bracket
8	55347 164AC	1							PLATE, Access Cover
9	5534 6879	1							BRACKET, Grille
10	5534 6744	1							SUPPORT, Radiator Grille
-11	55359 064AA-	1							REINFORCEMENT, Radiator Closure, Lower
12									U-NUT, (NOT SERVICED) (Not Serviced)
13									GRILLE, Radiator Chrome
	55076 540AB	1							Painted
	5FC46 MSAAB	1							PANEL, Fender Extentsion
14									Right
	55347 244AC	1							Left
	55347 245AC	1							CLIP, Lamp
15	6502 776	2							NUT, Snap In, #10, Plastic
16	6034 662	2							SUPPORT, Radiator Closure Panel
17									Left
	55359 071AA	1							Right
	55359 072AA	1							RETAINER, Condenser Seal, (NOT SERVICED) (Not Serviced)
-18									SEAL, Radiator
-19	55055 827AC-	1							


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 008
Electrical



008-100 Starters	008-200 Alternators	008-300 Distributor	008-400 Modules
008-500 Relays	008-600 Sensors	008-700 Single Board Engine Controllers	008-800 Switches

Group – 008
Electrical

008-900 Horns	008-1000 Battery Tray and Cables	008-1100 Lamps – Front, Rear and Courtesy	008-1200 Wiring-Engine & Related Parts
008-1300 Wiring-Headlamp to Dash	008-1400 Wiring-Instrument Panel	008-1500 Wiring-Body & Accessories	008-1600 Wiring Repair WIRING REPAIR KIT
008-1900 Spark Plugs-Cables-Coils			

GROUP 8 - Electrical


Illustration Title	Group-Fig. No.
Starters	
Starter & Mounting	Fig. 008-105
Alternators	
Alternator (Generator)	Fig. 008-205
Distributor	
Distributors	Fig. 008-305
Modules	
Modules	Fig. 008-415
Relays	
Relays	Fig. 008-515
Sensors	
Sensors	Fig. 008-620
Single Board Engine Controllers	
Single Board Engine Controllers (S.B.E.C.)	Fig. 008-715
Switches	
Switches	Fig. 008-815
Horns	
Horn	Fig. 008-910
Battery Tray and Cables	
Battery Tray & Cables	Fig. 008-1015
Battery Tray & Cables	Fig. 008-1020
Lamps - Front, Rear and Courtesy	
Lamps--Front End	Fig. 008-1153
Lamps--Rear End	Fig. 008-1155
Lamps--Dome-Courtesy-Reading	Fig. 008-1156
Bulbs & Sockets	Fig. 008-1195
Wiring-Engine & Related Parts	
Wiring-Engine	Fig. 008-1215
Wiring-Headlamp to Dash	
Wiring-Headlamp / Dash	Fig. 008-1315
Wiring-Instrument Panel	
Wiring-Instrument Panel	Fig. 008-1415
Wiring-Body & Accessories	
Wiring--body & Accessory B-van	Fig. 008-1516

GROUP 8 - Electrical

Illustration Title	Group-Fig. No.
Wiring Repair	
Connector Repair Package	Fig. 008-1610
Spark Plugs-Cables-Coils	
Spark Plugs--Cables--Coils	Fig. 008-1906



Starter & Mounting Figure 008-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DGT = 4 Speed Automatic Transmission 46RE

DG0 = All Automatic Transmissions

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	5602 7702	1			STARTER
2	6035 606	1			STUD, .437-14/.437-20x2.00
3	6035 604	1			SCREW AND WASHER, Hex Head, .437-14x1.50
4					NUT, Hex, .42-20
	0271 506	1	EL0	DGT	
		1	EM0	DGT	
5					WASHER PACKAGE, Starter, ID=.437 OD=.787 THK=.133, (NOT SERVICED) (Not Serviced)
6	4401 752	1		DG0	BRACKET, Oil Cooler Tube

DODGE RAM VAN & WAGON (AB)

BUICK RAMBLER
SERIES
L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Alternator (Generator)
Figure 008-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ALTERNATOR, Electrical
	5602 7912	1							117 Amp
	5602 7913	1							136 Amp (L3A)
2	6034 247	1							BOLT, Hex Head, .375-16x.25
3									BRACKET, Alternator
	5300 8618	1							Without Air Conditioning
	5300 8761	1							With Air Conditioning
4	6034 246	1							BOLT, Hex Head, .375-16x.75
5	0152 344	1							NUT, .375-16

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Distributors
Figure 008-305




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0 = 3.9L V6 GAS ENGINES									
EL0 = 5.2L 8 CYL GAS ENGINES									
EM0 = 5.9L 8 CYL GAS ENGINES									
1									DISTRIBUTOR, Engine
	4740 338	1				EH0			
	4740 339	1				EL0, EM0			
2									CAP, Distributor
	5300 8767	1				EL0, EM0			
	5602 6702	1				EH0			
3									ROTOR, Distributor
	5300 8778	1				EH0			
		1				EL0, EM0			
4									SWITCH, Distributor Pick-Up
	5602 8143	1				EL0, EM0			
		1				EH0			
5									O RING, Distributor
	2875 923	1							

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Modules
Figure 008-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56021 564AB	1							MODULE, Intermittant Wiper
2	5602 1561	1							MODULE, Daytime Running Lamp
3	56021 861AB	1							MODULE, Time and Alarm
-4	5604 3355	1							MODULE, Air Bag Control
-5									MODULE, Anti-lock Brakes
	5003 103AB-	1	1		11, 12, 13, 51				Four Wheel
	5003 104AB-	1	2, 3		12, 13, 52, 53				Four Wheel
	5010 917AA-	1	1		11, 12, 13, 51				Rear Wheel
	5010 919AA-	1	2, 3		12, 13, 52, 53				Rear Wheel

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)





ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Relays
Figure 008-515

 1	 2	 3	 4


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4638 094	1							RELAY PACKAGE, Electrical
2	4373 307	1							RELAY, Electrical
3	4671 168	1							RELAY, Mini
4	4604 235	1							BREAKER, Circuit
-5	4687 146	AR							RELAY, High Speed Blower Motor

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sensors
Figure 008-620




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	56028 176AB	1							SENSOR, Anti-Lock Brake Right Front
	56028 177AB	1							Left Front
-2	5014 787AA-	1							SENSOR PACKAGE, Wheel Speed, ABS (includes wiring repair, instruction sheet, and sensor), Rear
3	5602 7870	1							SENSOR, Crankshaft Position
4	56041 212AB	1							SENSOR, Oxygen After Catalyst
	5604 1213	1							Before Catalyst
5	4882 219	1				EH0			SENSOR, Throttle Position
6	5602 7332	1							SENSOR, Battery Temperature
-7	5600 4815	1				EH0, ELF, EM0			SENSOR, Coolant Temperature
-8	5602 7872	1							SENSOR, Air Temperature
-9	5602 9405	1				EH0, EL0, EM0			SENSOR, Map
-10	56028 187AB-	1							SENSOR, Wheel Speed

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Single Board Engine Controllers (S.B.E.C.)
Figure 008-715



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGT = 4 Speed Automatic Transmission 46RE
DG0 = All Automatic Transmissions
EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
ELN = Magnum 5.2L MPI CNG V-8 Engine
ELP = 5.2L V-8 LPG
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


1	56046 310AC	1				EH0			MODULE, Powertrain Control w/California Emission & 3.9L Eng.
	56046 311AC	1				EH0			3.9L Eng.
	56046 315AB	1				ELF	DGT		w/Leaded Fuel Emission & w/5.2L
									& Automatic Emission
	56046 312AC	1				ELF	DGT		w/California Emission & 5.2L Eng
	56046 313AC	1				ELF	DGT		w/5.2 Eng. & 4 Speed Automatic Transmission
	56046 317AD	1				EM0	DG0		w/California Emission & w/ 5.9L & Automatic Transmission
	56046 316AA	1				ELP			w/Propane Gas (LPG) & 5.2L Engine
	56046 318AC	1				EM0	DG0		w/5.9L Eng.
2									SCREW, SCREW (M4.8x1.59x50. 00), (NOT SERVICED) (Not Serviced)
3									WIRING, Serviced in Engine Harness, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Switches Figure 008-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DGG = 3 Speed Automatic Transmission 30RH DGK = 4 Speed Automatic Transmission 42RE DGT = 4 Speed Automatic Transmission 46RE EH0 = All 3.9L V-6 Gas Engines EL0 = All 5.2L 8 Cyl Gas Engines EM0 = All 5.9L 8 Cyl Gas Engines P.A.R. = PAINT AS REQUIRED									
1	5602 1048	1					DGT		SWITCH, Overdrive Lockout
2	56021 889AA	1							SWITCH, Headlamp
3	4565 339	1							KNOB AND SHAFT, Headlamp Switch
-4	5011 277AA-	1							BEZEL, Headlamp Switch
5	5602 1450	1							LAMP, Glove Box
-6	4221 463	1							SWITCH, Parking Brake
-7	4671 336	1							SWITCH, Stop Lamp
8	4565 004AB	1							SWITCH, Courtesy Lamp
-9	2958 815	1							BRACKET, Courtesy Lamp Switch
10	56021 311AB	1							SWITCH, Mirror
11	55350 802AA	1							KNOB, Power Mirror Switch
12	56045 010AA	2							SWITCH, 1 Gang, Door Lock & Power Window, Right
-13	5600 6897	1							SWITCH, 2 Gang, Door Lock & Power Window, Left
-14									BRACKET, Switch, Door Lock & Power Window
	55350 798AA-	1							Window & Door Lock Support, Right
	55350 799AA-	1							Window & Door Lock Support, Left
-15									SWITCH, Neutral, Safety, Back Up
	5602 8181	1				EM0	DGT		
		1				EH0	DGG		
		1				EH0	DGK		
		1				EL0	DGT		
16	4373 666	1							SWITCH, Seat
17	5EH1 5RC3	1							BEZEL, Power Seat Switch, P.A.R.
-18									SWITCH, A/C and Heater Control, Serviced w/Heater & Control Assembly, (NOT SERVICED) (Not Serviced)


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Switches Figure 008-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-19	5011 217AA-	1							SWITCH, A/C and Heater Vacuum
-20	5600 7348	1							FLASHER
-21									SWITCH, Speed Control
	5602 1332	1							Right
	5602 1333	1							Left
-22									SWITCH, Disarm
	56021 916AA-	1							Right
	56021 917AB-	1							Left
-23									SWITCH KIT, MULTIFUNCTION
	5010 205AA-	1					DGG		
		1					DGT		
-24									SWITCH KIT, Ignition Lock Housing
	5010 203AA-	1					DGT		
		1					DGG		
-25									BEZEL, Door Trim Panel, Door Flag
	5GA78 DX9AC-	1							w/o Power Convenience Package I
									(Black), Right
	5GA84 JX8AC-	1							w/Power Convenience Package I
									(Black), Right
-26									BEZEL, Front Door Mirror
	5GA81 DX9AB-	1							w/o Power Convenience Package I
									& w/Power Mirror (Black), Left
	5GA84 JX8AD-	1							w/Power Convenience Package I
									(Black), Right
	5GA78 DX9AB-	1							w/o Power Convenience Package I
									(Black), Right
	5GA79 DX9AB-	1							w/o Power Convenience Package I
									& w/o Power Mirror (Black), Left
	5GA87 JX8AC-	1							w/Power Convenience Package I &
									w/Power Mirror (Black), Left
-27	5603 1005	1				EH0, EL0, EM0			SENDING UNIT, Oil Pressure
-28									SWITCH, Speed Control
	5602 1332	1							Right
	5602 1333	1							Left
-29	56045 200AA-	1							SWITCH, Passenger Airbag Disarm

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Horn
Figure 008-910


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5602 0085	1							HORN, Low Note
-2	5602 0086	1							HORN AND BRACKET, High Note
3									BRACKET, BRACKET, Horn Mounting, Serviced w/Horn Assembly Only, (NOT SERVICED) (Not Serviced)
4									SCREW, Hex Flange Head, .312- x18x.875, (NOT SERVICED) (Not Serviced)



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Battery Tray & Cables
Figure 008-1015



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DG0 = All Automatic Transmission									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
ELN = Magnum 5.2L MPI CNG V-8 Engine									
ELP = 5.2L V-8 LPG									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	55346 961AB	1							TRAY, Battery
-2	6035 509	1							STUD, .250-20x9.75
3	55344 966AB	1							SUPPORT, Battery Tray
4									TUBE, Drain, TUBE, Drain, (NOT SERVICED) (Not Serviced)
5	6032 925	2							BOLT, J, .25-20x9.72
6	5534 5407	1							STRAP, Battery, Battery Hold Down
7	6031 096	2							NUT, Wiper Crank Arm
8	4780 194	1							PLUG
9	53015 363AA	1				ELP			WIRING, Battery Positive
10	56003 795AD	1							WIRING, Battery Negative
-11									BOLT, Square Head, .25-20x1.50, (NOT SERVICED) (Not Serviced)
12	0219 462	1					DG0		NUT, Hex, .250-20
-13									WIRING, WIRING, Headlamp To Dash Illustration, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Battery Tray & Cables
Figure 008-1020

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
ELO = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1	55346 961AB	1							TRAY, Battery
2	6100 592	2							BOLT AND CONED WASHER, Hex Head, M8x30x24
3	5602 7332	1							SENSOR, Battery Temperature
4	5534 5407	1							STRAP, Battery
5	3420 1416	2							NUT, Hex Flange, M8x1.25
6	55359 006AA	1							SUPPORT, Battery Tray
7	6032 925	2							BOLT, J, .25-20x9.72
8	6035 509	1							STUD, .250-20x9.75
9	5534 5407	1							STRAP, Battery
10	6031 096	2							NUT, Wiper Crank Arm
11	56003 795AD	1							WIRING, Battery Negative
12	56021 622AD	1				EH0, ELF, EM0			WIRING, Battery Positive
13									NUT, Hex, .312-18, (NOT SERVICED) (Not Serviced)


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps--Front End Figure 008-1153



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5602 1441	1							LAMP, Underhood
-2	4897 446AA-	1							LENS, Lamp Module
-3	L000 0561	1							BULB, 561
4	0154 554	1							SCREW, Self Piercing, .25-14x.625
5									HEADLAMP
	5507 6524	1							With carrier, Right
	5507 6525	1							With carrier, Left
-6									HOUSING, Headlamp
	55076 562AB-	1							Right
	55076 563AB-	1							Left
-7	4388 227	1							RETAINER, Headlamp Bulb
-8	0154 824	1							BULB, Headlamp, #9004LL
9									SCREW AND NUT, Headlamp, M6.
									3x1.81x40.00, (NOT SERVICED) (Not Serviced)
-10	4857 156AA-	1							VENT, Headlamp
11									LAMP, Park and Turn Signal
	55076 526AB	1							Right
	55076 527AB	1							Left
-12	4399 900	1							SOCKET, Park, Turn, and Side Lamp
-13	4399 599	1							SEAL, Twist & Seal
-14	0154 840	1							BULB, Stop Lamp, #3457K
15									SCREW, Hex Head, .164-18x.625, (NOT SERVICED) (Not Serviced)
16	6502 776	2							CLIP, Lamp

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps--Rear End
Figure 008-1155




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Backup
	4882 684	1							Right
	4882 685	1							Left
2	6034 662	2							NUT, Snap In, #10
3	6034 661	8							SCREW, Pan Head, .19-16x1.50
4									LAMP, High Mounted Stop, Serviced in Components, (NOT SERVICED) (Not Serviced)
5	55077 060AA	1							LENS, High Mounted Stop Lamp
6	55077 061AA	1							COVER, High Mounted Stop Lamp
7	4741 032	1							WIRING, High Mounted Stop Lamp
8	4357 065	2							LENS, License Lamp
-9	3620 734	1							LENS AND GASKET, License Lamp
-10	5601 8807	4							WIRING, Taillamp Socket
-11	5600 3674	4							WIRING, License Lamp
-12	L000 0168	1							BULB, 168
13	5505 4883	1							LAMP, License Plate
-14	3620 734	1							LENS AND GASKET, License Lamp
15									WIRING, Taillamp
	56021 602AB	1							Right
	56021 603AB	1							Left
-16	4362 133	4							SOCKET AND CABLE, License Lamp
-17	5303 046	1							SOCKET, License Lamp
-18	4723 993	1							CLIP, Lamp
-19	L000 0168	1							BULB, 168
-20	L000 0912	2							BULB, 912

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps--Dome-Courtesy-Reading
Figure 008-1156



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	3593 541	2			11, 12, 13				BEZEL, Dome Lamp
2	3488 936	2			11, 12, 13				LENS, Dome Lamp
3	JV76 TL2	2							LAMP, Dome, Reading & Courtesy (Front Header) Beige
4	0154 610	4			11, 12, 13				SCREW, Pan Head Tapping, .164- 18x.500
5	0154 762	1							BULB, 579
-6	0154 763	2							BULB, 567
-7	4685 445	2							SWITCH, Reading Lamp
-8	56045 141AB-	1							WIRING, Dome Lamp
-9	55350 816AA-	1			12, 52				PIN, Push
10	5602 1450	1							LAMP, Glove Box
-11	5534 5970	2			11, 12, 13				BRACKET, Dome Lamp
-12	JV74 TL2	1							LAMP, Dome And Reading


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bulbs & Sockets
Figure 008-1195


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	0154 824	1							BULB, Headlamp, #9004LL
-2	0154 883AA-	1							BULB, 921, #921/W16W
-3	L000 0168	1							BULB, 168, #T-3 1/4 Wedge
-4	L000 3157	1							BULB, 3157, #GT-8 Wedge
-5	0154 762	1							BULB, 579
-6	0154 763	2							BULB, 567
-7	L000 0561	1							BULB, 561, #T-3 Cartridge (Miniature)



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Wiring-Engine
Figure 008-1215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DG0 = All Automatic Transmission
EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
ELN = Magnum 5.2L MPI CNG V-8 Engine
ELP = 5.2L V-8 LPG
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


1									WIRING, Engine, Transmission Wiring Included
	53015 362AA	1				ELP	DG0		
	56021 007AG	1				ELF, EM0	DG0		
	56021 939AG	1				EH0	DG0		
-2	5602 1039	1							CLIP, Wiring

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring-Headlamp / Dash
Figure 008-1315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
ELP = 5.2L V-8 LPG									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									WIRING, Headlamp to Dash, (Positive Battery Terminal is Served in this Harness
	56021 011AH	1							w/o Halogen H/Lanp & w/o Daytime Running Lights (FEDERAL & LEADED Fuel Emissions)
	56021 012AH	1				EH0, ELF, EM0			w/Halogen H/Lanp & Daytime Running Lights (CANADA)
	56021 847AH	1							w/o Halogen H/Lanp & w/o Daytime Running Lights (CALIFORNIA Emissions)
-2									BRACKET, Power Distribution Center CANADA
	5210 2127	1				ELP			
	56045 201AA-	1							
-3	5602 1637	AR							COVER, Power Distribution Center
-4	6032 824	1							BOLT, Hex Flange Head, .25-14x. 625

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Wiring-Instrument Panel

Figure 008-1415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Instrument Panel
	56021 026AF	1							w/o Infinity Sound System & w/ Power Locks/Windows
	56021 936AF	1							w/Infinity Sound System, Remote Theft Alarm & Middle East
	56021 018AF	1							Package w/Infinity Sound System & w/o Power Locks/Windows
	56021 025AF	1							w/Infinity Sound System & w/Power
	56021 937AF	1							Locks/Windows w/o Infinity Sound System, Remote Theft Alarm & Middle East Package
-2	5600 1077	1							BUZZER, Warning
-3	5600 7348	1							FLASHER
-4	4604 235	1							BREAKER, Circuit
-5	5602 0401	1							JUNCTION BLOCK, Relay
-6	6101 135	1							FUSE, Standard, 10 AMP, Red
-7	6101 484	2							FUSE, Mini, 5 Amp, Tan
-8	6101 486	7							FUSE, Mini, 10 AMP, Red
-9	6101 487	4							FUSE, Mini, 15 AMP, Light Blue
-10	6101 488	4							FUSE, Mini, 20 AMP, Yellow
-11									HOLDER, Fuse
	4897 895AA-	1							I.O.D. Fuse
	4897 906AA-	2							Airbag Fuses

DODGE RAM VAN & WAGON (AB)

L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring--body & Accessory B-van Figure 008-1516



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EH0 = All 3.9L V-6 Gas Engines ELF = Magnum 5.2L SMPI V-8 Engine EL0 = All 5.2L 8 Cyl Gas Engines EM0 = All 5.9L 8 Cyl Gas Engines									
1	56020 544AD	1							WIRING, Body w/AC and Rear Heater w/Easy Entry System Seat and Van Conversion Appearance
	56021 032AD	1							
	56021 076AD	1							Package w/o AC Rear Heater Easy Entry System Seat and w/o Van CONVERSION Appearance
-2	56020 042AC-	1			11, 12, 13				Package WIRING, Dome Lamp Cargo Lamp
-3	56020 576AC-	1							Map/Dome Reading WIRING, Underbody w/109" WB
	56021 013AD-	1	1		11, 51	EH0, ELF, EM0			
	56021 014AD-	1			12, 52	EH0, ELF, EM0			w/127"WB
	56021 015AD-	1			13, 53	EH0, ELF, EM0			w/127"WB
-4	5600 6611	1							WIRING, Electric Back Light Feed
-5	5600 6612	1							WIRING, Electric Backlight Ground
-6	56018 900AD-	1							WIRING, Door Side Door Switch
	56021 006AD-	1							w/Power Windows/Locks, Left
	56021 020AC-	2							w/o Power Windows/Locks and w/o Power Mirrors, Right
	56021 021AD-	1							w/Power Mirrors, Left
	56021 022AC-	1							w/Power Mirrors, Right
	56021 023AC-	1							w/Power Windows/Locks, Right
-7	56021 667AB-	1							WIRING, License Lamp, Extension Bumper
-8									WIRING, Rear Body

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring--body & Accessory B-van
Figure 008-1516

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56021 019AE-	1			13, 53				127" X WB
	56021 027AE-	1	1		11, 51				109" WB
	56021 028AD-	1							w/o Infinity System
	56021 029AE-	1							w/Infinity Sound System
	56021 030AE-	1			12, 52				127" WB
-9	5602 1998	1							WIRING, Anti-lock Brake
-10	56019 977AB-	2							WIRING, Speaker Jumper
-11	56017 650AB-	1							WIRING, Trailer Tow
-12	8220 4642	1							WIRING KIT, Trailer Tow
-13									TERMINAL
	4362 012	2							Sliding Door Electric Lock (Door Side)
	5602 1043	2							Rear Door Electric Lock (Door Side)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Connector Repair Package

Figure 008-1610

For Electrical Connector Repair Information visit
the World Wide Web at


<http://dto.vftis.com/mopar/disclaimer.asp>

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Spark Plugs--Cables--Coils
Figure 008-1906



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0 = 3.9L V6 GAS ENGINES									
EL0 = 5.2L 8 CYL GAS ENGINES									
EM0 = 5.9L 8 CYL GAS ENGINES									
1	5602 6885	1				EH0			SHIELD, Ignition Cable
		2				EL0, EM0			
2	4728 037	1				EH0			CABLE PACKAGE, Ignition
3	4728 038	1				EL0, EM0			CABLE PACKAGE, Ignition
4	5602 8189	6				EH0			SPARK PLUG
		8				EL0, EM0			
5	5602 6834	1				EH0			SEPERATOR, Ignition Cable
	5602 7089	2							4-Wire
	5602 8186	1							3-Wire
	56041 333AA	2				EL0, EM0			1-Wire
6	5602 7045	1							5-Wire
	5602 7055	1							CABLE, Ignition Coil
7	5602 7037	1				EH0			CABLE, Ignition
	5602 7039	1				EH0			[#1]
	5602 7112	1				EH0			[#3]
	5602 7041	1				EH0			[#2]
	5602 7113	1				EH0			[#5]
	5602 7114	1				EH0			[#4]
8	5602 7046	1				EL0, EM0			[#6]
	5602 7049	1				EL0, EM0			CABLE, Ignition
	5602 7050	1				EL0, EM0			[#1]
	5602 7051	1				EL0, EM0			[#3]
									[#4]
									[#5]


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Spark Plugs--Cables--Coils

Figure 008-1906

[illegible]

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Group – 08A

Instrument Panel and Radios and Consoles


GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
Instrument Panel	
Instrument Panel	Fig. 08A-125
Instrument Panel Cluster	
Instrument Cluster	Fig. 08A-225
Radio, Antenna, and Speakers	
Radio	Fig. 08A-325
Speakers	Fig. 08A-335
Antenna	Fig. 08A-345
Consoles	
Console	Fig. 08A-425



08A-100 Instrument Panel	08A-200 Instrument Panel Cluster	08A-300 Radio, Antenna, and Speakers	08A-400 Consoles

Instrument Panel
Figure 08A-125




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Instrument
	RW38 1C8AB	1							w/Glovebox, Reinforcement & w/o Air Bag (Cirrus)
	RW38 1K9AB	1							w/Glovebox, Reinforcement & w/o Air Bag (Suede)
	5EW19 RC8AD	1							w/o Glovebox, Reinforcement & w/o Air Bag (Cirrus) Cosmetic Repair Only
	5EW19 VK9AD	1							w/o Glovebox, Reinforcement & w/o Air Bag (Suede) Cosmetic Repair Only
2									GLOVE BOX, Instrument Panel Cirrus (w/Handle, Latch, Inner Door & Bin)
	5EW10 1C8AC	1							Suede (w/Handle, Latch, Inner Door & Bin)
	5EW10 1K9AC	1							Suede (w/Handle, Latch, Inner Door & Bin)
3									LATCH, Glovebox Door
	RW53 1C8AA	1							Cirrus (w/Handle)
	RW53 1K9AA	1							Suede (w/Handle)
4	5011 173AB	1							BIN, Glove box
5									LABEL, Air Bag Warning
	4595 748AA	1							English
	4595 749AA	1							Bilingual
6									END CAP, Instrument Panel (w/Fuse Access Door), Right
	5EW34 DX9AB	1							(w/Fuse Access Door), Left
	5EW35 DX9AE	1							
7									AIR BAG, Passenger
	5EZ68 RC8AB	1							Cirrus
	5EZ68 VK9AB	1							Suede
8									COVER, Instrument Panel
	5EW07 RC8AD	1							Cirrus
	5EW07 VK9AD	1							Suede
9	4372 399	1							COVER, Radio Opening, w/o Radio
									Option
10									SCREW, Hex Flange Head Tapping, M6.3 x 1.81 x 20.00, M6.3x1.81x20.00, (NOT SERVICED) (Not Serviced)
11									COVER, Steering Column
	5EW09 RC8AB	1							Cirrus
	5EW09 VK9AB	1							Suede

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Panel
Figure 08A-125




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	55055 723AB	1							LINER, Steering Column Cover
13	5FB95 1X8AD	1							BEZEL, Cluster, (Air Cluster Outlet Included) Black
14									OUTLET, Air Conditioning & Heater, Center
	5FX64 RC8AB	1							Cirrus
	5FX64 VK9AB	1							Suede
15									OUTLET, Air Conditioning & Heater, Right Center
	5FX58 RC8AB	1							Cirrus
	5FX58 VK9AB	1							Suede
16									OUTLET, Air Conditioning & Heater, Right
	5FX62 RC8AB	1							Cirrus
	5FX62 VK9AB	1							Suede
17									OUTLET, Air Conditioning & Heater, Air Cluster
	5FX57 DX9AB	1							Left (Black)
	5FX59 DX9AB	1							Right (Black)
18									PLATE, Switch Opening
	RW39 JX8AA	1							U.S.A. & Export w/o Passenger
									Airbag Delete Switch, w/o Rear Heater Blower (Black)
	RW40 JX8AA	1							U.S.A. & Export w/o Passenger Airbag Delete Switch, w/Rear Heater Blower & w/Power Outlet (Black)
									CANADA (French) w/o Rear Heater Blower & w/Passenger Airbag Delete & w/Power Outlet (Black)
	SA84 DX9AA	1							U.S.A. & Export w/Passenger Airbag Delete Switch & w/Rear Heater Blower (Black)
	RW41 DX9AB	1							U.S.A. & Export w/Passenger Airbag Delete Switch & w/o Rear Heat & w/Power Outlet (Black)
	RW42 JX8AA	1							CANADA (French) w/Rear Heater Blower & Passenger Airbag Delete (Black)
	SA81 DX9AA	1							SHELL, Cigar Lighter, w/Clamp
-19	3747 633	1							SHELL, Cigar Lighter
-20	3747 634	1							

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Panel
Figure 08A-125




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-21	4565 242	1							KNOB AND ELEMENT, Cigar Lighter, w/Bezel (Black)
-22	4360 011	1							ELEMENT, Cigar Lighter
-23	4685 536	1							KNOB AND ELEMENT, Cigar Lighter, (Knob only)
-24	4685 247	1							POWER OUTLET, Cigar Lighter, Base
-25	4685 248AB-	1							CAP, Cigar Lighter, (Power Outlet)
-26	5505 5463	1							CONTROL, A/C And Heater

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Cluster
Figure 08A-225



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLUSTER
	5602 1000	1							120 MPH (Analog)
	5602 1001	1							200 KPH (Analog)
2	6101 946	2							SCREW, Tapping
3	56021 393AC	1							INDICATOR, Gear Selector
4	5011 250AA	1							LENS, Cluster
5									KNOB, Odometer Reset, (Serviced w/Cluster Assembly), (NOT SERVICED) (Not Serviced)
6	L00P C194	6							LAMP, Bulb And Socket, PC194
-7	5011 251AA-	2							BULB AND SOCKET, PC80 (Illuminate Odometer/PRNDL)
-8	L000 PC74	7							BULB, PC74

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Radio
Figure 08A-325

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

RAL=AM/FM Stereo
RAS=AM/FM Cassette
RAZ= AM/FM w/Cassette & CD
RBA=AM/FM w/Cassette & CD Changer Control (Australia, Europe, Middle East & Taiwan)
RBN=AM/FM w/ Cassette & CD Changer Control
RCE=Infinity

1	4858 562AC	1							RADIO, AM/FM Stereo, RAL
2	4858 556AC	1							RADIO, AM/FM Cassette, RAS
3	4704 383AD	1							RADIO, AM/FM with CD and Cassette, RAZ
4	4704 386AB	1							RADIO, AM/FM Cassette with CD Control, RBN
5	4704 392AC	1							RADIO, AM/FM with CD, RBA
6	56043 012AC	1							AMPLIFIER, Radio, RCE
-7	4469 228	1							STRAP, Ground




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Speakers Figure 08A-335



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
P.A.R. = PAINT AS REQUIRED									
1	6101 946	2							SCREW, Tapping
2	56043 015AB	2							SPEAKER, 6"X9", Front Door Base
	5604 3016	2							Infinity
3	56043 100AA	2							SPEAKER, Instrument Panel, 3.5 Infinity (RCE)
-4	56043 013AB-	2							SPEAKER, 3.5", Instrument Panel, Instrument Panel (RCG) Standard Speaker
5	56043 017AC	2							SPEAKER, 6"X9", Rear Infinity
	56043 119AA	2							Base
6	6034 715	8							CLIP, Speaker
7	4216 823	2							BRACKET, Speaker
8	D496 RC3	2							GRILLE, Speaker, Paint as Required
9									SCREW, .164-18x.500, (NOT SERVICED) (Not Serviced)
10									SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
11									SCREW AND WASHER, Hex Head, M4.8x1.59x20, (NOT SERVICED) (Not Serviced)
12									NUT, w/Washer, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Antenna
Figure 08A-345

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4685 574AD	1							MAST, Antenna, Sprial Ground (Bright)
2	5600 6828	1							CAP NUT, Antenna, Fixed Antenna
3	5601 9980	1							ADAPTER, Antenna, Escutcheon
4	5600 6990	1							PLUG, Sealing, Antenna Hole
5	56043 008AB	1							BODY AND CABLE, Antenna



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Console
Figure 08A-425

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOUSING, Engine Cover
	5EW47 1C8AC	1							Cirrus
	5EW47 1K9AC	1							Suede
2	6028 931	4							SCREW, Hex Flange Head Lock, .375-16x1.25
3	6028 589	4							NUT, Plastic Snap-In, For .312 Screw
4	4080 464AB	4							BRACKET, Engine Housing Hold Down
5	55055 599AB	1							SEAL, Engine Housing
6	6035 165	1							SCREW, Tapping, .19-16x.75
7	56043 067AA	1							BRACKET, Audio Equipment
8									BIN, Storage
	RX29 1C8AA	1							Cirrus
	RX29 1K9AA	1							Suede
9									CONSOLE, Forward
	RX30 1C8AA	1							Cirrus
	RX30 1K9AA	1							Suede
10	5011 279AA	2							LATCH, Engine Housing
11	55350 806AA	1							SHIELD, Heat, (External)
-12	5FU9 2DX9	1							ASH RECEIVER, (Black)
-13	5011 278AA-	1							MAT, Console Cup Holder

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 009

Engine Mounting


GROUP 9 - Engine Mounting


Illustration Title

Group-Fig. No.



Engine Mounting

Engine Mounting, Front 3.9L (EHC) Engine	Fig. 009-110
Engine Mounting, Rear 3.9L (EHC) Engine	Fig. 009-120
Engine Mounting, Front 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine	Fig. 009-135
Engine Mounting, Rear 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine	Fig. 009-140



009-100 Engine Mounting 			
--	--	--	--

Engine Mounting, Front 3.9L (EHC) Engine
Figure 009-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DGG = 3 Speed Automatic Transmission 32RH

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	52021 319AB	1				EH0			INSULATOR, Engine Mount
2	6028 371	3				EH0	DGG		SCREW, .375-16x1.00, Up To 1-10-97
-3	6034 161	6				EH0, EL0, EM0			SCREW AND WASHER, Hex Head, .375-16x1.00, After 1-10-97
4	5201 9627	1				EH0			BRACKET, Engine Mount Left
	5201 9626	1				EH0			Right
5									NUT, Lock, .500 - 13, (NOT REQUIRED)
6									WASHER, Plain, ID=.531, OD=1.250, THK=.180, (NOT REQUIRED)
7	6025 022	2							NUT AND WASHER, Hex Nut-Coned Washer, .500-13
8	6029 286	2				EH0			STUD, Brake Support, .50-13x1.50


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Mounting, Rear 3.9L (EHC) Engine
Figure 009-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EH0=All 3.9L Engines DG0=All Automatic Transmissions DGG=3 Speed Automatic Transmission DGH=4 Speed Automatic Transmission									
1	5201 9760	1							SUPPORT, Engine Mount
2									SCREW, Hex Head, .375-16x1.25, (NOT REQUIRED)
-3									SCREW, M10x1.50x35.00, (NOT SERVICED) (Not Serviced)
4	5201 9615	1					DG0		INSULATOR, Engine Mount
5	3420 2606	1							BOLT, Hex Head
6	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
7	52103 215AC	1				EH0	DGG		BRACKET, Transmission Mount
8	6033 358	3				EH0	DGG		SCREW AND WASHER, Hex Head Locking, .437-14x1.25
9	6100 055	1							NUT AND WASHER, Hex Nut-Coned Washer, M12 x 1.75
10	6028 606	1							SCREW AND WASHER, Hex Head Lock, .312-18x1.00

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Engine Mounting, Front 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine
Figure 009-135

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EHC = Magnum 3.9L SMPI V-6 Engine

EH0 = All 3.9L V-6 Gas Engines

ELF = Magnum 5.2L SMPI V-8 Engine

ELN = 5.2L V-8 MPI CNG Engine

ELP = 5.2L V-8 LPG Engine

EL0 = All 5.2L 8 Cyl Gas Engines

EML = Magnum 5.9L SMPI V-8 Engine

EM0 = All 5.9L 8 Cyl Gas Engines

1	5201 9626	1				EL0, EM0			BRACKET, Engine Mount Right
	5201 9627	1				EL0, EM0			Left
2	52019 716AB	1				EL0, EM0			INSULATOR, Engine Mount
3	6034 161	6				EL0, EM0			SCREW AND WASHER, Hex Head, .375-16x1.00
4	6025 022	2							NUT AND WASHER, Hex Nut-Coned Washer, .500-13
5	6029 286	2				EL0, EM0			STUD, Brake Support, .50-13x1.50
6	52020 287AA	1				EL0, EM0			SHIELD, Engine Mount


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Mounting, Rear 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine
Figure 009-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
EL0 = All 5.2L Engines									
EM0 = All 5.9L Engines									
DGG = 3 Speed Automatic Transmission 32RH									
DGO = All Automatic Transmissions									
DGH = 4 Speed Automatic Transmission									
DGT = 4 Speed Automatic Transmission									
1	5201 9760	1							SUPPORT, Engine Mount
2									SCREW, Hex Head, .375-16x1.25, (NOT SERVICED) (Not Serviced)
-3									SCREW, M10x1.50x35, (NOT SERVICED) (Not Serviced)
4	5201 9615	1					DGO		INSULATOR, Engine Mount
5	3420 2606	1							BOLT, Hex Head
6	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
7									BRACKET, Transmission Mount, (NOT REQUIRED)
-8	52103 216AC-	1				EL0, EM0	DGT		BRACKET, Engine Mount
9	6033 358	3				EL0, EM0	DGT		SCREW AND WASHER, Hex Head Locking, .437-14x1.25
10	6100 055	1							NUT AND WASHER, Hex Nut-Coned Washer, M12 x 1.75


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 3.9L

Engine 3.9L Six Cylinder




GROUP 3.9L - Engine 3.9L Six Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head	
Cylinder Head 3.9L (EHC) Engine	Fig. 3.9L-210
Cylinder Block	
Cylinder Block 3.9L (EHC) Engine	Fig. 3.9L-310
Crankshaft, Piston and Torque Converter	
Crankshaft, Piston and Torque Converter 3.9L (EHC) Engine	Fig. 3.9L-410
Camshafts & Valves	
Camshafts and Valves 3.9L (EHC) Engine	Fig. 3.9L-510
Timing Belt and Cover	
Timing Belt and Cover 3.9L (EHC) Engine	Fig. 3.9L-610
Engine Oiling	
Engine Oiling 3.9L (EHC) Engine	Fig. 3.9L-710
Manifolds	
Manifolds, Intake and Exhaust 3.9L (EHC) Engine	Fig. 3.9L-810
Crankcase Ventilation	
Crankcase Ventilation 3.9L (EHC) Engine	Fig. 3.9L-910

3.9L-200 Cylinder Head	3.9L-300 Cylinder Block	3.9L-400 Crankshaft, Piston and Torque Converter	3.9L-500 Camshafts & Valves
3.9L-600 Timing Belt and Cover	3.9L-700 Engine Oiling	3.9L-800 Manifolds	3.9L-900 Crankcase Ventilation

Cylinder Head 3.9L (EHC) Engine
Figure 3.9L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
Gasket Package, Engine Upper - 04897384AB									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
2	5302 0336	1				EH0			COVER, Cylinder Head w/Oil Fill Hole
	5302 0609	1				EH0			w/o Oil Fill Hole
3	5300 6699	2				EH0			GASKET, Valve Cover
4	5302 1135	2				EH0			HEAD, Cylinder
5	5302 0489	2				EH0			GASKET, Cylinder Head
6	4556 020	4				EH0			PLUG, Core, 1.25 Diameter
7	6035 878AA	12				EH0, EL0, EM0			STUD
8	6035 877AA	3				EH0			SCREW AND WASHER, Hex Head, .25-20x.875
9	5302 0188	6				EH0			SHIELD, Heat
10	6034 691	8				EH0			BOLT, Cylinder Head .50x4.625
	6034 690	8				EH0			.50-13x2.00
11	6033 560	4							NUT AND WASHER, Hex Nut-Coned Washer, .25-20
12	5302 0202	1				EH0			TUBE, Oil Filler
13	5302 0491	1				EH0, EL0, EM0			CLIP, Oil Filler Tube
14									SCREW, [.25-20x1.25], (NOT SERVICED) (Not Serviced)
15	5302 0203	1				EH0, EL0, EM0			GROMMET, Oil Filler Tube
-16	4897 384AA-	1				EH0	DG0		GASKET PACKAGE, Engine


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 3.9L (EHC) Engine
Figure 3.9L-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
Gasket Package, Engine Lower - 04720651									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4713 599	1				EH0			BLOCK, Short
2	3830 603	1				EH0			BEARING, Camshaft, #1
3	4556 020	1				EH0			PLUG, Core, 1.25 Diameter
-4	4556 022	7				EH0			PLUG, Core, 1.625 Diameter
-5	4556 023	AR				EH0, EL0, EM0			PLUG, Core, 1.695 Diameter
6	3751 818	2				EH0			PLUG, Pipe
-7	5300 9518	1				EH0			PLUG, Cylinder Block Oil Hole
8	1122 532	2				EH0			DOWEL, Block To Clutch Housing
9	0141 215	4				EH0			DOWEL, .312 x .500
10	4798 276	1							HEATER PACKAGE, Engine Block
11									O RING, Engine Block Heater
	6501 445	AR							1-11/32 Diameter, 11/64 Width
	6501 446	1							1-11/32 Diameter, 9/64 Width
12	56026 856AB	1							CORD, Engine Block Heater
13	6015 412	1							CLIP, Engine Heater Cord

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Crankshaft, Piston and Torque Converter 3.9L (EHC) Engine
Figure 3.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EH0=All 3.9L Engines DG0=All Automatic Transmissions

1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2									PISTON PIN AND ROD
	4778 863	3				EH0			#1,3,5 C Size, 3.90975
	4778 864	3				EH0			#2,4,6 C Size, 3.90975
	4778 861	3				EH0			#1,3,5 B Size, 3.90925
	4778 862	3				EH0			#2,4,6 B Size, 3.90925
	4778 865	3				EH0			#1,3,5 D Size, 3.91025
	4778 866	3				EH0			#2,4,6 D Size, 3.91025
3	4720 653	3				EH0			RING PACKAGE, Piston, Standard Size Complete Engine
4									ROD, Connecting, Serviced in Piston\, (NOT SERVICED) (Not Serviced)
5	4397 658	3				EH0			BEARING, Connecting Rod, STD.
6	4397 659	3				EH0			BEARING, Connecting Rod, .001" U/S
7	4397 662	3				EH0			BEARING, Connecting Rod, .010" U/S
8	6033 441	6				EH0			BOLT, Connecting Rod
9									BEARING PACKAGE, Crankshaft, Standard Size
	4397 778	1				EH0			#1
	4397 776	3				EH0			#1
10	4397 780	AR				EH0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1
11	4397 792	AR				EH0			BEARING PACKAGE, Crankshaft, .010 Undersize, #1
12	4720 595	1				EH0, EL0			BEARING, Crankshaft, STD., #2
13	4720 596	AR				EH0, EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #2
14	4720 593	1				EH0			BEARING PACKAGE, Crankshaft, .010 Undersize, #2
15	4397 778	1				EH0			BEARING PACKAGE, Crankshaft, Standard Size, #3
16	4397 783	AR				EH0			BEARING PACKAGE, Crankshaft, .001 Undersize, #3
17	4397 794	1				EH0			BEARING PACKAGE, Crankshaft, .010 Undersize, #3


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 3.9L (EHC) Engine
Figure 3.9L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	4397 701	1				EH0			BEARING PACKAGE, Crankshaft, Standard Size, #4
19	4397 702	AR				EH0			BEARING PACKAGE, Crankshaft, .001 Undersize, #4
20	4397 705	1				EH0			BEARING PACKAGE, Crankshaft, .010 Undersize, #4
21	5302 0601	1				EH0	DG0		CRANKSHAFT
22	1855 561	1							WASHER, Flat, .78x1.9x.250
23	1821 414	1							SCREW, Hex Head Header Point, .75-16x2.25
-24									SCREW AND WASHER, (NOT REQUIRED)
25	5302 0229	1				EH0, EL0			DAMPER, Crankshaft
26									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
27	6032 296	6				EH0			NUT, Hex, .375-24
28	6027 264	6				EH0			SCREW, Socket Hex Head, .50- 13x3.25, #1,2,3
-29	6033 300	2				EH0			SCREW, Cap, .50-13x2.80, #4
30	4778 228	1				EH0			SEAL PACKAGE, Crankshaft
31	4736 593	1				EH0	DG0		TORQUE CONVERTER
32	1949 424	6					DG0		SCREW, Hex Head Header Point, .75-16x2.25
33	5211 8256	1				EH0	DG0		PLATE, Torque Converter Drive
34	1949 765	4					DG0		SCREW, Hex Head Header Point, .312-24x.44
35	6035 948AA	1							WASHER, Sealing

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshafts and Valves 3.9L (EHC) Engine Figure 3.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EH0=All 3.9L Engines									
1	5300 8282	12				EH0			ROCKER ARM, Valve
2	5300 8283	12				EH0			PIVOT, Rocker Arm
3	6034 184	12				EH0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	6				EH0			RETAINER, Rocker Arm Pivot
5	3300 3521	24				EH0			LOCK, Valve Spring Retainer
6	3300 4626	12				EH0			RETAINER, Valve Spring
7	5302 1056	12				EH0			SPRING, Valve
8	5300 9886	6				EH0			SEAL, Valve Guide
-9	3300 3016	AR				EH0, EL0			SEAL, Valve Guide, .015" Oversize
10	5300 9887	6				EH0			SEAL, Valve Guide
-11	3300 2733	AR				EH0, EL0			SEAL, Valve Guide, .015" Oversize
12	5300 6723	6				EH0			VALVE, Intake, Standard
-13	5300 9287	AR				EH0, ELF			VALVE, Intake, .003" O/S
-14	5300 9285	AR				EH0, ELF			VALVE, Intake, .015" O/S
15	5300 6724	6				EH0			VALVE, Exhaust, Standard
-16	5300 9291	AR				EH0, EL0			VALVE, Exhaust, .003" O/S
-17	5300 9289	AR				EH0, EL0			VALVE, Exhaust, .015" O/S
18	2863 071	1				EH0			PLUG, Camshaft
19	3830 603	1				EH0			BEARING, Camshaft, #1
-20	4179 776	1				EH0			BEARING, Camshaft, #2
-21	4179 778	1				EH0			BEARING, Camshaft, #3 or #4
-22	1632 526	1				EH0			BEARING, Camshaft, #4 or #5
23	4713 439	12				EH0			TAPPET PACKAGE, Valve
24	0431 787	1							KEY, Camshaft Sprocket
25	5302 0282	1				EH0			CAMSHAFT, Engine
26	5300 6722	12				EH0			PUSH ROD, Valve
27	4387 226	1				EH0			RETAINER, Tappet Yoke Aligning
28	4483 045	6				EH0			YOKE, Tappet Aligning
29	6034 483	2				EH0			SCREW, Hex Head Coned, .312-18x.875

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Belt and Cover 3.9L (EHC) Engine
Figure 3.9L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
2	5302 1057	1				EH0,			COVER
						EL0,			GASKET, Chain Case Cover
						EM0			
3	4897 723AA	1				EH0,			COVER PACKAGE, Engine Timing
						EL0			
4	3671 649	1							TAB, Timing Chain Oil
5	53021 195AA	1				EH0			TENSIONER, Chain
6									SCREW, Hex Head, .312-18.625,
									(NOT REQUIRED)
-7	6034 483	3				EH0			SCREW, Hex Head Coned, .312-
									18x.875
8	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
9	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
10	8350 7095	1							CHAIN PACKAGE, Timing
11	6034 321	1							SCREW AND WASHER, Hex Head,
									Coned, Header, .437-14x1.375
12	6034 479	1							BOLT, Hex Head, .375-16x2.25
13	6034 452	1							STUD, .375-16x.375-16x2.38
14	6034 453	2							STUD, .375-16x.375-16x1.63
15	6034 366	1				EH0,			SCREW, Chain Case Cover Oil Hole
						EL0			

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 3.9L (EHC) Engine Figure 3.9L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4071 043	1				EH0			COVER, Engine Oil Pump
2	3837 648	1				EH0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	4315 436	1				EH0			PICKUP, Engine Oil
4	5300 9295	1				EH0			PUMP, Engine Oil
5	0179 842	2							SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EH0			BUSHING, Oil Pump and Distibutor
7	5302 0546	1				EH0,			SHAFT, Oil Pump
						EL0,			
						EM0			
8	0108 636	1				EH0			PIN, Cotter
9	2843 208	1				EH0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EH0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EH0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EH0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 5646	1				EH0			GASKET, Oil Pan
14	6034 483	14				EH0			SCREW, Hex Head Coned, .312-18x.875
15	5302 0911	1				EH0			PAN, Engine Oil
16	5302 0461	1							GASKET, Oil Filter Adapter
17	6035 417	1				EH0,			PLUG, Oil Drain, w/Gasket
						EL0			
18	5302 0931	1				EH0			INDICATOR, Engine Oil Level
19	5302 0442	1				EH0			TUBE, Engine Oil Indicator
20	5281 090	1							FILTER, Engine Oil
21	5300 7563	1							CONNECTOR, Oil Filter
22	5302 1053	1				EH0,			PLATE, Oil Filter Adapter
						EL0,			
						EM0			


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifolds, Intake and Exhaust 3.9L (EHC) Engine
Figure 3.9L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	4897 382AA	2				EH0			GASKET PACKAGE, Intake Manifold
2	4897 489AA	1				EH0			MANIFOLD, Intake
3	6035 967AA	12							SCREW AND WASHER, Hex Head
4	5300 6601	1				EH0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0,			STUD, .312-18/.312-24x2.25
						EL0,			
						EM0			
6	6034 806	4				EH0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0872	1				EH0			MANIFOLD, Exhaust
8	5301 0185	1				EH0			MANIFOLD, Exhaust
9	0118 615	4							NUT, Hex, .375-16
10	0115 729	4				EH0,			NUT, Hex, .312 x 24
						EL0,			
						EM0			
11	0181 127	4							BOLT, Hex Head, .375-16x2.25
12	4004 001	4							RETAINER, Exhaust Pipe to
									Manifold
13	6034 583	14				EH0			SCREW AND WASHER, Hex Head, .25-20x.892
14	5300 6600	1				EH0			PAN, Intake Manifold
15	5301 0091	4				EH0,			CLAMP, Exhaust Manifold
						EL0,			
						EM0			

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 3.9L (EHC) Engine
Figure 3.9L-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	53031 926AA	1				EH0			HOSE, Crankcase Vent
2	5303 0254	1				EH0, EL0, EM0			FILTER, Crankcase Vent
3	2946 079	1				EH0, EL0, EM0			GROMMET, Crankcase Vent
4	53008 675AB	1				EH0			TUBE, PCV Valve
5	5303 1134	1				EH0			VALVE, Crankcase Vent
6	5303 0017	1				EH0, EL0, EM0			GROMMET, Crankcase Vent



DODGE RAM VAN & WAGON (AB)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 5.2L

Engine 5.2L Eight Cylinder




GROUP 5.2L - Engine 5.2L Eight Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head	
Cylinder Head 5.2L (ELF) Engine	Fig. 5.2L-210
Cylinder Block	
Cylinder Block 5.2L (ELF) Engine	Fig. 5.2L-310
Crankshaft, Piston and Torque Converter	
Crankshaft, Piston and Torque Converter 5.2L (ELF) Engine	Fig. 5.2L-410
Camshafts & Valves	
Camshafts and Valves 5.2L (ELF) Engine	Fig. 5.2L-510
Timing Belt and Cover	
Timing Belt and Cover 5.2L (ELF) Engine	Fig. 5.2L-610
Engine Oiling	
Engine Oiling 5.2L (ELF) Engine	Fig. 5.2L-710
Manifolds	
Manifolds, Intake and Exhausts 5.2L (ELF) Engine	Fig. 5.2L-810
Crankcase Ventilation	
Crankcase Ventilation 5.2L (ELF) Engine	Fig. 5.2L-910

5.2L-200 Cylinder Head	5.2L-300 Cylinder Block	5.2L-400 Crankshaft, Piston and Torque Converter	5.2L-500 Camshafts & Valves
5.2L-600 Timing Belt and Cover	5.2L-700 Engine Oiling	5.2L-800 Manifolds	5.2L-900 Crankcase Ventilation

Cylinder Head 5.2L (ELF) Engine Figure 5.2L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EH0 = All 3.9L V-6 Gas Engines ELF = Magnum 5.2L SMPI V-8 Engine EL0 = All 5.2L 8 Cyl Gas Engines EM0 = All 5.9L 8 Cyl Gas Engines GASKET PACKAGE, Engine Upper - 04897385AB Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
2	53020 340AB	1				EL0, EM0			COVER, Cylinder Head With Oil Fill Hole
	53020 612AB	1				EL0, EM0			W/O Oil Fill Hole
3	5300 6695	2				EL0, EM0			GASKET, Valve Cover
4	5302 1137	2				ELF			HEAD, Cylinder
5	5302 0490	2				EL0			GASKET, Cylinder Head
6	4556 020	4				ELF			PLUG, Core, 1.25 Diameter
7	6035 878AA	12				EH0, EL0, EM0			STUD
8	6035 877AA	7				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.875
9	6035 708	1				EH0, EL0, EM0			STUD, Double Ended, .25-20x1.81, Cylinder Head Cover Mounting
10	5302 0188	8				EL0, EM0			SHIELD, Heat
11	6034 691	10				EL0, EM0			BOLT, Cylinder Head .50x4.625
	6034 690	10				EL0, EM0			.50-13x2.00
12	53021 143AA	1				EL0, EM0			TUBE, Oil Filler
13	5302 0491	1				EH0, EL0, EM0			CLIP, Oil Filler Tube

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Head 5.2L (ELF) Engine
Figure 5.2L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14									SCREW, [.25-20x1.25], (NOT SERVICED) (Not Serviced)
15	5302 0203	1				EH0, ELO, EM0			GROMMET, Oil Filler Tube
-16									GASKET PACKAGE, Engine
	4897 385AB-	1				ELF	DG0		
		1				ELN	DG0		



DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 5.2L (ELF) Engine
Figure 5.2L-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
GASKET PACKAGE, Engine Lower - 04720740									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4713 602	1				EL0			BLOCK, Short
2	3830 603	1				EL0			BEARING, Camshaft, #1
3	4556 020	1				EL0			PLUG, Core, 1.25 Diameter
-4	4556 022	9				EL0			PLUG, Core, 1.625 Diameter
-5	4556 023	AR				EH0, EL0, EM0			PLUG, Core, 1.695 Diameter
6	3751 818	2				EL0			PLUG, Pipe
-7	5300 9518	1				EL0			PLUG, Cylinder Block Oil Hole
-8									PLUG, Cylinder Block, 3/8NPT, (NOT SERVICED) (Not Serviced)
9	1122 532	2				EL0			DOWEL, Block To Clutch Housing
10	0141 215	4				EL0			DOWEL, .312 x .500
11	4798 276	1							HEATER PACKAGE, Engine Block
12									O RING, Engine Block Heater
	6501 445	AR							1-11/32 Diameter, 11/64 Width
	6501 446	1							1-11/32 Diameter, 9/64 Width
13	56026 856AB	1							CORD, Engine Block Heater
14	6015 412	1							CLIP, Engine Heater Cord
15	5302 0465	1				EL0			PLUG, Cylinder Block

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.2L (ELF) Engine
Figure 5.2L-410



Note:

DG0 = All Automatic Transmissions

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2	4778 855	4				EL0			PISTON PIN AND ROD #1,3,5,7 A, B Size, 3.90875, 3.90925
	4778 856	4				EL0			#2,4,6,8 A, B Size, 3.90875, 3.90925
	4778 857	4				EL0			#1,3,5,7 C Size, 3.90975
	4778 858	4				EL0			#2,4,6,8 C Size, 3.90975
	4778 859	4				EL0			#1,3,5,7 D Size, 3.91025
	4778 860	4				EL0			#2,4,6,8 D Size, 3.91025
3	4720 727	4				EL0			RING PACKAGE, Piston
4									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
5	2421 305	8				EL0			BEARING, Connecting Rod, STD.
6	2421 306	AR				EL0			BEARING, Connecting Rod, .001" U/S
7	2421 309	AR				EL0			BEARING, Connecting Rod, .010" U/S
8	6033 441	8				EL0			BOLT, Connecting Rod
9	4397 778	3				EL0			BEARING PACKAGE, Crankshaft, Standard Size, #1
10	4397 780	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1
11	4397 792	AR				EL0			BEARING PACKAGE, Crankshaft, .010 Undersize, #1
12	4397 777	2				EL0			BEARING PACKAGE, Crankshaft, Standard Size, #2,4
13	4397 781	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #2,4
14	4397 793	AR				EL0			BEARING PACKAGE, Crankshaft, .010 Undersize, #2,4
15	4720 595	1				EH0, EL0			BEARING, Crankshaft, STD., #3


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.2L (ELF) Engine
Figure 5.2L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4720 596	AR				EH0, EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #3
17	4720 593	1				EL0			BEARING PACKAGE, Crankshaft, .010 Undersize, #3
18	4397 701	1				EL0			BEARING PACKAGE, Crankshaft, Standard Size, #5
19	4397 702	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #5
20	4397 705	1				EL0			BEARING PACKAGE, Crankshaft, .010 Undersize, #5
21	5302 0603	1				EL0	DG0		CRANKSHAFT
22	1855 561	1							WASHER, Flat, .78x1.9x.250
23	1821 414	1							SCREW, Hex Head Header Point, .75-16x2.25
-24									SCREW AND WASHER, (NOT REQUIRED)
25	5302 0229	1				EH0, EL0			DAMPER, Crankshaft
26									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
27	6032 296	8				EL0			NUT, Hex, .375-24
28	6027 264	8				EL0			SCREW, Socket Hex Head, .50- 13x3.25, #1,2,3
-29	6033 300	2				EL0			SCREW, Cap, .50-13x2.80, #4
30	4778 228	1				EL0			SEAL PACKAGE, Crankshaft
31	4736 595	1				EL0	DG0		TORQUE CONVERTER
32	1949 424	6					DG0		SCREW, Hex Head Header Point, .75-16x2.25
33	5211 8255	1				EL0	DG0		PLATE, Torque Converter Drive
34	1949 765	4					DG0		SCREW, Hex Head Header Point, .312-24x.44
35	3515 203	1				EL0	DG0		GEAR, Ring
36	6035 948AA	1							WASHER, Sealing


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshafts and Valves 5.2L (ELF) Engine Figure 5.2L-510



Note:

EH0 = All 3.9L V-6 Gas Engines
 ELF = Magnum 5.2L SMPI V-8 Engine
 EL0 = All 5.2L 8 Cyl Gas Engines
 EM0 = All 5.9L 8 Cyl Gas Engines

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5300 8282	16				EL0, EM0			ROCKER ARM, Valve
2	5300 8283	16				EL0, EM0			PIVOT, Rocker Arm
3	6034 184	16				EL0, EM0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	8				EL0, EM0			RETAINER, Rocker Arm Pivot
5	3300 3521	32				EL0, EM0			LOCK, Valve Spring Retainer
6	3300 4626	16				EL0, EM0			RETAINER, Valve Spring
7	5302 1056	16				EL0, EM0			SPRING, Valve
8	5300 9886	8				ELF, EM0			SEAL, Valve Guide
-9	3300 3016	AR				EH0, EL0			SEAL, Valve Guide, .015" Oversize
10	5300 9887	8				ELF, EM0			SEAL, Valve Guide
-11	3300 2733	AR				EH0, EL0			SEAL, Valve Guide, .015" Oversize
12	5300 6723	8				ELF, EM0			VALVE, Intake, Standard
-13	5300 9287	AR				EH0, ELF			VALVE, Intake, .003" O/S
-14	5300 9285	AR				EH0, ELF			VALVE, Intake, .015" O/S
15	5300 6724	8				EL0, EM0			VALVE, Exhaust, Standard
-16	5300 9291	AR				EH0, EL0			VALVE, Exhaust, .003" O/S
-17	5300 9289	AR				EH0, EL0			VALVE, Exhaust, .015" O/S
18	2863 071	1				EL0			PLUG, Camshaft

DODGE RAM VAN & WAGON (AB)

SERIES
 L = Van, Wagon
 X = Conv.

LINE
 1=1500
 2=2500
 3=3500

BODY
 11=Van(109 WB)
 12=Van(127 WB)
 13=X-Van(127 WB)
 51=Wagon(109 WB)
 52=Wagon(127 WB)
 53=X-Wagon(127 WB)


ENGINE
 EHC=3.9L 6 Cyl. (MPI)
 ELF=5.2L 8 Cyl. (MPI)
 ELN=5.2L 8 Cyl. (CNG)
 ELP=5.2L 8 Cyl. (LPG)
 EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
 DGG = 32RH 3 Spd. Auto.
 DGT = 46RE 4 Spd. Auto.
 DGH = 36RH 3 Spd. Auto.
 DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshafts and Valves 5.2L (ELF) Engine
Figure 5.2L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	3830 603	1				EL0			BEARING, Camshaft, #1
-20	4179 776	1				EL0			BEARING, Camshaft, #2
-21	4179 777	1				EL0			BEARING, Camshaft, #3
-22	4179 778	1				EL0			BEARING, Camshaft, #3 or #4
-23	1632 526	1				EL0			BEARING, Camshaft, #4 or #5
24	4713 439	16				EL0, EM0			TAPPET PACKAGE, Valve
25	0431 787	1							KEY, Camshaft Sprocket
26	5302 0283	1				EL0			CAMSHAFT, Engine
27	5300 6722	16				EL0, EM0			PUSH ROD, Valve
28	4323 207	1				EL0, EM0			RETAINER, Tappet Yoke Aligning
29	4483 045	8				EL0, EM0			YOKE, Tappet Aligning
30	6034 483	2				EH0			SCREW, Hex Head Coned, .312- 18x.875


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Belt and Cover 5.2L (ELF) Engine Figure 5.2L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
2	5302 1057	1				EL0			Cover
						EH0,			GASKET, Chain Case Cover
						EL0,			
						EM0			
3	4897 723AA	1				EH0,			COVER PACKAGE, Engine Timing
						EL0			
4	3671 649	1							TAB, Timing Chain Oil
5	4315 764	1							PLATE, Camshaft Thrust
6									SCREW, Hex Head, .312-18.625,
									(NOT REQUIRED)
-7	1947 953	3							SCREW AND WASHER, Hex Head
8	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
9	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
10	8350 7095	1							CHAIN PACKAGE, Timing
11	6034 321	1							SCREW AND WASHER, Hex Head,
									Coned, Header, .437-14x1.375
12	6034 479	1							BOLT, Hex Head, .375-16x2.25
13	6034 452	1							STUD, .375-16x.375-16x2.38
14	6034 453	2							STUD, .375-16x.375-16x1.63
15	6034 366	1				EH0,			SCREW, Chain Case Cover Oil Hole
						EL0			

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.2L (ELF) Engine
Figure 5.2L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4071 043	1				EL0			COVER, Engine Oil Pump
2	3837 648	1				EL0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	4315 436	1				EH0, EL0			PICKUP, Engine Oil
4	5300 9295	1				EL0			PUMP, Engine Oil
5	0179 842	2							SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EL0			BUSHING, Oil Pump and Distibutor
7	5302 0546	1				EH0, EL0, EM0			SHAFT, Oil Pump
8	0108 636	1				EL0			PIN, Cotter
9	2843 208	1				EL0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EL0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EL0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EL0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 5650	1				EL0			GASKET, Oil Pan
14	6034 483	18				EL0, EM0			SCREW, Hex Head Coned, .312- 18x.875
15	5302 0916	1				EL0			PAN, Engine Oil
16	6035 417	1				EH0, EL0			PLUG, Oil Drain, w/Gasket
17	53020 933AC	1				EL0, EM0			INDICATOR, Engine Oil Level
18	53021 142AB	1				EL0, EM0			TUBE, Engine Oil Indicator
19	5281 090	1							FILTER, Engine Oil
20	5300 7563	1							CONNECTOR, Oil Filter
21	5302 1053	1				EH0, EL0, EM0			PLATE, Oil Filter Adapter
22	5302 0461	1							GASKET, Oil Filter Adapter

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifolds, Intake and Exhausts 5.2L (ELF) Engine
Figure 5.2L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4897 383AA	2				EL0, EM0			GASKET PACKAGE, Intake Manifold
2	4897 490AA	1				EL0, EM0			MANIFOLD, Intake
3	6035 967AA	12							SCREW AND WASHER, Hex Head
4	5300 6623	1				EL0, EM0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0, EL0, EM0			STUD, .312-18/.312-24x2.25
6	6034 806	8				EL0, EM0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0873	1				EL0			MANIFOLD, Exhaust
8	5301 0189	1				EL0			MANIFOLD, Exhaust
9	0118 615	4							NUT, Hex, .375-16
10	0115 729	4				EH0, EL0, EM0			NUT, Hex, .312 x 24
11	0181 127	4							BOLT, Hex Head, .375-16x2.25
12	4004 001	4							RETAINER, Exhaust Pipe to Manifold
13	6034 583	15				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.892
14	5300 6617	1				EL0, EM0			PAN, Intake Manifold
15	5301 0091	4				EH0, EL0, EM0			CLAMP, Exhaust Manifold

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 5.2L (ELF) Engine
Figure 5.2L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:
EH0 = All 3.9L V-6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1	5303 0081	1				EL0, EM0			HOSE, Crankcase Vent
2	5303 1135	1				EL0, EM0			VALVE, Crankcase Vent
3	5303 0017	1				EH0, EL0, EM0			GROMMET, Crankcase Vent
4	53008 675AB	1				EL0, EM0			TUBE, PCV Valve
5	5303 0254	1				EH0, EL0, EM0			FILTER, Crankcase Vent
6	2946 079	1				EH0, EL0, EM0			GROMMET, Crankcase Vent

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Group – 5.9L

Engine 5.9L Eight Cylinder




GROUP 5.9L - Engine 5.9L Eight Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head	
Cylinder Head 5.9L (EML) Engine	Fig. 5.9L-210
Cylinder Block	
Cylinder Block 5.9L (EML) Engine	Fig. 5.9L-310
Crankshaft, Piston and Torque Converter	
Crankshaft, Piston and Torque Converter 5.9L (EML) Engine	Fig. 5.9L-410
Camshafts & Valves	
Camshafts and Valves 5.9L (EML) Engine	Fig. 5.9L-510
Timing Belt and Cover	
Timing Belt and Cover 5.9L (EML) Engine	Fig. 5.9L-610
Engine Oiling	
Engine Oiling 5.9L (EML) Engine	Fig. 5.9L-710
Manifolds	
Manifolds, Intake and Exhausts 5.9L (EML) Engine	Fig. 5.9L-810
Crankcase Ventilation	
Crankcase Ventilation 5.9L (EML) Engine	Fig. 5.9L-910

5.9L-200 Cylinder Head	5.9L-300 Cylinder Block	5.9L-400 Crankshaft, Piston and Torque Converter	5.9L-500 Camshafts & Valves
5.9L-600 Timing Belt and Cover	5.9L-700 Engine Oiling	5.9L-800 Manifolds	5.9L-900 Crankcase Ventilation

Cylinder Head 5.9L (EML) Engine
Figure 5.9L-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
GASKET PACKAGE, Engine Upper - 04897386AD									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
2	53020 340AB	1				EL0, EM0			COVER, Cylinder Head w/Oil Fill Hole
	53020 612AB	1				EL0, EM0			w/o Oil Fill Hole
3	5300 6695	2				EL0, EM0			GASKET, Valve Cover
4	5302 1137	2				EM0			HEAD, Cylinder
5	5302 1098	2				EM0			GASKET, Cylinder Head
6	4556 020	4				EM0			PLUG, Core, 1.25 Diameter
7	6035 878AA	12				EH0, EL0, EM0			STUD
-8	6035 877AA-	7				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.875
9	5302 0188	8				EL0, EM0			SHIELD, Heat
10	6034 691	10				EL0, EM0			BOLT, Cylinder Head .50x4.625
	6034 690	10				EL0, EM0			.50x13x2.00
11	53021 143AA	1				EL0, EM0			TUBE, Oil Filler
12	5302 0491	1				EH0, EL0, EM0			CLIP, Oil Filler Tube
13									SCREW, [.25-20x1.25], (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Head 5.9L (EML) Engine
Figure 5.9L-210

[illegible]



DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 5.9L (EML) Engine
Figure 5.9L-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

GASKET PACKAGE, Engine Lower - 04746001
NOTE: Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.

NOTE: EM0=All 5.9L Engines									
1	4741 528AB	1				EM0			BLOCK, Short
2	3830 603	1				EM0			BEARING, Camshaft, #1
3	4556 020	2				EM0			PLUG, Core, 1.25 Diameter
-4	4556 022	8				EM0			PLUG, Core, 1.625 Diameter
5	3751 818	2				EM0			PLUG, Pipe
-6	5300 9518	1				EM0			PLUG, Cylinder Block Oil Hole
-7									PLUG, Cylinder Block, 3/8NPT, (NOT SERVICED) (Not Serviced)
8	1122 532	2				EM0			DOWEL, Block To Clutch Housing
9	0141 215	4				EM0			DOWEL, .312 x .500
10	4798 276	1							HEATER PACKAGE, Engine Block
11									O RING, Engine Block Heater
	6501 445	AR							1-11/32 Diameter, 11/64 Width
	6501 446	1							1-11/32 Diameter, 9/64 Width
12	56026 856AB	1							CORD, Engine Block Heater
13	6015 412	1							CLIP, Engine Heater Cord

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Crankshaft, Piston and Torque Converter 5.9L (EML) Engine
Figure 5.9L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EM0=All 5.9L Engines DG0=All Automatic Transmissions									
1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2									PISTON AND PIN
	4778 871	4				EM0			#1,3,5,7 B Size, 3.99975
	4778 872	4				EM0			#2,4,6,8 B Size, 3.99975
	4778 875	4				EM0			#1,3,5,7 D Size, 4.00075
	4778 873	4				EM0			#1,3,5,7 C Size, 4.00025
	4778 874	4				EM0			#2,4,6,8 C Size, 4.00025
	4778 876	4				EM0			#2,4,6,8 D Size, 4.00075
3	4740 259	4				EM0			RING, Piston
4									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
5	2421 305	4				EM0			BEARING, Connecting Rod, STD.
-6	2421 306	4				EM0			BEARING, Connecting Rod, .001" U/S
-7	2421 309	4				EM0			BEARING, Connecting Rod, .010" U/S
8	6033 441	8				EM0			BOLT, Connecting Rod
9	4026 487	3				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #1,2,4
10	4026 488	3				EM0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1,2,4
11	4026 491	3				EM0			BEARING PACKAGE, Crankshaft, .010 Undersize, #1,2,4
12	4713 030	1				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #3
13	4713 032	1				EM0			BEARING PACKAGE, Crankshaft, .001 Undersize, #3
14	4713 036	1				EM0			BEARING, Crankshaft Thrust, .010" U/S, #3
15	3780 100	1				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #5
16	3780 101	1				EM0			BEARING PACKAGE, Crankshaft, .001 Undersize, #5
17	3780 104	1				EM0			BEARING PACKAGE, Crankshaft, .010 Undersize, #5
18	4790 759AB	1				EM0	DG0		CRANKSHAFT AND KEY
19	1855 561	1							WASHER, Flat, .78x1.9x.250

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.9L (EML) Engine
Figure 5.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	1821 414	1							SCREW, Hex Head Header Point, .75-16x2.25
-21									SCREW AND WASHER, (NOT REQUIRED)
22	5302 0182	1				EM0			DAMPER, Crankshaft
23									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
24	6032 296	8				EM0			NUT, Hex, .375-24
25	6027 264	10				EM0			SCREW, Socket Hex Head, .50- 13x3.25
26	4798 216AB	2				EM0			SEAL PACKAGE, Crankshaft
27	4736 591	1				EM0	DG0		TORQUE CONVERTER
28	1949 424	6					DG0		SCREW, Hex Head Header Point, .75-16x2.25
29	4863 841	1				EM0	DG0		PLATE, Torque Converter Drive
30	1949 765	4					DG0		SCREW, Hex Head Header Point, .312-24x.44
31	3515 203	1				EM0	DG0		GEAR, Ring
32	6035 948AA	1							WASHER, Sealing

DODGE RAM VAN & WAGON (AB)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshafts and Valves 5.9L (EML) Engine

Figure 5.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	5300 8282	16				EL0, EM0			ROCKER ARM, Valve
2	5300 8283	16				EL0, EM0			PIVOT, Rocker Arm
3	6034 184	16				EL0, EM0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	8				EL0, EM0			RETAINER, Rocker Arm Pivot
5	3300 3521	32				EL0, EM0			LOCK, Valve Spring Retainer
6	3300 4626	16				EL0, EM0			RETAINER, Valve Spring
7	5302 1056	16				EL0, EM0			SPRING, Valve
8	5300 9886	8				ELF, EM0			SEAL, Valve Guide
-9									SEAL, Valve Guide, .015" Oversize, (NOT REQUIRED)
10	5300 9887	8				ELF, EM0			SEAL, Valve Guide
-11									SEAL, Valve Guide, .015" Oversize, (NOT REQUIRED)
12	5300 6723	8				ELF, EM0			VALVE, Intake, Standard
-13									VALVE, Intake, .003" O/S, (NOT REQUIRED)
-14									VALVE, Intake, .015" O/S, (NOT REQUIRED)
15	5300 6724	8				EL0, EM0			VALVE, Exhaust, Standard
-16									VALVE, Exhaust, .003" O/S, (NOT REQUIRED)
-17									VALVE, Exhaust, .015" O/S, (NOT REQUIRED)
18	2863 071	1				EM0			PLUG, Camshaft
19	3830 603	1				EM0			BEARING, Camshaft, #1


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshafts and Valves 5.9L (EML) Engine Figure 5.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-20	4179 776	1				EM0			BEARING, Camshaft, #2
-21	4179 777	1				EM0			BEARING, Camshaft, #3
-22	4179 778	1				EM0			BEARING, Camshaft, #3 or #4
-23	1632 526	1				EM0			BEARING, Camshaft, #4 or #5
24	4713 439	16				EL0,			TAPPET PACKAGE, Valve
						EM0			
25	0431 787	1							KEY, Camshaft Sprocket
26	5302 1101	1				EM0			CAMSHAFT, Engine
27	5300 6722	16				EL0,			PUSH ROD, Valve
						EM0			
28	4323 207	1				EL0,			RETAINER, Tappet Yoke Aligning
						EM0			
29	4483 045	8				EL0,			YOKE, Tappet Aligning
						EM0			
30	6034 483	2				EH0			SCREW, Hex Head Coned, .312-18x.875

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Belt and Cover 5.9L (EML) Engine Figure 5.9L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DG0 = All Automatic Transmissions									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4897 297AA	1				EM0			SEAL PACKAGE, Timing Case Cover
2	5302 1057	1				EH0, EL0, EM0			GASKET, Chain Case Cover
3	4897 723AA	1				EM0			COVER PACKAGE, Engine Timing
4	3671 649	1				EM0			TAB, Timing Chain Oil
5	4315 764	1				EM0			PLATE, Camshaft Thrust
6									SCREW, Hex Head, .312-18.625, (NOT REQUIRED)
-7	6034 483	3				EL0, EM0			SCREW, Hex Head Coned, .312-18x.875
8	6029 411	1				EM0	DG0		KEY, Crankshaft Sprocket
9	6029 411	1				EM0	DG0		KEY, Crankshaft Sprocket
10	8350 7095	1				EM0			CHAIN PACKAGE, Timing
11	6034 321	1							SCREW AND WASHER, Hex Head, Coned, Header, .437-14x1.375
12	6034 479	1							BOLT, Hex Head, .375-16x2.25
13	6034 452	1							STUD, .375-16x.375-16x2.38
14	6034 453	2							STUD, .375-16x.375-16x1.63

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.9L (EML) Engine Figure 5.9L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4071 043	1				EM0			COVER, Engine Oil Pump
2	3837 648	1				EM0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	4315 436	1				EM0			PICKUP, Engine Oil
4	5300 9295	1				EM0			PUMP, Engine Oil
5	0179 842	2							SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EM0			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EH0,			SHAFT, Oil Pump
						ELO,			
						EM0			
8	0108 636	1				EM0			PIN, Cotter
9	2843 208	1				EM0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EM0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EM0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EM0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 8610	1				EM0			GASKET, Oil Pan
14	6034 483	18				ELO,			SCREW, Hex Head Coned, .312-18x.875
						EM0			
15	53020 914AB	1				EM0			PAN, Engine Oil
16	6035 417	1				EM0			PLUG, Oil Drain, w/Gasket
17	53020 933AC	1				ELO,			INDICATOR, Engine Oil Level
						EM0			
18	53021 142AB	1				ELO,			TUBE, Engine Oil Indicator
						EM0			
19	5281 090	1							FILTER, Engine Oil
20	5300 7563	1							CONNECTOR, Oil Filter
21	5302 1053	1				EH0,			PLATE, Oil Filter Adapter
						ELO,			
						EM0			
22	5302 0461	1							GASKET, Oil Filter Adapter

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifolds, Intake and Exhausts 5.9L (EML) Engine
Figure 5.9L-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DG0 = All Automatic Transmissions									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
Packages Do Not Contain Gasket For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4897 383AA	2				EL0, EM0			GASKET PACKAGE, Intake Manifold
2	4897 490AA	1				EL0, EM0			MANIFOLD, Intake
3	6035 967AA	12							SCREW AND WASHER, Hex Head
4	5300 6623	1				EL0, EM0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0, EL0, EM0			STUD, .312-18/.312-24x2.25
6	6034 806	8				EL0, EM0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0873	1				EM0			MANIFOLD, Exhaust
8	5301 0189	1				EM0			MANIFOLD, Exhaust
9	0118 615	4							NUT, Hex, .375-16
10	0115 729	4				EH0, EL0, EM0			NUT, Hex, .312 x 24
11	0181 127	4							BOLT, Hex Head, .375-16x2.25
12	5300 6617	1				EL0, EM0			PAN, Intake Manifold
13	4004 001	4							RETAINER, Exhaust Pipe to Manifold
14									PLUG, 3/8-18, (NOT SERVICED) (Not Serviced)
15	5301 0091	4				EH0, EL0, EM0			CLAMP, Exhaust Manifold
16	6034 583	15				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.892

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 5.9L (EML) Engine
Figure 5.9L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EM0=All 5.9L Engines

1	5303 0081	1				EL0, EM0			HOSE, Crankcase Vent
2	5303 1135	1				EL0, EM0			VALVE, Crankcase Vent
3	5303 0017	1				EH0, EL0, EM0			GROMMET, Crankcase Vent
4	53008 675AB	1				EL0, EM0			TUBE, PCV Valve
5	5303 0254	1				EH0, EL0, EM0			FILTER, Crankcase Vent
6	2946 079	1				EH0, EL0, EM0			GROMMET, Crankcase Vent


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 5.2LLP

Engine 5.2L Eight Cylinder (Propane Gas)




1	2	3	4	5
Head	Block	Crankshaft	Camshaft	Valves
5.2L-900	5.2LLP-500	5.2L-200	5.2LLP-600	5.2L-800

GROUP 5.2LLP - Engine 5.2L Eight Cylinder (Propane Gas)

Illustration Title	Group-Fig. No.
Cylinder Head Cylinder Head 5.2L (ELP) Engine	Fig. 5.2LLP-220
Cylinder Block Cylinder Block 5.2L (ELP) Engine	Fig. 5.2LLP-320
Crankshaft and Piston Crankshaft, Piston and Torque Converter 5.2L (ELP) Engine	Fig. 5.2LLP-420
Camshafts & Valves Camshaft and Valves 5.2L (ELP) Engine	Fig. 5.2LLP-520
Timing Belt and Cover Timing Belt and Cover 5.2L (ELP) Engine	Fig. 5.2LLP-620
Engine Oiling Engine Oiling 5.2L (ELP) Engine	Fig. 5.2LLP-720
Manifolds Manifolds, Intake and Exhaust 5.2L (ELP) Engine	Fig. 5.2LLP-820
Crankcase Ventilation Crankcase Ventilation 5.2L (ELP) Engine	Fig. 5.2LLP-920

5.2LLP-200 Cylinder Head	5.2LLP-300 Cylinder Block	5.2LLP-400 Crankshaft and Piston	5.2LLP-500 Camshafts & Valves
5.2LLP-600 Timing Belt and Cover	5.2LLP-700 Engine Oiling	5.2LLP-800 Manifolds	5.2LLP-900 Crankcase Ventilation

Cylinder Head 5.2L (ELP) Engine Figure 5.2LLP-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELN = 5.2L V-8 MPI CNG Engine									
ELP = 5.2L V-8 LPG Engine									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
Gasket Package, Engine Upper - 04897385AA									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4777 536	1				EH0,			CAP, Oil Filler
						ELO,			
						EM0			
2	53020 340AB	1				ELO,			COVER, Cylinder Head w/o Oil Fill Hole
						EM0			
	53020 612AB	1				ELO,			w/Oil Fill Hole
						EM0			
3	5300 6695	2				ELO,			GASKET, Valve Cover
						EM0			
4	5302 1138	2				ELN,			HEAD, Cylinder
						ELP			
5	5302 0490	2				ELO			GASKET, Cylinder Head
6	4556 020	4				ELN,			PLUG, Core, 1.25 Diameter
						ELP			
7	6035 878AA	12				EH0,			STUD
						ELO,			
						EM0			
-8	6035 877AA-	7				ELN,			SCREW AND WASHER, Hex Head, .25-20x.875
						EM0			
9	5302 0188	8				ELO,			SHIELD, Heat
						EM0			
10									BOLT, Cylinder Head
	6034 691	10				ELO,			.50x4.625
						EM0			
	6034 690	10				ELO,			.50-13x2.00
						EM0			
11	53021 143AA	1				ELO,			TUBE, Oil Filler
						EM0			
12	5302 0491	1				EH0,			CLIP, Oil Filler Tube
						ELO,			
						EM0			

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Head 5.2L (ELP) Engine
Figure 5.2LLP-220





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13									SCREW, [.25-20x1.25], (NOT SERVICED) (Not Serviced)
14	5302 0203	1				EH0, EL0, EM0			GROMMET, Oil Filler Tube
-15	4897 385AB-	1				ELF	DG0		GASKET PACKAGE, Engine

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 5.2L (ELP) Engine
Figure 5.2LLP-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
Gasket Package, Engine Lower - 04720740									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4713 602	1				EL0			BLOCK, Short
2	3830 603	1				EL0			BEARING, Camshaft, #1
3	4556 020	1				EL0			PLUG, Core, 1.25 Diameter
-4	4556 022	9				EL0			PLUG, Core, 1.625 Diameter
-5	4556 023	AR				EH0, EL0, EM0			PLUG, Core, 1.695 Diameter
6	3751 818	2				EL0			PLUG, Pipe
-7	5300 9518	1				EL0			PLUG, Cylinder Block Oil Hole
-8									PLUG, Cylinder Block, 3/8NPT, (NOT REQUIRED)
9	1122 532	2				EL0			DOWEL, Block To Clutch Housing
10	0141 215	4				EL0			DOWEL, .312 x .500
11	4798 276	1							HEATER PACKAGE, Engine Block
12									O RING, Engine Block Heater
	6501 445	AR							1-11/32 Diameter, 11/64 Width
	6501 446	1							1-11/32 Diameter, 9/64 Width
13	56026 856AB	1							CORD, Engine Block Heater
14	6015 412	1							CLIP, Engine Heater Cord
15	5302 0465	1				EL0			PLUG, Cylinder Block

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.2L (ELP) Engine
Figure 5.2LLP-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DG0 = All Automatic Transmissions

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2	4778 855	4				EL0			PISTON PIN AND ROD #1,3,5,7 A, B Size, 3.90875, 3.90925
	4778 857	4				EL0			#1,3,5,7 C Size, 3.90975
	4778 856	4				EL0			#2,4,6,8 A, B Size, 3.90875, 3.90925
	4778 858	4				EL0			#2,4,6,8 C Size, 3.90975
	4778 859	4				EL0			#1,3,5,7 D Size, 3.91025
	4778 860	4				EL0			#2,4,6,8 D Size, 3.91025
3	4720 727	4				EL0			RING PACKAGE, Piston
4									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
5	2421 305	4				EL0			BEARING, Connecting Rod, STD.
6	2421 306	AR				EL0			BEARING, Connecting Rod, .001" U/S
7	2421 309	AR				EL0			BEARING, Connecting Rod, .010" U/S
8	6033 441	8				EL0			BOLT, Connecting Rod
9	4397 776	1				EH0, EL0			BEARING PACKAGE, Crankshaft, Standard Size, #1
10	4397 780	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1
11	4397 792	AR				EL0			BEARING PACKAGE, Crankshaft, .010 Undersize, #1
12	4397 777	2				EL0			BEARING PACKAGE, Crankshaft, Standard Size, #2,4
13	4397 781	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #2,4
14	4397 793	AR				EL0			BEARING PACKAGE, Crankshaft, .010 Undersize, #2,4
15	4720 595	1				EH0, EL0			BEARING, Crankshaft, STD., #3

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500


BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Crankshaft, Piston and Torque Converter 5.2L (ELP) Engine Figure 5.2LLP-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4720 596	AR				EH0,			BEARING PACKAGE, Crankshaft,
						EL0			.001 Undersize, #3
17	4720 593	1				EL0			BEARING PACKAGE, Crankshaft,
									.010 Undersize, #3
18	4397 701	1				EL0			BEARING PACKAGE, Crankshaft,
									Standard Size, #5
19	4397 702	AR				EL0			BEARING PACKAGE, Crankshaft,
									.001 Undersize, #5
20	4397 705	1				EL0			BEARING PACKAGE, Crankshaft,
									.010 Undersize, #5
21	5302 0603	1				EL0	DG0		CRANKSHAFT
22	1855 561	1							WASHER, Flat, .78x1.9x.250
23	1821 414	1							SCREW, Hex Head Header Point,
									.75-16x2.25
-24									SCREW AND WASHER, (NOT REQUIRED)
25	5302 0229	1				EH0,			DAMPER, Crankshaft
						EL0			
26									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
27	6032 296	8				EL0			NUT, Hex, .375-24
28	6027 264	8				EL0			SCREW, Socket Hex Head, .50- 13x3.25, #1,2,3
-29	6033 300	2				EL0			SCREW, Cap, .50-13x2.80, #4
30	4778 228	1				EL0			SEAL PACKAGE, Crankshaft
31	3515 203	1				EL0	DG0		GEAR, Ring
32	4736 595	1				EL0	DG0		TORQUE CONVERTER
33	1949 424	6					DG0		SCREW, Hex Head Header Point, .75-16x2.25
34	5211 8255	1				EL0	DG0		PLATE, Torque Converter Drive
35	1949 765	4					DG0		SCREW, Hex Head Header Point, .312-24x.44
36	6035 948AA	1							WASHER, Sealing

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500


BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Camshaft and Valves 5.2L (ELP) Engine Figure 5.2LLP-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
ELP = 5.2L V-8 LPG Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	5300 8282	16				EL0, EM0			ROCKER ARM, Valve
2	5300 8283	16				EL0, EM0			PIVOT, Rocker Arm
3	6034 184	16				EL0, EM0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	8				EL0, EM0			RETAINER, Rocker Arm Pivot
5	3300 3521	32				EL0, EM0			LOCK, Valve Spring Retainer
6	3300 4626	16				EL0, EM0			RETAINER, Valve Spring
7	5302 1056	16				EL0, EM0			SPRING, Valve
8	5300 9886	8				ELF, EM0			SEAL, Valve Guide
-9	3300 3016	AR				EH0, EL0			SEAL, Valve Guide, .015" Oversize
10	5300 9887	8				ELF, EM0			SEAL, Valve Guide
-11	3300 2733	AR				EH0, EL0			SEAL, Valve Guide, .015" Oversize
12	5302 0319	8				ELN, ELP			VALVE, Intake, Standard
-13	5300 9287	AR				EH0, ELF			VALVE, Intake, .003" O/S
-14	5300 9285	AR				EH0, ELF			VALVE, Intake, .015" O/S
15	5300 6724	8				EL0, EM0			VALVE, Exhaust, Standard
-16	5300 9291	AR				EH0, EL0			VALVE, Exhaust, .003" O/S
-17	5300 9289	AR				EH0, EL0			VALVE, Exhaust, .015" O/S

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 5.2L (ELP) Engine
Figure 5.2LLP-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	2863 071	1				EL0			PLUG, Camshaft
19	3830 603	1				EL0			BEARING, Camshaft, #1
-20	4179 776	1				EL0			BEARING, Camshaft, #2
-21	4179 777	1				EL0			BEARING, Camshaft, #3
-22	4179 778	1				EL0			BEARING, Camshaft, #3 or #4
-23	1632 526	1				EL0			BEARING, Camshaft, #4 or #5
24	4713 439	16				EL0, EM0			TAPPET PACKAGE, Valve
25	0431 787	1							KEY, Camshaft Sprocket
26	5302 0283	1				EL0			CAMSHAFT, Engine
27	5300 6722	16				EL0, EM0			PUSH ROD, Valve
28	4323 207	1				EL0, EM0			RETAINER, Tappet Yoke Aligning
29	4483 045	8				EL0, EM0			YOKE, Tappet Aligning
30	6034 483	3				EL0, EM0			SCREW, Hex Head Coned, .312- 18x.875

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Belt and Cover 5.2L (ELP) Engine Figure 5.2LLP-620

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
2	5302 1057	1				EL0			Cover
						EH0,			GASKET, Chain Case Cover
						EL0,			
						EM0			
3	4897 723AA	1				EH0,			COVER PACKAGE, Engine Timing
						EL0			
4	3671 649	1							TAB, Timing Chain Oil
5	4315 764	1							PLATE, Camshaft Thrust
6	6034 483	3				EL0,			SCREW, Hex Head Coned, .312-
						EM0			18x.875
7	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
8	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
9	8350 7095	1				EH0,			CHAIN PACKAGE, Timing
						EL0			
10	6034 321	1							SCREW AND WASHER, Hex Head,
									Coned, Header, .437-14x1.375
11	6034 479	1							BOLT, Hex Head, .375-16x2.25
12	6034 452	1							STUD, .375-16x.375-16x2.38
13	6034 453	2							STUD, .375-16x.375-16x1.63

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.2L (ELP) Engine Figure 5.2LLP-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4071 043	1				EL0			COVER, Engine Oil Pump
2	3837 648	1				EL0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	5302 0462	1				EL0			PICKUP, Engine Oil
4	5300 9295	1				EL0			PUMP, Engine Oil
5	0179 842	2							SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EL0			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EH0,			SHAFT, Oil Pump
						EL0,			EM0
8	0108 636	1				EL0			PIN, Cotter
9	2843 208	1				EL0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EL0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EL0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EL0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 5650	1				EL0			GASKET, Oil Pan
14	6034 483	18				EL0,			SCREW, Hex Head Coned, .312-18x.875
						EM0			
15	5302 0916	1				EL0			PAN, Engine Oil
16	6035 417	1				EH0,			PLUG, Oil Drain, w/Gasket
						EL0			
17	53020 933AC	1				EL0,			INDICATOR, Engine Oil Level
						EM0			
18	53021 142AB	1				EL0,			TUBE, Engine Oil Indicator
						EM0			
19	5281 090	1							FILTER, Engine Oil
20	5300 7563	1							CONNECTOR, Oil Filter
21	5302 1053	1				EH0,			PLATE, Oil Filter Adapter
						EL0,			
						EM0			
22	5302 0461	1							GASKET, Oil Filter Adapter

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifolds, Intake and Exhaust 5.2L (ELP) Engine
Figure 5.2LLP-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4897 383AA	2				EL0, EM0			GASKET PACKAGE, Intake Manifold
2	4897 490AA	1				EL0, EM0			MANIFOLD, Intake
3	6035 967AA	12							SCREW AND WASHER, Hex Head
4	5300 6623	1				EL0, EM0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0, EL0, EM0			STUD, .312-18/.312-24x2.25
6	6034 806	8				EL0, EM0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0873	1				EL0			MANIFOLD, Exhaust, Right
8	5301 0189	1				EL0			MANIFOLD, Exhaust, Left
9	0118 615	4							NUT, Hex, .375-16
10	0115 729	4				EH0, EL0, EM0			NUT, Hex, .312 x 24
11	0181 127	4							BOLT, Hex Head, .375-16x2.25
12	4004 001	4							RETAINER, Exhaust Pipe to Manifold
13	6034 583	15				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.892
14	5300 6617	1				EL0, EM0			PAN, Intake Manifold
15	5301 0091	4				EH0, EL0, EM0			CLAMP, Exhaust Manifold

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 5.2L (ELP) Engine
Figure 5.2LLP-920



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	5303 0081	1				EL0, EM0			HOSE, Crankcase Vent
2	5303 1135	1				EL0, EM0			VALVE, Crankcase Vent
3	5303 0017	1				EH0, EL0, EM0			GROMMET, Crankcase Vent
4	53008 675AB	1				EL0, EM0			TUBE, PCV Valve
5	5303 0254	1				EH0, EL0, EM0			FILTER, Crankcase Vent
6	2946 079	1				EH0, EL0, EM0			GROMMET, Crankcase Vent


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		



Group – 011

Exhaust


GROUP 11 - Exhaust

Illustration Title	Group-Fig. No.
Exhaust System	
Exhaust System 3.9L (EHC), 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine	Fig. 011-135
Heat Shields	
Heat Shields	Fig. 011-230



011-100 Exhaust System	011-200 Heat Shields		
			

**Exhaust System 3.9L (EHC), 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine
Figure 011-135**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EHC = Magnum 3.9L SMPI V-6 Engine ELF = Magnum 5.2L SMPI V-8 ELN = 5.2L V-8 MPI CNG Engine ELP = 5.2L V-8 LPG Engine EL0 = All 5.2L 8 Cyl Gas Engines EML = Magnum 5.9L SMPI V-8 Engine EM0 = All 5.9L 8 Cyl Gas Engines									
1	0181 127	4							BOLT, Hex Head, .375-16x2.25
2	4004 001	4							RETAINER, Exhaust Pipe to Manifold
3	0118 615	4							NUT, Hex, .375-16
4									CONVERTER, Catalytic
	52022 027AB	1				ELF			Leaded Gas
	52022 028AB	1				ELF, EML			Federal
	52022 029AB	1				EHC			Federal and California
	52103 470AB	1				ELP			Federal and Mexico
	52103 530AA	1				EL0			With Pipes - Federal
	5019 087AC	1				EM0			Federal
	52022 028AC	1				ELF, EML			
5									MUFFLER, Exhaust
	5202 2009	1				EL0, EML			
	5202 2017	1				EHC			
6	4004 445	1							CLAMP, Exhaust
7	5201 7607	2							INSULATOR, Exhaust
8									BRACKET, Muffler
	52103 048AB	1			12, 13, 52, 53				
	52103 047AB	1	1		11, 51				
9	6501 648	2							SCREW, Hex Flange Head, M8x1.25x25.00
10									SCREW, [.312-18x.750], (NOT SERVICED) (Not Serviced)
11	6504 581	1							NUT, M8x1.25
12	5210 3001	1							BRACKET, Tailpipe
13	5210 3063	1							INSULATOR, Exhaust
14									NUT, [M8x1.25], (NOT SERVICED) (Not Serviced)


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust System 3.9L (EHC), 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine
Figure 011-135



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	6503 200	1							SCREW AND WASHER, Hex Head, M8x1.25x50
16	52020 075AB	1	1		11, 51				TAILPIPE, Exhaust
	52020 076AB	1			12, 13, 52, 53				
-17									PIPE, Exhaust, (NOT REQUIRED)


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Heat Shields

Figure 011-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD, Heat
	55347 448AA	1	1		11, 51				
	55347 449AA	1			12, 13, 52, 53				
2	55347 453AD	1							SHIELD, Heat, Side Sill
3	55347 450AB	1							SHIELD, Heat
4	6101 777	25							SCREW, Hex Flange Head Tapping, M6x1.00x20.00

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 013

Frames and Bumpers

GROUP 13 - Frames and Bumpers

Illustration Title Group-Fig. No.

Frames


Frame Fig. 013-120

Front Bumper and Fascia

Bumper, Front Fig. 013-230

Rear Bumper and Fascia

Bumper, Rear Fig. 013-320



013-100 Frames	013-200 Front Bumper and Fascia	013-300 Rear Bumper and Fascia	
--	---	--	--

Frame
Figure 013-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55347 223AB	1							CROSSMEMBER, Transmission
2	55346 580AC	1							CROSSMEMBER, Front Floor
3	55347 255AB	1							CROSSMEMBER, Front Suspension
4	55347 264AB	1			13, 53				CROSSMEMBER, Fuel Tank
5	6033 869	2							BOLT, Hex Flange Head, .50-13x1. 75
6	52009 840AB	1							BRACKET, Brake Hose
7	5534 6781	1			13, 53				REINFORCEMENT, Rear Spring
8									EXTENSION, Underbody Rail
	52019 632AE	1							Right
	52019 633AE	1							Left
9	5534 6765	2							REINFORCEMENT, Frame Rail to Side Panel
10									RAIL, body side
	5534 6637	1			13, 53				127X Wheel Base, Left
	55347 368AB	1	1		11, 51				109 Wheel Base, Left
	5534 6633	1			12, 52				127 Wheel Base, Left
	55346 636AB	1	1		11, 51				109 Wheel Base, Right
	5534 7370	1			12, 52				127 Wheel Base, Right
	5534 7372	1			13, 53				127X Wheel Base, Right
11									SUPPORT, Rear Spring
	55347 041AB	1							Right
	55347 046AC	1							Left
12									SLEEVE, Shock Absorber
	4351 044	1			13, 53				
		1	1		11, 51				
		1			12, 52				
13									REINFORCEMENT, Frame Rail to Rear Axle
	4033 805	1			13, 53				
		1	1		11, 51				
		1			12, 52				
14	55346 638AB	1							REINFORCEMENT, Underbody
15									Front Panel
	55347 348AB	1			13, 53				SUPPORT, Rear Spring
	55347 349AB	1			13, 53				Right
									Left
16									PLATE, Rear Shock
	2956 068	1			13, 53				
		1	1		11, 51				

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)



ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Frame
Figure 013-120**

[illegible]


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bumper, Front
Figure 013-230


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BUMPER, Front
	55076 934AA	1							Bright
	5GA48 MSAAA	1							Painted
2	5507 6500	1							COVER, Bumper
3									SUPPORT, Bumper
	55076 872AA	1							Right
	55076 873AA	1							Left
4									BRACKET, Bumper
	5507 6504	1							Right
	5507 6505	1							Left
5	5507 6497	2							SHIELD, Bumper
6	6504 122	2							BOLT, m12x1.75x35.00
7	6100 055	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M12 x 1.75
8	6027 958	4							NUT, Snap In, .25
9									SCREW, (NOT SERVICED) (Not Serviced)
-10	55055 827AC-	1							SEAL, Radiator, Filler Front Bumper



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Bumper, Rear
Figure 013-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6033 841	8							SCREW AND WASHER, Hex Flange Head, .437-14x1.30
2									NUT, (NOT SERVICED) (Not Serviced)
3									SCREW, (NOT SERVICED) (Not Serviced)
4	6027 958	2							NUT, Snap In, .25
5	5523 4804	1							BRACKET, Rear Bumper Right
	5523 4805	1							Left
6									WASHER, Flat, .531x1.09, (NOT SERVICED) (Not Serviced)
7									BUMPER, Step
	5523 4668	1							Chrome, [MKE]
	5CP0 0MSA	1							Painted
8	5523 4681	1							COVER, Bumper, (Step Pad)
9									SCREW, (NOT SERVICED) (Not Serviced)
10	6031 614	2							BOLT, Round Head, .437-14x1.12, Bumper Support, Attaching
11									NUT, (NOT SERVICED) (Not Serviced)
12	6033 841	8							SCREW AND WASHER, Hex Flange Head, .437-14x1.30
13	6030 846	6							BOLT, Hex Head, .50-13x1.75
14	6030 846	6							BOLT, Hex Head, .50-13x1.75
15	5507 6393	1							BUMPER, Step, Rear, Bright, [MBF]
16	5507 6396	1							STEP PAD, Rear Bumper
17									BRACKET, Rear Bumper
	5507 6398	1							Right
	5507 6399	1							Left


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Group – 014








Fuel



Group – 014

Fuel

014-900 Air Intake System	014-1000 Speed Control	014-1100 Accelerator Pedal	
			

014-100 Tank, Fuel	014-200 Fuel Tank Filler Tube	014-300 Fuel Lines	014-400 Fuel Rail
			
014-500 Fuel Pump and Sending Unit	014-600 Throttle Body	014-700 Throttle Controls	014-800 Air Cleaner
			



GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
Tank, Fuel	
Fuel Tank 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-115
Fuel Cylinder 5.2L (ELP) Engine	Fig. 014-150
Fuel Tank Filler Tube	
Fuel Tank Filler Tube 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-240
Fuel Cylinder Filler Tube 5.2L (ELP) Engine	Fig. 014-250
Fuel Lines	
Fuel Lines, Front 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-315
Fuel Lines, Rear 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-330
Fuel Lines, Front 5.2L (ELP) Engine	Fig. 014-360
Fuel Lines, Rear 5.2L (ELP) Engine	Fig. 014-380
Fuel Rail	
Fuel Rail 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-410
Fuel Rail 5.2L (ELP) Engine	Fig. 014-450
Fuel Pump and Sending Unit	
Fuel Module 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-510
Fuel Module 5.2L (ELP) Engine	Fig. 014-530
Throttle Body	
Throttle Body 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-620
Throttle Controls	
Throttle Controls 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-720
Air Cleaner	
Air Cleaner 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-820
Air Intake System	
Air Intake System 3.9L (EHC), 5.2L (ELF), 5.2L (ELN), 5.2L (ELP), 5.9L (EML) Engine	Fig. 014-910
Speed Control	
Speed Control	Fig. 014-1020
Accelerator Pedal	
Accelerator Pedal	Fig. 014-1110



Fuel Tank 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-115

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	52127 927AD	1				EH0, ELF, EM0			TANK, Fuel 32 Gallon
	52127 928AD	1				EH0, ELF, EM0			35 Gallon
2	52102 189AB	2				EH0, ELF, EM0			J BOLT, Fuel Tank Support
3	6503 073	2				EH0, ELF, EM0			NUT, Nylock Hex, M10x1.5
4	52102 181AB	1				EH0, ELF, EM0			STRAP, Fuel Tank, Front
5	52102 182AB	1				EH0, ELF, EM0			STRAP, Fuel Tank, Rear
6	5210 2188	1				EH0, ELF, EM0			SLEEVE, Fuel Filler Vent Hose
7	4206 059	1				EH0, ELF, EM0			LABEL, Unleaded Fuel Only
8	52102 334AC	1				EH0, ELF, EM0			SHIELD, Fuel Tank 35 Gallon
	52102 335AC	1				EH0, ELF, EM0			32 Gallon
-9	52028 787AA-	4				EH0, ELF, EM0			RETAINER

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Cylinder 5.2L (ELP) Engine
Figure 014-150

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
ELP = 5.2L V-8 LPG Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


1	5212 8014	1				ELP			TANK, Fuel
2	5210 2205	2				ELP			STRAP, Fuel Tank
3									STUD
	5212 8028	2			11, 12, 51, 52	ELP			
	5212 8029	2			13, 53	ELP			
4	5210 2215	1				ELP			STRAP, Fuel Tank
5	5212 8031	1				ELP			STUD
6	0152 344	2							NUT, .375-16
7	5212 8018	1				ELP			PLATE
8	0154 815	2				ELP			SCREW AND WASHER, Hex

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Tank Filler Tube 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-240



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


1	4682 674	1				EH0, ELF, EM0			CAP, Fuel Filler
2	52102 621AB	1				EH0, EL0, EML			TUBE, Fuel Filler 35 Gallon, Leaded
	52127 944AD	1				EH0, EL0, EML			35 Gallon, Unleaded
	52102 437AD	1				EH0, EL0, EML			32 Gallon, Unleaded
	52102 620AB	1				EH0, EL0, EML			32 Gallon, Leaded
3									SCREW, (NOT SERVICED) (Not Serviced)
4	6505 339AA	1				EH0, ELF, EM0			CLAMP
5	6505 322AA	1				EH0, EL0, EML			CLAMP, Hose

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Cylinder Filler Tube 5.2L (ELP) Engine
Figure 014-250



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

ELP = 5.2L V-8 LPG Engine

1	5212 8032	1				ELP			HOUSING, Fuel Filler
2	6031 717	4				ELP			NUT, Spring U Type, .190-16
3									SCREW, .190-16X1.00, (NOT SERVICED) (Not Serviced)
4	4382 391	1				ELP			VALVE, Fuel Filler Neck
5	5210 2124	1				ELP			CAP, Fuel Filler
6	4279 144	1				ELP			TETHER, Fuel Filler Cap
7									SCREW, .190-16X1.25, (NOT SERVICED) (Not Serviced)
8	56022 098AB	1				ELP			TUBE, Filler


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Lines, Front 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-315




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V-8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	52128 125AD	1				EH0, ELF, EM0			BUNDLE, Fuel Line
2	52102 380AD	1				EH0, EL0, EML			TUBE, Fuel Vapor
3	5201 7840	1				EH0, ELF, EM0			CLIP, Fuel Bundle
4	52102 359AA	1				EH0, ELF, EM0			CLIP, Fuel Line
5	52102 411AA	1				EH0, EL0, EM0			CLIP, Wrap Around

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Fuel Lines, Rear 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-330



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: EH0 = All 3.9L V-6 Gas Engines ELF = Magnum 5.2L SMPI V-8 Engine EL0 = All 5.2L 8 Cyl Gas Engines EM0 = All 5.9L 8 Cyl Gas Engines									
1	52128 123AC	1				EH0, ELF, EM0			BUNDLE, Fuel Line 109' W.B.
	52128 124AC	1				EH0, ELF, EM0			127', 127X' W.B.
2									CLIP, Fule, (NOT REQUIRED)
3									TEE, Fuel Vapor, Three Way, (NOT REQUIRED)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Fuel Lines, Front 5.2L (ELP) Engine
Figure 014-360


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
ELP = 5.2L V-8 LPG Engine									
1	52102 223AB	1				ELP			TUBE, Fuel Supply
2	52102 224AB	1				ELP			TUBE, Fuel Return
3	4682 752	1				ELP			CLIP, Fuel Tube
4	6034 549	2							SCREW, Hex Head, .312-18x.94
5	53015 374AA	1				ELP			BRACKET, Tube
6									SCREW, .375-16x.750, (NOT SERVICED) (Not Serviced)
7	53015 373AA	1				ELP			CLIP, Fuel Tube
8	6102 024	1				ELP			SCREW, Hex Flange Head, M6x1.00x20.00
9	6101 447	1				ELP			NUT
10	5210 2230	1	1, 2		12, 13, 52	ELP			CLIP, Fuel Bundle
		1	3		12, 13, 53	ELP			
11	0442 340	1				ELP			NUT, Hex
12	5212 7557	13				ELP			GASKET, Low Pressure Fitting

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Lines, Rear 5.2L (ELP) Engine
Figure 014-380




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52102 219AB	1			12, 13, 52, 53	ELP			TUBE, Fuel Supply
2	52102 221AB	1			12, 13, 52, 53	ELP			TUBE, Fuel Return
3	0442 340	1				ELP			NUT, Hex
4	53015 510AA	2				ELP			FILTER, Fuel
5	53015 417AA	1				ELP			BRACKET, Fuel Filter
6									SCREW, M8x1.25x25.00, (NOT SERVICED) (Not Serviced)
7	53015 367AA	3				ELP			BRACKET, Tube
8									SCREW, M8x1.25x25.00, (NOT SERVICED) (Not Serviced)
9	53015 372AA	4				ELP			CLIP, Fuel Tube
10									SCREW, M8x1.25x20.00, (NOT SERVICED) (Not Serviced)
11	6101 445	3				ELP			NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
12	0125 921	3				ELP			CLIP, .625
13									SCREW, M8x1.25x20.00, (NOT SERVICED) (Not Serviced)
14	0442 340	1				ELP			NUT, Hex
15	56022 098AB	1				ELP			TUBE, Filler
16	56022 099AB	1				ELP			TUBE, Filler
17	52102 228AB	1				ELP			TUBE, Fuel Supply
18	52102 229AB	1				ELP			TUBE, Fuel Return
19	52128 047AC	1				ELP			HOSE, Relief Valve
20	9427 465	1				ELP			SCREW AND WASHER, Pan Head
21	0120 528	1				ELP			CLIP, .750" ID
22									CLIP, Fuel Bundle
	5210 2230	1	1, 2		12, 13, 52	ELP			
		1	3		12, 13, 53	ELP			
23	5212 7557	13				ELP			GASKET, Low Pressure Fitting

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Rail 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine Figure 014-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
ELN = 5.2L V-8 MPI CNG Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	53030 593AB	1				EH0			RAIL, Fuel
	53030 598AB	1				ELF, EM0			
-2									RAIL PACKAGE, Fuel, (NOT REQUIRED)
3									CLIP, Fuel Line, (NOT REQUIRED)
4									INJECTOR, Fuel
	5303 0778	8				ELF, EM0			
	5303 1151	6				EH0			
5									CLIP, Fuel Injector
	4418 257	6				EH0			Metal
	53030 630AB	8				ELF, EM0			Plastic
6									STUD, .312-18/.250-20x1.680, (NOT REQUIRED)
7									SCREW AND WASHER, .312-18x. 875, (NOT REQUIRED)
-8									SCREW, Torx Head, .312-18x.875, (NOT REQUIRED)
-9									SCREW, Hex Head, .312-18x.94
	6034 549	4				EH0			
		4				ELF, EM0			
-10	5018 781AA-	1				ELF, EM0			CAP, Diagnostic Port

DODGE RAM VAN & WAGON (AB)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Rail 5.2L (ELP) Engine

Figure 014-450



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5210 2202	1				ELP			RAIL, Fuel
2	52102 203AB	8				ELP			INJECTOR, Fuel
3	6022 245	1				ELP			SCREW AND WASHER
4	5210 2204	1				ELP			VALVE, Solenoid
5	5210 2160	1				ELP			SOLENOID, Fuel Shut Off Valve
6	5602 2066	1				ELP			FITTING, Fuel, Male
7	6024 061	1				ELP			SCREW, .19-24.50
8									SCREW, .375-16X.750, (NOT SERVICED) (Not Serviced)
9	52102 138AB	1				ELP			BRACKET, Valve
10	5602 2073	1				ELP			VALVE, High Pressure Relief

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Module 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									MODULE KIT, Fuel Pump/Level Unit, (NOT REQUIRED)
-2	5010 017AA-	1				EH0,			MODULE, Fuel Pump 35 Gallon
	5010 370AA-	1				ELF, EM0 EH0, ELF,			32 Gallon
3	5200 5389	1				EM0 EH0, ELF, EM0			NUT, Fuel Pump Module
4	5201 8808	1				EH0, ELF, EM0			SEAL, Fuel Pump and Level Unit
5									LEVEL UNIT KIT, Fuel
	5012 269AA	1				EH0, ELF, EM0			32 Gallon
	5012 270AA	1				EH0, ELF, EM0			35 Gallon
6	4798 825	1				EH0, ELF,			FILTER, Fuel Pressure Regulator
7	4616 244	1				EM0 EH0, ELF, EM0			GROMMET, Rollover Valve
8									FILTER KIT, Fuel, Serviced in Module Assembly, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Module 5.2L (ELP) Engine
Figure 014-530


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
ELP = 5.2L V-8 LPG Engine									
1	4897 797AB	1				ELP			MODULE KIT, Fuel Pump/Level Unit
2	5212 8016	1				ELP			O RING, Fuel Pump and Level Unit
3	0154 873AA	7				ELP			SCREW, Hex Head Header Point, .375-16x1.375



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Throttle Body 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EH0=All 3.9L Engines EL0=All 5.2L Engines EM0=All 5.9L Engines

1	6034 356	4				EH0, EL0, EM0			SCREW AND WASHER, Hex Head, .312-18x2.38
2									THROTTLE BODY
	53031 733AA	1				EL0, EM0			
	53031 806AB	1				EH0			
3									MOTOR, A.I.S.
	53030 657AB	1				EL0, EM0			
		1				EH0			
4									SCREW, A.I.S. Motor
	4728 136	1				EH0 EL0, EM0			
		1							
5									SENSOR, Throttle Position
	4882 219	1				EL0, EM0			
		1				EH0			
6	5300 9672	1				EH0, EL0, EM0			CONNECTOR, Emission Hose
7	5303 0541	1							GASKET, Throttle Body To Intake


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Throttle Controls 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EH0=All 3.9L Engines EL0=All 5.2L Engines EM0=All 5.9L Engines DG0=All Automatic Transmissions									
1	5210 4030	1					DG0		CABLE, Throttle Valve
2									BRACKET, Serviced in Throttle Body, (NOT SERVICED) (Not Serviced)
3	53031 522AB	1				EH0 EL0, EM0			CABLE, Accelerator
	53031 523AB	1							
4	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
5	0138 165	1					DG0		WASHER, Lock
6	5207 8718	1					DG0		BRACKET, Throttle Valve Spring
7	5300 9055	1					DG0		SPRING, Throttle Valve Return
8	5207 9065	1					DG0		LEVER, Throttle Valve
9	5207 9101	1					DG0		BRACKET, Cable
10	0181 112	1					DG0		SCREW AND WASHER, .375-16x1. 00
11	J012 0375	1					DG0		NUT, Hex, .250-20

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Air Cleaner 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1									WINGNUT, Jack and Tire Hold Down, (NOT REQUIRED)
-2	6035 793	1							WINGNUT
3	3577 759	1				EH0,			COVER, Air Cleaner
						ELF,			
						EM0			
4	3830 142	1				EH0,			WRAP, Air Cleaner Filter
						ELF,			
						EM0			
5	4713 715	1				EH0,			FILTER, Air
						ELF,			
						EM0			
6	5300 8277	1				EH0,			HOUSING, Air Cleaner
						ELF,			
						EM0			
7	5300 6349	1				EH0,			ELBOW, Air Cleaner Vent
						ELF,			
						EM0			
8									GROMMET, Air Cleaner Elbow, (NOT REQUIRED)
9	5303 0600	1							GASKET, Air Cleaner To T/Body
10									BRACKET, Air Cleaner, (NOT REQUIRED)
-11	5303 0693	1							BRACKET, Throttle Body Bonnet


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Intake System 3.9L (EHC), 5.2L (ELF), 5.2L (ELN), 5.2L (ELP), 5.9L (EML) Engine
Figure 014-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
ELN = 5.2L V-8 MPI CNG Engine
ELP = 5.2L V-8 LPG Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


1									DUCT, Ambient Air
	5303 1509	1				ELN,			
						ELP			
	5303 1402	1				EH0			
	5303 1509	1				ELF,			
						EM0			
2									PIN, Retainer, (NOT REQUIRED)
3									BAFFLE, Air Intake, (NOT REQUIRED)
4									DUCT, Fresh Air
	53031 699AA	1				EH0			
		1				ELF,			
		1				EM0			
						ELN,			
						ELP			
5									ADAPTER, Air Cleaner
	5300 6259	1				ELN,			
						ELP			
		1				EH0			
		1				ELF,			
						EM0			

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Speed Control
Figure 014-1020




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5207 8296	1							CABLE, Speed Control
2	5503 6014	1							HOSE, Vacuum Supply, 11/32 rough stock
3	52078 340AB	1							BRACKET, Speed Control Servo
4	4669 979	1							SERVO, Speed Control
5	5503 5902	1							RESERVOIR, Speed Control Vacuum
6	6505 031AA	1							CLIP
7	6502 493	2							NUT, Hex Flange Serration, M6x1
8	6025 867	1							CLIP, Cable
9									SCREW, [.250-20x.625], (NOT SERVICED) (Not Serviced)
10									SCREW AND WASHER, (NOT REQUIRED)
-11	6504 528	2							SCREW AND WASHER, Hex Head
-12	4549 209	1							VALVE PACKAGE, Check

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Accelerator Pedal Figure 014-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PEDAL AND BRACKET, Accelerator, (NOT REQUIRED)
-2	53031 521AB-	1							PEDAL, Accelerator
3									NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00, (NOT REQUIRED)
4									PAD, Accelerator Pedal, (NOT REQUIRED)
5									BUSHING, Accelerator Pedal, (NOT REQUIRED)
6									PIN, Accelerator Pedal Mtg., (NOT REQUIRED)
7									SPRING, Accelerator Pedal Return, (NOT REQUIRED)
8									BUSHING, Accelerator Pedal, (NOT REQUIRED)

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 016

Propeller Shafts and U-Joints


GROUP 16 - Propeller Shafts and U-Joints


Illustration Title

Group-Fig. No.

Propeller Shaft

Propeller Shaft Fig. 016-110



016-100 Propeller Shaft			
			

Propeller Shaft
 Figure 016-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DGG = 3 Speed Automatic Transmission 32RH

DGH = 4 Speed Automatic Transmission 36RH

DGT = 4 Speed Automatic Transmission 46RE

DRA = 8.25 Corporate Rear Axle

DRB = 9.25 LD Corporate Rear Axle

DRG = 9.25 HD Corporate Rear Axle

DRC = Dana 60 Rear Axle

DRD = Dana 60 HD Rear Axle

EH0 = All 3.9L V-6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines


1									U JOINT
	4504 575	1	1, 2		11, 51	EL0, EM0	DG0		with Shaft 52097973AB, Rear
		1	1		11, 51	EH0	DGG		with Shaft 52098085AC, Rear
		1			12, 13, 52, 53	EH0	DGG		with Shaft 52098086AC, Rear
	5003 146AA	1			12, 13, 52, 53		DGT		with Shaft 52105678AA, Rear
	5003 632AA	1			12, 13, 52, 53	EL0, EM0	DG0		with Shaft 52105679AA, Rear
2	4428 723	2			12, 13, 52, 53				CLAMP, U-Joint [DRC,DRD]
	2781 904	2							[DRA,DRB,DRG]
3	52097 973AB	1	1		11, 51	EL0, EM0	DG0		SHAFT, Drive [DRA,DRB]
	52098 085AC	1	1		11, 51	EH0	DGG		[DRA]
	52098 086AC	1			12, 13, 52, 53	EH0	DGG		[DRA]
	52105 678AA	1			12, 13, 52, 53		DGT		[DRC,DRD]
	52105 679AA	1			12, 13, 52, 53	EL0, EM0	DG0		[DRA,DRB,DRG]
4	6034 965	4			12, 13, 52, 53				BOLT, Hex Head [DRD,DRC]
	6029 562	4							[DRA,DRB,DRG]
5									YOKE, Drive Shaft

DODGE RAM VAN & WAGON (AB)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Propeller Shaft Figure 016-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52097 819AB	1	1, 2		11, 51	EL0, EM0	DG0		with Shaft 52097973AB
	52097 863AC	1	1		11, 51	EH0	DGG		with Shaft 52098085AC
		1			12, 13, 52, 53	EH0	DGG		with Shaft 52098086AC
	5003 625AA	1			12, 13, 52, 53		DGT		with Shaft 52105678AA
	5011 084AA	1			12, 13, 52, 53	EL0, EM0	DG0		with Shaft 52105679AA
6									U JOINT
	4504 575	1	1, 2		11, 51	EL0, EM0	DG0		with Shaft 52097973AB, Front
		1	1		11, 51	EH0	DGG		with Shaft 52098085AC, Front
		1			12, 13, 52, 53	EH0	DGG		with Shaft 52098086AC, Front
	5003 146AA	1			12, 13, 52, 53		DGT		with Shaft 52105678AA, Front
	5010 832AA	2			12, 13, 52, 53	EL0, EM0	DG0		with Shaft 52105679AA, Front

DODGE RAM VAN & WAGON (AB)

**DODGE RAM VAN
SERIES**
L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 017
Rear Suspension


GROUP 17 - Rear Suspension


Illustration Title

Group-Fig. No.


Rear Suspension

Rear Suspension Fig. 017-110



017-100 Rear Suspension 			
--	--	--	--

Rear Suspension
Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
Check the VIN Number for the 'Z' Code GVW Rating
DGG = 3 Speed Automatic Transmission 32RH
DGH = 4 Speed Automatic Transmission 36RH
DGT = 4 Speed Automatic Transmission 46RE
DRA = 8.25 Corporate Rear Axle
DRB = 9.25 LD Corporate Rear Axle
DRG = 9.25 HD Corporate Rear Axle
DRC = Dana 60 Rear Axle
DRD = Dana 60 HD Rear Axle
EH0 = All 3.9L V-6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


1									SCREW, (NOT SERVICED) (Not Serviced)
2	52106 223AA	2							BUMPER, Spring, Rear, Jounce
3									CLIP, Spring
	52106 209AA	4	1, 2		11, 12, 13, 51, 52				[DRA,DRB,ZBR,ZCR,ZPR,ZRR]
	4228 068	4							[DRG,DRC,DRD
	52113 123AA	2	1, 2		11, 12, 13, 51, 52				[ZAR,ZNR]
	52113 222AA	4							[ZFR,ZUR,ZER,ZTR]
4	5203 8217	2							SEAT, Spring
5									SPRING, Suspension, Rear
	5210 6152	1							[ZAR,ZNR]
	52106 157AA	1	1		11, 12, 13, 51				[ZBR,ZPR]
	5210 6153	1							[ZCR,ZRR]
	5210 6154	1							[ZER,ZTR]
	5210 6155	1							[ZFR,ZUR]
	5210 6156	1							[ZGR,ZVR]
6	6503 964	4							SCREW, Truss Head, M14X2.00X121, Shackle Mounting, Upper
7	6502 698	4							NUT, Hex Flange Lock, Shackle Mounting, Upper
8	5203 9204	2							SHACKLE, Spring
9	6503 964	4							SCREW, Truss Head, M14X2.00X121, Shackle Mounting, Lower

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Suspension
Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	52039 493AA	2							BRACKET, Spring
11	6502 698	4							NUT, Hex Flange Lock, Shackle Mounting, Lower
12	6033 841	8							SCREW AND WASHER, Hex Flange Head, .437-14x1.30, Bracket to
13	6036 041AA	8							Frame Mounting
14									NUT, Hex Locking, .562-18, Spring Clip Mounting
	5203 8999	2							PLATE, Rear Spring Clip
	5203 8457	2							[DRA,DRB,DRC,DRD]
15	0181 172	2							[DRG]
16	0154 888AA	2							BOLT, Shock Mounting, Lower
17	0152 348	4							SCREW, Shock Mounting, Upper
18	0152 353	2							NUT, Lock, .500 - 13, Shock Mounting, Lower
19	6029 377	2							NUT, Hex Lock, Rear Spring Front Mounting
20	1319 554	4							BOLT, Hex Head, .62-18x4.50, Rear Spring Front Mounting
21	0152 348	4							RETAINER, Shock Absorber Bushing
22									NUT, Lock, .500 - 13, Shock Mounting, Upper
23									SPACER, Shock Absorber Bushing, (NOT REQUIRED)
	5203 9319	2	1		11, 12, 13, 51				SHOCK ABSORBER, Suspension, Rear
	52106 310AA	2	1		13				[SGB]
	52106 311AA	2	2		12, 13, 52				[Z1E]
	52106 320AA	2	2, 3		12, 13, 52, 53				[Z2E,-AEB]
	52106 312AA	2	3		12, 13, 53				[SGB]
									[Z3E,-AEB]


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005






Group – 019

Steering




GROUP 19 - Steering

Illustration Title	Group-Fig. No.
Steering Wheel	
Steering Wheel	Fig. 019-110
Steering Column	
Steering Column	Fig. 019-210
Steering Gear	
Steering Gear	Fig. 019-310
Steering Linkage	
Steering Linkage-3500 LB. [DJB]	Fig. 019-410
Steering Linkage-4000 LB. [DJE]	Fig. 019-420
Power Steering Pump	
Power Steering Pump and Mounting	Fig. 019-510
Power Steering Hoses	
Power Steering Hoses	Fig. 019-710

019-100 Steering Wheel	019-200 Steering Column	019-300 Steering Gear	019-400 Steering Linkage
			
019-500 Power Steering Pump	019-700 Power Steering Hoses		
			

Steering Wheel
Figure 019-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:									
DGG = 3 Speed Automatic Transmission 32RH									
DGT = 4 Speed Automatic Transmission 46RE									
NHM= Speed Control									
1	6036 059AA	4							SCREW, Cruise Control Switch Mounting
2	5602 1332	1							SWITCH, Speed Control [+NHM], Right
	5602 1333	1							[+NHM], Left
3	5EH10 DX9AC	1							WHEEL, Steering [-NHM]
	5FM14 DX9AC	1							[+NHM]
4	6503 771	2							SCREW, Hex Flange Head, M6x1x23, Air Bag Mounting
5	5010 213AB	1					DGG		CLOCKSPRING KIT [-NHM]
	5010 201AA	1					DGT		[+NHM]
6	5010 186AA	1					DGT		NUT, Steering Wheel, Mounting
7	5EZ07 JX8AC	1							AIR BAG, Driver
8	5011 778AA	1							COVER, Air Bag Module

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Steering Column
Figure 019-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DGG=3 Speed Automatic Transmission---DGT=4 Speed Automatic Transmission									
1	5010 190AA	1 3					DGG DGT		SCREW, 6 Lobed
2	5010 180AA	1 1					DGG DGT		SHIFTER, Linear Interlock
3	55351 013AD	1							BRACKET, Steering Column
4	6101 448	6							NUT AND WASHER, Hex Nut-Coned
5									Washer, M10 x 1.5
6									SCREW, M10x1.50x45.00, (NOT SERVICED) (Not Serviced)
7	5010 183AA	7					DGG		SCREW
8	5010 192AA	1					DGT		
9	5602 1048	1					DGT		SWITCH, Overdrive Lockout
10	5010 439AA	1					DGT		CAP, Gearshift Lever
11	5010 193AA	1 1					DGG DGT		SCREW, Lock Cylinder Ignition Cylinder Lock Mounting
12	5011 608AA	1							Ignition Cylinder Lock Mounting
13	5FY76 DX9AA	1					DGG		LOCK, Ignition cylinder
14	55351 110AA	1					DGT		LEVER, Gearshift
15	55351 100AA	1 1					DGG DGT		LEVER, Tilt Column Release
16	5FP9 8DX9	1 1					DGG DGT		SHROUD, Steering Column, Upper
17	5FR0 0DX9	1 1					DGG DGT		SHROUD, Steering Column, Lower
18	5010 183AA	7 7					DGG DGT		SCREW Shroud Mounting Shroud Mounting
19	5010 198AA	1 2					DGG DGT		STUD Shroud Mounting Shroud Mounting
20									KEY PAD, Steering Column Shroud

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Steering Column
Figure 019-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 188AA	1					DGG		
		1					DGT		
18	5010 194AA	1					DGG		BOOT, Gearshift
		1					DGT		
19	5FT2 1DX9	1					DGG		COLUMN, Steering, Tilt
	5FT1 9DX9	1					DGT		
20									COLUMN, steering, non tilt
	5FY74 DX9AA	1					DGG		
	5FY75 DX9AA	1					DGT		
21	6101 510	1							NUT, Flange Lock, M10x1.50, Intermediate Shaft to Steering Column
22	6503 182	4							NUT AND WASHER, Hex Lock Nut- Coned Teeth Washer, M8 x 1.25, Steering Column Mounting
23	6504 926AA	1							SCREW, Hex Flange Head, M10x1. 5x40, Intermediate Shaft to Steering Column
24	55351 070AD	1							SHAFT, Intermediate
25	6504 926AA	1							SCREW, Hex Flange Head, M10x1. 5x40, Intermediate Shaft to Steering Gear
-26	5010 200AB-	1					DGT		LEVER KIT, Shift Lever
-27									HOUSING, Ignition Module
	5010 182AA-	1					DGG		
		1					DGT		
-28									RING, Steering Shaft
	2925 062	1					DGG		
		1					DGT		
-29									INDICATOR, PRNDL
	5010 179AA-	1					DGG		
		1					DGT		
-30									WASHER, Wave
	5010 199AA-	1					DGG		
		1					DGT		
-31									BEARING KIT, Upper Steering Column
	5010 207AA-	1					DGG		


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Steering Column
Figure 019-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1					DGT		
-32	5010 189AA-	1					DGG		RETAINING RING, Bearing
		1					DGT		
-33	5602 1777	1					DGG		SWITCH, Horn
		1					DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Steering Gear
Figure 019-310


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52039 231AB	1							GEAR, Power Steering
2									SCREW AND WASHER, Hex Head, .500-13 x 1.750 Qty 1, (NOT SERVICED) (Not Serviced)
3	5203 9286	1							BRACKET, Steering Gear
4	6100 357	3							BOLT AND CONED WASHER, Hex Head, M14x40x28
5	5201 9691	1							BRACKET, Frame to Adapter
6									STUD, .500-13 x 3.125 Qty 2, (NOT SERVICED) (Not Serviced)
7									SCREW, Hex Head, .500-13 x 1.750 Qty 1, (NOT SERVICED) (Not Serviced)
8									WASHER, ID=.500 OD=1.750 THK=. 187 Qty 2, (NOT SERVICED) (Not Serviced)
9									NUT, .500-13 Qty 2, (NOT SERVICED) (Not Serviced)
10	5203 7992	1							ARM, Pitman
11	S010 3336	1							WASHER, Lock, .875x1.469
12	J320 0501	1							NUT, Steering Gear Arm
13	3893 557	1							SEAL KIT, Steering gear end plug
14	3893 554	1							COVER, Steering Gear Housing
15	3893 559	1							SEAL, Steering Gear
16	3822 799	1							BALL, Steering Gear
17	4897 000AA	1							REPAIR KIT, Thrust Bearing, Steering Gear
18	4470 365	1							SEAL KIT, Steering gear pitman shaft
19	3893 558	1							SEAL, Steering Gear Cover

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Steering Linkage-3500 LB. [DJB]
Figure 019-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DJB = Front Axle - 3500#

DJD = Front Axle - 3600# C205F

DJE = Front Axle - 4000#

1	0120 123	2							PIN, Cotter
2	9424 798	2							NUT, Hex, .562-18, as Required
3	3897 412	2							SEAL, Tie Rod End, as Required
4									END, Tie Rod
	5203 8288	2							Right
	5203 8289	2							Left
5	4089 385	2							TUBE, Tie Rod
6	6030 099	2							FITTING, Ball Joint, Zirc, as Required
7	2835 895	2							SEAL, Idler Arm
8	9425 132	2							NUT, Hex, .50-20
9	4088 946	2							ARM, Idler
10	4089 398	1							LINK, Steering Center
11	3004 805	2							BOLT, .562-12x3.75, Idler Arm Mounting
12	6030 448	2							NUT, Hex Lock, .562-12, Idler Arm Mounting
13	5203 8006	1							DRAW LINK, Steering

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Steering Linkage-4000 LB. [DJE]
Figure 019-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	J812 1392	4							PIN, Cotter, as Required
2	1263 946	2							NUT, Drag Link Tie Rod End, Tie Rod to Knuckle Mounting
3	4186 007	1							END PACKAGE, Tie Rod, Outer, Right & Left
4	4112 842	1							TUBE, Tie Rod Right
	4112 843	1							Left
5									END PACKAGE, Tie Rod
	4186 008	1							Inner Right
	4186 009	1							Inner Left
6	4089 399	1							LINK, Steering Center
7	9424 798	2							NUT, Hex, .562-18
8	2835 895	2							SEAL, Idler Arm
9	4088 946	2							ARM, Idler
10	3004 805	2							BOLT, .562-12x3.75, Idler Arm Mounting
11	6030 448	2							NUT, Hex Lock, .562-12, Idler Arm Mounting
12	9425 132	2							NUT, Hex, .50-20, Idler Arm to Center Link mounting
13	3897 412	1							SEAL, Tie Rod End
14	5203 8006	1							DRAG LINK, Steering
-15	6030 099	1							FITTING, Ball Joint, Zirc, as Required

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Power Steering Pump and Mounting
Figure 019-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines

1	6034 249	2							SCREW AND WASHER
2	5300 8859	1							BRACKET, Power Steering Pump, Mounting
3	4694 766	1							CAP, Power Steering Pump
4	5203 9173	1							PUMP, Power Steering
5	53010 219AB	1				EH0			BRACE, Power Steering Pump, Rear
6	6029 713	1				EH0			SCREW AND WASHER, Power
7	6101 448	1				EH0			Steering Brace to Block Mounting NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5, Power Steering Pump to Rear Brace Mounting
-8									SCREW, M10x1.50x20.00-Power Steering Bracket Mounting, (NOT SERVICED) (Not Serviced)
9	6502 501	3							BOLT, Hex Head, M10x1.50x28, Power Steering Bracket to Pump Mounting
10	5300 5614	1							PULLEY, Power Steering Pump
11	6034 242	1							SCREW AND WASHER, Power
12	6034 247	1							Steering Bracket to Cylinder Head Mounting BOLT, Hex Head, .375-16x.25, Power Steering Bracket to Cylinder Head Mounting



DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Power Steering Hoses
Figure 019-710





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
Note:When ordering 52039462 power steering pressure hose, you must order 52037556 fitting with it.									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
NMC = Engine Cooling-Heavy Duty									
1	6504 639	1				EH0, EL0, EM0			BOLT AND RETAINER, M6x1.0x22.35, Cooler Mounting
2	5203 9462	1				EH0, EL0, EM0			HOSE, Power Steering, Pump to Power Steering Gear-See Note at Top, Pressure
3	2448 761	2							CLAMP, Hose, to Pump
4	2448 761	1							CLAMP, Hose, to Power Steering Gear
5	5205 254	2				EH0, EL0, EM0			O RING, Power Steering Hose, as Required
6	5203 7556	1				EH0, EL0, EM0			FITTING, Power Steering, Quick Connect, to Power Steering Gear, Pressure
7	5203 9368	1				EH0, EL0, EM0			HOSE, Power Steering, Cooler to Power Steering Gear, Return
8	5210 6062	1				EH0			HOSE, Power Steering Cooler to Power Steering Pump, Return
	5203 9366	1				EL0, EM0			Cooler to Power Steering Pump, Return
9	2448 761	2				EH0, EL0, EM0			CLAMP, Hose, to Cooler
10	6101 469	1				EH0, EL0, EM0			NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00, Cooler Mounting
11	5203 9255	1				EH0, EL0, EM0			COOLER, Power Steering, Auxiliary
12	5203 9462	1				EH0, EL0, EM0			HOSE, Power Steering, Pump to Power Steering Gear-See Note at Top, Pressure
13	2448 761	1							CLAMP, Hose, to Pump

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Power Steering Hoses
Figure 019-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	2448 761	1							CLAMP, Hose, to Power Steering Gear
15	5205 254	2				EH0, EL0, EM0			O RING, Power Steering Hose, as Required
16	5203 7556	1				EH0, EL0, EM0			FITTING, Power Steering, Quick Connect, to Power Steering Gear, Pressure
17	5203 9464	1				EH0, EL0, EM0			HOSE, Power Steering, Pump to Power Steering Gear, Return


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005








Group – 32RH

Automatic Transmission 3 Speed




GROUP 32RH - Automatic Transmission 3 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission 32RH (DGG)	Fig. 32RH-110
Case and Extension	
Case And Related Parts 32RH (DGG)	Fig. 32RH-210
Oil Pump	
Pump, Oil 32RH (DGG)	Fig. 32RH-310
Gear Train	
Clutch , Front And Rear 32RH (DGG)	Fig. 32RH-410
Outpt Shaft 32RH (DGG)	Fig. 32RH-420
Bands, Reverse and Kickdown	
Bands 32RH (DGG)	Fig. 32RH-510
Governor	
Governor 32RH (DGG)	Fig. 32RH-610
Valve Body	
Valve Body 32RH (DGG)	Fig. 32RH-710
Servos, Accumulator 32RH (DGG)	Fig. 32RH-720
Parking Sprag 32RH (DGG)	Fig. 32RH-730
Gearshift Controls	
Gearshift, Controls 32RH (DGG)	Fig. 32RH-1210

32RH-100 Transmission Assembly	32RH-200 Case and Extension	32RH-300 Oil Pump	32RH-400 Gear Train
			
32RH-500 Bands, Reverse and Kickdown	32RH-600 Governor	32RH-700 Valve Body	32RH-1200 Gearshift Controls
			

Transmission 32RH (DGG)
Figure 32RH-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
DGG = 3 Speed Automatic Transmission 32RH									
EH0 = All 3.9L V-6 Transmissions									
EHC = 3.9L SMPI MAGNUM V6 Engine									
1	5003 349AA	1				EH0	DGG		TRANSMISSION PACKAGE,
									52119521 (Package Contains ,
									52119521 Transmission, K4736593
									Converter, K1949765 Bolts)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Case And Related Parts 32RH (DGG)
Figure 32RH-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
DG0 = All Automatic Transmissions									
EHC = 3.9L SMPI MAGNUM V6 Engine									
EH0 = All 3.9L V-6 Gas Engines									
The Transmission Assembly Part Number is Stamped On The Left Side Of The Transmission Oil Pan Rail									
-1	4883 957AA-	1				EH0	DGG		SEAL AND GASKET PACKAGE, Transmission
2	5211 7755	1					DGG		COVER, Converter, Case Dust Shield
3	5211 8600	1				EH0	DGG		CASE, Transmission
4	2466 954	1				EH0	DGG		GASKET, Transmission Case
5	4431 433	1				EH0	DGG		SUPPORT, Output Shaft
6	5211 8595	1				EH0	DGG		SOLENOID, Transmission, Body ***
7	5603 8235	1				EH0	DGG		CONNECTOR, Wiring
8	5602 8181	1				EH0	DGG		SWITCH, Neutral, Safety, Back Up
9	2408 143	1				EH0	DGG		WASHER, Switch
10	1942 477	1				EH0	DGG		SCREW, Trans Kickdown Band Adjusting, .5-20x2.88
11	6022 266	4					DG0		SCREW, Hex Head, .375-16x1.5
12	6023 092	2				EH0	DGG		SCREW AND WASHER, Hex Head, .25-20x.50
13	5211 8639	1					DG0		INDICATOR, Transmission Fluid Level, 52-3/4" Long
14	5210 7695	1					DGG		TUBE, Transmission Oil Filler
15	4167 541	1					DG0		STRAP, Oil Filler Tube
16	5211 8629	1					DG0		SEAL, Oil Filler Tube
17	4130 693	1					DG0		BRACE, Transmission RIGHT
	4446 150	1					DG0		LEFT
18	2400 185	1				EH0	DGG		SNAP RING
19	52118 754AB	1				EH0	DGG		CASE, Transmission Rear
20									BUSHING, (NOT SERVICED) (Not Serviced)
21	4058 047	1				EH0	DGG		SEAL, Extension
22	2801 398	1				EH0	DGG		GASKET, Transmission
23	2466 957	1				EH0	DGG		COVER, Transmission Converter
24	3681 601	1				EH0	DGG		MAGNET, Transmission
25	6033 879	2				EH0	DGG		NUT, Inverted Flare, .62-18
26	4723 548	14				EH0	DGG		SCREW AND WASHER, Hex Head, .312-18x.625

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case And Related Parts 32RH (DGG)
Figure 32RH-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	5211 8802	1				EH0	DGG		PAN, Transmission Oil
28	4295 875	1				EH0	DGG		GASKET, Oil Pan
29	6024 027	1					DG0		SCREW AND WASHER, Hex Head, .437-14x.25
30	6025 021	1					DG0		NUT, Hex, .437-14
31	6033 479	6				EH0	DGG		BOLT, Hex Head, .25-28x1-5/8
32	6028 095	1				EH0	DGG		PLUG, Pressure Check
33	6028 095	1				EH0	DGG		PLUG, Pressure Check
34	6029 531	6				EH0	DGG		SCREW, Hex Flange Head Lock, .375-16x1.25
35	6028 022	2				EH0	DGG		SCREW, Flange Head Locking, .25- 20x.62
36	5211 7709	1							GROMMET, Timing Probe

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pump, Oil 32RH (DGG)
Figure 32RH-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
EHC = 3.9L SMPI MAGNUM V6 Engine									
EH0 = All 3.9L V-6 Gas Engines									
-1	4713 108	1				EH0	DGG		GASKET AND SEAL PACKAGE, Transmission Oil Pump
2	4412 475	1				EH0	DGG		SEAL, Impeller Hub, 57.25mm OD
3	2466 796	1				EH0	DGG		BUSHING, Front Pump
4	5211 8267	1				EH0	DGG		PUMP, Transmission Oil
5									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
6									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									SHAFT, Oil Pump, (NOT SERVICED) (Not Serviced)
9									LOCK WASHER, (NOT SERVICED) (Not Serviced)
10	2204 709	1				EH0	DGG		SEAL, Front Pump Housing
11									BALL, Valve Body Check, (NOT SERVICED) (Not Serviced)
12	0179 815	6				EH0	DGG		SCREW, Hex Head, .312-18x.687
13	5211 8266	1				EH0	DGG		GASKET, Transmission Oil Pump
14	4058 635	1				EH0	DGG		BUSHING, Reaction Shaft, .
15	4471 874	2				EH0	DGG		SEAL, Ring Reaction Support, 2 1/16 O.D.
16	4617 786	1				EH0	DGG		THRUST WASHER, Front Clutch
17	6023 943	6				EH0	DGG		SCREW AND WASHER, Hex Flange Head, .312-18x1.375

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch , Front And Rear 32RH (DGG) Figure 32RH-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
DGH = 3 Speed Automatic Transmission 36RH									
EHC = 3.9L SMPI MAGNUM V6 Engine									
EH0 = All 3.9L V-6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
-1	5252 926	1				EH0	DGG		SEAL PACKAGE, Transmission Clutch
2	4531 285	1				EH0	DGG		RETAINER AND BUSHING, Transmission Front Clutch, w/o Seals, Frt. Clutch
3	3515 176	1				EH0	DGG		SEAL, Front Clutch Piston, Inner
4	4058 487	1				EH0	DGG		SEAL, Front Piston Clutch, Outer
5	4617 154	1				EH0	DGG		PISTON, Clutch, Outer
-6	0147 483	1				EH0	DGG		CHECK BALL, Dia-.187
7	4329 809	1				EH0	DGG		SPRING, Front Clutch
8	4617 516	1				EH0	DGG		RETAINER, Transmission Front Clutch Piston Spring
-9	0147 483	1				EH0	DGG		CHECK BALL, Dia-.187
10	1942 400	1				EH0	DGG		SNAP RING
11	4617 362	4				EH0	DGG		DISC, Direct Clutch, Front
12	3410 571	1				EH0	DGG		SNAP RING, Outer
13	4617 176	1				EH0	DGG		PLATE, Transmission Clutch Reaction
14	1942 403AB	4				EH0	DGG		PLATE, Clutch Separator
15	4505 199	1				EH0	DGG		RETAINER, Transmission Rear Clutch
-16	0147 483	1				EH0	DGG		CHECK BALL, Dia-.187
17	6022 859	1				EH0	DGG		SNAP RING, .890625, Input Shaft 57/64", .059" Thk.
18	4028 333	1				EH0	DGG		SEAL, Rear Clutch, 1.50 ODx.009 Thk
19	4617 786	1				EH0	DGG		THRUST WASHER, Front Clutch
20	1401 221	1				EH0	DGG		SEAL, Input Shaft
21	4505 189	1				EH0	DGG		INPUT SHAFT, Transmission
22	4617 175	4				EH0	DGG		DISC, Clutch, Outer
23	4130 761	1				EH0	DGG		SNAP RING, .060" Thick
-24	4539 122	1				EH0	DGG		SNAP RING, Rear Clutch, .098
-25	4539 121	1				EH0	DGG		SNAP RING, Rear Clutch, .076
-26	4539 123	1				EH0	DGG		SNAP RING, Rear Clutch, .095

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch , Front And Rear 32RH (DGG)
Figure 32RH-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-27	4539 124	1				EH0	DGG		SNAP RING, Rear Clutch, .107
28	4617 176	1				EH0	DGG		PLATE, Transmission Clutch Reaction, Rear Clutch Pressure, Rear
29	1942 403AB	3				EH0	DGG		PLATE, Clutch Separator
30	2466 281	1				EH0	DGG		PLATE, Clutch Pressure
31	2466 283	1				EH0	DGG		SPRING, Rear Clutch, Wave
32	4728 487	1				EH0	DGG		SPRING, Rear Clutch Piston
33	2538 510	1				EH0	DGG		SEAL, Rear Clutch Piston
34	3515 716	1				EH0	DGG		PISTON, Clutch, Rear
35	4505 185	1				EH0	DGG		THRUST WASHER, Output Shaft, Gray .052
-36	4505 186	1				EH0	DGG		THRUST WASHER, Output Shaft, Red .068
-37	4505 187	1				EH0	DGG		THRUST WASHER, Output Shaft, Green .083
38	4617 157	1				EH0	DGG		BUSHING, Front Clutch

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Outpt Shaft 32RH (DGG)
Figure 32RH-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
EHC = 3.9L SMPI MAGNUM V6 Engine									
EH0 = All 3.9L V-6 Gas Engines									
1	6026 289	1				EH0	DGG		SNAP RING, .946 ID
-2	6030 938	1				EH0	DGG		SNAP RING
-3	6030 404	1				EH0	DGG		SNAP RING, Output Shaft, 1.029 OD
4	6030 576	1				EH0	DGG		SNAP RING, Annulus Gear, 1.375 ID
5	3681 969	1				EH0	DGG		THRUST WASHER, Annulus Gear
6	4617 775	1				EH0	DGG		PLATE, Annulus Gear Thrust
7	4617 774	1				EH0	DGG		SUPPORT, Annulus Gear, w/ Bushing, Gear
8	6035 238	1				EH0	DGG		SNAP RING, Front Annulus Gear
9	4130 518	2				EH0	DGG		THRUST WASHER, Planetary Carrier, Front Carrier Thrust, 2-5/8" I.D., w/4 Tabs I.D.
10	4130 512	1				EH0	DGG		GEAR, Front Annulus
11	4130 514	1				EH0	DGG		CARRIER, Planetary Pinion
-12	3681 949	8				EH0	DGG		THRUST WASHER, Planet Pinion, Front and Rear Roller Thrust
13	4130 736	1				EH0	DGG		SPACER, Sun Gear, Sun Gear, 4 Inner Teeth, 2" O.D.
14	4471 566	2				EH0	DGG		PLATE, Transmission Module, Sun Gear Driving Shell, Thrust
15	4130 685	1				EH0	DGG		GEAR, Sun, w/Bushing, Sun 38T- 28T
16	4531 288	1				EH0	DGG		SHELL, Sun Gear, Driving
17	4505 188	1				EH0	DGG		PLATE, Transmission Module, Output Shaft Thrust, Flat 1-3/8" Dia., .060" Thick ***
18	4617 318	1				EH0	DGG		MAINSHAFT, Transmission
19	1942 439	1				EH0	DGG		SNAP RING, Sun Gear Shell, Driving Shell, 1-41/64" O.D.
20	3681 935	1				EH0	DGG		THRUST WASHER, Planetary Carrier
21	4431 438	1				EH0	DGG		CARRIER, Planetary Pinion, RearPinion
22	3743 184	1				EH0	DGG		GEAR, Rear Annulus
23	3515 501	AR							SUPPORT, Annulus Gear, 62T, 28T, 4" O.D

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year



September 15, 2005

Outpt Shaft 32RH (DGG)
Figure 32RH-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24	1942 444	1				EH0	DGG		SNAP RING, Rr. Annulus Gear, 4-1/ 16" O.D.
25	6033 480	1				EH0	DGG		SNAP RING, Reverse Drum
26	6033 616	5				EH0	DGG		SCREW, Hex Flange Head, .25-28x. 875
27	4531 208	1				EH0	DGG		DRUM, Automatic Transmission
28	4431 690	1				EH0	DGG		CAM, Overrunning Clutch
29	4431 432	1				EH0	DGG		CLUTCH, Overrunning

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Bands 32RH (DGG)
Figure 32RH-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
EHC = 3.9L SMPI MAGNUM V6 Engine									
EH0 = All 3.9L V-6 Gas Engines									
1	4202 764	1				EH0	DGG		LEVER, Reverse Band
-2	4202 765	1				EH0	DGG		LEVER, Reverse Band
3	2538 472	1				EH0	DGG		SCREW, Trans Reverse Band Adjusting, .375-24-1.88
4	0114 942	1				EH0	DGG		NUT, Hex, .375-24, Adjusting Screw Lock, 3/8-24
5	3410 102	1				EH0	DGG		SHAFT, Reverse Band
6	4431 406	1				EH0	DGG		BAND, Reverse
7	6030 657	1				EH0	DGG		O RING, Steering Gear
8	3410 102	1				EH0	DGG		SHAFT, Reverse Band
9	0124 934	1				EH0	DGG		NUT, Hex Jam, .50-20
10	1942 477	1				EH0	DGG		SCREW, Kickdown Band Adj., 1/2-20 x 2-7/8"
11									PLUG, (NOT SERVICED) (Not Serviced)
12	2124 666	1				EH0	DGG		LEVER, Kickdown
13	4531 181	1				EH0	DGG		SHAFT, Band Lever
14	3515 084	1				EH0	DGG		STRUT, Kickdown Band
15	4617 849	1				EH0	DGG		BAND, Kickdown

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Governor 32RH (DGG)
Figure 32RH-610**



Note:

DGG = 3 Speed Automatic Transmission 32RH

EHC = 3.9L SMPI MAGNUM V6 Engine

EH0 = All 3.9L V-6 Gas Engines

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	4883 956AA-	1				EH0	DGG		GASKET AND SEAL PACKAGE, Governor
-2	4728 460	1				EH0	DGG		BODY PACKAGE, Governor
3									BODY, Governor, (NOT SERVICED) (Not Serviced)
4									RETAINER, (NOT SERVICED) (Not Serviced)
5	1942 109	1				EH0	DGG		SEAL, Governor
6	3743 518	1				EH0	DGG		SUPPORT, Governor
7	1638 461	2				EH0	DGG		SNAP RING
8	6031 392	1				EH0	DGG		SNAP RING, Brake Master Cylinder, Governor Weight, Outer, 1.274\" O.D.
9	6034 723	1				EH0	DGG		SNAP RING, Governor, .675 x .025, Governor Weight, Inner, .675\" O.D.
-10	4617 883	1				EH0	DGG		WEIGHT KIT, Transmission Governor
11									WEIGHT, Governor, (NOT SERVICED) (Not Serviced)
12									WEIGHT, Governor, (NOT SERVICED) (Not Serviced)
13									WEIGHT, Governor, (NOT SERVICED) (Not Serviced)
14									SPRING, Governor Valve, (NOT SERVICED) (Not Serviced)
15	1556 082	1				EH0	DGG		SHAFT, Governor
16	4617 064	1				EH0	DGG		VALVE, Governor
17	6027 271	1				EH0	DGG		SNAP RING, Governor, 1.156
18	3743 519	1				EH0	DGG		FILTER, Transmission Governor
19									SPACER, (NOT REQUIRED)
20	6029 675	1				EH0	DGG		SNAP RING, Output Shaft, 1.125 OD
21	3410 465	1				EH0	DGG		BEARING, Output Shaft
22	2400 185	1				EH0	DGG		SNAP RING
23	6031 613	4				EH0	DGG		BOLT, Hex Head, .25-20x.68


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body 32RH (DGG)
Figure 32RH-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
EH0 = All 3.9L V-6 Transmissions									
EHC = 3.9L SMPI MAGNUM V6 Engine									
-1	4713 105	1				EH0	DGG		GASKET AND SEAL PACKAGE, Valve Body
2	5211 8597	1				EH0	DGG		BODY, Transfer Plate
3									PLATE, (NOT SERVICED) (Not Serviced)
-4									SCREW, (NOT SERVICED) (Not Serviced)
5									BODY, Transfer Plate, (NOT SERVICED) (Not Serviced)
6	4348 742	1				EH0	DGG		SPRING, Valve Body Control
7	4505 036	1				EH0	DGG		VALVE, Trans Lockup Switch
8	0147 488	1				EH0	DGG		BALL, Manual Lever Detent, .343 Diameter
9	6035 208	2				EH0	DGG		SNAP RING
10	2538 062	1				EH0	DGG		WASHER, Manual Valve Lever
11	2466 548	1				EH0	DGG		SEAL, Valve Lever Shift, Rubber, 5/8" O.D.
12	4617 439	1				EH0	DGG		LEVER, Manual Valve
13	4505 098	1				EH0	DGG		SEAL, Manual Shift Valve, 1.25 OD, 1-1/4" O.D.
14	3681 227	1				EH0	DGG		LEVER, Throttle Valve
15	3878 313	1				EH0	DGG		SCREEN, Transmission Regulator Valve
16	3515 996	1				EH0	DGG		FILTER, Valve Body
17	6033 826	3				EH0	DGG		SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2. 500
18	4130 492	1				EH0	DGG		SPRING, Switch Valve
19									BRACKET, (NOT SERVICED) (Not Serviced)
20	6030 609	1				EH0	DGG		SCREW, Cap Head Lock, .312-24x1. 25, Throttle Pressure Adjusting
-21	4348 907	1				EH0	DGG		SPRING, Limit Valve

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Servos, Accumulator 32RH (DGG)
Figure 32RH-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGG = 3 Speed Automatic Transmission 32RH									
EH0 = All 3.9L V-6 Transmissions									
1	6028 863	1				EH0	DGG		SNAP RING, Kickdown, 2.377
2	4295 966	1				EH0	DGG		SEAL, Servo Guide
3	3410 332	1				EH0	DGG		GUIDE, Kickdown Servo
4	4531 119	1				EH0	DGG		SPRING, Kickdown Servo Piston, Outer
5	6031 392	1				EH0	DGG		SNAP RING, Brake Master Cylinder, Inner, 1-1/8" I.D.
6	4058 780	1				EH0	DGG		ROD, Kickdown Servo Piston
7	3743 033	1				EH0	DGG		SEAL, Kickdown Servo, Small, 1" O.D.
8	4058 777	1				EH0	DGG		PISTON, Kickdown Servo
9	2464 464	1				EH0	DGG		SNAP RING
10	2464 463	1				EH0	DGG		RETAINER, Transmission Rear Clutch
11	2801 274	1				EH0	DGG		SPRING, Reverse Servo Piston
12	5211 8740	1				EH0	DGG		PLUG, Reverse Servo Piston
13	4130 824	1				EH0	DGG		SPRING, Reverse Servo Piston
14	4202 864	1				EH0	DGG		SEAL, Reverse Servo Piston, Rubber
15	5211 8744	1				EH0	DGG		PISTON, Reverse Servo
16	6027 153	1				EH0	DGG		SNAP RING, .435 ID
17	3515 079	1				EH0	DGG		SPRING, Accumulator Piston, .
18	3743 013	1				EH0	DGG		SEAL, Piston Accumulator, Large
19	3743 650	1				EH0	DGG		PISTON, Accumulator
20	3743 010	1				EH0	DGG		SEAL, Piston Accumulator, , Small
21	6028 864	1				EH0	DGG		O RING, Kick Down Servo, Inner, 15/16 x 1-1/8" x 3/32"

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Parking Sprag 32RH (DGG)
Figure 32RH-730


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DGG = 3 Speed Automatic Transmission 32RH

EH0 = All 3.9L V-6 Transmissions

1	2466 909	1	EH0	DGG	SPRING, Parking Sprag
2	4471 415	1	EH0	DGG	SPRAG, Transmission Parking
3	2538 042	1	EH0	DGG	PLUG, Parking Sprag
4	2538 034	1	EH0	DGG	SNAP RING, Transmission
5	2466 892	1	EH0	DGG	SHAFT, Parking Sprag
6	6035 256	1	EH0	DGG	SNAP RING, Rod
7	2466 906	1	EH0	DGG	ROD, Parking Sprag
8					SPRING, Parking Sprag, (NOT SERVICED) (Not Serviced)



DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Gearshift, Controls 32RH (DGG)
Figure 32RH-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DG0 = All Automatic Transmissions
EH0 = All 3.9L V-6 Gas Engines
ELP = 5.2L LPG V8
EL0 = All 5.2L 8 Cyl Gas Engines

1	52107 696AB	1					DG0		CABLE, Shift
2	5207 8679	1				EH0	DG0		BRACKET, Transmission Control Cable
3	5207 8718	1					DG0		BRACKET, Throttle Valve Spring
4	0152 476	1					DG0		NUT, Hex Flange Lock, .437-14
5									SCREW AND WASHER, Truss Head, .312-18x.750, (NOT SERVICED) (Not Serviced)
6	5207 9065	1					DG0		LEVER, Throttle Valve
7	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
8	0138 165	1					DG0		WASHER, Lock
9	0115 984	1					DG0		NUT, Brake Line
10	5210 7672	1					DG0		LEVER, Manual Control
11	6022 245	1					DG0		SCREW AND WASHER
12	5300 9055	1					DG0		SPRING, Throttle Valve Return




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005








Group – 46RE

Automatic Transmission 4 Speed




GROUP 46RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission 46RE (DGT)	Fig. 46RE-110
Case and Extension	
Case And Related Parts 46RE (DGT)	Fig. 46RE-210
Case Rear 46RE (DGT)	Fig. 46RE-220
Oil Pump	
Oil Pump 46RE (DGT)	Fig. 46RE-310
Gear Train	
Clutch, Front And Rear 46RE (DGT)	Fig. 46RE-415
Intermediate 46RE (DGT)	Fig. 46RE-425
Output Shaft 46RE (DGT)	Fig. 46RE-430
Bands, Reverse and Kickdown	
Bands 46RE (DGT)	Fig. 46RE-515
Valve Body	
Valve Body 46RE (DGT)	Fig. 46RE-710
Servos, Accumulator 46RE (DGT)	Fig. 46RE-725
Parking Sprag 46RE (DGT)	Fig. 46RE-730
Overdrive Gear Train	
Clutch 46RE (DGT)	Fig. 46RE-1010
Gearshift Controls	
Controls , Gearshift 46RE (DGT)	Fig. 46RE-1210

46RE-100 Transmission Assembly	46RE-200 Case and Extension	46RE-300 Oil Pump	46RE-400 Gear Train
			
46RE-500 Bands, Reverse and Kickdown	46RE-700 Valve Body	46RE-1000 Overdrive Gear Train	46RE-1200 Gearshift Controls
			

Transmission 46RE (DGT)
Figure 46RE-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGT = 4 Speed Automatic Transmission 46RE
ELF = 5.2L SMPI MAGNUM V8
ELN = 5.2L MPI CNG V8
ELP = 5.2L LPG V8
EL0 = All 5.2L 8 Cyl Gas Engines
EML = 5.9L SMPI MAGNUM V8
EM0 = All 5.9L 8 Cyl Gas Engines

1									TRANSMISSION PACKAGE
	5003 026AA	1				EL0	DGT		52119514 (Package contains 52119514 Transmissiom, K4736595 Converter, K1949765 Bolts)
	5003 027AA	1				EM0	DGT		52119515 (Package Contains 52119515 Transmission, K4736591 CXonverter, K1949765 Bolts)
-2									OVERDRIVE
	5211 8784	1				EL0	DGT		
		1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case And Related Parts 46RE (DGT) Figure 46RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DGG = 3 Speed Automatic Transmission 32RH

DGH = 3 Speed Automatic Transmission 36RH

DGT = 4 Speed Automatic Transmission 46RE

DG0 = All Automatic Transmissions

ELF = 5.2L SMPI MAGNUM V8

ELN = 5.2L MPI CNG V8

ELP = 5.2L LPG V8

EL0 = All 5.2L 8 Cyl Gas Engines

EML = 5.9L SMPI MAGNUM V8

EM0 = All 5.9L 8 Cyl Gas Engines

-1

SEAL AND GASKET PACKAGE,
Transmission

	4863 884AD-	1				EM0	DGT		
		1				EL0	DGT		
2	6025 021	1					DG0		NUT, Hex, .437-14
3	4004 001	4							RETAINER, Exhaust Pipe to Manifold
4	6024 027	1					DG0		SCREW AND WASHER, Hex Head, .437-14x.25
5	5211 8629	1					DG0		SEAL, Oil Filler Tube
6	5210 7732	1					DGT		TUBE, Transmission Oil Filler
7	4167 541	1					DG0		STRAP, Oil Filler Tube
8	5211 8639	1					DG0		INDICATOR, Transmission Fluid Level, 52-3/4" Long
9	6024 473	2					DG0		SCREW AND WASHER, Hex Head, .437-14x2.00
10	6023 092	2				EH0	DGG		SCREW AND WASHER, Hex Head, .25-20x.50
11	0181 112	4							SCREW AND WASHER, Hex Head, .375-16x1.00
12	6024 027	1					DG0		SCREW AND WASHER, Hex Head, .437-14x.25, Strut to Block,
13	4130 693	1					DG0		BRACE, Transmission
14	4130 503	1					DGT		COVER, Transmission Dust
15	5211 7709	1							GROMMET, Timing Probe
16									CLIP
	5211 8181	2				EM0	DGT		
		2				EL0	DGT		
17	6022 266	4					DG0		SCREW, Hex Head, .375-16x1.5
18									CASE, Transmission

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case And Related Parts 46RE (DGT)
Figure 46RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5211 8756	1				EL0	DGT		
		1				EM0	DGT		
19	6028 095	1				EM0	DGT		PLUG, Pressure Check
		1				EL0	DGT		
20	5602 8181	1				EL0	DGT		SWITCH, Neutral, Safety, Back Up
		1				EM0	DGT		
21									WASHER, Switch
	2408 143	1				EM0	DGT		
		1				EL0	DGT		
22									SCREW AND WASHER, Hex Head, .312-18x.625
	4723 548	12				EM0	DGT		
		12				EL0	DGT		
23	5211 8780	1				EL0	DGT		PAN, Transmission Oil
		1				EM0	DGT		
24	3681 601	1				EM0	DGT		MAGNET, Transmission
		1				EL0	DGT		
25									GASKET, Oil Pan
	2464 324	1				EL0	DGT		
		1				EM0	DGT		
26									SCREW
	2400 389	1				EL0	DGT		Kickdown Band Adjusting
		1				EM0	DGT		Kickdown Band Adjusting
27	4446 150	1					DG0		BRACE, Transmission
28									SCREW, (NOT SERVICED) (Not Serviced)
29									NUT, Inverted Flare, .62-18
	6033 879	2				EL0	DGT		
		2				EM0	DGT		
30									O RING, Trans Speed Sensor
	6501 701	1				EL0	DGT		
		1				EM0	DGT		
31									SENSOR, Transmission Output Speed
	4412 879	1				EL0	DGT		
		1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case Rear 46RE (DGT)
Figure 46RE-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
ELF = 5.2L SMPI MAGNUM V8									
ELN = 5.2L MPI CNG V8									
ELP = 5.2L LPG V8									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = 5.9L SMPI MAGNUM V8									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									SEAL, Extension Yoke
	4531 216	1				EM0	DGT		
		1				EL0	DGT		
2									SCREW, (NOT SERVICED) (Not Serviced)
3	2466 957	1				EL0	DGT		COVER, Transmission Converter
4									GASKET, Transmission
	2801 398	1				EL0	DGT		
		1				EM0	DGT		
5									GASKET, Overdrive Piston Retainer
	4471 565	1				EL0	DGT		
		1				EM0	DGT		
6									SCREW, Hex Flange Head, .375-16x1.44
	6033 745	7				EM0	DGT		
		7				EL0	DGT		
7	5003 231AA	1				EL0	DGT		CASE, Transmission Rear

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Oil Pump 46RE (DGT) Figure 46RE-310



Note:

DGT = 4 Speed Automatic Transmission 46RE

ELF = 5.2L SMPI MAGNUM V8

ELN = 5.2L MPI CNG V8

ELP = 5.2L LPG V8

EL0 = All 5.2L 8 Cyl Gas Engines

EML = 5.9L SMPI MAGNUM V8

EM0 = All 5.9L 8 Cyl Gas Engines

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1									GASKET AND SEAL PACKAGE, Transmission Oil Pump
	4746 109	1				EL0	DGT		
		1				EM0	DGT		
2									SEAL, Impeller Hub, 57.25mm OD
	4531 225	1				EL0	DGT		
		1				EM0	DGT		
3									SEAL, Front Pump Housing
	1942 021	1				EL0	DGT		
		1				EM0	DGT		
4									BAFFLE PACKAGE, Pump
	3420 087	1				EL0	DGT		
		1				EM0	DGT		
5									PUMP, Transmission Oil
	4505 030	1				EL0	DGT		
		1				EM0	DGT		
6									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
9									SHAFT, Oil Pump, (NOT SERVICED) (Not Serviced)
10									BUSHING, Front Pump, (NOT SERVICED) (Not Serviced)
11									BUSHING, (NOT SERVICED) (Not Serviced)
12									GASKET, Transmission Oil Pump
	4028 377	1				EL0	DGT		
		1				EM0	DGT		
13									THRUST WASHER, Front Clutch

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Oil Pump 46RE (DGT)
Figure 46RE-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4617 161	1				EL0	DGT		
		1				EM0	DGT		
-14	4617 161	1				EL0	DGT		THRUST WASHER, Front Clutch
		1				EM0	DGT		
-15									THRUST WASHER, Front Clutch, Yellow .103
	4617 163	1				EL0	DGT		
		1				EM0	DGT		
-16									THRUST WASHER, Front Clutch, Orange .121
	4617 164	1				EL0	DGT		
		1				EM0	DGT		
-17									THRUST WASHER, Front Clutch, Blue .139"
	4617 165	1				EL0	DGT		
		1				EM0	DGT		
-18									THRUST WASHER, Front Clutch, Black .157
	4617 166	1				EL0	DGT		
		1				EM0	DGT		
19									SEAL, Reaction Shaft
	3743 689	2				EL0	DGT		
		2				EM0	DGT		
20									SCREW, Hex Head, .312-18x.687
	0179 815	6				EL0	DGT		
		6				EM0	DGT		
21									SCREW AND WASHER, Hex Flange Head, .312-18x1.375
	6023 943	7				EL0	DGT		
		7				EM0	DGT		


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Clutch, Front And Rear 46RE (DGT)
Figure 46RE-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DGT = 4 Speed Automatic Transmission 46RE ELF = 5.2L SMPI MAGNUM V8 ELN = 5.2L MPI CNG V8 ELP = 5.2L LPG V8 EL0 = All 5.2L 8 Cyl Gas Engines EML = 5.9L SMPI MAGNUM V8 EM0 = All 5.9L 8 Cyl Gas Engines									
-1									SEAL PACKAGE, Transmission
									Clutch
	4637 078	1				EL0	DGT		
		1				EM0	DGT		
2									RETAINER, Clutch
	4058 437AB	1				EL0	DGT		
		1				EM0	DGT		
3									SEAL, Front Clutch Piston
	3410 226	1				EL0	DGT		Inner
		1				EM0	DGT		Inner
4									SEAL, Front Piston Clutch
	4058 484	1				EL0	DGT		Outer
		1				EM0	DGT		Outer
5									PISTON, Clutch
	2464 651AB	1				EL0	DGT		
		1				EM0	DGT		
-6									CHECK BALL, Dia-.187
	0147 483	1				EL0	DGT		
		1				EM0	DGT		
7									SPRING, Front Clutch
	2801 243	9				EL0	DGT		
	4617 205	9				EM0	DGT		
8									RETAINER, Transmission
	2801 949	1				EL0	DGT		
		1				EM0	DGT		
-9									CHECK BALL, Dia-.187
	0147 483	1				EM0	DGT		
		1				EL0	DGT		
10									SNAP RING
	2124 824	1				EL0	DGT		
		1				EM0	DGT		
11									PLATE, Clutch Separator


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Front And Rear 46RE (DGT)
Figure 46RE-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52118 812AA	3				EM0	DGT		
		3				EL0	DGT		
12	3410 570	1				EL0	DGT		SNAP RING
		1				EM0	DGT		
13									PLATE, Transmission Clutch Reaction
	4617 567	1				EL0	DGT		
		1				EM0	DGT		
14	4617 201AB	3				EL0	DGT		DISC, Direct Clutch
		3				EM0	DGT		
15									PISTON, Clutch
	3743 624AB	1				EM0	DGT		
		1				EL0	DGT		
-16	0147 483	1				EM0	DGT		CHECK BALL, Dia-.187
		1				EL0	DGT		
17	1942 054	1				EL0	DGT		SEAL, Rear Clutch Piston Inner
		1				EM0	DGT		Inner
18	2124 835	1				EL0	DGT		SEAL, Rear Clutch Piston Outer
		1				EM0	DGT		Outer
19									RETAINER, Transmission
	4617 855	1				EL0	DGT		
		1				EM0	DGT		
-20	4058 443	1				EL0	DGT		SEAL, Rear Clutch Retainer
		1				EM0	DGT		
21	4617 161	1				EL0	DGT		THRUST WASHER, Front Clutch Rear
		1				EM0	DGT		Rear
22									INPUT SHAFT, Transmission
	4617 396	1				EL0	DGT		
		1				EM0	DGT		
23	4741 836	1				EL0	DGT		SEAL, Input Shaft Rear
		1				EM0	DGT		Rear
24									SNAP RING

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Front And Rear 46RE (DGT)
Figure 46RE-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2124 872	1				EL0	DGT		
		1				EM0	DGT		
25	3743 622	1				EM0	DGT		RETAINER, Rear Clutch
		1				EL0	DGT		
26	2801 992AB	4				EM0	DGT		DISC PACKAGE, Clutch
		4				EL0	DGT		
27	3743 621AB	1				EM0	DGT		SPRING, Rear Clutch Piston
		1				EL0	DGT		
28	3515 077	1				EL0	DGT		SPACER, Rear Clutch Piston
		1				EM0	DGT		
29	2466 806	1				EL0	DGT		SPRING, Rear Clutch Wave
		1				EM0	DGT		Wave
30	2466 803	1				EL0	DGT		PLATE, Clutch Pressure Front
		1				EM0	DGT		Front
31									PLATE, Clutch Separator
	2124 826AB	3				EM0	DGT		
		3				EL0	DGT		
32									PLATE, Transmission Clutch Reaction
	4617 567	1				EL0	DGT		
		1				EM0	DGT		
33	1942 063	1				EL0	DGT		SNAP RING .060" Thick
		1				EM0	DGT		.060" Thick
	1942 065	1				EL0	DGT		.088" Thick
	1942 064	1				EL0	DGT		.074" Thick
		1				EM0	DGT		.074" Thick
	1942 065	1				EM0	DGT		.088" Thick
	2466 811	1				EL0	DGT		.106" Thick
		1				EM0	DGT		.106" thick
34									THRUST WASHER, Output Shaft, Red .068
	4505 186	1				EL0	DGT		Intermediate Shaft, Thrust, w/ 3 Point Bronze Face,.

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure 46RE-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EM0	DGT		Intermediate Shaft, Thrust, w/ 3 Point Bronze Face, .
35	4058 438	1				EL0	DGT		BUSHING, Front Clutch
		1				EM0	DGT		

SERIES	LINE
L = Van, Wagon	1=1500
X = Conv.	2=2500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Intermediate 46RE (DGT)
Figure 46RE-425

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
ELF = 5.2L SMPI MAGNUM V8									
ELN = 5.2L MPI CNG V8									
ELP = 5.2L LPG V8									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = 5.9L SMPI MAGNUM V8									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									SNAP RING, 1.108 Free Diameter
	6024 312	1				EL0	DGT		
		1				EM0	DGT		
2									CARRIER, Planetary Pinion
	4617 612	1				EL0	DGT		
	4617 877	1				EM0	DGT		
3									THRUST WASHER, Planetary Carrier
	2801 060	1				EL0	DGT		Frt. Carrier Thrust, w/4 Tabs, 3-13/32" O.D.
		1				EM0	DGT		Frt. Carrier Thrust, w/4 Tabs, 3-13/32" O.D.
4									PLATE, Annulus Gear Thrust
	2400 580	1				EL0	DGT		
		1				EM0	DGT		
-5	4539 129	1				EM0	DGT		THRUST WASHER, Planetary Carrier
6									GEAR, Front Annulus
	2892 656	1				EL0	DGT		w/Support 2-1/2" I.D. Center Hole
		1				EM0	DGT		w/Support 2-1/2" I.D. Center Hole
7									THRUST WASHER, Planetary Carrier
	1942 081	1				EL0	DGT		
		1				EM0	DGT		
8									SNAP RING, Sun Gear
	1736 521	1				EL0	DGT		
		1				EM0	DGT		
9									GEAR, Sun
	2801 311	1				EL0	DGT		
		1				EM0	DGT		
10									SHELL, Sun Gear
	4617 978	1				EL0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




FRONT & REAR PLANET PINION CARRIER GEARS

Intermediate 46RE (DGT)
Figure 46RE-425

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EM0	DGT		
11	4617 611	1				EL0	DGT		INTERMEDIATE SHAFT, Transmission
		1				EM0	DGT		
12	4505 188	1				EM0	DGT		PLATE, Transmission Module Intermediate Shaft, Thrust .060" Thick
		1				EL0	DGT		Intermediate Shaft, Thrust .060"Thick
13	1942 080	1				EL0	DGT		PLATE, Sun Gear Driving Shell
		1				EM0	DGT		
14	1736 521	1				EL0	DGT		SNAP RING, Sun Gear
		1				EM0	DGT		
15									THRUST WASHER, Planetary Carrier
	2801 060	1				EL0	DGT		
		1				EM0	DGT		
16	2466 539	1				EL0	DGT		CARRIER, Planetary Pinion
		1				EM0	DGT		
17	2400 580	1				EL0	DGT		PLATE, Annulus Gear Thrust w/31 Inside Teeth, 3-23/64" O.D.
		1				EM0	DGT		w/31 Inside Teeth, 3-23/64" O.D.
18	4810 002	1				EL0	DGT		GEAR, Rear Annulus
		1				EM0	DGT		w/Support
									w/Support
19	6033 591	1				EL0	DGT		SNAP RING
		1				EM0	DGT		Reverse Drum
									Reverse Drum
20	6024 666	5				EM0	DGT		DOWEL, .108x1.00
		4				EM0	DGT		Front
		4				EL0	DGT		Rear
		4				EL0	DGT		Front
		4				EL0	DGT		Rear
21	4428 223	4				EL0	DGT		SHAFT, Planetary
		4				EM0	DGT		Rear
									Rear

DODGE RAM VAN & WAGON (AB)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.					
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.					
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.					
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.					
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)						
		53=X-Wagon(127 WB)							

AR = Use as required - = Non illustrated part # = New this model year September 15, 2005




FRONT & REAR PLANET PINION CARRIER GEARS

Intermediate 46RE (DGT)
Figure 46RE-425

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	2801 315	4				EM0	DGT		Front
		4				EL0	DGT		Front
		8				EL0	DGT		THRUST WASHER, Planetary Carrier Front
		8				EL0	DGT		Rear
23	2204 649	10				EM0	DGT		Front
		8				EM0	DGT		Rear
		8				EL0	DGT		THRUST WASHER, Planet Pinion Front
		8				EL0	DGT		Rear
24	2400 667	5				EM0	DGT		PINION, Transmission Planetary Front
		4				EM0	DGT		Front
		4				EL0	DGT		Front
		4				EL0	DGT		Rear
25	3743 664	92				EM0	DGT		ROLLER, Front and Rear Pinion Rear
		92				EL0	DGT		Rear
		92				EL0	DGT		Front
		115				EM0	DGT		Front
26	5211 8057	1				EL0	DGT		DRUM, Automatic Transmission w/Race, Reverse
		1				EM0	DGT		w/Race, Reverse
27	5211 8059	1				EL0	DGT		THRUST WASHER, Reverse Drum
		1				EM0	DGT		
28	4471 473	1				EL0	DGT		CAM, Overrunning Clutch
		1				EM0	DGT		
29	4617 199	1				EL0	DGT		CLUTCH, Overrunning 14 Rollers Nylon Caged
		1				EM0	DGT		14 Rollers Nylon Caged
30	0125 735	1				EL0	DGT		SCREW, .25-20
		1				EM0	DGT		


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year September 15, 2005



FRONT & REAR PLANET PINION CARRIER GEARS

Output Shaft 46RE (DGT)
Figure 46RE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGT = 4 Speed Automatic Transmission 46RE
ELF = 5.2L SMPI MAGNUM V8
ELN = 5.2L MPI CNG V8
ELP = 5.2L LPG V8
ELO = All 5.2L 8 Cyl Gas Engines
EML = 5.9L SMPI MAGNUM V8
EM0 = All 5.9L 8 Cyl Gas Engines


1									SHAFT, Output
	5003 232AA	1				EM0	DGT		
		1				ELO	DGT		
2									BUSHING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4									BEARING, Output Shaft
	4461 008	1				EM0	DGT		
		1				ELO	DGT		
5									SNAP RING
	4461 068	1				EM0	DGT		
		1				ELO	DGT		
6	4461 068	1				ELO	DGT		SNAP RING
7									SNAP RING
	4461 069	1				EM0	DGT		
		1				ELO	DGT		
8									BEARING, Output Shaft
	2466 224	1				EM0	DGT		
		1				ELO	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bands 46RE (DGT)
Figure 46RE-515



REVERSE BAND



KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
ELF = 5.2L SMPI MAGNUM V8									
ELN = 5.2L MPI CNG V8									
ELP = 5.2L LPG V8									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = 5.9L SMPI MAGNUM V8									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									LINK, Transmission Reverse Band
	4617 044	1				EL0	DGT		
		1				EM0	DGT		
2									SEAL, Reverse Band
	6030 910	2				EL0	DGT		
		2				EM0	DGT		
3									SHAFT, Band Lever
	2124 857	1				EL0	DGT		
		1				EM0	DGT		
4									NUT, Hex, .42-20
	0271 506	1				EL0	DGT		Adj. Screw Lock,
		1				EM0	DGT		Adj. Screw Lock,
5									LEVER, Reverse Band
	4617 028AB	1				EL0	DGT		
		1				EM0	DGT		
6									STRUT, Reverse Band
	4471 497AB	1				EL0	DGT		
		1				EM0	DGT		
7									BAND, Reverse
	4471 476AB	1				EL0	DGT		
		1				EM0	DGT		
8									LEVER, Reverse Band
	4617 014AB	1				EL0	DGT		
		1				EM0	DGT		
9									SCREW, Trans Reverse Band
									Adjusting, .437-20x1.5
	1942 141	1				EL0	DGT		
		1				EM0	DGT		
10									LEVER, Kickdown
	5211 8264	1				EL0	DGT		
		1				EM0	DGT		
11									SHAFT, Band Lever


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bands 46RE (DGT)
Figure 46RE-515



REVERSE BAND



KICKDOWN BAND


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	4531 181	1				EM0	DGT		STRUT, Kickdown Band
		1				EL0	DGT		
	2124 848	1				EL0	DGT		
		1				EM0	DGT		
13									PLUG, (NOT SERVICED) (Not Serviced)
14									ANCHOR, Kickdown Band
15	3743 338	1				EL0	DGT		SCREW Kickdown Band Adjusting, 1/2-20 x 2-1/2"
		1				EM0	DGT		
	2400 389	1				EL0	DGT		
		1				EM0	DGT		
16									Kickdown Band Adjusting, 1/2-20 x 2-1/2" BAND, Kickdown
	4329 853	1				EL0	DGT		
		1				EM0	DGT		
17									NUT, Hex Jam, .50-20
	0124 934	1				EL0	DGT		
		1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body 46RE (DGT)
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
ELF = 5.2L SMPI MAGNUM V8									
ELN = 5.2L MPI CNG V8									
ELP = 5.2L LPG V8									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = 5.9L SMPI MAGNUM V8									
EM0 = All 5.9L 8 Cyl Gas Engines									
-1									SEAL AND GASKET PACKAGE, Valve Body and Servo
	4863 892	1				EM0	DGT		VALVE BODY ASSEMBLY
		1				EL0	DGT		
2	5211 8793	1				EL0	DGT		
		1				EM0	DGT		
3									BODY, Transfer Plate, (NOT SERVICED) (Not Serviced)
4									GASKET, Transmission Solenoid
	5211 8510	1				EL0	DGT		SOLENOID, Transmission Overdrive
		1				EM0	DGT		
5	5211 8500	1				EL0	DGT		
		1				EM0	DGT		
6	0181 071	3				EM0	DGT		BOLT, Valve Body, .25-20x1.75 FILTER, Valve Body
7									
	5211 8789	1				EM0	DGT		SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2. 500
		1				EL0	DGT		
8									O RING, Solenoid Wiring, Transmission
	6033 826	3				EL0	DGT		
		3				EM0	DGT		SCREW, Tapping, .19-24x.75 Solenoid Wiring Connector Mounting
9	6034 748	2				EM0	DGT		
10	6033 985	1				EM0	DGT		Solenoid Wiring Connector Mounting
		1				EL0	DGT		LEVER, Throttle Valve
11									

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body 46RE (DGT)
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3681 227	1				EL0	DGT		
		1				EM0	DGT		
12	4617 439	1				EM0	DGT		LEVER, Manual Valve
		1				EL0	DGT		
13									BALL, Manual Lever Detent, .343 Diameter
	0147 488	1				EM0	DGT		
		1				EL0	DGT		
14									SEAL, Valve Lever Shift
	2466 548	1				EL0	DGT		
		1				EM0	DGT		
15									WASHER, Manual Valve Lever
	2538 062	1				EL0	DGT		
		1				EM0	DGT		
16									SNAP RING
	6035 208	1				EL0	DGT		
		1				EM0	DGT		
17									SEAL, Manual Shift Valve, 1.25 OD
	4505 098	1				EL0	DGT		
		1				EM0	DGT		
18									SCREW, Cap Head Lock, .312-24x1.25
	6030 609	1				EM0	DGT		
		1				EL0	DGT		
19									BRACKET, Valve Body Switch
	4617 010	1				EL0	DGT		
		1				EM0	DGT		
20									SPRING, Switch Valve
	4130 492	1				EL0	DGT		
		1				EM0	DGT		
21									VALVE, Trans Lockup Switch
	4505 036	1				EL0	DGT		
		1				EM0	DGT		
22									TUBE, Boost Valve
	4617 008	1				EM0	DGT		
		1				EL0	DGT		
23									RETAINER, Boost Valve Oil Supply Tube
	5211 7958	1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body 46RE (DGT)
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EL0	DGT		
24	4617 219	1				EM0	DGT		CLIP, Transmission Governor Transducer
		1				EL0	DGT		
25	5602 7720	1				EL0	DGT		TRANSDUCER, Pressure Sensor
		1				EM0	DGT		4 Prong Connector
26	6034 493	1				EL0	DGT		O RING, Pressure Switch
		1				EM0	DGT		
27	4617 216	1				EM0	DGT		GASKET, Transmission Solenoid
		1				EL0	DGT		
28	4617 211	1				EM0	DGT		RETAINER, Transmission Governor Solenoid
		1				EL0	DGT		
29	4723 549	1				EM0	DGT		O RING PACKAGE, Valve Body, Transmission
		1				EL0	DGT		
30	4617 210	1				EM0	DGT		SOLENOID, Transmission Governor Pressure, 2 Prong Connector
		1				EL0	DGT		Pressure, 2 Prong Connector
-31	3878 313	1				EL0	DGT		SCREEN, Transmission Regulator Valve
		1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Servos, Accumulator 46RE (DGT) Figure 46RE-725



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
ELF = 5.2L SMPI MAGNUM V8									
ELN = 5.2L MPI CNG V8									
ELP = 5.2L LPG V8									
ELO = All 5.2L 8 Cyl Gas Engines									
EML = 5.9L SMPI MAGNUM V8									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									SNAP RING
	1942 130	1				EL0	DGT		Kickdown Servo Guide
		1				EM0	DGT		Kickdown Servo Guide
2									SEAL, Servo Piston
	1942 123	1				EL0	DGT		Kickdown Servo Guide
		1				EM0	DGT		Kickdown Servo Guide
3									GUIDE, Kickdown Servo
	3410 441	1				EL0	DGT		
		1				EM0	DGT		
4									SPRING, Kickdown Servo Piston
	4617 528	1				EL0	DGT		
	4617 573	1				EM0	DGT		
5									SPRING, Kickdown Servo Piston
	3410 444	1				EL0	DGT		Inner, 6 Coils
		1				EM0	DGT		Inner, 6 Coils
6									SNAP RING, Brake Master Cylinder
	6031 392	1				EL0	DGT		Inner, 1-1/8" I.D.
		1				EM0	DGT		Inner, 1-1/8" I.D.
7									RETAINER, Kick Down
	3410 437	1				EL0	DGT		Piston Inner
		1				EM0	DGT		Piston Inner
8									PISTON, Kickdown Servo
	3410 445	1				EL0	DGT		Inner
		1				EM0	DGT		, Inner
9									O RING, Kick Down Servo
	6028 864	1				EM0	DGT		Inner, 15/16 x 1-1/8" x3/32"
		1				EL0	DGT		Inner, 15/16 x 1-1/8" x3/32"
10									SEAL, Servo Piston
	1942 123	1				EL0	DGT		
		1				EM0	DGT		
11									PISTON, Kickdown Servo
	3410 440	1				EL0	DGT		

DODGE RAM VAN & WAGON (AB)

L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Servos, Accumulator 46RE (DGT)
Figure 46RE-725

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EM0	DGT		
12	4412 444	1				EL0	DGT		SEAL, Kickdown Servo
		1				EM0	DGT		
13	1942 130	1				EL0	DGT		SNAP RING
		1				EM0	DGT		
14	1942 150	1				EL0	DGT		RETAINER, Transmission Reverse Servo Piston Spring
		1				EM0	DGT		
15	2801 241	1				EL0	DGT		SPRING, Reverse Servo Piston
		1				EM0	DGT		
16	5211 8740	1				EL0	DGT		PLUG, Reverse Servo Piston
		1				EM0	DGT		
17	2801 241	1				EM0	DGT		SPRING, Reverse Servo Piston
		1				EL0	DGT		
18	4058 741	1				EL0	DGT		SEAL, Piston Reverse Servo, Rubber
		1				EM0	DGT		
19	2801 281	1				EM0	DGT		PISTON, Reverse Servo
		1				EL0	DGT		
20	6027 153	1				EL0	DGT		SNAP RING, .435 ID Reverse Servo Piston Plug, Reverse Servo Piston Plug,
		1				EM0	DGT		
21	3515 079	1				EL0	DGT		SPRING, Accumulator Piston Lower
		1				EM0	DGT		Lower
22	3743 013	1				EL0	DGT		SEAL, Piston Accumulator Piston Seal, Large
		1				EM0	DGT		Piston Seal, Large
23	3743 650	1				EL0	DGT		PISTON, Accumulator
		1				EM0	DGT		
24	3743 010	1				EL0	DGT		SEAL, Piston Accumulator Small


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Servos, Accumulator 46RE (DGT)
Figure 46RE-725


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EM0	DGT		Small
25	4617 529	1				EL0	DGT		SPRING, Accumulator Piston



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Parking Sprag 46RE (DGT)
Figure 46RE-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGT = 4 Speed Automatic Transmission 46RE
ELF = 5.2L SMPI MAGNUM V8
ELN = 5.2L MPI CNG V8
ELP = 5.2L LPG V8
EL0 = All 5.2L 8 Cyl Gas Engines
EML = 5.9L SMPI MAGNUM V8
EM0 = All 5.9L 8 Cyl Gas Engines


1									SPRING, Parking Sprag
	2466 909	1				EL0	DGT		
		1				EM0	DGT		
2									SPRAG, Transmission Parking
	4471 415	1				EL0	DGT		
		1				EM0	DGT		
3									SHAFT, Parking Sprag
	2466 892	1				EL0	DGT		
		1				EM0	DGT		
4									SNAP RING, Rod
	6035 256	1				EM0	DGT		
		1				EL0	DGT		
5									PLUG, Parking Sprag
	2538 042	1				EL0	DGT		
		1				EM0	DGT		
6									SNAP RING, Transmission
	2538 034	1				EL0	DGT		
		1				EM0	DGT		
7									ROD, Parking Sprag
	4471 478	1				EL0	DGT		
		1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch 46RE (DGT) Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
ELF = 5.2L SMPI MAGNUM V8									
ELN = 5.2L MPI CNG V8									
ELP = 5.2L LPG V8									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = 5.9L SMPI MAGNUM V8									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									PLATE PACKAGE, Transmission Module
	4740 774	2				EM0	DGT		
		2				EL0	DGT		
2									BEARING, Overdrive, (NOT SERVICED) (Not Serviced)
3									GEAR, Overdrive Sun
	4778 742	1				EM0	DGT		
		1				EL0	DGT		
4									BUSHING, (NOT SERVICED) (Not Serviced)
5									CARRIER, O/Drive Planet Pinion (4 Pinion)
	4798 520	1				EL0	DGT		
		1				EM0	DGT		
6									RACE, Overrunning Clutch
	4461 124	1				EM0	DGT		
		1				EL0	DGT		
7									THRUST BEARING, Ovedrive Third Position
	4461 014	1				EM0	DGT		
		1				EL0	DGT		
8									CLUTCH, Overdrive Overrunning
	4461 015	1				EM0	DGT		
		1				EL0	DGT		
9									GEAR, Overdrive Annulus
	4761 010	1				EM0	DGT		
		1				EL0	DGT		
10									SNAP RING, 5.25 OD
	4461 059	1				EM0	DGT		
		1				EL0	DGT		
11									SNAP RING, 6.00 OD
	4461 060	2				EM0	DGT		

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch 46RE (DGT)
Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2				EL0	DGT		
12	4461 089	1				EL0	DGT		DRUM, Automatic Transmission
		1				EM0	DGT		
13	4461 063	1				EM0	DGT		SNAP RING, 2.1875 OD
		1				EL0	DGT		
14	4461 027	1				EM0	DGT		SPRING, Direct Clutch
		1				EL0	DGT		
15	4461 072	1				EM0	DGT		HUB, Direct Clutch
		1				EL0	DGT		
16	4446 724	1				EL0	DGT		THRUST BEARING, Overdrive
		1				EM0	DGT		
17									PLATE, Transmission Clutch Reaction
	4461 030	1				EM0	DGT		
		1				EL0	DGT		
18									DISC, Direct Clutch
	4461 042	8				EL0	DGT		
		8				EM0	DGT		
19									PLATE, Transmission Clutch Reaction
	4461 054	7				EM0	DGT		
		7				EL0	DGT		
20									PLATE, Transmission Clutch Reaction
	4461 031	1				EM0	DGT		
		1				EL0	DGT		
21	4461 032	1				EM0	DGT		SPRING, Direct Clutch
		1				EL0	DGT		
22	4461 064	1				EL0	DGT		SNAP RING, 1.875" OD
		1				EM0	DGT		
23	4471 565	1				EL0	DGT		GASKET, Overdrive Piston Retainer
		1				EM0	DGT		
24									FILTER, Overdrive Clutch

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch 46RE (DGT) Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	4412 583	1				EM0	DGT		RETAINER, Transmission O/Drive Clutch Piston
		1				EL0	DGT		
26	5211 7975	1				EL0	DGT		PISTON, Overdrive Clutch
	5211 8599	1				EM0	DGT		
27	0152 796	6				EL0	DGT		SCREW, .25-20
		6				EM0	DGT		
28	4431 697	1				EM0	DGT		SEAL, Overdrive Clutch Piston
		1				EL0	DGT		
29	4431 696	1				EM0	DGT		SEAL, Overdrive Clutch Piston , Outer
		1				EL0	DGT		
30	4431 585	1				EL0	DGT		PLATE, Transmission O/Drive Clutch
	4431 586	1				EL0	DGT		
	4431 585	1				EM0	DGT		
	4431 586	1				EM0	DGT		
	4431 588	1				EL0	DGT		
		1				EM0	DGT		
	4431 590	1				EM0	DGT		
	4431 587	1				EL0	DGT		
		1				EM0	DGT		
	4431 731	1				EL0	DGT		
		1				EM0	DGT		
	4431 732	1				EM0	DGT		
31	4431 590	1				EL0	DGT		SPACER, Intermediate Shaft, 1.58mm
	4431 732	1				EL0	DGT		
	4431 733	1				EL0	DGT		
		1				EM0	DGT		
	4431 734	1				EM0	DGT		
		1				EL0	DGT		
	4431 735	1				EL0	DGT		
		1				EM0	DGT		
	4431 916	1				EL0	DGT		

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Clutch 46RE (DGT)
Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-32	4431 917	1				EL0	DGT		SPACER, Intermediate Shaft, .175
-33	4431 918	1				EM0	DGT		SPACER, Intermediate Shaft, .193
		1				EL0	DGT		
-34	4431 919	1				EM0	DGT		SPACER, Intermediate Shaft, .211
		1				EL0	DGT		
35	4461 082	1				EM0	DGT		SNAP RING, Overdrive Clutch
		1				EL0	DGT		
36	4461 047	3				EL0	DGT		PLATE, Transmission Clutch Reaction
		3				EM0	DGT		
37	4461 181	4				EM0	DGT		DISC, Direct Clutch
		4				EL0	DGT		
38	4461 047	3				EM0	DGT		PLATE, Transmission Clutch Reaction
		3				EL0	DGT		
39	4461 066	1				EM0	DGT		SPRING, Overdrive Clutch
		1				EL0	DGT		Wave
40	4461 065	1				EM0	DGT		SNAP RING, 6.50 OD
		1				EL0	DGT		

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Controls , Gearshift 46RE (DGT)
Figure 46RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGH = 3 Speed Automatic Transmission 36RH
DGT = 4 Speed Automatic Transmission 46RE
DGO = All Automatic Transmission
ELF = 5.2L SMPI MAGNUM V8
ELN = 5.2L MPI CNG V8
ELP = 5.2L LPG V8
ELO = All 5.2L 8 Cyl Gas Engines
EML = 5.9L SMPI MAGNUM V8
EM0 = All 5.9L 8 Cyl Gas Engines

1	52107 696AB	1					DGO		CABLE, Shift
2	5207 8680	1					DGT		BRACKET, Transmission Control Cable
3	5207 8718	1					DGO		BRACKET, Throttle Valve Spring, Spring Mount
4	0152 476	1					DGO		NUT, Hex Flange Lock, .437-14
5									SCREW AND WASHER, Truss Head, .312-18x.750, (NOT SERVICED) (Not Serviced)
6	5207 9065	1					DGO		LEVER, Throttle Valve
7	0181 065	1					DGO		BOLT, Hex Head, .25-20x1.00
8	0138 165	1					DGO		WASHER, Lock
9	0115 984	1					DGO		NUT, Brake Line
10	5210 7672	1					DGO		LEVER, Manual Control
11	6022 245	1					DGO		SCREW AND WASHER
12	5300 9055	1					DGO		SPRING, Throttle Valve Return

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Group – 022

Wheels, Covers and Jacks

GROUP 22 - Wheels, Covers and Jacks

Illustration Title

Group-Fig. No.

Wheels and Hardware

Wheels And Hardware

Wheel Covers and Center Caps

Caps And Trim Ring

Jack Stowage

Jack and Stowage

Spare Tire Stowage

Wheel, Spare Inside

Wheel, Spare


Fig. 022-120

Fig. 022-220

Fig. 022-340


Fig. 022-420

Fig. 022-430



022-100 Wheels and Hardware	022-200 Wheel Covers and Center Caps	022-300 Jack Stowage	022-400 Spare Tire Stowage
---	--	--	--

Wheels And Hardware
Figure 022-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code WJA = 15x7.0 Steel Wheels Note: Sales Code WJM = 15x7.0 Steel Wheels Note: Sales Code WJC = 15x7.0 Aluminum Wheels Note: Sales Code WDG = 16x6.5 Steel Bright Wheels Note: Sales Code WCP = 15 x 6.5 Black Wheels									
1	5CP8 9PAK	4	1		11, 12, 13, 51				WHEEL, Aluminum, 15x7.0 (WJC)
2	5FS0 5S4A	1	2, 3		12, 13, 52, 53				WHEEL, Steel 16x6.5 (WDG)
	5FS0 6S4A	1	1		11, 12, 13, 51				15x6.5 (WDG)
	5205 7939	4	3		12, 13, 52, 53				16x6.5 [WDC]
3	QR22 S4A	4	1		11, 12, 13, 51				WHEEL, Steel 15x7 (WJA)
	5FS0 6S4A	1	1		11, 12, 13, 51				15x6.5 (WJC,WJA,WJM,WCP)
4	5203 9347	4	1		11, 12, 13, 51				WHEEL, Steel, 15x7 (WJM)
5	J400 6956	20	1, 2		11, 12, 13, 51, 52				NUT, Wheel, .50x20, Capped
6									CAP, Valve Stem, (NOT SERVICED)
7	2073 355	4	1, 2		11, 12, 13, 51, 52				(Not Serviced) STEM, Wheel Valve Rubber
	5205 7949	1	3		12, 13, 52, 53				Steel
8	6034 958	20	1		11, 12, 13, 51				NUT, Hex, .50-20, With Aluminum Wheel
-9	6034 727	32	2, 3		12, 13, 52, 53				NUT, Hex, .516-18, 9/16-18 w/16" Wheels

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Caps And Trim Ring Figure 022-220

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

WCP = 15 x 6.5 Black Wheels

WDC = 16 x 6.5 Chrome Wheels

WDG = 16 x 6.5 Steel/Bright Trim Ring Wheels

WDT = 16 x 6.5 Forged Aluminum Wheels

WJA = 15 X 7.0 Styled Steel Wheel

WJC = 15' Aluminum Wheel

WMA = Hub Caps

WMJ = Wheel Skins - Bright

1	5203 8267	4	1, 2	11, 12, 13, 51, 52	CAP, Wheel Center [WJA, WMJ]
	5203 9098	4	2, 3	12, 13, 52, 53	[WDT]
-2	5203 9264	4	2, 3	12, 13, 52, 53	CAP, Wheel Center, Chrome, [WDC]
-3	5DK6 0PX9	4	1, 2	11, 12, 13	CAP, Wheel Center, Black [WMA, WCP, WDG]
	5DK6 2PX9	4	2, 3	12, 13, 52, 53	[WMA, WCP, WDG]
-4	5CP9 0PAK	4	1	11, 12, 13, 51	CAP, Wheel Center, Flat Black, [WJC]

DODGE RAM VAN & WAGON (AB)


L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

Jack and Stowage
Figure 022-340




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52019 921AB	1							JACK
2	52019 871AB	1			11, 12, 51, 52				TOOL, Wrench Light Duty
	52020 339AA	1							Heavy Duty
3	5203 9118	1							DRIVER, Jack Handle
4	52020 280AA	2							TUBE, Spare Tire Winch, 660.3 mm Long
5	52020 440AA	1							TUBE, Spare Tire Winch, 80mm Long
6	52020 282AB	1							BRACKET, Jack
7	3420 1358	1							NUT AND WASHER, Hex Nut- Sealing Washer, M6 x 1.00
8									SCREW, (NOT SERVICED) (Not Serviced)
9									U NUT, .190-16, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wheel, Spare Inside
Figure 022-420



5 SIDE MOUNTED SPARE



FLOOR MOUNTED SPARE

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4262 096	1							BRACKET, Spare Tire
2	6035 517	1							BOLT
3									CLIP, Heater Duct, (NOT SERVICED) (Not Serviced)
4									WASHER, ID=.375, (NOT SERVICED) (Not Serviced)
5	6032 619	1							WINGNUT, Jack and Tire Hold Down
6									NUT, Wheel Mounting Stud, 1/2x20 Threads, (NOT SERVICED) (Not Serviced)
7	4215 633	1							BRACKET, Spare Tire, Floor Mount
8									WASHER, Flat, ID=.39 OD=1.50 THK=.125, (NOT SERVICED) (Not Serviced)


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wheel, Spare
Figure 022-430

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55347 454AA	1							WINCH, Spare Tire Carrier
2	6101 695	4							NUT, Hex Flange Lock, M8x1.25
3	55347 469AB	1			11, 12, 51, 52				TUBE, Winch Actuator
4	55347 470AA	1			13, 53				PIN, (NOT SERVICED) (Not Serviced)
5	55359 039AA	1							GROMMET, Spare Tire Winch Tube
6	55347 178AB	1							CROSSMEMBER, Underbody



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005



Group – 23D

Wiper/Lock Cylinder and Keys

GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No.
Lock Cylinders and Keys	
Lock Cylinders and Components	Fig. 23D-115
Windshield Wiper and Washer Systems	
Windshield Wiper & Washer	Fig. 23D-225



23D-100 Lock Cylinders and Keys	23D-200 Windshield Wiper and Washer Systems		
			

Lock Cylinders and Components
 Figure 23D-115

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: ALL LOCK CYLINDERS ARE UNCODED


1	5016 567AA	1							CYLINDER, Ignition Lock
2	5010 182AA	1							HOUSING, Ignition Module
3	4778 123	1							CYLINDER, Door Lock
4	4796 388	1							CYLINDER, Cargo Door Lock
5									CLIP, Latch
	4658 444	1							Purple
	4658 445	1							Orange
6	5011 186AA	1							RETAINER, Lock Cylinder
7	5011 180AA	1							SPRING, Ignition Tumbler, Sidebar
8	2583 377	4							RETAINER, Door Lock Cylinder
9	5507 4799	4							GASKET, Door Lock Cylinder, Black
10	4796 386	1							KEY, Blank
-11	5507 5488	1							KEY, Valet
12	6026 125	1							CLIP, Retainer
13	5507 5824	2							LEVER, Door Lock Cylinder
14	5600 7049	2							TRANSMITTER, Keyless Entry
15	8350 4802	2							BATTERY, Transmitter
16	5602 1422	1							MODULE, Keyless Entry
17	5011 176AA	1							TUMBLER, Ignition Number 1, Sidebar
-18	5011 177AA-	1							TUMBLER, Ignition Number 2, Sidebar
-19	5011 178AA-	1							TUMBLER, Ignition Number 3, Sidebar
-20	5011 179AA-	1							TUMBLER, Ignition Number 4, Sidebar
21									TUMBLER, Door and Deck Number 1, Wide
	4778 117	2							With Lock Group
		2							Without Lock Group
22									TUMBLER, Door and Deck Number 2, Wide
	4778 118	2							With Lock Group
		2							Without Lock Group
23									TUMBLER, Door and Deck Number 3, Wide
	4778 119	2							With Lock Group
		2							Without Lock Group
24									TUMBLER, Door and Deck Number 4, Wide

DODGE RAM VAN & WAGON (AB)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Lock Cylinders and Components
Figure 23D-115




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4778 120	2							With Lock Group
		2							Without Locik Group

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Windshield Wiper & Washer
Figure 23D-225



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55155 046AD	1							MOTOR, Wiper, (Bracket & Arm Included)
2	55155 011AB	1							LINK AND PIVOT, Wiper
3	55076 884AB	2							ARM, Wiper
4	55076 885AB	2							BLADE, Wiper
5	56021 564AB	1							MODULE, Intermittant Wiper
6	5011 243AA	1							RESERVOIR, Washer
7	4882 796	1							PUMP, Washer, Windshield
8	4882 797	1							SENSOR, Washer Fluid Level
9	5011 248AA	1							CAP, Washer Reservoir
-10	4798 779	2							GROMMET, Windshield Washer Pump
11	HWV0 0764	1							HOSE, Washer And Vacuum, 50 Foot Roll 7/64"
12	5507 6843	1							CONNECTOR, Washer Hose, Elbow Type
13	5515 5001	2							SHIELD, Wiper Hose
14									SCREW, .250-14x.875, (NOT SERVICED) (Not Serviced)
15	6034 716	2							SCREW AND WASHER, Hex Flange Head, .25-14x.875
-16	4778 224	1							CONNECTOR, Washer Hose, In Line

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 024
Air Conditioning & Heater

GROUP 24 - Air Conditioning & Heater

Illustration Title Group-Fig. No.

Air Conditioner and Heater Units

Hevac Unit	Fig. 024-130
Rear Hevac Unit	Fig. 024-180

Air Conditioner and Heater Plumbing

Plumbing, Hevac	Fig. 024-260
Plumbing, A/C Condenser And Drier	Fig. 024-270

Air Conditioner and Heater Controls

Control, Heater	Fig. 024-320
Control, Hevac	Fig. 024-330
Vacuum Lines	Fig. 024-340

Air Conditioning Compressor


Compressor, Air Conditioning	Fig. 024-420
------------------------------------	--------------







Air Conditioning Compressor Mounting

Mounting,compressor	Fig. 024-510
---------------------------	--------------


Air Ducts and Outlets

Air Ducts and Outlets, Front	Fig. 024-630
Air Ducts And Outlets, Rear	Fig. 024-640



024-100 Air Conditioner and Heater Units 	024-200 Air Conditioner and Heater Plumbing 	024-300 Air Conditioner and Heater Controls 	024-400 Air Conditioning Compressor 
024-500 Air Conditioning Compressor Mounting 	024-600 Air Ducts and Outlets 		

Hevac Unit Figure 024-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4734 968AB	1							HOUSING, A/C Evaporator Core
-2	4734 750	1							SEAL, Evaporator Housing
-3	4885 288AA-	1							CORE, Heater
-4	4882 817AB-	1							EVAPORATOR, Air Conditioning
5	4734 934	1							COVER AND STUD, Evaporator
6									Core
									CLIP, Control, Cable, (NOT SERVICED) (Not Serviced)
7	0271 173	1							NUT
8	4885 111AA	1							LEVER, Mode Door
-9	5503 6424	1							DOOR, Blend Air
10	4114 039	1							DOOR, Fresh Air
11									SNAP RING, Transmission, 1 1/8
									O.D., (NOT SERVICED) (Not Serviced)
12									RETAINER, Drain Tube, Serviced in Housing, (NOT SERVICED) (Not Serviced)
13									TUBE, Drain, Serviced in Housing, (NOT SERVICED) (Not Serviced)
14	4114 095	1							LEVER, A/C Recirculation Door
15	4114 033	1							COVER AND SEAL, Heater Housing
16	4114 096	1							SEAL, A/C Unit To Dash
17	5503 5984	1							HOUSING, Air Outlet
18									NUT, Motor Mtg., (NOT SERVICED) (Not Serviced)
19	4638 058AA	1							MOTOR PACKAGE, Heater Blower
-20	3503 036	1							SEAL, Motor To Cover
-21	6031 694	1							SCREW AND WASHER, Hex Head, .164-18x1.0
-22	3843 386	2							TERMINAL
-23	5503 6170	1							BLOWER
-24	2837 680	1							CLAMP, Blower Motor Wheel
-25	4885 346AA-	1							RESISTOR, Blower Motor
26	3503 040	1							TUBE, A/C Motor Cooling
27	5503 6537	1							HOUSING AND STUD, Air Recirculating
-28	4885 286AA-	1							HOUSING AND STUD, Heater
29	4114 052	1							SEAL, Evaporator To Dash
30	4885 113AA	1							ACTUATOR, Heater
31	6035 599	1							CLIP, A/C Heater Housing


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hevac Unit
 Figure 024-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
32	5503 6447	1							SWITCH, A/C Cycling
-33	4644 100	1							SEAL, Evaporator
-34	5503 6426	1							SEAL, Heater Core
-35	4734 374	2							SEAL
-36	4114 096	1							SEAL, A/C Unit To Dash
-37	4114 032	1							SEAL, Housing To Cowl
-38	5503 6225	1							LABEL, Air Conditioning System

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Hevac Unit Figure 024-180



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55055 783AA	1							HOUSING, A/C Upper
2	5505 5587	1							LEVER, Mode Door
3	55055 788AA	1							ACTUATOR, Mode Control
4	55055 790AA	1							DOOR, A/C and Heater Mode
5	55036 170AB	1							BLOWER
6	3503 036	1							SEAL, Motor To Cover
7	4638 058AA	1							MOTOR PACKAGE, Heater Blower
8	4638 094	1							RELAY PACKAGE, Electrical
9	55055 791AA	1							CABLE, Aux Temperature Control
10	55055 787AA	1							WIRING, Auxiliary Heat and A/C
11	4414 059	1							INSULATOR, Wiring
12	4414 061	1							WEDGE, Insulator Locking
13	3843 386	2							TERMINAL
14	3503 040	1							TUBE, A/C Motor Cooling
15	55055 782AA	1							VALVE, A/C Expansion
16	5505 5567	2							BOLT, Air Conditioning Plumbing
17	5003 115AA	1							PLATE, A/C Valve
18	55055 784AA	1							HOUSING, A/C Lower
19	4885 456AA	1							RESISTOR, Blower Motor
20	5003 143AA	1							BRACKET, Aux A/C And Heater Line
21	5003 118AA	1							HOSE, Auxiliary A/C And Heater
22	5505 5588	1							VALVE, Water Control
23	5003 114AA	1							LINE, A/C Suction, Auxiliary A/C
-24	5170 300AA-	1							O RING, A/C Suction Line
25	5003 117AB	1							TUBE, Heater Hose Outlet
26	5003 116AB	1							TUBE, Heater Hose
27	5003 113AA	1							LINE, A/C Liquid
-28	5170 299AA-	1							O RING, A/C Liquid Line
29	5003 137AA	1							GROMMET, Tube
30	5003 107AA	1							EVAPORATOR, Air Conditioning
-31	5003 108AA-	1							FILTER, Air
-32	5003 109AA-	6							PIN, Push
-33	5505 5571	1							SEAL, A/C Evaporator
-34	5505 5572	1							SEAL, A/C Evaporator
-35	5003 111AA-	1							SEAL, Evaporator Housing
-36	5003 112AA-	1							SEAL, Evaporator Drain
-37	5505 5573	1							SEAL, A/C Evaporator
38	2837 680	1							CLAMP, Blower Motor Wheel
39	4677 045	AR							GASKET, Valve To Evaporator

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Hevac
Figure 024-260




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EHC = Magnum 3.9L SMPI V-6 Engine									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4462 321	1							HOSE AND TEE, A/C And Heater
2	4741 932	1							HOSE, 5/8" I.D. 50 Foot Roll
3	4637 938	1							SLEEVE, Heater Hose
-4	5505 5694	1							CAP, Heater Hose, 5/8"
5	6502 017	2							CLAMP, Heater Hose
6	5011 242AA	1							HOSE, Heater, 5/8 Inch Diamiter
7	5011 241AA	1							VALVE, A/C and Heater Water
8	2448 770	1							CLAMP, Hose
9	55037 240AB	1				EHC, ELF, EML			HOSE, Heater Return
10	5503 6160	1				EH0, EL0, EM0			TUBE, Water Pump Inlet
-11	4740 906	1				EH0, EL0, EM0			O RING, Tube Assy, Heater Return
12	5503 5876	1							SPACER, Heater Return Tube
13	6034 246	1							BOLT, Hex Head, .375-16x.75
14	5003 265AA	4							CLAMP, Tube Retaining
15	5003 262AC	1							LINE, A/C Suction
16	4882 136	1							O RING, A/C Suction Line
17	5003 263AA	1							LINE, A/C Liquid
18	4882 137	1							O RING, A/C Liquid Line
19	4882 139	1							O RING, High Pressure
20	5003 264AA	1							TUBE, Heater
21									SCREW, (NOT SERVICED) (Not Serviced)
22									NUT, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, A/C Condenser And Drier Figure 024-270



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	5505 5471	1							CONDENSER, Air Conditioning
2	5003 267AB	1							LINE, A/C Suction
3	5012 330AA	1							SWITCH, A/C Low Pressure Cut Off
-4									GASKET, A/C Discharge Line
	5003 863AA-	1				EH0			
		1				ELF,			
						EM0			
5	5003 269AC	1							LINE, A/C Liquid
6	5003 268AB	1							LINE, A/C Suction
7	5003 271AA	1							FITTING, A/C Pre-charge
8	5003 272AA	1							FITTING, A/C Pre-charge
9									LINE, A/C Suction & Discharge
	55037 173AB	1				EH0			
	55037 328AB	1				EL0,			
						EM0			
-10	5003 862AA-	1							VALVE, A/C Discharge Line Check
11	5003 863AA	1							GASKET, A/C Discharge Line
12	5003 866AA	1							GASKET, A/C Discharge Line
-13									SWITCH, A/C High Pressure Cut Off
	4897 617AA-	1				EH0			
		1				ELF,			
						EM0			
-14	4882 136	1							O RING, A/C Suction Line
15	4796 565	1							O RING, A/C Discharge Line
-16	4882 139	1							O RING, High Pressure
17	5012 081AA	1				EH0			VALVE, A/C Discharge Line Check
18	5012 082AA	1				EH0			CAP, A/C Check Valve
19									SCREW, (NOT REQUIRED)
20	5534 7152	1							BRACKET, Drier Mounting
21	55036 079AB	1							VALVE, A/C Expansion
22	6032 572	2							SCREW, Cap, .25-20x2.00
23	6504 883AA	1							BOLT, Hex Flange Head, M8x1.
									25x45
24	5003 270AB	1							RECEIVER DRIER
25	5003 466AA	16							BOLT

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Control, Heater
Figure 024-320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55055 458AC	1							CONTROL, Heater
-2									VACUUM HARNESS, Heater and A/C
	5503 6174	1							Heater
	5503 6176	1							Speed Control
-3	5011 214AA-	1							SWITCH, Blower Control




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Control, Hevac
Figure 024-330


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, A/C And Heater
	55055 459AD	1							without Rear Unit
	55055 465AD	1							with Rear Unit with Heated Backlite
	55055 466AD	1							with Rear Unit without Heated Backlite
2	5011 214AA	1							SWITCH, Blower Control
-3	5011 219AA-	1							HARNESS, A/C And Heater Vacuum
-4	5011 218AA-	3							KNOB, A/C And Heater Control - Rotary



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Vacuum Lines
Figure 024-340



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V-6 Gas Engines
ELO = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1									CLIP, (NOT SERVICED) (Not Serviced)
2									CLIP, (NOT SERVICED) (Not Serviced)
-3	3580 172	1				EH0, ELO, EM0			CAP, Vacuum
4	5503 5902	1							RESERVOIR, Speed Control Vacuum
-5	6032 824	1							BOLT, Hex Flange Head, .25-14x.625
6									VACUUM HARNESS, Heater and A/C
	5503 6174	1							Heater
	5503 6176	1							Speed Control


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Compressor, Air Conditioning
Figure 024-420


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5503 6741	1							COMPRESSOR, Air Conditioning
-2	4882 011	1							CLUTCH, A/C Compressor



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Mounting,compressor
Figure 024-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6034 247	1							BOLT, Hex Head, .375-16x.25
2									SCREW, (NOT SERVICED) (Not Serviced)
3	5300 9508	1							PULLEY, Idler
4	5300 8761	1							BRACKET, Alternator, Compressor Mounting
5									NUT, (NOT SERVICED) (Not Serviced)
6	6034 246	1							BOLT, Hex Head, .375-16x.75
7									SCREW, (NOT SERVICED) (Not Serviced)
8	3300 2201	1							BUSHING, Idler Pulley
9	5301 0158	1							TENSIONER, Belt
10									SCREW, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Ducts and Outlets, Front
Figure 024-630




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	4734 989	1							DIVIDER, A/C and Heater
2	4734 990	1							SEAL, Air Outlet
3	4885 000	1							SEAL KIT, A/C And Heater Unit
4	4885 061AA	1							LEVER, Panel Door
5	4734 227	19							SCREW, Hex Head, M4.8-1.59x19
-6	4885 059AA-	1							DOOR, Distribution Duct
-7	4885 060AA-	1							DOOR, Floor Defroster Duct
8	4885 062AA	1							LEVER, Defroster Door
9	4885 064AA	2							ACTUATOR, A/C and Heater
-10	4734 031	2							BUSHING, Recirculation Door
11	4734 987	1							DUCT, A/C And Heater, Upper
12	4734 988	1							DUCT, A/C And Heater, Lower
13	4734 991	1							HARNES, Vacuum
14	4885 296AA	1							ACTUATOR, Blend Door
15	4885 297AA	1							CLIP
16	6036 079AA	4							SCREW, Tap Hex Flange Head, .190-16x1.0

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Ducts And Outlets, Rear
Figure 024-640



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55055 877AB	1							COVER, Auxiliary Heater And A/C
2	0153 276	3							SCREW, .164-18x.625
3	5505 5657	2							EXHAUSTER, Quarter Panel
4	55055 692AB	1							DUCT, Heat Distribution
5	6031 321	2							PIN, Retainer
6									DUCT, Heater And A/C
	5GA89 RC3AD	1							Gray
	5GA89 RK5AD	1							Tan
7									PLUG
	5GC69 RK5AB	1							Tan
	5GC69 RC3AB	1							Gray
8									SCREW, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 025

Emission Systems

GROUP 25 - Emission Systems

Illustration Title Group-Fig. No.

Emission Labels

Emission Labels 3.9L (EHC), 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine Fig. 025-120


Vacuum Canister

Vacuum Canister 3.9L (EHC), 5.2L(ELF), 5.9L (EML) Engine Fig. 025-330

Emission Harness

Emission Control Vacuum Harness 3.9L (EHC), 5.2L (ELF), 5.9L(EML) Engine Fig. 025-430

Leak Detection Pump 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine Fig. 025-440



025-100 Emission Labels	025-300 Vacuum Canister	025-400 Emission Harness	
---	---	--	--

Emission Labels 3.9L (EHC), 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine
Figure 025-120

1

53032003

CATALYST

CHRYSLER CORPORATION

IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO U.S. EPA REGULATIONS APPLICABLE TO 19XX MODEL YEAR NEW LIGHT-DUTY TRUCKS WITH A CURB WEIGHT GREATER THAN 3,450 POUNDS AT ALL ALTITUDES.

• BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.

◦ ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.

CAUTION : APPLY PARKING BRAKE WHEN SERVICING VEHICLE.

XX LITER
NCR5.2T5FEX3
NCRTG

SPARK PLUGS

IDLE *
TIMING BTC

MAN
X

AUTO
X

NO OTHER ADJUSTMENTS NEEDED

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Engine									
EHC = Magnum 3.9L SMPI V-6 Engine									
ELF = Magnum 5.2L SMPI V-8 Engine									
ELP = 5.2L V-8 LPG Engine									
EML = Magnum 5.9L SMPI V-8 Engine									
NAA = Federal Emissions									
NAE = California Emissions									
Check the VIN Number for the 'Z' Code GVW Rating									
1									LABEL, Emission
	53031 905AA	1	1		11, 12, 13, 51	EHC			California
	53031 906AA	1	1		11, 12, 13, 51	EHC			Federal
	53031 909AA	1	3		12, 13, 53	ELF			California, Z3E, Z3F
	53031 907AA	1	1		11, 12, 13, 51	EHC			Canada
	53031 908AA	1	1		11, 12, 51	ELF			California, Z1E, Z1F, Z2E
	53031 911AA	1	1, 2		12, 13, 52	ELF			Federal, Z1E, Z2E
	53031 910AA	1	1		11, 12, 51	ELF			Federal, Z1E, Z1F
	53031 913AA	1	1		11, 12, 51	ELF			Canada, Z1E, Z1F
	53031 914AA	1	1, 2		12, 13, 52	ELF			Canada, Z1E, Z2E
	53031 917AA	1	3		12, 13, 53	EML			California, Z3E, Z3F
	53031 912AA	1	3		12, 13, 53	ELF			Federal, Z3E, Z3F
	53031 915AA	1	3		12, 13, 53	ELF			Canada, Z3E, Z3F
	53031 916AA	1	1		12, 13	EML			California, Z1E
	53031 919AA	1	1		12, 13	EML			Federal, Z1E
	53031 918AA	1	2		12, 13, 52	EML			California, Z1F, Z2E
	53031 920AA	1			12, 13, 52, 53	EML			Federal, Z1F, Z2E
	53031 923AA	1	1		12, 13	EML			Canada, Z1E

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

« RETURN TO GROUP INDEX

»

Emission Labels 3.9L (EHC), 5.2L (ELF), 5.2L (ELP), 5.9L (EML) Engine
Figure 025-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	53031 921AA	1	3		12, 13, 53	EML			Federal, Z3E, Z3F
	53031 925AA	1	3		12, 13, 53	EML			Canada, Z3E, Z3F
		1	1		11, 12, 13	EML			Canada, Z3E, Z3F
	53031 924AA	1			12, 13, 52, 53	EML			Canada, Z1F, Z2E

1

IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO U.S. EPA REGULATIONS APPLICABLE TO 19XX MODEL YEAR NEW LIGHT-DUTY TRUCKS WITH A CURB WEIGHT GREATER THAN 3,450 POUNDS AT ALL ALTITUDES.

CATALYST

53032003

CHRYSLER CORPORATION

XX LITER
NCR5.2T5FEX3
NCRTG

SPARK PLUGS

IDLE *
TIMING BTC

MAN
X

AUTO
X

NO OTHER ADJUSTMENTS NEEDED

VAPOR
CANISTER

TANK
VENT

ORIFICE

TO CLIMATE CONTROL
(CRUISE CONTROL
4X4 AXLE
WHEN EQUIPPED)

ORIFICE
CHECK VALVE

PCV
VALVE

EGR
VALVE

FUEL PRESSURE
REGULATOR

PURGE
SOLENOID

FILTER

THROTTLE
BODY

MAP
SENSOR

BREATHER
CAP

TO AIR
CLEANER

TO BRAKE
BOOSTER

FRONT
OF
VEHICLE

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

« RETURN TO GROUP INDEX

»

Vacuum Canister 3.9L (EHC), 5.2L(ELF), 5.9L (EML) Engine
Figure 025-330



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1	53031 584AC	1				EH0, ELF, EM0			CANISTER, Fuel Vapor, Round
-2	5303 0837	1				EH0, ELF, EM0			CANISTER, Vapor, Square
3	6500 284	7				EH0, ELF, EM0			NUT, Hex, M6x1.00
4	5303 0828	1				EH0, ELF, EM0			BRACKET, Vapor Canister
5	6101 455	2				EH0, ELF, EM0			SCREW AND WASHER, Hex Head, M6x1x20
6	3820 667	1				EH0, ELF, EM0			CAP, Vapor Canister
7	53031 611AC	1				EH0, ELF, EM0			HOSE, Carbon Canister
8	6505 413AA	2							CLAMP
-9	53031 748AA-	1				EH0, ELF, EM0			HARNESS, Vapor Canister


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Emission Control Vacuum Harness 3.9L (EHC), 5.2L (ELF), 5.9L(EML) Engine
Figure 025-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V-6 Gas Engines									
ELF = Magnum 5.2L SMPI V-8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	53031 747AA	1				EH0, ELF, EM0			HARNESS, Canister Purge, Federal, Leaded Gas
-2	53031 745AA-	1				EH0, ELF, EM0			HARNESS, Vacuum, California
3	4669 475AB	1				EH0, ELF, EM0			SOLENOID, Duty Cycle Purge
4	4796 704	1				EH0, ELF, EM0			BRACKET, Duty Cycle Purge Solenoid
5	6101 718	1				EH0, ELF, EM0			SCREW AND WASHER, Oval Head, M6x1x25, Federal, Leaded Gas
-6									SCREW, M6x1.00x30.00, (NOT SERVICED) (Not Serviced)
7	5303 1510	1				EH0, ELF, EM0			BRACKET, Vacuum Solenoid, Federal, Leaded Gas
-8	5303 1531	1				EH0, ELF, EM0			BRACKET, Duty Cycle Purge Solenoid, California
9	5303 0987	1				EH0, ELF, EM0			BUSHING, Isolator
10	4669 268	2				EH0, ELF, EM0			GROMMET
11	3502 916	2				EH0, ELF, EM0			SPACER, Speed Control Servo

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Leak Detection Pump 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 025-440



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1	4669 306AB	1				EH0, ELF, EM0			PUMP, Leak Detection
2	4612 901	1				EH0, ELF, EM0			FILTER, Leak Detection Pump
3	5303 0912	1				EH0, ELF, EM0			TUBE, LDP to Filter
-4									HARNESS, Leak Detection Pump, (NOT REQUIRED)
5	5303 1531	1				EH0, ELF, EM0			BRACKET, Duty Cycle Purge Solenoid
6									SCREW, M6x1.00x30.00, (NOT SERVICED) (Not Serviced)
7	6035 482	3				EH0, ELF, EM0			SCREW, Tapping, .19-16x.375
8									SCREW, M6x1.00x11.00, (NOT SERVICED) (Not Serviced)


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – DAB

Doors and Related Parts



GROUP DAB - Doors and Related Parts

Illustration Title Group-Fig. No.

Front Door

Door, Front Shell And Hinges	Fig. DAB-110
Door, Front Glass And Regulator Handle	Fig. DAB-125
Door, Front Exterior Handle And Links	Fig. DAB-135
Door, Front Manual Control Module	Fig. DAB-140
Door, Front Power Control Module	Fig. DAB-150

Door, Sliding Cargo

Door, Sliding Cargo Shell And Hinges	Fig. DAB-310
Door, Sliding Cargo Glass And Hardware	Fig. DAB-320
Door, Sliding Cargo Lock And Controls	Fig. DAB-330

Door, Dual and Single Cargo

Door, Dual Cargo Shell And Hinges	Fig. DAB-410
Door, Dual Cargo Glass And Hardware	Fig. DAB-420
Door, Dual Cargo, Right Lock And Controls	Fig. DAB-430
Door, Dual Cargo, Left Lock And Controls	Fig. DAB-435
Door, Single Rear Cargo Shell And Hinges	Fig. DAB-450
Door, Single Rear Cargo Glass And Hardware	Fig. DAB-460
Door, Single Rear Cargo Lock And Controls	Fig. DAB-470
Check Arm, Cargo Door	Fig. DAB-480

Exterior Mirror


Mirrors, Exterior	Fig. DAB-520
-------------------	--------------

Weatherstrips and Seals

Door, Front Weatherstrips And Seals	Fig. DAB-615
Door, Sliding Weatherstrips	Fig. DAB-620
Door, Dual Cargo Weatherstrips And Seals	Fig. DAB-630
Door, Single Rear Cargo Weatherstrips And Seals	Fig. DAB-640

DAB-100 Front Door	DAB-300 Door, Sliding Cargo	DAB-400 Door, Dual and Single Cargo	DAB-500 Exterior Mirror
DAB-600 Weatherstrips and Seals			

Door, Front Shell And Hinges
Figure DAB-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	55346 546AB	1							Right
	55346 545AB	1							Left
2	5534 6554	1							PANEL, Door Outer Repair, Right
-3									WATERSHIELD, Front Door
	5534 6852	1							Right
	5534 6853	1							Left
-4	6029 940	1							PLUG, Mirror Hole Cover
5	6029 057	1							PLUG, Body, 1.655 Diameter
6	6029 939	AR							PLUG, Body, .50 Diameter
7	3760 482	2							PLUG, Access Hole, Access Hole
8	5534 6955	4							HINGE, Door
9									PIN, Hinge, Serviced in Hinge
									Assembly, (NOT SERVICED) (Not Serviced)
10									BUSHING, Pin, Serviced in Hinge
									Assembly, (NOT SERVICED) (Not Serviced)
11									BAR, Front Door Hinge Torsion, Serviced in Hinge Assembly, (NOT SERVICED) (Not Serviced)
12	6503 328	20							SCREW, Hex Head, M8x1.25x30
13	6030 946	2							SCREW, Cap, .437-20x1.812

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Door, Front Glass And Regulator Handle Figure DAB-125

[illegible]

DODGE RAM VAN & WAGON (AB)

**DODGE RAM VAN
SERIES**
L = Van, Wagon
X = Conv.

WAGON (AB)	
LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure DAB-135



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HANDLE, Exterior Door
	55359 038AA	1							Right
	55359 037AA	1							Left
2									KNOB AND LINK, Door Lock
	5FZ66 RC3AC	1							Gray, Right
	5FZ66 RK5AC	1							Tan, Right
	5FZ67 RC3AC	1							Gray, Left
	5FZ67 RK5AC	1							Tan, Left
3	55347 059AB	2							LINK, Exterior Door Handle
4									LINK, Key Cylinder To Latch
	55347 084AB	1							Right
	55347 085AB	1							Left
5	J420 0408	6							NUT AND WASHER, Hex Nut-Coned
									Washer, M5 x 0.80
6	4696 371	2							FOAM PAD, Antirattle Rear Door Lock

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Door, Front Manual Control Module
Figure DAB-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PLATE, Door Module
	5278 402AA	1							Right
	5278 403AA	1							Left
-2	5278 410AA-	2							BUMPER, Door Module
-3	5278 411AA-	1							BUMPER, Door Module
4									REGULATOR, Front Door Window
	5278 398AA	1							Right
	5278 399AA	1							Left
5	5278 404AA	4							SCREW, Window Regulator
6	5534 6618	1							STRIKER, Door Latch
7									HANDLE, Front Door
	5534 7079	1							Left
	5534 7078	1							Right
-8	5278 413AA-	1							SCREW, Inside Handle Mount
9	5278 408AA	1							CABLE, Latch Release
10	5278 409AA	1							CLIP, Anti Rattle
11									LATCH, Front Door
	5534 6617	1							Left
	5534 6616	1							Right
-12	6502 655	4							SCREW, Hex Head, M6x1x15
-13	4658 676	1							CLIP, Latch Link, Lock Rod End
-14	4615 346	3							CLIP, Outside Door Handle
-15	4658 674	3							CLIP, Latch Link
16	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Door, Front Power Control Module
Figure DAB-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PLATE, Door Module
	5278 400AA	1							Right
	5278 401AA	1							Left
-2	5278 410AA-	2							BUMPER, Door Module
-3	5278 411AA-	1							BUMPER, Door Module
4									REGULATOR, Front Door Window
	5278 396AA	1							Right
	5278 397AA	1							Left
-5	5278 404AA-	4							SCREW, Window Regulator
6	6500 284	4							NUT, Hex, M6x1.00
7	5534 6618	1							STRIKER, Door Latch
8									HANDLE, Front Door
	5534 7079	1							Left
	5534 7078	1							Right
-9	5278 413AA-	1							SCREW, Inside Handle Mount
10	5278 408AA	1							CABLE, Latch Release
11									LATCH, Front Door
	5534 6616	1							Right
	5534 6617	1							Left
-12	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1
-13									ACTUATOR, Power Latch
	5278 414AA-	1							Right
	5278 415AA-	1							Left
-14	5278 416AA-	1							SCREW, Actuator to Latch
-15	5278 409AA-	1							CLIP, Anti Rattle
-16	4658 676	1							CLIP, Latch Link, Lock Rod Link
-17	3760 130	1							CLIP, Door Lever To Link
-18	4615 346	3							CLIP, Outside Door Handle
-19	4658 444	1							CLIP, Latch
20									MOTOR, Window Regulator
	5278 406AA	1							Right
	5278 407AA	1							Left
21	5278 405AA	3							SCREW, Window Motor
22	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Sliding Cargo Shell And Hinges
Figure DAB-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Sliding
	55347 008AE	1							without Window
	55347 010AE	1							with Window
2	5534 6178	1							PANEL, Side Cargo Door, without Window
3	5534 6180	1							PANEL, Sliding Door Cargo Side, with Window
4	4217 653	1							HINGE, Door
5	5507 5673	1							SPRING, Hinge Return
6	9414 118	1							PIN, Coiled Spring, .250 x 1.50
7	0152 344	2							NUT, .375-16
8									SCREW, Hex Head, .375-16x1.25, (NOT SERVICED) (Not Serviced)
9	4217 644	1							ARM, Side Cargo Door Hinge
10	4217 695	1							HINGE, Body Half
11	4217 566	4							BEARING, Hinge Pivot Arm
12	4217 567	4							WASHER, Door Hinge Pivot
13	3636 929	1							WASHER, Square Hole, .96x.387x.060
14	4211 642	1							CAM, Cargo Door Pivot
15	4084 128	1							CAM, Cargo Door Hinge
16	5534 6509	1							ROLLER, Side Door
17	4113 853	1							GUIDE, Door Stabilizer
18	4211 424	1							CATCH, Side Cargo Door, Upper
19	4211 425	1							CATCH, Side Cargo Door, Lower
20	3636 934	2							SPRING, Side Cargo Door Hinge
21	3636 931	1							PLATE, Door Hinge
22	4084 129	2							SPACER, Side Cargo Door Striker
23	6501 915	1							SCREW, Shoulder, M7x1x23.87
24	4084 130	1							STRIKER, Sliding Door Stop
25	3636 870	AR							SPACER, Side Cargo Door Hinge, Outer
26	4084 769	1							BUMPER, Hinge Striker
27	0180 077	1							BOLT, Hex Head, 5/16x18x3/4
28	5502 5522	1							PLATE, Hinge
29	6030 613	2							SCREW, Hex Head Locking, #10-24x.50
30	5507 6237	1							BRACKET, Upper Roller
31	6022 202	1							SCREW AND WASHER, Hex Head, .25-20x.625
32	5534 7146	1							ROLLER, Side Door


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Sliding Cargo Shell And Hinges Figure DAB-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
33	4084 129	2							SPACER, Side Cargo Door Striker
34	6025 007	1							NUT AND WASHER, Hex, .312-18
35	5534 7137	1							BRACKET, Side Cargo Door Roller
36	3739 768	1			12, 13, 52, 53				TAPPING PLATE, Side Door Lock Striker
37	J400 6887	2							BOLT AND WASHER, .375-16x.62
38	2276 749	1							STOPPER, Cargo Door
-39	5534 7152	1							BRACKET
-40	5534 7197	1							BUMPER, Lower Roller
41	5507 5676	1							MAT, Floor

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Sliding Cargo Glass And Hardware
Figure DAB-320


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS
	4081 253	1							Fixed Glass, Tinted
	5507 4700	1							Vented Glass, Tinted
	5513 5269	1							Fixed Glass, Privacy
	5513 5265	1							Vented Glass, Privacy
-2	5534 6581	1							LABEL, Side Door Operating Instruction, Clear
-3	5534 6582	1							LABEL, Side Door Operating Instruction, Opaque
4	5507 4704	1							HINGE, Glass
5	6030 650	3							SCREW, Hex Head Locking, .25-20x. 875, Hinge
6	0154 608	4							SCREW, Pan Head, .19-16x.625, Hinge
7	5513 5041	2							LATCH, Vent Window
8	9411 579	2							PIN, Latch
9	4084 167	2							NUT, Window Latch Side Glass
10	4084 164	2							GROMMET, Vent Window Latch
11	5513 4502	4							WASHER, Vent Window Latch
12	5502 2619	2							RETAINER, Side Panel Vent Window
13									SCREW, Oval Head, .164-32x.75, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Sliding Cargo Lock And Controls
Figure DAB-330




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 5378	1							LATCH, Cargo Door, Door
2	6035 617	4							SCREW, Flat Head, .312-18x1.00, Latch
3	0220 785	1							SCREW AND WASHER, .25-20x.75
4	5534 6503	1							ROD, Cargo Door Latch to Lock, Latch to Lock
5	5507 6381	1							ROD, Cargo Door Latch to Lock, Latch to Lock
6									CLIP, Latch to Lock Rod, Serviced in Latch, (NOT SERVICED) (Not Serviced)
7	3731 619	1							CLIP, Lever To Link, Lock Rod Anti-Rattle
8	5534 7099	1							LOCK, Side Cargo Door
9	5507 5244	AR							CLIP, Handle to Latch Rod Right
	5507 5245	2							Left
10	6022 202	3							SCREW AND WASHER, Hex Head, .25-20x.625, Lock
11	5534 7094	1							LINK, Latch Locking
12	6030 117	1							CLIP, Stabilizer Mounting, Latch Link to Latch
-13									CLIP, Key Cylinder, Serviced in Cylinder, (NOT SERVICED) (Not Serviced)
14	4498 114	1							MOTOR, Door Lock, Lock
15	4354 667	1							BRACKET, Sliding Door Solenoid, Solenoid Mounting
16									SCREW, w/Washer, Bracket (DNS), (NOT SERVICED) (Not Serviced)
17	4354 649	1							CRANK, Electric Door Lock, Solenoid
18	4354 668	1							LINK, Latch Actuating, Solenoid To Latch
19	6030 117	1							CLIP, Stabilizer Mounting, Solenoid Link To Latch
20	4184 245	1							CLIP, Lever Link
21	2956 754	1							KNOB, Door Lock
22	4038 693	1							GROMMET, Lock Knob, Knob
23	4081 654	1							ROD, Latch To Knob, Latch to Knob
24	5507 6081	1							HANDLE, Cargo Door Interior, Inside
25	2935 232	1							SPACER, Handle, Handle

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Sliding Cargo Lock And Controls
Figure DAB-330




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26	2950 491	1							SPACER, Door Handle, Anti-Rattle
27	6035 404	1							SCREW, Cap, .19-32x.57
28	4081 417	1							COVER, Side Cargo Door Latch, Latch Access
29									NUT, (NOT SERVICED) (Not Serviced)
30									SCREW, (NOT SERVICED) (Not Serviced)
31	5507 6303	1							HANDLE, Sliding Door Exterior, Exterior
32	5521 5740	1							ESCUTCHEON, Cargo Door Latch, Handle
33	5521 5865	1							SEAL, Door Handle
34	5507 5781	1							SUPPORT, Cargo Door, Hold Open Catch
35	0181 112	4							SCREW AND WASHER, .375-16x1. 00, Support
-36									BOLT, Striker, (NOT SERVICED) (Not Serviced)
37	3420 1358	1							NUT AND WASHER, Hex Nut- Sealing Washer, M6 x 1.00, Striker
38	4038 836	1							STRIKER, Door Latch, Lock Pillar
39	5534 6527	AR							SPACER, Side Cargo Door Striker, Lock Striker
40	6035 244	1							SCREW AND WASHER, Truss Head, .312-18x1.12
41	5507 5669	1				51, 52, 53			STRIKER, Door Latch
		1				11, 12, 13			

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Dual Cargo Shell And Hinges
Figure DAB-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Side Cargo
	55346 710AC	1							without window, Right
	55346 713AB	1							without window, Left
	55346 706AC	1							with window, Right
	55346 709AB	1							with window, Left
2									DOOR, Rear Cargo
	55346 718AC	1							without window, Right
	55346 721AB	1							without window, Left
	55346 714AC	1							with window, Right
	55346 717AB	1							with window, Left
3									PANEL, Side Cargo Door
	5534 5633	1							with window, Right
	5502 3237	1							with window, Left
	5534 5625	1							without window, Right
4									PANEL, Cargo Door
	5502 3225	1							with window, Left
	5502 3243	1							without window, Left
5	5534 6439	1							PANEL, Rear Cargo Door Repair, without window, Right
6									HINGE, Side Door
	5507 5195	1							Upper Left
		1							Lower Right
	5507 5194	1							Lower Left
		1							Upper Right
7	6031 129	12							SCREW AND WASHER, Hex Head, .312-18x.875, Hinge to Door
8	6034 879	8							NUT, Inverted Flare, .50-20x.75, Hinge to Body
9									WASHER, (NOT SERVICED) (Not Serviced)
10	3760 482	2							PLUG, Access Hole
11									ARM, Cargo Door Check
	55346 731AC	1							Left
	55346 730AC	1							Right
12	5534 6728	1							HOUSING, Door Remote Control
13	6035 950AA	2							PIN, Check Arm
14	55347 338AB	2							BUMPER, Door
15	6029 939	AR							PLUG, Body, .50 Diameter
16									SCREW, (NOT SERVICED) (Not Serviced)
17	6500 284	7							NUT, Hex, M6x1.00

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Dual Cargo Glass And Hardware
Figure DAB-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS, Side Cargo Door, Fixed
	4084 511	2							Fixed, Tinted
	5513 5268	2							Vented, Privacy
2	5507 4706	2							GLASS, Cargo Door, Vented, Tinted
3	5513 5264	2							GLASS, Cargo Door, Fixed, Privacy
4	5507 4712	2							HINGE, Glass
5	6033 560	4							NUT AND WASHER, Hex Nut-Coned Washer, .25-20
6	6030 650	4							SCREW, Hex Head Locking, .25-20x. 875
7	0154 608	4							SCREW, Pan Head, .19-16x.625
8	5513 5041	2							LATCH, Vent Window
9	4084 167	2							NUT, Window Latch Side Glass
10	4084 164	2							GROMMET, Vent Window Latch
11	5513 4502	4							WASHER, Vent Window Latch
12	5502 2619	2							RETAINER, Side Panel Vent Window
13	9411 579	2							PIN, Latch
14									SCREW, (NOT SERVICED) (Not Serviced)
15	5517 4544	1							LABEL, Exhaust Gas Warning, Exhaust Warning

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Dual Cargo, Right Lock And Controls Figure DAB-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Cargo Door
	55347 211AB	1							Electric
	55347 210AB	1							Manual
2	6033 876	3							SCREW, Tapping, M6.3x1.8x38.1, Latch
3	55347 284AB	1							LINK, Key Cylinder To Latch
4									CLIP, (NOT SERVICED) (Not Serviced)
5	3670 808	1							CONTROL, Door Lock
6									PLATE, (NOT SERVICED) (Not Serviced)
7	6022 202	3							SCREW AND WASHER, Hex Head, .25-20x.625, Remote Control
8	55347 282AB	1							ROD, Inside Handle to Latch
9	5507 6083	1							HANDLE, Cargo Door, Remote Control
10	6022 202	3							SCREW AND WASHER, Hex Head, .25-20x.625, Handle
11	5507 5654	1							HANDLE, Exterior Door
12	5507 4892	1							SPACER, Handle, Handle
13	J420 0306	4							NUT, Hex Lock, Handle
14	5534 7283	1							LINK, Exterior Door Handle
15	3454 220	1							CLIP, Parking Brake Cable
16	2956 754	1							KNOB, Door Lock
17	4038 693	1							GROMMET, Lock Knob
18	4081 654	1							ROD, Latch To Knob
19									CLIP, Latch Link
	4658 675	3							Left
	4658 674	3							Right

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Dual Cargo, Left Lock And Controls Figure DAB-435



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5507 5679	1							ROD, Inside Handle to Latch, Upper
2									Latch
	5503 3167	1							ROD, Inside Handle to Latch
	5503 3168	1							Side Door
									Rear Door
3									SILENCER, Anti-Rattle Disc
	5503 4246	AR							
	5507 5696	2							
4	5503 4384	1							HANDLE, Interior Door
5									SCREW, (NOT SERVICED) (Not
									Serviced)
6									LATCH, Cargo Door
	4354 931AB	1							Lower
	4354 930AB	1							Upper
7									BOLT, Hex Head, .312-18x.62, (NOT
									SERVICED) (Not Serviced)
8	55347 285AB	1							STRIKER, Door Latch
9	5507 4699	AR							SPACER, Striker, Striker
10									SCREW, (NOT SERVICED) (Not
									Serviced)
11									STRIKER, Door Latch
	5503 3170	1							Upper
	5503 3171	1							Lower
12									GROMMET, 06502520, (NOT
									SERVICED) (Not Serviced)
13	5503 3174	AR							SPACER, Striker, Striker
14	6025 350	2							BOLT AND CONED WASHER, Hex
									Head, .312-18x1.00, Upper
15	6034 445	2							SCREW, Hex Head, .312-18x1.00,
									Lower
16									EXTENSION, Cargo Door Pillar To
									Sill
	5CS0 3RC3	1							Gray, Rear
	5CS1 0RC3	1							Gray, Side
17									SCREW, (NOT SERVICED) (Not
									Serviced)
18									PIN, Push .281
	5AA3 5SK5	6							Gray
	5AA3 5TC3	1							Mist Gray

DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Single Rear Cargo Shell And Hinges
Figure DAB-450


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55346 724AD	1							DOOR, Rear Cargo, Door ***
2	55346 443AB	1							PANEL, Rear Cargo Door Repair, Repair
3	5507 5195	1							HINGE, Side Door
4	6031 129	6							SCREW AND WASHER, Hex Head, .312-18x.875, Hinge to Door
5									SCREW AND WASHER, Hex Head, .312-18x.690, (NOT SERVICED) (Not Serviced)
6	5507 5208	1							PIN, Cargo Hinges
7	5507 5199	1							BUSHING, Pin
8	3636 720	2							WEDGE, Cargo Door
9									SPACER, (NOT SERVICED) (Not Serviced)
10									SCREW, (NOT SERVICED) (Not Serviced)
11	55346 731AC	1							ARM, Cargo Door Check
12	6035 950AA	1							PIN, Check Arm, Check Arm
13	55347 338AB	1							BUMPER, Door
14	5534 6728	1							HOUSING, Door Remote Control
15	6500 284	7							NUT, Hex, M6x1.00
16									SCREW, (NOT SERVICED) (Not Serviced)
17	6029 939	AR							PLUG, Body, .50 Diameter

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Single Rear Cargo Glass And Hardware
Figure DAB-460



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5507 4704	1							HINGE, Glass, Glass ***
2	6030 650	3							SCREW, Hex Head Locking, .25-20x.875, Hinge
3	0154 608	4							SCREW, Pan Head, .19-16x.625, Hinge
4	5513 5041	2							LATCH, Vent Window, Window
5	9411 579	2							PIN, Latch, Latch
6	4084 167	2							NUT, Window Latch Side Glass, Latch
7	4084 164	2							GROMMET, Vent Window Latch, Latch
8	5513 4502	4							WASHER, Vent Window Latch, Latch
9	5502 2619	2							RETAINER, Side Panel Vent
10									Window, Latch
11	5517 4544	1							SCREW, (NOT SERVICED) (Not Serviced)
12									LABEL, Exhaust Gas Warning, Exhaust Warning
									GLASS
	4081 253	1							Fixed, Tinted
	5507 4700	1							Vented, Tinted
	5513 5269	1							Fixed, Privacy
	5513 5265	1							Vented, Privacy
13	5503 4480	1							BACKLITE, Tinted, Heated
14	5513 5267	1							GLASS, Cargo Door, Vented, Privacy, Heated


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Single Rear Cargo Lock And Controls

Figure DAB-470



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Cargo Door, (NOT SERVICED) (Not Serviced)
2									SCREW, (NOT SERVICED) (Not Serviced)
3	4467 251	1							MOTOR PACKAGE, Door Lock, Latch
4	4354 473	1							BRACKET, Door Lock Motor, Solenoid
5	4354 649	1							CRANK, Electric Door Lock, Solenoid
6	55076 362AB	1							LINK, Latch Actuating
7	4184 245	1							CLIP, Lever Link
8									SCREW, Solenoid, (NOT SERVICED) (Not Serviced)
9	5507 6357	1							LINK, Rear Door Lock, Lock Cylinder to Latch
10	3670 808	1							CONTROL, Door Lock
11	6022 202	1							SCREW AND WASHER, Hex Head, .25-20x.625
12	5507 6083	1							HANDLE, Cargo Door, Remote Control
13	6022 202	1							SCREW AND WASHER, Hex Head, .25-20x.625, Handle
14									PLATE, (Serviced in Door Shell), (NOT SERVICED) (Not Serviced)
15	5507 6359	1							LINK, Rear Door Lock, Remote Control
16	5507 5655	1							HANDLE, Exterior Door, Exterior
17	5507 4892	1							SPACER, Handle, Handle
18	J420 0306	2							NUT, Hex Lock, Handle
19	5507 6358	1							LINK, Exterior Door Handle, Handle to Latch
20	3454 220	1							CLIP, Parking Brake Cable
21	2956 754	1							KNOB, Door Lock
22	4038 693	1							GROMMET, Lock Knob, Lock Knob
23	5507 6361	1							LINK, Rear Door Lock, Lock Knob to Latch
24	5507 4543	1							STRIKER, Door Latch
25									SPACER, Striker, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Check Arm, Cargo Door
Figure DAB-480

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, (NOT SERVICED) (Not Serviced)
2	6029 939	AR							PLUG, Body, .50 Diameter
3	55346 731AC	1							ARM, Cargo Door Check Left
	55346 730AC	1							Right
4	6500 284	2							NUT, Hex, M6x1.00
5	5534 6728	1							HOUSING, Door Remote Control
6	6035 950AA	1							PIN, Check Arm, Check Arm
7	55347 338AB	1							BUMPER, Door



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mirrors, Exterior
Figure DAB-520


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MIRROR, Outside Rearview
	55346 946AB	1							Manual Flag Type GPU, Right
	55346 947AB	1							Manual Flag Type GPU, Left
2									MIRROR, Outside Rearview
	5534 6948	1							Electric Flag Type GPS, Right
	5534 6949	1							Electric Flag Type GPS, Left
-3	55077 191AA-	1							MIRROR, Outside Right Hand, Arabic, Electric Flag Type
4	J420 0408	6							NUT AND WASHER, Hex Nut-Coned Washer, M5 x 0.80
5									MIRROR, Outside Rearview
	55077 070AA	1							Delivery, Right
	55077 071AA	1							Delivery, Left
6	6036 177AA	8							NUT, Hex, .250-20
7									COVER, Mirror Flag
	55077 072AA	1							Right
	55077 073AA	1							Left
8	55077 074AA	2							BRACKET, Mirror, w/Gasket, Upper, Right
9	55077 075AA	2							BRACKET, Mirror, w/Gasket, Lower
-10									GLASS, Mirror Replacement
	5019 890AA-	1							Manual Flag Type GPU, Right
	5019 891AA-	1							Manual Flag Type GPU, Left
	5019 890AA-	1							Electric Flag Type GPS, Right
	5019 891AA-	1							Electric Flag Type GPS, Left

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front Weatherstrips And Seals
Figure DAB-615




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Front Door
	55346 790AE	1							Secondary
	55346 791AE	1							Right
									Left
2									WEATHERSTRIP, Front Door
	55346 676AE	1							Right
	55346 677AE	1							Left
3									WEATHERSTRIP, Front Door
	5534 6672	1							Right
	5534 6673	1							Left
-4									WEATHERSTRIP, Front Door Glass
	5534 6674	1							Inner,Right
	5534 6675	1							Inner,Left

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Sliding Weatherstrips Figure DAB-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55347 098AB	1							WEATHERSTRIP, Sliding Door
2									SCREW, (NOT SERVICED) (Not Serviced)
3	4354 950	1							WEATHERSTRIP, Cargo Door Glass, Stationary
4	6003 220	1	1, 2		11, 12, 13, 51, 52				CLIP, Weatherstrip
		1	3		12, 13, 53				
5	4498 169	1							WEATHERSTRIP, Side Panel Vent, Vented

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Dual Cargo Weatherstrips And Seals
Figure DAB-630




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Cargo Door
	55134 553AB	1							Left Side
	55134 555AB	1							Left Rear
2	4354 954	2							WEATHERSTRIP, Cargo Door Glass, Fixed
3									WEATHERSTRIP, Cargo Door
	55135 270AB	1							Right Side
	55135 271AB	1							Right Rear
4	55134 668AB	2							WEATHERSTRIP, Rear Cargo Door Header, Header
5	4498 170	2							WEATHERSTRIP, Cargo Door Vent Glass, Vented

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Diagram illustrating the assembly of the rectangular frame. A small rectangular piece is shown being inserted into the center of the frame. A callout '2' points to the bottom right corner of the frame.



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55347 318AB	1							WEATHERSTRIP, Rear Cargo Door, Door
2	4354 954	2							WEATHERSTRIP, Cargo Door Glass Side Cargo Door Fixed
	4354 950	1							Fixed
-3	4498 169	1							WEATHERSTRIP, Side Panel Vent, Rear Cargo Door, Vented
4	6003 220	1	1, 2		11, 12, 13, 51, 52				CLIP, Weatherstrip
		1	3		12, 13, 53				

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

September 15, 2005

Group – EAB

Exterior Ornamentation

GROUP EAB - Exterior Ornamentation

Illustration Title Group-Fig. No.

Nameplates


Nameplates And Decals Fig. EAB-120




Moldings and Ornamentation

Moldings Fig. EAB-220

Decals and Tapestripes


Tape Stripes Fig. EAB-325



EAB-100 Nameplates 	EAB-200 Moldings and Ornamentation 	EAB-300 Decals and Tapestripes 	
---	---	--	--

Nameplates And Decals
Figure EAB-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55295 241AB	1							MEDALLION, Hood, Rams Head, Rams Head
2	55295 310AB	1	1		11, 12, 13, 51				NAMEPLATE, Front Fender, Ram 1500
3	55295 311AB	1	2		12, 13, 52				NAMEPLATE, Front Fender, Ram 2500
4	55295 312AB	1	3		12, 13, 53				NAMEPLATE, Front Fender, Ram 3500
5	5529 5401	2							NAMEPLATE, Front Fender, SLT




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Moldings
Figure EAB-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Fender
	55274 942AB	1							Right
	55274 943AB	1							Left
2									MOLDING, Front Door
	55274 944AB	1							Right
	55274 945AB	1							Left
3	55274 946AB	1							MOLDING, B-Pillar
4	55274 961AB	1							MOLDING, Cargo Door
5	55274 947AB	1							MOLDING, Cargo Door
6	55274 948AB	1							MOLDING, Cargo Door
7									MOLDING, Side Panel
	55274 950AB	1	2, 3		52, 53				Right
	55274 952AB	1	1		11, 51				Right
	55274 953AB	1	2, 3		52, 53				Left
8									MOLDING, Side Panel
	55274 954AB	1			13, 53				109'/127' Wheelbase, Right,Front
	55274 955AB	1			13, 53				109'/127' Wheelbase, Left,Front
9									MOLDING, Lower Corner Panel
	55274 958AB	1			13, 53				w/109'/127' Wheelbase, Right,Rear
	55274 959AB	1			13, 53				w/109'/127' Wheelbase, Left,Rear
	55274 956AB	1			11, 12,				w/109'/127' Wheelbase, Right,Rear
					51, 52				
	55274 957AB	1			11, 12,				w/109'/127' Wheelbase, Left,Rear
					51, 52				
10	55274 960AB	2							MOLDING, Cargo Door
11	55274 949AB	1							MOLDING, Cargo Door
12									MOLDING, Side Panel
	55274 951AB	1	1		51				Left
	55274 953AB	1	2, 3		52, 53				Left

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Tape Stripes
Figure EAB-325



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5CV3 8MAH	1							TAPE, Rear Cargo Door
	5CV3 8SQS	1							Director Red/Light Gray/Director Red
2	4740 070	1							Light Teal/Medium Teal
3	4740 060	1			13				TAPE, Body Side, Parade Blue/Light Gray/Parade Blue, Right
									TAPE PACKAGE, Body Side, Director Red, Light Gray, Director Red, Right
4	4798 936	AR			13				TAPE KIT, Bodyside
	4882 812	1							Light Teal/Medium Teal/Light Teal, Right
5	4740 073	1							Textured, Black, Right
6	4740 068	1			13				TAPE, Body Side, Parade Blue/Light Gray/Parade Blue, Left
									TAPE PACKAGE, Body Side, Director Red/Light Gray/Director Red, Left
7	4798 933	AR			13				TAPE KIT, Bodyside
									Light Teal/Medium Teal/Light Teal, Left
	4882 813	1							Textured, Black (On Bottom Of Van, 'Dodge', Left




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – IAB

Interior Trim











IAB-100 Headliner and Visor 	IAB-200 Moldings, Scuff Plates 	IAB-300 Carpet 	IAB-400 Door Trim Panels-Front and Sliding 
IAB-500 Front Seats and Attaching Parts 	IAB-600 Rear Seats 	IAB-700 Seat Belts-Front and Rear 	IAB-800 Adjusters, Covers, Shields, and Risers 

Illustration Title	Group-Fig. No.
Headliner and Visor	
Headliner	Fig. IAB-110
Sunvisor	Fig. IAB-120
Moldings, Scuff Plates	
Cowl And Front Wheelhouse Trim	Fig. IAB-210
Panels, Trim Lower	Fig. IAB-220
Insulation, Lower Trim Panels	Fig. IAB-230
Panels, Trim Upper	Fig. IAB-235
Carpet	
Carpets, Mats, Scuff Plates	Fig. IAB-330
Door Trim Panels-Front and Sliding	
Panel, Panel Front Door Trim	Fig. IAB-410
Door Trim Panels, Side and Rear	Fig. IAB-420
Front Seats and Attaching Parts	
Front Seat Trim Code [HD]	Fig. IAB-510
Front Seat Trim [PB]	Fig. IAB-520
Rear Seats	
Rear Seats, Trim Codes [HD, PB]	Fig. IAB-610
Seat Belts-Front and Rear	
Front Seat Belts	Fig. IAB-710
Belts, Rear Seats	Fig. IAB-720
Belts, Shoulder Rear Seats	Fig. IAB-730
Adjusters, Covers, Shields, and Risers	
Reclining Mechanism, Front Seat	Fig. IAB-810
Adjusters And Riser, Bucket Seats, Without Power	Fig. IAB-820
Adjusters and Riser, Bucket Seats, With Power	Fig. IAB-825
Risers, Rear Seats	Fig. IAB-830


Headliner
Figure IAB-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55350 821AA	1							HEADLINER, Front, Cardboard
2	5GC72 TL2AD	1						O0	HEADLINER, Front, Includes Map/ Dome Reading Lamp, Insulation
3	5GF87 TL2AA	5						O0	PIN, Push
4	5GC83 TL2AB	1						O0	MOLDING, Headliner
5									HEADLINER
	5ES40 TL2AB	1			13, 53			O0	Without Air
	5FZ92 TL2AB	1			12, 52			O0	Includes Duct And Bezel
	5ES3 4TL2	1	1		11, 51			O0	Without Air
	5ES3 7TL2	1			12, 52			O0	Without Air
	5FZ93 TL2AA	1			13, 53			O0	Includes Duct And Bezel
-6									OUTLET, Air Conditioning & Heater
	JH92 TL2	2			12, 52			O0	Right
		2			13, 53			O0	Right
	JH93 TL2	3			12, 52			O0	Left
		4			13, 53			O0	Left
-7	55350 816AA-	1						O0	PIN, Push, Included With Rear Headliner
-8	55350 770AA-	1							SILENCER, Roof Head/Liner, Anti, Buzz, Squeak, Rattle
9									RETAINER, Headliner
	55350 887AA	5			12, 52			O0	
		5			13, 53			O0	



DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Sunvisor
Figure IAB-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4084 481	1						O0	ARM AND BRACKET, Sunvisor
2									VISOR, Vinyl
	5FA98 1K5AB	1						O0	Tan, Right
	5FA99 1K5AB	1						O0	Tan, Left
	5FA98 1C3AB	1						O0	Mist Gray, Right
	5FA99 1C3AB	1						O0	Mist Gray, Left
	5GG45 1C3AA	1			11, 12, 13			O0	Mist Gray, With Airbag Defeat Switch, Left
	5GG45 1K5AA	1			11, 12, 13			O0	Tan, With Airbag Defeat Switch, Left
	5GG44 1C3AA	1						O0	Mist Gray, With Airbag Defeat Switch, Right
	5GG44 1K5AA	1						O0	Tan, With Airbag Defeat Switch, Right
3	4113 576	1			11, 12, 13				COVER, Visor
4									CLIP, Visor
	L536 SK5	1						O0	Tan
	L536 RC3	1						O0	Mist Gray
5	0152 438	3							SCREW, Oval Head, .19-16x.75
6	1490 983	2						O0	CLIP, Sunvisor
7									SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
8	2789 037	1						O0	TIP, Visor Support
9	2789 036	1						O0	SUPPORT, Visor
10									VISOR, Illuminated, Cloth
	5GD27 1C3AB	1						O0	Mist Gray, Left
	5GD27 1K5AB	1						O0	Tan, Left
	5FA94 1C3AC	1						O0	Mist Gray, Right
	5FA94 1K5AC	1						O0	Tan, Right
11									VISOR, Cloth
	5FA95 1C3AC	1						O0	Mist Gray, Without Illumination
	5FA95 1K5AC	1						O0	Tan, Without Illumination
12									LABEL, Air Bag Warning
	55350 848AA	2			11, 12, 13				CANADA, With Air Bag Defeat Switch
	4787 436AA	2							
	4787 437AA	2							CANADA, Without Air Bag Defeat Switch

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cowl And Front Wheelhouse Trim
Figure IAB-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl
	5FA26 RC3AC	1						O0	Mist Gray, Left
	5FA26 RK5AC	1						O0	Tan, Left
2									PANEL, Cowl
	5FA26 RC3AC	1						O0	Mist Gray, Right
	5FA26 RK5AC	1						O0	Tan, Right
3									SCREW, .164-18x.625, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Trim Lower
Figure IAB-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[P.A.R.] = Paint As Required									
1	5FR82 RC3AB	1			13, 53			O0	COVER, Heater Mist Gray
	5FR82 RK5AB	1			13, 53			O0	Tan
2									SCREW, M408x1.59x15.00, (NOT SERVICED) (Not Serviced)
3	6031 551	16							CLIP, Molding, Width = .440, Length = .625, Thickness= .025
4	6031 536	3							CLIP, Width = .510, Length = .430, Thickness= .022
5	6035 930AA	4							CLIP, Trim Panel, .438x.650x.797
6	3832 616	1							FASTENER, Trim Panel
7									PANEL, Rear Side Lower
	5GD48 RC3AA	1			12, 13, 52, 53			O0	Mist Gray, Right
	5GD48 RK5AA	1			12, 13, 52, 53			O0	Tan, Right
	5GD58 RC3AA	1	1		11, 51			O0	Mist Gray, Right
	5GD58 RK5AA	1	1		11, 51			O0	Tan, Right
8									PANEL, Side Trim
	5GE30 RC3AA	1			13, 53			O0	Mist Gray, Right
	5GE30 RK5AA	1			13, 53			O0	Tan, Right
	5GE31 RC3AA	1			13, 53			O0	Mist Gray, Left
	5GE31 RK5AA	1			13, 53			O0	Tan, Left
9									PANEL, Rear Corner
	5GD56 RC3AA	1			11, 12, 51, 52			O0	Mist Gray, Right
	5GD56 RK5AA	1			11, 12, 51, 52			O0	Tan, Right
	5GD52 RC3AA	1			13, 53			O0	Mist Gray, Right
	5GD52 RK5AA	1			13, 53			O0	Tan, Right
10									PANEL, Rear Corner
	5GD53 RC3AA	1			13, 53			O0	Mist Gray, Left
	5GD53 RK5AA	1			13, 53			O0	Tan, Left
	5GD57 RC3AA	1			11, 12, 51, 52			O0	Mist Gray, Left
	5GD57 RK5AA	1			11, 12, 51, 52			O0	Tan, Left
11									PANEL, Side Trim

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Trim Lower
Figure IAB-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5FU61 RC3AC	1			12, 13,			O0	Mist Gray, With Rear Air, Left
					52, 53				
	5FU61 RK5AC	1			12, 13,			O0	Tan, With Rear Air, Left
					52, 53				
	5FR3 7RC3	1	1		11, 51			O0	Mist Gray, Left
	5FR3 7RK5	1	1		11, 51			O0	Tan, Left
	5FU6 5RC3	1			12, 13,			O0	Mist Gray, Without Rear Air, Left
					52, 53				
	5FU6 5RK5	1			12, 13,			O0	Tan, Without Rear Air, Left
					52, 53				
12	5FR75 RC3AB	2			13, 52,			O0	BEZEL, Heater and A/C Control
					53				Mist Gray, Rear
	5FR75 RK5AB	2			13, 52,			O0	Tan, Rear
					53				
13	5FU5 9RC3	1			12, 13,			O0	PANEL, Side Front
					52, 53				Mist Gray, Without Rear Air, Left
	5FU5 9RK5	1			12, 13,			O0	Tan, Without Rear Air, Left
					52, 53				
	5FU4 3RC3	1			12, 13,			O0	Mist Gray, With Rear Air, Left
					52, 53				
	5FU4 3RK5	1			12, 13,			O0	Tan, With Rear Air, Left
					52, 53				
	5FZ75 RC3AA	1	1		11, 51			O0	Mist Gray, Left
	5FZ75 RK5AA	1	1		11, 51			O0	Tan, Left
14	5521 6421	2							CUPHOLDER
15									NUT, Speed, For .164-18 Stud, (NOT SERVICED) (Not Serviced)
16	5521 6070	2							ASH RECEIVER, Trim Panel
17									SCREW, 0.164-18x.875, (NOT SERVICED) (Not Serviced)
18	D496 RC3	2						O0	GRILLE, Speaker, Paint as Required
19									SCREW, (NOT SERVICED) (Not Serviced)
20	9420 278	8							NUT, For .187 Diameter Stud
21	4084 328	1			13, 53				RETAINER, Trim Panel
22	4084 325	1							RETAINER, Spare Tire Mount Support
23	4084 323AB	1							RETAINER, Trim Panel

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Insulation, Lower Trim Panels
Figure IAB-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55350 795AA	1							INSULATION, Side Panel, Front, Rear,Left
2	55350 793AA	1							INSULATION, Side Panel, Front,Left
3	4265 327	2			13, 53				INSULATION, Side Panel Rear Wheel/House,Right And Left
		1			12, 13, 52, 53				Rear Wheel/House,Right And Left
4	5521 5963	2			11, 12, 51, 52				INSULATION, Side Panel, Rear
5	55350 790AA	2			13, 53				INSULATION, Side Panel, Rear Corner, Right And Left
6	4265 326	2	1		11, 51				INSULATION, Side Panel, Rear Wheel/House,Right And Left

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

Panels, Trim Upper Figure IAB-235



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
P.A.R.= Paint As Required									
1	L561 RC3	1						O0	PANEL, Door Trim Single Cargo Door, Paint as Required, Up to 3-2-98, Rear, Cargo Door,Upper,Header
	5AX8 8RC3	1						O0	Dual Hinged Doors, Paint as Required,3-2-98, Rear,Cargo Door,Upper,Header
	5GE41 RC3AA	1						O0	Single Cargo Door, Mist Gray, After 3-2-98, Molded Plastic, Rear, Cargo Door,Upper,Header
	5GE41 RK5AA	1						O0	Single Cargo Door, Tan, After 3-2- 98, Molded Plastic, Rear,Cargo Door,Upper,Header
	5GH24 RC3AA	1						O0	Dual Hinged Doors, Mist Gray, After 3-2-98, Molded Plastic
	5GH24 RK5AA	1						O0	Dual Hinged Doors, Tan, After 3-2- 98, Molded Plastic
-2	5AX8 9TC3	1						O0	CAP, Trim Panel Screw Cover Mist Gray, Up to 3-2-98
	5AX8 9TK5	1						O0	Tan, Up to 3-2-98
3									SCREW, .164-18x.75, (NOT SERVICED) (Not Serviced)
4	5CJ0 5RC3	1			13, 53			O0	PANEL, Side Trim PAR, Rear Side,Upper,Left
	4636 727	1	1		11, 51			O0	PAR, Rear Side,Upper,Left
	5CF0 7RC3	1			12, 52			O0	PAR, Rear Side,Upper,Left
5	5FU75 RC3AB	1						O0	PANEL, Side Front Mist Gray, Upper Left
	5FU75 RK5AB	1						O0	Tan, Upper Left
6	3685 992	1						O0	HOOK PKG, Coat
7	0153 459	1			51, 52, 53				SCREW, Oval Head, .164-18x1
8	5CF0 9RC3	1			13, 53			O0	PANEL, Rear Corner, Left
9	5FV5 6RC3	1						O0	PANEL, Side Cargo Door Trim Mist Gray, With Dual Hinged Doors
	5FU9 8RC3	1						O0	Mist Gray, With Sliding Door
	5FU9 8RK5	1						O0	Tan, With Sliding Door
	5FV5 6RK5	1						O0	Tan, With Dual Hinged Doors
10									PANEL, Side Trim


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Trim Upper
Figure IAB-235



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5FK1 4RC3	1			12, 52			O0	Right
	5FK1 2RC3	1			13, 53			O0	Right
	5FK1 8RC3	1	1		11, 51			O0	Right
11	55350 764AA	1							PANEL, Cargo Door Header Trim, Sliding Cargo Door, Upper
12	5CF0 8RC3	1			13, 53			O0	PANEL, Rear Corner, Right
13	5GH38 SX9AA	1						O0	COVER, Jack
14									PANEL, B Pillar
	5FV58 RC3AB	1			11, 12, 13			O0	Mist Gray, With Dual Doors, Right
		1			51, 52, 53			O0	Mist Gray, With Dual Doors, Right
	5FV58 RK5AB	1			11, 12, 13			O0	Tan, With Dual Doors, Right
	5FV60 RC3AB	1			11, 12, 13			O0	Mist Gray, With Sliding Door, Right
		1			51, 52, 53			O0	Mist Gray, With Sliding Door, Right
	5FV58 RK5AB	1			51, 52, 53			O0	Tan, With Dual Doors, Right
	5FV60 RD5AB	1			11, 12, 13			O0	Tan, With Sliding Door, Right
		1			51, 52, 53			O0	Tan, With Sliding Door, Right
15									PANEL, B Pillar
	5FA25 RC3AC	1			51, 52, 53			O0	Mist Gray, Lower Left
	5FA25 RK5AC	1			51, 52, 53			O0	Tan, Lower Left
16									MOLDING, Windshield Garnish
	5FA18 RC3AB	1						O0	Mist Gray, Right
	5FA18 RK5AB	1						O0	Tan, Right
	5FA19 RC3AB	1						O0	Mist Gray, Left
	5FA19 RK5AB	1						O0	Tan, Left
17									SCREW, .164-18x.625, (NOT SERVICED) (Not Serviced)
18									PANEL, Windshield Header
	5FR7 8RC3	1						O0	Mist Gray
	5FR7 8RK5	1						O0	Tan
-19	55350 863AA-	1							SILENCER, Roof Head/Liner
20									FASTENER, B Pillar Trim, Push In


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Trim Upper
Figure IAB-235

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5DM9 2TC3	4						O0	Mist gray
	5DM9 2TK5	4						O0	Tan




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Carpets, Mats, Scuff Plates

Figure IAB-330



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4356 132AB	1	3		12, 13				PAD, Front Floor Pan
2	4356 133AB	1	3		53				PAD, Center Floor Pan
3									CARPET, Rear Floor
	5FB44 RC8AE	1			12, 52			O0	Mist Gray, With Dual Doors
	5FB44 VK9AE	1			12, 52			O0	Tan, With Dual Doors
	5FB46 RC8AE	1			13, 53			O0	Mist Gray, With Dual Doors
	5FB45 RC8AE	1			12, 52			O0	Mist Gray, With Sliding Door
	5FB45 VK9AE	1			12, 52			O0	Tan, With Sliding Door
	5FB47 RC8AE	1			13, 53			O0	Mist Gray, With Sliding Door
	5FB46 VK9AE	1			13, 53			O0	Tan, With Dual Doors
	5FB48 RC8AE	1	1		11, 51			O0	Mist Gray, With Dual Doors
	5FB48 VK9AE	1	1		11, 51			O0	Tan, With Dual Doors
	5FB47 VK9AE	1			13, 53			O0	Tan, With Sliding Door
	5FB49 RC8AE	1	1		11, 51			O0	Mist Gray, With Sliding Door
	5FB49 VK9AE	1	1		11, 51			O0	Tan, With Sliding Door
-4									MAT, Floor
	5FB05 DX9AE-	1	1		11, 51			O0	With Dual Doors
	5FB06 DX9AE-	1	1		11, 51			O0	With Sliding Doors
	5FB01 DX9AE-	1			13, 53			O0	With Dual Doors
	5FB04 DX9AD-	1			13, 53			O0	With Sliding Doors
	5FB10 DX9AE-	1			12, 52			O0	With Dual Doors
	5FB42 DX9AE-	1			12, 52			O0	With Sliding Doors
5									ESCUTCHEON, Seat Anchor
	5521 6774	8							8 and 12 Passenger
		12							15 Passenger
6									SCREW, [.164-18x1.250], (NOT SERVICED) (Not Serviced)
7									CARPET, Floor
	5FB93 RC8AE	1						O0	Mist Gray
	5FB93 VK9AE	1						O0	Tan
-8	5FB37 DX9AE-	1						O0	MAT, Floor, Front
9									CARPET, Fuel Filler Cover
	5FR34 RC8AB	1						O0	Mist Gray
	5FR34 VK9AB	1						O0	Tan
10									CARPET, Wheelhouse
	5FW53 RC8AC	2						O0	Mist Gray
	5FW53 VK9AC	2						O0	Tan
-11	55350 741AD-	2							MAT, Wheelhouse
12									RETAINER, Floor Carpet or Mat
	6033 752	4							Driver Side
	5535 0620	1							Passenger Side

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Carpets, Mats, Scuff Plates
Figure IAB-330




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13									PLATE, Scuff
	5FU77 DX9AB	1						O0	With Dual Door
	5FV02 DX9AC	1						O0	With Single Door
14									SCREW, [.164-18x.656], (NOT SERVICED) (Not Serviced)
15	5FV3 0SX9	1						O0	PAD, Side Cargo Door Sill, Lower
16	5FV24 DX9AB	1			12, 13, 52, 53			O0	PAD, Side Cargo Door Sill Upper
	5FV26 DX9AB	1	1		11, 51			O0	Upper
17									SCREW, .164-18x.75, (NOT SERVICED) (Not Serviced)
18	5FV1 2SX9	1						O0	PAD, Side Step Sill, Lower
19	5FV28 DX9AB	1						O0	PAD, Side Step Sill, Upper
20	5FA28 DX9AE	1						O0	Right
	5FA29 DX9AE	1						O0	Left
21									SCREW, [.164-18x1.25], (NOT SERVICED) (Not Serviced)
-22									MAT KIT, Floor - Front
	8220 3457	1							Tan
	8220 3663	1							Agate

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panel, Panel Front Door Trim
Figure IAB-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[CTK]= Door Trim Panel, Front, Knock Down									
[CTJ]= Door Trm Panel, Premium									
CTG = Door Trim Panel, Base									
1									PANEL, Front Door Trim
	5FY60 1C3AF	1						O0	Mist Gray, Premium, Sales Code CTJ, Right,Power
	5FY60 1K5AF	1						O0	Tan, Premium, Sales Code CTJ, Right,Power
	5FY61 1C3AF	1						O0	Mist Gray, Premium, Sales Code CTJ, Left,Power
	5FY61 1K5AF	1						O0	Tan, Premium, Sales Code CTJ, Left,Power
	5GC54 1C3AC	1						O0	Mist Gray, Without Power, Base, Sales Code CTG, Right
	5GC54 1K5AC	1						O0	Tan, Without Power, Base, Sales Code CTG, Right
	5GC55 1C3AC	1						O0	Mist Gray, Without Power, Base, Sales Code CTG, Left
	5GC55 1K5AC	1						O0	Tan, Without Power, Base, Sales Code CTG, Left
	5GJ68 1C3AC	1			11, 12,			O0	Mist Gray, Conversion Package, Sales Code CTK, Right
	5GJ68 1K5AC	1			11, 12, 13			O0	Tan, Conversion Package, Sales Code CTK, Right
	5GJ69 1C3AC	1			11, 12, 13			O0	Mist Gray, Conversion Package, Sales Code CTK, Left
	5GJ69 1K5AC	1			11, 12, 13			O0	Tan, Conversion Package, Sales Code CTK, Left
2	6504 726	2							NUT, Spring
3									BEZEL, Door Trim Panel
	5GA52 DX9AC	1						O0	Right
	5GA53 DX9AB	1						O0	Left
4									SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
5									BEZEL, Front Door Mirror
	5GA78 DX9AA	1						O0	Base, Sales Code CTG, Right
	5GA79 DX9AB	1						O0	Without Power Mirrors, Base, Sales Code CTG, Left
	5GA81 DX9AB	1						O0	With Power Mirrors, Base, Sales Code CTG, Left


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panel, Panel Front Door Trim
Figure IAB-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5GA84 JX8AD	1						O0	Premium, Sales Code CTJ, Right
	5GA87 JX8AC	1						O0	Premium, Sales Code CTJ, Left
6	5GC58 RC3AA	1						O0	PLUG, Door Trim Panel
	5GC58 RK5AA	1						O0	Mist Gray
								O0	Tan
7	3420 2599	4						O0	FASTENER, Trim Panel Attaching
8									PAD, Armrest
	5GC12 RC3AA	1						O0	Mist Gray, Right
	5GC12 RK5AA	1						O0	Tan, Right
	5GC13 RC3AA	1						O0	Mist Gray, Left
	5GC13 RK5AA	1						O0	Tan, Left
9	5FK93 DX9AB	1						O0	CUP, Door Pull
-10									NUT, Stamped, M6, (NOT
									SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Trim Panels, Side and Rear Figure IAB-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6035 930AA	4							CLIP, Trim Panel
2									PROTECTOR, Rear Cargo Door
	5FV4 6RC3	1						O0	Mist Gray
	5FV4 6RK5	1						O0	Tan
3	L666 RC3	2						O0	PROTECTOR, Side Cargo Door
4									PANEL, Door Trim
	5EP9 0TC3	1						O0	Mist Gray, With Single Rear Door
	5EP9 0TK5	1						O0	Tan, With Single Rear Door
5									PANEL, Side Cargo Door
	5EP9 2RC3	1						O0	Mist Gray, Side Front
	5EP9 2RK5	1						O0	Tan, Side Front
	5EP9 3RC3	1						O0	Mist Gray, Side Rear
	5EP93 RK5AB	1						O0	Tan, Side Rear
6									PANEL, Rear Cargo Door Trim
	5EP9 7RC3	1						O0	Mist Gray, Left Rear
	5EP9 7RK5	1						O0	Left Rear
	5EP9 6RC3	1						O0	Mist Gray, Right Rear
	5EP9 6RK5	1						O0	Tan, Right Rear
7									PANEL, Side Cargo Door Trim
	5FU8 4RC3	1						O0	Mist Gray
	5FU8 4RK5	1						O0	Tan
8									HANDLE, Front And Sliding Door
	5DH2 2RC3	1						O0	Mist Gray
	5DH2 2SK5	1						O0	Tan
9									SCREW, .190-24x.250, (NOT SERVICED) (Not Serviced)
-10	6035 425	2							NUT/RIVET, .19-24
11									COVER, Raer Window Latch
	L718 RC3	2			51, 52, 53			O0	Mist Gray
	L718 RK5	2			51, 52, 53			O0	Tan
12	4264 128	4			51, 52, 53				RETAINER, Window Latch
13	4265 329AB	1							INSULATION, Cargo Door
14	3832 616	1							FASTENER, Trim Panel
15	6035 930AA	4							CLIP, Trim Panel

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Seat Trim Code [HD]
Figure IAB-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	SEAT COMPLETE, Front								
	SA31 RC3AA	1						HD	Mist Gray, Driver
	SA31 RK5AA	1						HD	Tan, Driver
	SA30 RC3AA	1						HD	Mist Gray, Passenger
	SA30 RK5AA	1						HD	Tan, Passenger
2	COVER, Front Seat Cushion								
	SA20 RC3AA	1						HD	Mist Gray
	SA20 RK5AA	1						HD	Tan
3	COVER, Front Seat Back								
	SA14 RK5AA	1						HD	Tan
	SA14 RC3AA	1						HD	Mist Gray
4	HANDLE, Grab								
	MH09 1K5	1						HD	Tan
	MH09 1C3	1						HD	Mist Gray
5	COVER, Assist Handle								
	MH10 1K5	2						HD	Tan
	MH10 1C3	2						HD	Mist Gray




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Seat Trim [PB]
Figure IAB-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	CUSHION, Front Seat								
	SA07 1C3AA	1						PB	Mist Gray, Driver,Power
	SA07 1K5AA	1						PB	Tan, Driver,Power
	SA10 1C3AA	1						PB	Mist Gray, Passenger
	SA10 1K5AA	1						PB	Tan, Passenger
2	SA11 1C3AA	1						PB	Mist Gray, Driver,Manual
	SA11 1K5AA	1						PB	Tan, Driver,Manual
	COVER, Front Seat Cushion								
	SA12 1C3AA	1						PB	Mist Gray, Driver,Passenger, Manual
	SA12 1K5AA	1						PB	Tan, Driver,Passenger,Manual
3	SA13 1C3AA	1						PB	Mist Gray, Driver,Power
	SA13 1K5AA	1						PB	Tan, Driver,Power
	SEAT BACK, Front								
	SA50 1C3AA	1						PB	Mist Gray, Passenger
	SA50 1K5AA	1						PB	Tan, Passenger
4	SA51 1C3AA	1						PB	Mist Gray, Driver
	SA51 1K5AA	1						PB	Tan, Driver
	COVER, Front Seat Back								
	SA08 1C3AA	1						PB	Mist Gray, Passenger
	SA08 1K5AA	1						PB	Tan, Passenger
5	SA09 1C3AA	1						PB	Mist Gray, Driver
	SA09 1K5AA	1						PB	Tan, Driver
	ARMREST, Seat								
	5DH9 41C3	1						PB	Mist Gray, Driver
	5DH9 41K5	1						PB	Tan, Driver
6	5DH9 51C3	1						PB	Mist Gray, Passenger
	5DH9 51K5	1						PB	Tan, Passenger
	BRACKET, Arm Rest								
	4084 278	1						PB	Driver
	4084 279	1						PB	Passenger
7	4796 202	1						PB	SUPPORT, Armrest
	HANDLE, Grab								
	MH09 1C3	1						PB	Mist Gray
	MH09 1K5	1						PB	Tan
	COVER, Assist Handle								
9	MH10 1C3	2						PB	Mist Gray
	MH10 1K5	2						PB	Tan
	BEZEL, Power Seat Switch								
	5EH1 5RC3	1						O0	Mist Gray


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Seat Trim [PB]
Figure IAB-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5EH1 5SK5	1						O0	Tan
11	5012 912AA	2						PB	CLIP, Attaching
12	4796 066	2						PB	SCREW
13	5073 476AA	1						PB	BOLT, Armrest Pivot




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seats, Trim Codes [HD, PB] Figure IAB-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	5EV2 1RC3	1						PB	Mist Gray, 3 Passenger
	5EV2 1RK5	1						PB	Tan, 3 Passenger
	5EV2 3RC3	1	3		53			PB	Mist Gray, 4 Passenger
	5EV2 3RK5	1	3		53			PB	Tan, 4 Passenger
	5EV3 2RC3	1						HD	Mist Gray, 3 Passenger
	5EV3 2RK5	1						HD	Tan, 3 Passenger
	5EV3 4RC3	1	3		53			HD	Mist Gray, 4 Passenger
	5EV3 4RK5	1	3		53			HD	Tan, 4 Passenger
2									COVER, Rear Seat Cushion
	5DJ40 RC3AB	1						HD	Mist Gray, 3 Passenger
	5DJ40 RK5AB	1						HD	Tan, 3 Passenger
	5DJ54 RC3AB	1						PB	Mist Gray, 3 Passenger
	5DJ54 RK5AB	1						PB	Tan, 3 Passenger
	5DJ68 RK5AB	1	3		53			HD	Tan, 4 Passenger
	5DJ68 RC3AB	1	3		53			HD	Mist Gray, 4 Passenger
	5DJ80 RK5AB	1	3		53			PB	Tan, 4 Passenger
	5DJ80 RC3AB	1	3		53			PB	Mist Gray, 4 Passenger
3									SEAT BACK, Rear
	5EV2 2RC3	1						PB	Mist Gray, 3 Passenger
	5EV2 2RK5	1						PB	Tan, 3 Passenger
	5EV2 5RK5	1	3		53			PB	Tan, 4 Passenger
	5EV2 5RC3	1	3		53			PB	Mist Gray, 4 Passenger
	5EV3 3RC3	1						HD	Mist Gray, 3 Passenger
	5EV3 3RK5	1						HD	Tan, 3 Passenger
	5EV3 5RK5	1	3		53			HD	Tan, 4 Passenger
	5EV3 5RC3	1	3		53			HD	Mist Gray, 4 Passenger
4									COVER, Rear Seat Back
	5DJ42 RC3AB	1						HD	Mist Gray, 3 Passenger
	5DJ42 RK5AB	1						HD	Tan, 3 Passenger
	5DJ56 RC3AB	1						PB	Mist Gray, 3 Passenger
	5DJ56 RK5AB	1						PB	Tan, 3 Passenger
	5DJ70 RC3AB	1	3		53			HD	Mist Gray, 4 Passenger
	5DJ70 RK5AB	1	3		53			HD	Tan, 4 Passenger
	5DJ82 RC3AB	1	3		53			PB	Mist Gray, 4 Passenger
	5DJ82 RK5AB	1	3		53			PB	Tan, 4 Passenger
5	6008 076	AR							HOG RING, Seat
6	4211 675	1							SPACER, Rear Armrest Pivot Bolt
7	4211 689	2							SPRING, Armrest Pivot
8	6031 853	1							BOLT, Hex Shoulder, .250-20x.875
9									ARMREST, Seat

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seats, Trim Codes [HD, PB]
Figure IAB-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	L110 RC3	1						O0	Mist Gray
	L110 RK5	1						O0	Tan




DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Seat Belts Figure IAB-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BELT, Front Outer
	5EU40 RK5AB	1						O0	Tan, With Dual Hinged Side Doors, Passenger
	5EU40 LAZAB	1						O0	Agate, With Dual Hinged Side Doors, Passenger
-2	6504 869AA-	1						O0	BOLT, Seat Belt, M12x1.75x52.00, Also Serviced in Item 1
3									SEAT BELT, Front Outer
	5EU44 LAZAB	1						O0	Agate, With Sliding Door, Passenger
	5EU44 RK5AB	1						O0	Tan, With Sliding Door, Passenger
-4	6504 868AA-	1						O0	BOLT, Seat Belt, M12x1.75x2.00, Also Serviced in Item 3
5									SEAT BELT, Front Outer
	5EU41 LAZAB	1						O0	Agate, Driver
	5EU41 RK5AB	1						O0	Tan, Driver
-6	6504 868AA-	1						O0	BOLT, Seat Belt, M12x1.75x84.30, Also Serviced in Item 5
7	6034 384	1							SCREW, Pan Head, .437-20x1.15
8									LAP BELT, Buckle Half
	5DW4 2RAZ	1						O0	Agate
	5DW4 2SK5	1						O0	Tan
9	4402 887	1							EXTENDER, Seat Belt

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Belts, Rear Seats
Figure IAB-720

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BELT, Rear Lap Tip, Label 55134785
	5DW4 5RAZ	2						O0	Agate, 3 Passenger
	5DW4 5RK5	4						O0	Tan, 3 Passenger
2									SEAT BELT, Rear Lap Buckle, Label 55314790
	5DW5 0RAZ	3						O0	Agate, 3 Passenger
	5DW5 0RK5	3						O0	Tan, 3 Passenger
3									SEAT BELT, Rear Lap Buckle, Label 55134798
	5DW5 8RAZ	2						O0	Agate, 4 Passenger
	5DW5 8RK5	2						O0	Tan, 4 Passenger
4									SEAT BELT, Rear Lap Buckle, Label 55314802
	5DW6 2RAZ	1						O0	Agate, 4 Passenger
	5DW6 2RK5	1						O0	Tan, 4 Passenger
5									SEAT BELT, Rear Lap Tip, Label 55314800
	5DW6 0RAZ	1						O0	Agate, Center Tip Half, 4 Passenger
	5DW6 0RK5	1						O0	Tan, Center Tip Half, 4 Passenger
6									SEAT BELT, Rear Lap Buckle, Label 55314796
	5DW5 6RAZ	1						O0	Agate, Center Buckle Half, 4 Passenger
	5DW5 6RK5	1						O0	Tan, Center Buckle Half, 4 Passenger
7									SEAT BELT, Rear Lap Tip, Label 55314792
	5DW5 2RAZ	1						O0	Agate, 4 Passenger
	5DW5 2RK5	1						O0	Tan, 4 Passenger
8									SEAT BELT, 4 Passenger Outer, Label 55350152
	5EZ6 6RAZ	2						O0	Agate, Shoulder, Right & Left
	5EZ6 6RK5	2						O0	Tan, Shoulder
9	5502 9448	1							REINFORCEMENT, Seat Riser and Seat Belt, Mounting, 3 Passenger
10	6034 397	4							SCREW, Pan Head, .437-20x1.57, Belt Attaching
11	6034 397	4							SCREW, Pan Head, .437-20x1.57, Seat Belt Mounting 4 Passenger


DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Belts, Rear Seats Figure IAB-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	4087 642	4							PLUG
13	4352 237	2							BRACKET, Seat Belt Anchor
14	4402 887	1							EXTENDER, Seat Belt
15	6034 383	2							SCREW, Pan Head, .437-20x1.5
-16	4358 469AB-	1							TETHER PACKAGE, Child Seat

SERIES	LINE
--------	------

L = Van, Wagon
X = Conv.

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Belts, Shoulder Rear Seats
Figure IAB-730


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BELT, Rear Outer, Label
									55314787
	5DW4 7RAZ	2						O0	Agate, 5 and 8 Passenger
	5DW4 7RK5	1						O0	Tan, 5 and 8 Passenger
2	6034 459	1						O0	SCREW, Pan Head, .437-20x1.875
3									BOLT, Serviced in Item1, (NOT SERVICED) (Not Serviced)
4									PLUG, Shoulder Harness Anchor, Paint as Required
	5DD0 8RC3	1	1		51			O0	
		1	3		53			O0	
		2	1		11			O0	
		3	2		52			O0	
		4			12			O0	
		6			13			O0	
5	5502 9448	1							REINFORCEMENT, Seat Riser and Seat Belt

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Reclining Mechanism, Front Seat
Figure IAB-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	9422 041	1							BOLT, Hex Head, .312-18x1.50
2	4190 968	1						PB	RECLINER, Seat Back Driver
	4190 969	1						PB	Passenger
3	4029 871	1						PB	ADAPTER, Seat Recliner
4	4190 248	1						PB	SPRING, Recliner Release Driver
	4190 249	1						PB	Passenger
5	0120 622	1						PB	NUT, Hex, .164-32
6									SCREW, 8-18x1, (NOT SERVICED) (Not Serviced)
7	S876 1C3	1						PB	COVER, Front Seat Hinge Mist Gray, Passenger,Outer
	S876 1K5	1						PB	Tan, Passenger,Outer
	S877 1C3	1						PB	Mist Gray, Driver,Outer
	S877 1K5	1						PB	Tan, Driver,Outer
8	S810 1C3	1						PB	COVER, Seat Recliner, Paint as Required With Hole For Recliner, Passenger,Inner
	S811 1C3	1						PB	With Hole For Recliner, Driver, Inner
9	5519 5448	1						PB	HANDLE, Recliner
10									SCREW, 8-32x1/2, (NOT SERVICED) (Not Serviced)
11	4029 846	1						PB	BUSHING, Pivot
12	6030 913	1						PB	SNAP RING, .310
13	5011 702AA	1						PB	BOLT, Pivot

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Adjusters And Riser, Bucket Seats, Without Power Figure IAB-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADJUSTER, Manual Seat
	4856 991	1						HD	With Handle, Outboard
	5519 4860	1						HD	Inboard
	4856 991	1						PB	With Handle, Outboard
	5519 4860	1						PB	Inboard
2									WASHER, Sealing
	5513 5290	8			11, 12, 13				
		8			51, 52, 53				
3									SPRING, Seat Track Adjuster
	4118 646	1						HD	
		1						PB	
4									WIRE, Adjuster Release
	4118 676	1						HD	
		1						PB	
5									KNOB, (NOT SERVICED) (Not Serviced)
6									RISER, Seat
	5011 547AA	1						O0	Driver
	5011 549AA	1						O0	Passenger
7	6025 014	4							NUT AND CONED WASHER, Hex, .437-14
8	6025 008	4							NUT
9									SCREW AND WASHER, (NOT SERVICED) (Not Serviced)
10									SHIELD, Seat Cushion
	5DN6 9SK5	1						O0	Tan
	5DN6 9RC3	1						O0	Mist Gray
11									PIN, Push .281
	5AA3 5TC3	1						O0	Mist Gray
	5AA3 5SK5	1						O0	Tan

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Adjusters and Riser, Bucket Seats, With Power
Figure IAB-825




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
P.A.R.= Paint As Required									
1	5017 647AA	1						PB	ADJUSTER, Power Seat
2	6025 008	4							NUT
3	5011 548AA	1						O0	RISER, Seat
4	6025 014	4							NUT AND CONED WASHER, Hex, .437-14
5									STUD, Riser to Floor, (NOT SERVICED) (Not Serviced)
6									WASHER, Sealing
	5513 5290	8			11, 12, 13				
		8			51, 52, 53				
7	5DN6 8RC3	1						O0	SHIELD, Seat Cushion Mist Gray
	5DN6 8SK5	1						O0	Tan
8									PIN, Push .281
	5AA3 5SK5	6						O0	Tan
	5AA3 5TC3	6						O0	Mist Gray
9									BEZEL, Power Seat Switch, Paint as Required
	5EH1 5SK5	1						O0	Tan
	5EH1 5RC3	1						O0	Mist Gray

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Risers, Rear Seats Figure IAB-830

[illegible]

DODGE RAM VAN & WAGON (AB)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Group – SAB







Body Sheet Metal Except Doors



Group – SAB

Body Sheet Metal Except Doors

SAB-1100 Roof Panels	SAB-1500 Track Sliding Door		
			



SAB-200 Floor Pans	SAB-300 Plugs	SAB-400 Front Fenders	SAB-500 Hood and Hood Release
			
SAB-600 Cowl and Dash Panel	SAB-700 Glass and Rear View Mirror	SAB-800 Aperture Panel	SAB-900 Quarter Panel and Pillars
			

GROUP SAB - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pans	
Floor Pan	Fig. SAB-210
Plugs	
Plugs	Fig. SAB-310
Front Fenders	
Fender Front	Fig. SAB-410
Hood and Hood Release	
Hood and Hood Release	Fig. SAB-510
Cowl and Dash Panel	
Cowl and Dash	Fig. SAB-610
Glass and Rear View Mlrror	
Glass and Weatherstrips	Fig. SAB-710
Mirror, Rear View	Fig. SAB-720
Aperture Panel	
Aperture Panel	Fig. SAB-810
Quarter Panel and Pillars	
Supports And Channels, Right	Fig. SAB-910
Supports Retainers And Fuel Filler Door	Fig. SAB-920
Stepwell	Fig. SAB-925
Panels, Pillars, Reinforcements, Right Side	Fig. SAB-930
Panels, Pillars, Reinforcements, Left Side	Fig. SAB-940
Panels, Pillars, Reinforcements	Fig. SAB-950
Roof Panels	
Panels Roof Header And Roof Rails	Fig. SAB-1110
Track Sliding Door	
Track Sliding Door	Fig. SAB-1510



Floor Pan
Figure SAB-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FILLER, Side Panel To Underbody
	55346 294AB	1			11, 12, 51, 52				Right
	55346 295AC	1			11, 12, 51, 52				Left
	55346 296AC	1			13, 53				Right
	55346 297AC	1			13, 53				Left
2	55346 575AB	1							PANEL, Underbody Front
3									PANEL, Front Floor Pan
	55346 564AB	1	1		11				8 and 12 passenger
		1	1		51				8 and 12 passenger
	55346 565AB	1	3		53				15 Passenger
	55346 564AB	1	2, 3		52, 53				8 and 12 passenger
	55346 565AB	1			12, 13				15 Passenger
-4									BRACKET, Seat Anchor
	55346 403AC-	4							8 and 12 passenger
		6							15 Passenger
5	55347 191AB	1			13, 53				EXTENSION, Floor Pan
6									PANEL, Heat Shield, (NOT REQUIRED)
7	6022 202	1							SCREW AND WASHER, Hex Head, .25-20x.625
8									PANEL, Side Panel
	55346 574AB	1	1		11, 51				
	55346 764AB	1			12, 13, 52, 53				

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plugs
Figure SAB-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	2860 332	1							PLUG, Anti-Rattle, Antenna Grommet Hole
2	6029 939	AR							PLUG, Body, .50 Diameter, Cowl Gage Hole
3	3760 482	2							PLUG, Access Hole, Filler Gage Hole
4	4475 385	2							PLUG, 'D' Pillar
5	4780 194	1							PLUG
6	2860 332	2							PLUG, Anti-Rattle
7	4499 069	1							PLUG, Front Pillar Side Lock, Without Power Door Locks
8	4083 788	8							PLUG, Underbody Access, Seat Anchor Bracket Drain
9	6029 057	1							PLUG, Body, 1.655 Diameter

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DGO = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fender Front
Figure SAB-410


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side
	55347 220AC	1							Right
	55347 221AC	1							Left
2									BEAM, Cowl Side Impact
	5534 4982	1							Right
	55347 133AB	1							Left
3	55254 614AB	1							SHIELD, Cowl
4									WHEELHOUSE, Front Inner
	55346 866AC	1							Right
	55347 127AB	1							Left
5									FENDER
	55346 552AB	1							Right
	55346 553AB	1							Left
-6	6505 494AA-	12							SCREW, Torx Round Head, M6-1.0x20.0
7									EXTENSION, Fender To Headlamp
	55344 912AB	1							Right
	55344 913AB	1							Left
8	55274 696AB	1							SHIELD, Splash, Right
9	6031 321	10							PIN, Retainer, Front Fender Splash Shield
10	4113 920AB	1							SHIELD, Cowl, Right
-11									BRACKET, Fender
	55347 460AB-	1							Right
	55347 461AB-	1							Left
-12	55359 066AA-	1							CLIP, Fender Extension to Headlamp Panel

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hood and Hood Release
Figure SAB-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5534 6549	1							HOOD
2	55346 928AC	1							STRIKER, Hood Latch
3	55347 054AB	1							ROD, Hood Prop
4	4716 486	1							BUSHING, Hood Prop Rod Pivot
5									SHIM, (NOT SERVICED) (Not Serviced)
6	5534 7106	1							ARM, Hood Hinge Right
	5534 7107	1							Left
7									SCREW, .315-18x1.00, (NOT SERVICED) (Not Serviced)
8	6024 203	2							NUT, .375
9	5534 7225	2							BUMPER, Hood
10	5534 6355	2							BUMPER, Hood to Fender
11	J400 7456	1							CLIP, Prop Rod
12	5534 7060	1							RELEASE, Hood Latch
13	55346 931AB	1							LATCH, Hood
14	6101 469	2							NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
15	5534 4970	1							REINFORCEMENT, Cowl Plenum Right
	5534 4971	1							Left
16	53031 907AA	1	1		11, 12, 13, 51				LABEL, Emission 3.9L, Canada
	53031 908AA	1	1		11, 12, 51				5.2L, California
	53031 911AA	1	1, 2		12, 13, 52				5.2L, Export, Line 1 for Body 13 Only
	53031 905AA	1	1		11, 12, 13, 51				3.9L, California
	53031 906AA	1	1		11, 12, 13, 51				3.9L, Federal
	53031 909AA	1	3		12, 13, 53				5.2L, California
	53031 912AA	1	3		12, 13, 53				5.2L, Export
	53031 913AA	1	1		11, 12, 51				5.2L, Canada

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hood and Hood Release
Figure SAB-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	53031 914AA	1	1, 2		12, 13,				5.2L, Canada, Line 1 for Body 13
	53031 917AB	1	3		52				Only
	53031 910AA	1	1		12, 13,				5.9L, California
	53031 915AA	1	3		53				
	53031 916AB	1	1		11, 12,				5.2L, Export,
	53031 919AA	1	3		51				
	53031 918AB	1	1		12, 13,				5.2L, Canada
	53031 920AA	1	3		53				
	53031 923AA	1	1		12, 13				5.9L, California, Gross Vehicle
	53031 921AA	1	1						Weight 6600
	53031 924AA	1	1, 2		12, 13				5.9L, Export, Gross Vehicle Weight 6600
	53032 908AA	1	1, 2		12, 13,				5.9L, California
	53031 925AA	1	3		52				
		1	1		12, 13				5.9L, Canada, Gross Vehicle
					53				Weight 6600
					11, 12,				5.9L, Export
					13				
17	4215 966	1							5.9L, Canada, Gross Vehicle Weight 9200
									LABEL, Equipmemt Identification

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Cowl and Dash
Figure SAB-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55346 563AB	1							PANEL, Dash
-2	5534 4558	1							REINFORCEMENT, Plenum
3	5534 6628	1							EXTENSION, Dash Panel To Engine
4	5534 6629	1							RETAINER, Engine Housing Seal
5	55055 839AA	1							PANEL, Cowl Top
-6	6503 639	8							NUT, Plastic Snap-in
7	55346 561AB	1							PANEL, Cowl And Plenum
8									REINFORCEMENT, Cowl Side
	55359 008AB	1							Right
	55359 009AA	1							Left
9	55347 034AB	1							SUPPORT, Dash Panel
10	5600 6990	1							PLUG, Sealing, Antenna Hole
11	5534 6619	1							PANEL, Dash, Instrument Panel
12									Mounting
									REINFORCEMENT, Engine Housing
									Extension
	55359 010AA	1							Right
	55359 011AA	1							Left
13									BRACKET, Instrument Panel
	5534 7194	1							Right
	5534 7195	1							Left

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

Glass and Weatherstrips Figure SAB-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE "1": Order From Your Local "MOPAR: Glass Distributor									
1	4087 023	1			13				GLASS, Quarter Window Tinted, Left
		1	3		53				Tinted, Left
	4087 022	1			13				Tinted, Right
		1	3		53				Tinted, Right
	5513 5262	1			13, 53				Privacy, Right
	5513 5263	1			13, 53				Privacy, Left
2									GLASS, Bodyside Window
	4084 522	1			12, 13, 52, 53				Tinted, Right
	5513 5254	1	1		11, 51				Privacy, Right
	5513 5255	1	1		11, 51				Privacy, Left
3									GLASS, Door, See Doors, (NOT REQUIRED)
4	4883 953AB	1							WINDSHIELD, Shipping Assembly - 10 Lite Glass
5	4883 970AC	1							WINDSHIELD, Shipping Assembly - 30 Lite Glass
6									GLASS, Cargo Door, Vented Tinted
	5507 4706	2							
	5513 5268	2							Privacy
7									GLASS, Sliding Door, See Doors, (NOT REQUIRED)
8									GLASS
	4081 253	1							Fixed Tinted, (Also Used Right Sliding Door and Single Rear Door)
	5513 5269	1							Fixed Privacy, (Also Used Right Sliding Door and Single Rear Door)
	5507 4700	1							
	5513 5265	1							Vented Privacy, (Also Used Right Sliding Door and Single Rear Door)
9									GLASS
	5503 4480	1							Privacy, Heated
	5513 5267	1							Tint, Heated
	5507 4700	1							Tint
	5513 5265	1							Privacy

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Glass and Weatherstrips Figure SAB-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	5517 4501	4			13, 53				GASKET, Remote Control Handle
11	5507 4791	4			13, 53				RETAINER, Glass Corner Panel
12									GLASS, Sliding Door, See Doors, (NOT REQUIRED)
13	6034 911	4			13, 53				SCREW, Oval Head, .25-20x.50
14	5513 5123	4			13, 53				RETAINER, Glass Corner Panel
15	2504 566	4			13, 53				WASHER, Flat, .23x1.0x.045
16	3788 265	4			13, 53				SPACER, Rear Corner Vent Glass
17	4354 952	2			13, 53				WEATHERSTRIP, Rear Corner
18									Panel WEATHERSTRIP, Side Panel Rear Glass
	4354 949	2	1		51				
	4354 948	2	2, 3		52, 53				
		2			12, 13				
	4354 949	2	1		11				
19	5534 7038	1							MOLDING, Windshield
20	4354 950	1							WEATHERSTRIP, Cargo Door Glass, Fixed
21	4498 169	1							WEATHERSTRIP, Side Panel Vent
22	4673 324	2							SPACER, Dissolvable, Windshield
23	5502 8214	3							Lower SPACER, Windshield
24	6030 650	3							SCREW, Hex Head Locking, .25-20x.875
25	0154 608	4							SCREW, Pan Head, .19-16x.625
26	5507 4704	1							HINGE, Glass
27	6033 560	3							NUT AND WASHER, Hex Nut-Coned Washer, .25-20
28	6033 766	3							WASHER, Flat, ID=.230/OD=.750
29	5513 5041	2							LATCH, Vent Window
30	5502 2619	2							RETAINER, Side Panel Vent Window
31	5513 4502	4							WASHER, Vent Window Latch
32	4084 164	2							GROMMET, Vent Window Latch
33	4084 167	2							NUT, Window Latch Side Glass
34	9411 579	2							PIN, Latch

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mirror, Rear View
Figure SAB-720

[illegible]

DODGE RAM VAN & WAGON (AB)

BODGE RAM VAN
SERIES
 L = Van, Wagon
 X = Conv.

WAGON (AB)	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)



ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Aperture Panel
Figure SAB-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55347 043AB	1							APERTURE, Body Side Door, Left
-2	4490 111	1							TAPPING PLATE
-3	4512 871	1							RETAINER, Door Lock Striker, Also Serviced in Item #1
4	4860 301	1							TAPPING PLATE, Striker, Also Serviced in Items #1 & 5
5	55347 039AB	1							APERTURE, Body Side Door With Sliding Door, Right
	55347 042AB	1							With Hinged Doors, Right
-6	5534 6386	1							BRACKET, Side Cargo Door, Also Serviced With Item #5, With Sliding Door
7									PANEL, Front Fender Rear Side Also Serviced With Item #5, Right Left
8	55346 698AB	1			12, 13, 52, 53				BRACKET, Side Cargo Door, Control Arm Pivot, Also Serviced in Item #6, With Hinged Doors
9	4080 167	1							EXTENSION, Cargo Side To Step Sill, Also Serviced in Items # 1 & 5
10	5534 7333	1							BRACKET, Side Cargo Door, Also Serviced in Items # 5, With Hinged Doors, Upper
11	5534 7332	1							BRACKET, Side Cargo Door, Also Serviced in Items # 5, With Hinged Doors, Lower

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Supports And Channels, Right
Figure SAB-910



FLOOR MOUNTED SPARE WHEEL
127" W.B. (TYPICAL OF 127" EXT. W.B.)



127" EXT. W.B.

109 & 127" W.B.

SIDE MOUNTED SPARE WHEEL

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4084 323AB	1							RETAINER, Trim Panel, Floor
2	4084 325	1							RETAINER, Spare Tire Mount Support, Lower Corner
3	4084 350	2			11, 12, 51, 52				RETAINER, Trim Panel, Rear Lower, Corner
4	4084 328	1			13, 53				RETAINER, Trim Panel, Wheelhouse, Side
5	4084 328	1			13, 53				RETAINER, Trim Panel, Wheelhouse, Top
6	4084 902	1			13, 53				SUPPORT, Channel
7	4262 096	1							BRACKET, Spare Tire
8	5534 5720	1	1, 2		11, 51				SUPPORT, Side Upper Rear
9	5534 5716	1			12, 52				SUPPORT, Upper Rear
10	55346 375AB	2							STRAINER, Side Panel With Window
	4084 117AB	1			11, 12, 13				Without Window
11	4084 902	1			13, 53				SUPPORT, Channel
12	5534 5718	1			13, 53				SUPPORT, Upper Rear
13	4262 096	1							BRACKET, Spare Tire


DODGE RAM VAN & WAGON (AB)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Supports Retainers And Fuel Filler Door Figure SAB-920



109"W.B. (LEFT)



127"W.B. (LEFT)



127"EXT.W.B. (LEFT)

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5534 5721	1	1, 2		11, 51				SUPPORT, Side Upper Rear
2	4084 350	1							RETAINER, Trim Panel, Lower Corner
3	4084 325	1							RETAINER, Spare Tire Mount Support, Rear, Lower Corner
4	4084 328	1			13, 53				RETAINER, Trim Panel, Side Wheelhouse and Floor
-5	4081 421	1	1		11, 51				REINFORCEMENT, Wheelhouse Strainer, Side Wheelhouse to Strainer
6	4084 350	1			13, 53				RETAINER, Trim Panel, Vent Strainer
7	4084 328	1			13, 53				RETAINER, Trim Panel, Center Floor
8	4084 328	1			13, 53				RETAINER, Trim Panel, Front Floor
9	4084 350	1							RETAINER, Trim Panel, Front Door Lock Pillar
10	55347 383AA	1							SUPPORT, Pillar Side, Lower
11	4084 328	1			13, 53				RETAINER, Trim Panel, Front Floor
12	2956 502	1							BRACE, Side Panel Strainer, To Under Body
13	4084 350	1							RETAINER, Trim Panel, Lower Corner
14									SUPPORT, Upper Rear
	5534 5717	1			12, 52				
	5534 5719	1			13, 53				
-15									SUPPORT, Side Coach Joint
	5502 3370	1	3		53				Right
	5502 3371	1	3		53				Left
16	4084 328	1			13, 53				RETAINER, Trim Panel, Rear Floor
17									SUPPORT, Vent Window Latch
	4212 602AB	1			51, 52, 53				With Windows, Right
		1			11, 12, 13				With Windows, Right
18	5534 6759	1							COVER, Side Panel Fuel Filler, Inner
19	55347 377AB	1	1		11, 51				STRAINER, Side Panel, Without Windows
20									STRAINER, Side Panel
	4084 117AB	1			11, 12, 13				Without Windows
	55346 375AB	2							With Windows

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)




ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Supports Retainers And Fuel Filler Door Figure SAB-920



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-21									REINFORCEMENT, Fuel Filler Door, (NOT SERVICED) (Not Serviced)
22	5534 7359	1			12, 13, 52, 53				STRAINER, Side Panel Vision Van, Approximately 57 Inches
		2			12, 13				Panel Van, Vision Curb Side Van, Approximately 57 Inches, Left Approximately 47.75 Inches
	4084 118AB	2			13				Approximately 38.5 Inches, Left
	5534 7354	1							
	5534 7359	1	1		11				Panel Van, Vision Curb Side Van, Approximately 57 Inches, Left
23	4084 118AB	2			13				STRAINER, Side Panel Without Windows, Approximately 47.75 Inches, Right & Left
	5534 6376	4			13, 53				With Windows, Approximately 28 Inches, Right & Left
24	55347 468AA	1							DOOR, Fuel Fill
-25									LABEL, Fuel
	5210 2158	1							Propane, Silver
	5212 7985	1							Propane, Black
-26									LABEL, CNG, (NOT SERVICED) (Not Serviced)
27									SPRING, Fuel Filler Door, (NOT SERVICED) (Not Serviced)
28									SCREW, (.190-16x.625), (NOT SERVICED) (Not Serviced)
29	55076 327AB	2							BUMPER, Fuel Door
30	5534 6761	1							REINFORCEMENT, Fuel Tube
31									SPACER, Fuel Door Hinge, (NOT SERVICED) (Not Serviced)
32									SHIELD, Fuel Filler Tube, (NOT SERVICED) (Not Serviced)
33									GASKET, Fuel Filler Tube, (NOT SERVICED) (Not Serviced)
34	6503 259	2							SCREW, Tapping, M6x1x20

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Stepwell
Figure SAB-925**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55346 658AB	1	1		11, 51				PANEL, Side Sill, With Sliding Doors
2	5534 6903	1							BRACKET, Spring, With Sliding Doors, Front,Right
3	5534 6396	1							PANEL, Side Step Well, With Sliding Doors
4	5534 7261	1	1		11, 51				FILLER, Side Step To Step Well, With Sliding Doors
5	5534 6660	1	1		11, 51				PANEL, Side Step Sill, With Sliding Doors
6	4083 460	1							EXTENSION, Wheel House, With Sliding Doors
7	5534 6661	1							FILLER, B Pillar Lock, With Sliding Doors
8	55346 659AB	1			12, 13, 52, 53				PANEL, Side Sill, With Sliding Doors
9	5534 6903	1							BRACKET, Spring, With Sliding Doors, Front,Right
10	5534 6396	1							PANEL, Side Step Well, With Sliding Doors
11	5534 7260	1			12, 13, 52, 53				FILLER, Side Step To Step Well, With Sliding Doors
12	5534 6692	1			12, 13, 52, 53				PANEL, Side Step Sill, With Sliding Doors
13	4083 460	1							EXTENSION, Wheel House, With Sliding Doors
14	5534 6661	1							FILLER, B Pillar Lock, With Sliding Doors
15	5534 6684	1			12, 13, 52, 53				REINFORCEMENT, Sill With Dual Doors
	55346 690AB	1	1		11, 51				With Dual Doors
16	55346 902AB	1							BRACKET, Long Rail, With Dual Doors
17	55346 686AB	1							PANEL, Side Step Sill Right
	55346 687AB	1							Left

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Pillars, Reinforcements, Right Side
Figure SAB-930



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture
	5534 6356	1	1		11				Without Windows, Dual Doors
	55346 358AB	1	1		51				With Windows, Sliding Door
	5534 6362	1	1		51				With Windows, Dual Doors
	55346 358AB	1	1		11				With Windows, Sliding Door
	5534 6360	1	1		11				Without Windows, Sliding Door
	5534 6364	1	2, 3		52, 53				With Windows, Dual Doors
	5534 6362	1	1		11				With Windows, Dual Doors
	5534 6366	1			12, 13				Without Windows, Dual Doors
	5534 6368	1			12, 13				With Windows, Sliding Door
	5534 6364	1			12, 13				With Windows, Dual Doors
	5534 6368	1	2, 3		52, 53				With Windows, Sliding Door
	5534 6369	1			12, 13				Without Windows, Sliding Door
2									PANEL, Side To Underbody
	4084 480	1			13, 53				
	5534 6298	1			11, 12, 51, 52				
3	55346 300AB	1							WHEELHOUSE
4	4212 542AB	1			12, 13, 52, 53				PANEL, Sill
5	4482 237AB	1			12, 13, 52, 53				PANEL, Rear Side To Underbody
6	4083 458	1							EXTENSION, Wheel House
7									PILLAR, Front Door Lock, (NOT SERVICED) (Not Serviced)
8									PANEL, Side Step Sill
	5534 6660	1	1		11, 51				With Sliding Door
	55346 669AB	1			12, 13, 52, 53				With Dual Doors
	5534 6692	1			12, 13, 52, 53				With Sliding Door
	55347 031AB	1	1		11, 51				With Dual Doors
9									FILLER, Rear Cargo Door Hinge
	4080 959	1			12, 13, 52, 53				Upper
		1	1		11, 51				Upper
10									PILLAR, Side Cargo Door, Dual Doors
	55346 836AC	1			12, 13, 52, 53				

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Pillars, Reinforcements, Right Side
Figure SAB-930




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55347 319AC	1	1		11, 51				
11	4499 167	1	1		11, 51				EXTENSION, Cargo Door Pillar To Sill, Dual Doors, (For Line 12,13, 52,53 Serviced in Pillar)
12									REINFORCEMENT, Side Cargo Door Pillar
	4080 161	1	1		11, 51				
	4080 306	1			12, 13, 52, 53				
13	4087 125	1							BRACKET, Cargo Door Hinge, Dual Doors
14	4087 123	1							BRACKET, Cargo Door Hinge, Dual Doors
15									PILLAR, Side Cargo Door, Sliding Door
	55347 187AC	1			12, 13, 52, 53				
	55347 190AC	1	1		11, 51				
16	4482 235	1			12, 13, 52, 53				EXTENSION, Cargo Side To Step Sill, Sliding Door, Serviced With Pillar, For 109' Wheelbase Order
17									Pillar TAPPING PLATE, Side Door Lock Striker, Sliding Door
	3739 768	1	1		11, 51				
		1			12, 13, 52, 53				

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Pillars, Reinforcements, Left Side
Figure SAB-940



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REINFORCEMENT, Side Panel to Uni Body
	55347 421AA	1	1		11, 51				
	55347 425AA	1			12, 13, 52, 53				
2	5534 6592	1							BRACKET, Spring, Rear Spring Mounting Support
3	5534 6290	1							REINFORCEMENT, Rear Spring to Side Panel
4	5534 6604	1							BRACKET, Floor Pan Side Rail
5	2956 413AB	1							EXTENSION, Side Sill
6									REINFORCEMENT, Step Sill, (NOT SERVICED) (Not Serviced)
7	2956 275	1							EXTENSION, Wheel House
8									PANEL, B Pillar, See Aperture Panel, (NOT SERVICED) (Not Serviced)
9									FILLER, B Pillar To Side Step, See Aperture Panel, (NOT SERVICED) (Not Serviced)
10	55347 351AB	1							PANEL, Side Step Sill
11									EXTENSION, Door Lock, See Aperture Panel, (NOT SERVICED) (Not Serviced)
12									PANEL, Body Side Aperture With Windows
	5534 6570	1	1		11, 51				
	5534 6571	1			12, 13, 52, 53				With Windows
	5534 6568	1	1		11				Without Windows
	5534 6569	1			12, 13				Without Windows
13	55346 301AB	1							WHEELHOUSE
14	5534 6572	1							PANEL, Side To Underbody
-15									SILL, Rear
	5534 7173	1			13, 53				Underbody Rear Lower
	5534 7175	1			11, 12, 51, 52				Underbody Rear Lower
-16	5534 7228	1							SILL, Rear, Underbody Rear Inner
-17	5534 7212	1							SILL, Rear, Underbody Rear Outer
-18	5534 7208	1							PANEL, Sill

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)


ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Pillars, Reinforcements
Figure SAB-950




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	PANEL, Side Corner								
	55075 134AB	1			13				Dual Doors, Without Windows, Right
	55075 135AB	1			13				Without Windows, Left
	55075 138AB	1			11, 12, 51, 52				Single Door, Right
	55075 132AB	1			11, 12, 51, 52				Dual Doors, Right
	55075 133AB	1			11, 12, 51, 52				Dual Doors, Single Door, Left
	55075 136AB	1			13, 53				Single Door, With Windows, Right
	55075 140AB	1			13				Single Door, Without Windows, Right
	55075 142AB	1			13, 53				Dual Doors, With Windows, Right
	55075 137AB	1			13, 53				With Windows, Left
2	5534 6592	1							BRACKET, Spring, Mounting Support
3	REINFORCEMENT, Rear Spring to Side Panel								
	55346 596AB	1			13, 53				Right
	55346 597AB	1			13, 53				Left
4	EXTENSION, Rear Spring Bracket								
	4081 526AB	1			13, 53				Right
	4081 527AB	1			13, 53				Left
5	PILLAR, Rear Cargo Door Hinge, Dual Doors								
	55346 704AE	1							Right
	55346 705AE	1							Left
6	REINFORCEMENT, Door Hinge								
	5534 6105	1							Left
	5534 6104	1							Right
7	FILLER, Cargo Door Header Panel								
	5534 6983	1							Left
	5534 6982	1							Right
8	REINFORCEMENT, Door Hinge								
	2956 284	1							Right
	2956 285	1							Left
9	BRACKET, Cargo Door Hinge, Dual Doors								
	4087 125	1							Left,Upper
	4087 124	1							Right,Upper

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels, Pillars, Reinforcements
Figure SAB-950




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4087 122	1							BRACKET, Cargo Door Hinge Pillar, Dual Doors, Dual Doors, Right, Lower
11	4087 123	1							BRACKET, Cargo Door Hinge, Dual Doors, Dual Doors, Left,Lower
12									REINFORCEMENT, Side Rear Corner Panel, Dual Doors
	3639 148	1			11, 12, 51, 52				Rear Fascia Mounting, Right
	3639 149	1			11, 12, 51, 52				Rear Fascia Mounting, Left
	2956 664	1			13, 53				Rear Fascia Mounting, Right
	2956 665	1			13, 53				Rear Fascia Mounting, Left
13									FILLER, Rear Door Pillar, Dual Doors
	4166 722	1							Right
	4166 723	1							Left
14	55346 997AD	1							PILLAR, Rear Cargo Door Lock, Single Cargo Door, Right
15	55346 837AE	1							PILLAR, Hinge Inner, Single Door, Left
16	4087 125	1							BRACKET, Cargo Door Hinge, Single Door, Left,Upper
17	4087 123	1							BRACKET, Cargo Door Hinge, Single Door, Left,Lower
18									TAPPING PLATE, Striker, Single Door, (NOT SERVICED) (Not Serviced)
19	3824 601	1							RETAINER, Door Lock Striker, Single Door
20	5505 5657	2							EXHAUSTER, Quarter Panel

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Panels Roof Header And Roof Rails
Figure SAB-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
For rail with sliding door see illustration 1510, Track Sliding Door									
1									ROOF
	5534 6647	1	1		11, 51				
	5137 727AA	1			12, 52				
	5137 728AA	1			13, 53				
2	55344 924AB	1							PANEL, Windshield Header
3									PANEL, Roof Side Rail
	5534 7066	1			13, 53				Right
	5534 7068	1			12, 52				Right
	5534 7075	1			13, 53				Left
	5534 7070	1	1		11, 51				Right
	5534 7071	1	1		11, 51				Left
-4									NUT PLATE, .25-20
	6033 150	3			13, 53				Attach Reinforcement Assembly to
		2	1		11, 51				Roof Side Rail Header Rear
									Attach Reinforcement Assembly to
		2			12, 52				Roof Side Rail Header Rear
5	5534 6532	1							Attach Reinforcement Assembly to
									Roof Side Rail Header Rear
6	5534 6526	1							HEADER, Rear Door, With Dual
7									Doors
	5534 6651	1	1		11, 51				HEADER, Rear-Single Door
	5534 6653	1			12, 52				RAIL, Roof Side
	5534 6655	1			13, 53				Left
	55347 414AA	1			13, 53				Left
	55347 420AA	1			12, 52				Right
	55347 422AA	1	1		11, 51				Right
8	5534 7257	2							RAIL, Roof Side, Rear Corner
9	55347 444AA	4							CLIP, Roof Rail
10									BOW, Roof
	4796 094AB	1			11, 12,				Bow # 4
					51, 52				
	4796 096AB	1			13, 53				Bow # 5
	4778 343AB	4			13, 53				Bow # 1,2,3,4
		3			11, 12,				Bow # 1,2,3
					51, 52				
-11									FASTENER, Bulkhead
	4696 963	10			13, 53				

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500

BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure SAB-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		8	1		11, 51				
		8			12, 52				
-12	5534 5970	2			11, 12, 13				BRACKET, Dome Lamp



DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE	BODY
1=1500	11=Van(109 WB)
2=2500	12=Van(127 WB)
3=3500	13=X-Van(127 WB)
	51=Wagon(109 WB)
	52=Wagon(127 WB)
	53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DG0 = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Track Sliding Door Figure SAB-1510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
GHA = Doors, Rear and Right Side, No Glass									
GHB = Doors, Rear With Glass, Right Side No Glass									
GHD = Doors, Doors, Rear and Right Side, With Glass									
GHJ = Window Group, Vision Van, Curb Side									
GHG = Window Group, Vision Van									
1	4084 099	1							TRACK, Sliding Door
-2	2276 749	1							STOPPER, Cargo Door, Roof Cargo Door Upper
3	0154 621	6							SCREW, Self Drilling, .190-16x5.00
4	4084 105	1							COVER, Side Cargo Door Hinge
-5	6030 538	1							RETAINER, Hinge Cover, .300x.710, Hinge Cover
6									REINFORCEMENT, Sliding Door
	5534 7375	1	1		11				Track
	5534 7373	1	1		11				With GHA, GHB, GHD, Front All Vision Vans, (GHJ, GHG), Front
		1			12, 13, 51, 52, 53				Front
7									REINFORCEMENT, Sliding Door
	5502 2776	1			12, 13, 51, 52, 53				Track Rear
	5502 2775	1	1		11				With GHA, GHB, GHD, Rear All Vision Vans, (GHJ, GHG), Rear
	5502 2776	1	1		11				
8	5534 7287	1							COVER, Roof Side Rail, Hinge Outer
9	5534 7382	1							PLUG, Side Rail Hinge Outer Track Cover
10	0154 631	1							SCREW, Pan Head, .190-16x.5
11									PANEL, Roof Side Rail
	55344 576AB	1			13, 53				
	4080 202AB	1	1		11, 51				
	4080 206AB	1			12, 52				
12	55347 415AA	1							SUPPORT, Sliding Door Track
13	5534 6878	1							RAIL, Roof Side
14	4087 399	1							TRACK, Roof Header Upper Roller
15	4080 278	1							RAIL, Roof Side, Header Outer

DODGE RAM VAN & WAGON (AB)

SERIES
L = Van, Wagon
X = Conv.

LINE
1=1500
2=2500
3=3500


BODY
11=Van(109 WB)
12=Van(127 WB)
13=X-Van(127 WB)
51=Wagon(109 WB)
52=Wagon(127 WB)
53=X-Wagon(127 WB)

ENGINE
EHC=3.9L 6 Cyl. (MPI)
ELF=5.2L 8 Cyl. (MPI)
ELN=5.2L 8 Cyl. (CNG)
ELP=5.2L 8 Cyl. (LPG)
EML=5.9L 8 Cyl. (MPI)


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DGH = 36RH 3 Spd. Auto.
DGO = Auto Trans.

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Track Sliding Door Figure SAB-1510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	3636 872	1			12, 13, 51, 52, 53				TAPPING PLATE, Side Door Track Hinge, Outer
17	6030 538	1							RETAINER, Hinge Cover, .300x.710
18	0154 601	1							SCREW, Pan Head, .19-24x.5

DODGE RAM VAN & WAGON (AB)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Van, Wagon	1=1500	11=Van(109 WB)	EHC=3.9L 6 Cyl. (MPI)	DGG = 32RH 3 Spd. Auto.
X = Conv.	2=2500	12=Van(127 WB)	ELF=5.2L 8 Cyl. (MPI)	DGT = 46RE 4 Spd. Auto.
	3=3500	13=X-Van(127 WB)	ELN=5.2L 8 Cyl. (CNG)	DGH = 36RH 3 Spd. Auto.
		51=Wagon(109 WB)	ELP=5.2L 8 Cyl. (LPG)	DG0 = Auto Trans.
		52=Wagon(127 WB)	EML=5.9L 8 Cyl. (MPI)	
		53=X-Wagon(127 WB)		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005